

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
0.187	0.750	0.250	63	7727	0.394	0.748	0.276	92	0004
0.188	0.750	0.250	61	7727	0.394	0.984	0.276	92	0012
0.250	0.500	0.125	71	7000	0.406	0.875	0.312	62	0025
0.250	0.562	0.187	76	6035	0.406	1.000	0.312	63	0027
0.250	0.750	0.250	61	3863	0.406	1.125	0.312	63	0029
0.250	0.750	0.250	63	3863	0.406	1.182	0.312	63	8009
0.250	0.750	0.250	92	3863	0.406	1.250	0.312	62	0031
0.250	0.750	0.469	63R1	7146	0.406	1.250	0.312	63	0031
0.250	0.750	0.469	63R2	7146	0.406	1.260	0.312	63	8010
0.250	0.750	0.469	63T2	7146	0.406	1.375	0.375	63	0034
0.250	0.875	0.250	63	3864	0.406	1.378	0.312	63	8336
0.281	0.686	0.125	91	7001	0.437	0.621	0.125	91	6635
0.281	0.750	0.250	63	0001	0.437	0.687	0.125	71	6060
0.312	0.506	0.125	71	8801	0.437	0.875	0.187	71	7007
0.312	0.562	0.156	91	6053	0.437	0.875	0.234	94	6062
0.312	0.687	0.219	92	9500	0.437	0.875	0.312	62	0035
0.312	0.687	0.250	92	6055	0.437	0.875	0.312	63	0035
0.312	0.750	0.250	61	0005	0.437	0.875	0.312	66	0035
0.312	0.750	0.250	63	0005	0.437	0.875	0.375	63	0036
0.312	0.750	0.250	71	0005	0.437	0.875	0.437	63F1	7122
0.312	0.750	0.312	63	0006	0.437	0.875	0.594	63R1	5893
0.312	0.875	0.250	63	0007	0.437	0.875	0.594	63T2	5893
0.312	0.875	0.312	63	0008	0.437	1.000	0.312	62	0037
0.343	0.750	0.250	63	0009	0.437	1.000	0.312	63	0037
0.343	0.750	0.312	63	0010	0.437	1.000	0.375	62	0038
0.343	0.875	0.250	63	0011	0.437	1.000	0.375	63	0038
0.375	0.562	0.094	71	7004	0.437	1.024	0.250	71	7008
0.375	0.625	0.125	71	7005	0.437	1.125	0.312	62	0039
0.375	0.750	0.187	92	9501	0.437	1.125	0.312	63	0039
0.375	0.750	0.250	61	0013	0.437	1.125	0.375	63	0040
0.375	0.750	0.250	63	0013	0.437	1.182	0.312	63	8101
0.375	0.750	0.250	71	0013	0.437	1.250	0.312	63	0041
0.375	0.750	0.250	76	0013	0.437	1.250	0.375	63	0042
0.375	0.750	0.312	63	0014	0.437	1.260	0.312	63	8011
0.375	0.750	0.469	63R2	6733	0.437	1.375	0.312	63	3865
0.375	0.875	0.250	61	0015	0.437	1.375	0.312	66	3865
0.375	0.875	0.250	63	0015	0.437	1.378	0.312	63	8337
0.375	0.875	0.250	66	0015	0.438	1.124	0.690	EQ	3242
0.375	0.875	0.312	63	0016	0.469	0.703	0.125	71	7009
0.375	0.875	0.469	63R2	8496	0.469	0.718	0.125	91	9660
0.375	0.875	0.690	EQ	2124	0.469	1.000	0.312	63	0043
0.375	1.000	0.312	61	0017	0.469	1.000	0.375	63	0044
0.375	1.000	0.312	63	0017	0.469	1.125	0.312	63	0045
0.375	1.000	0.375	63	0018	0.469	1.125	0.375	63	0046
0.375	1.000	0.375	63F1	0018	0.469	1.182	0.312	63	8012
0.375	1.125	0.312	63	0019	0.469	1.250	0.312	62	0047
0.375	1.125	0.375	63	0020	0.469	1.250	0.312	63	0047
0.375	1.182	0.312	63	8008	0.469	1.260	0.312	63	6623
0.375	1.250	0.312	63	0021	0.469	1.375	0.312	63	3867
0.375	1.260	0.312	63	8007	0.469	1.378	0.312	63	8338
0.375	1.375	0.312	63	0023	0.472	0.866	0.276	92	0020
0.375	1.378	0.312	63	8335	0.472	0.984	0.276	92	0022

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
0.472	1.102	0.276	92	0024	0.500	1.500	0.312	62	0057
0.500	0.687	0.094	71	7011	0.500	1.500	0.312	63	0057
0.500	0.687	0.125	71	7012	0.500	1.500	0.312	67	0057
0.500	0.750	0.109	71	6069	0.500	1.500	0.312	68	0057
0.500	0.750	0.125	71	7013	0.500	1.500	0.375	63	0058
0.500	0.801	0.187	76	6071	0.500	1.500	0.625	IG	4659
0.500	0.875	0.125	71	7014	0.512	1.606	0.625	EQ	4568
0.500	0.875	0.234	94	6074	0.512	1.606	0.625	EQ	4568
0.500	0.875	0.312	76	7501	0.531	1.125	0.312	63	0059
0.500	0.999	0.250	3	0060	0.531	1.125	0.375	63	0060
0.500	1.000	0.250	92	9505	0.531	1.182	0.312	63	8015
0.500	1.000	0.312	25	0049	0.531	1.250	0.312	63	0061
0.500	1.000	0.312	61	0049	0.531	1.250	0.375	62	0062
0.500	1.000	0.312	62	0049	0.531	1.250	0.375	63	0062
0.500	1.000	0.312	63	0049	0.531	1.260	0.312	63	8016
0.500	1.000	0.375	61	0050	0.531	1.375	0.312	63	0063
0.500	1.000	0.375	62	0050	0.531	1.378	0.312	63	8340
0.500	1.000	0.375	63	0050	0.531	1.500	0.312	63	0065
0.500	1.000	0.375	67	0050	0.551	0.945	0.276	92	0026
0.500	1.000	0.594	63R1	6442	0.562	0.750	0.094	71	7017
0.500	1.000	0.594	63R2	6442	0.562	0.875	0.187	76	7503
0.500	1.124	0.250	3	0072	0.562	1.000	0.187	76	7504
0.500	1.125	0.250	61	6077	0.562	1.000	0.250	92	9507
0.500	1.125	0.250	92	6077	0.562	1.000	0.312	62	3869
0.500	1.125	0.312	62	0051	0.562	1.000	0.312	63	3869
0.500	1.125	0.312	63	0051	0.562	1.000	0.594	63R2	4852
0.500	1.125	0.312	67	0051	0.562	1.125	0.312	62	0067
0.500	1.125	0.312	68	0051	0.562	1.125	0.312	63	0067
0.500	1.125	0.375	62	0052	0.562	1.125	0.312	67	0067
0.500	1.125	0.375	63	0052	0.562	1.125	0.312	68	0067
0.500	1.125	0.531	63F1	5391	0.562	1.125	0.375	63	0068
0.500	1.125	0.562	63F1	6986	0.562	1.125	0.437	63F1	8763
0.500	1.125	0.562	63R1	6986	0.562	1.125	0.562	63R2	6567
0.500	1.182	0.312	63	7345	0.562	1.182	0.312	63	8018
0.500	1.250	0.250	3	0081	0.562	1.250	0.312	63	0069
0.500	1.250	0.250	61	7016	0.562	1.250	0.312	67	0069
0.500	1.250	0.250	71	7016	0.562	1.250	0.312	68	0069
0.500	1.250	0.312	62	0053	0.562	1.250	0.375	63	0070
0.500	1.250	0.312	63	0053	0.562	1.250	0.562	63F1	7201
0.500	1.250	0.312	67	0053	0.562	1.260	0.312	63	6643
0.500	1.250	0.312	68	0053	0.562	1.375	0.312	63	0071
0.500	1.250	0.375	63	0054	0.562	1.375	0.312	67	0071
0.500	1.250	0.562	63R1	8272	0.562	1.375	0.312	68	0071
0.500	1.260	0.312	63	8013	0.562	1.375	0.375	63	0072
0.500	1.375	0.312	62	0055	0.562	1.375	0.406	63	5396
0.500	1.375	0.312	63	0055	0.562	1.375	0.562	63T2	8267
0.500	1.375	0.312	67	0055	0.562	1.378	0.250	76	9370
0.500	1.375	0.312	68	0055	0.562	1.378	0.312	63	8341
0.500	1.375	0.375	63	0056	0.562	1.378	0.375	67	5071
0.500	1.375	0.562	63T2	4781	0.562	1.378	0.375	68	5071
0.500	1.378	0.312	62	8102	0.562	1.500	0.312	63	0073
0.500	1.378	0.312	63	8102	0.562	1.500	0.312	67	0073

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
0.562	1.500	0.312	68	0073	0.625	1.125	0.562	63T2	6637
0.562	1.575	0.312	63	0075	0.625	1.182	0.312	63	8023
0.562	1.575	0.312	67	0075	0.625	1.250	0.250	3	0213
0.562	1.575	0.312	68	0075	0.625	1.250	0.250	61	9509
0.591	0.945	0.276	92	0028	0.625	1.250	0.250	92	9509
0.591	1.024	0.276	92	0030	0.625	1.250	0.312	61	0089
0.591	1.260	0.276	92	0032	0.625	1.250	0.312	62	0089
0.591	1.378	0.276	92	0033	0.625	1.250	0.312	63	0089
0.594	1.125	0.250	92	8833	0.625	1.250	0.312	67	0089
0.594	1.125	0.312	62	0077	0.625	1.250	0.312	68	0089
0.594	1.125	0.312	63	0077	0.625	1.250	0.312	94	0089
0.594	1.125	0.375	63	0078	0.625	1.250	0.375	62	0090
0.594	1.125	0.437	63F1	8318	0.625	1.250	0.375	63	0090
0.594	1.182	0.312	61	8020	0.625	1.250	0.437	63F1	7662
0.594	1.182	0.312	63	8020	0.625	1.250	0.531	63F1	5311
0.594	1.250	0.312	63	0079	0.625	1.250	0.562	63R1	7150
0.594	1.250	0.375	62	0080	0.625	1.250	0.562	63T2	7150
0.594	1.250	0.375	63	0080	0.625	1.250	0.625	IG	4317
0.594	1.260	0.312	63	8021	0.625	1.250	0.690	EQ	2828
0.594	1.375	0.312	63	0081	0.625	1.260	0.312	63	4680
0.594	1.375	0.312	94	0081	0.625	1.300	0.625	IG	4637
0.594	1.375	0.375	63	0082	0.625	1.375	0.250	3	0225
0.594	1.375	0.562	63R2	6971	0.625	1.375	0.250	25	6050
0.594	1.375	0.562	63T2	6971	0.625	1.375	0.250	92	6050
0.594	1.378	0.312	63	8109	0.625	1.375	0.312	61	0091
0.594	1.500	0.312	63	0083	0.625	1.375	0.312	62	0091
0.594	1.500	0.375	63	0084	0.625	1.375	0.312	63	0091
0.594	1.575	0.312	62	0085	0.625	1.375	0.312	67	0091
0.594	1.575	0.312	63	0085	0.625	1.375	0.312	68	0091
0.624	1.374	0.625	EQ	1328	0.625	1.375	0.375	63	0092
0.625	0.812	0.094	71	7020	0.625	1.375	0.562	63R2	6856
0.625	0.812	0.094	91	7020	0.625	1.375	0.562	63T2	6856
0.625	1.000	0.125	71	7024	0.625	1.378	0.312	63	8342
0.625	1.000	0.250	71	7021	0.625	1.500	0.312	61	0093
0.625	1.000	0.250	92	7021	0.625	1.500	0.312	61	0093
0.625	1.000	0.250	94	7021	0.625	1.500	0.312	63	0093
0.625	1.062	0.187	71	7022	0.625	1.500	0.312	67	0093
0.625	1.124	0.250	3	0201	0.625	1.500	0.312	68	0093
0.625	1.125	0.125	71	9428	0.625	1.500	0.375	63	0094
0.625	1.125	0.187	71	7023	0.625	1.500	0.562	63R2	8339
0.625	1.125	0.250	91	9508	0.625	1.575	0.312	63	0095
0.625	1.125	0.250	92	9508	0.625	1.575	0.375	62	0096
0.625	1.125	0.312	61	0087	0.625	1.575	0.375	63	0096
0.625	1.125	0.312	62	0087	0.625	1.575	0.375	94	0096
0.625	1.125	0.312	63	0087	0.625	1.575	0.375	94	0096
0.625	1.125	0.312	67	0087	0.625	1.625	0.312	61	1251
0.625	1.125	0.312	68	0087	0.625	1.625	0.750	IG	4266
0.625	1.125	0.312	92	0087	0.630	1.181	0.276	92	0048
0.625	1.125	0.375	63	0088	0.630	1.181	0.315	61	2280
0.625	1.125	0.375	76	0088	0.630	1.181	0.315	61	2280
0.625	1.125	0.500	63F1	5657	0.656	1.125	0.312	62	0097
0.625	1.125	0.562	63R2	6637	0.656	1.125	0.312	63	0097
					0.656	1.125	0.375	63	0098

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
0.656	1.182	0.312	63	8025	0.687	1.500	0.312	63	0115
0.656	1.250	0.250	76	5085	0.687	1.500	0.312	67	0115
0.656	1.250	0.312	63	0099	0.687	1.500	0.312	68	0115
0.656	1.250	0.375	63	0100	0.687	1.500	0.375	63	0116
0.656	1.260	0.312	63	8026	0.687	1.575	0.312	67	0117
0.656	1.375	0.312	63	0101	0.687	1.575	0.312	68	0117
0.656	1.375	0.375	63	0102	0.687	1.625	0.312	67	0119
0.656	1.378	0.312	63	4793	0.687	1.625	0.312	68	0119
0.656	1.500	0.312	63	0103	0.709	1.181	0.276	92	0074
0.656	1.500	0.375	63	0104	0.719	1.250	0.312	63	0121
0.656	1.575	0.250	76	6099	0.719	1.260	0.312	63	7753
0.656	1.575	0.312	63	0105	0.719	1.375	0.312	62	0123
0.656	1.575	0.375	63	0106	0.719	1.375	0.312	63	0123
0.656	1.625	0.312	63	0107	0.719	1.375	0.375	63	0124
0.656	1.625	0.375	63	0108	0.719	1.378	0.312	63	7763
0.667	1.187	0.125	71	8379	0.719	1.500	0.312	63	0125
0.667	1.187	0.187	76	8356	0.719	1.500	0.375	63	0126
0.669	1.102	0.275	76	9856	0.719	1.575	0.312	63	0127
0.669	1.102	0.276	92	9856	0.719	1.625	0.312	63	0129
0.669	1.102	0.315	61	1754	0.719	1.654	0.312	63	8032
0.669	1.181	0.276	92	0064	0.719	1.750	0.375	63	0131
0.669	1.375	0.312	62	5105	0.719	1.828	0.375	62	0133
0.669	1.575	0.276	92	0066	0.719	1.828	0.375	63	0133
0.669	1.575	0.562	63T2	7405	0.719	1.850	0.375	63	8110
0.669	1.575	0.625	EQ	5416	0.719	1.875	0.375	63	0135
0.687	0.875	0.094	71	7025	0.719	1.984	0.375	63	0137
0.687	1.062	0.187	76	7505	0.745	1.357	0.318	92	1871
0.687	1.125	0.312	63	0109	0.748	1.260	0.276	92	0118
0.687	1.125	0.312	67	0109	0.748	1.496	0.625	EQ	5223
0.687	1.125	0.312	68	0109	0.750	0.937	0.125	71	7826
0.687	1.125	0.375	62	0110	0.750	1.000	0.109	71	6108
0.687	1.125	0.375	63	0110	0.750	1.000	0.125	71	7027
0.687	1.125	0.437	63F1	4908	0.750	1.000	0.125	91	7027
0.687	1.125	0.562	63R2	7299	0.750	1.062	0.187	71	7028
0.687	1.125	0.562	63T2	7299	0.750	1.064	0.109	71	7029
0.687	1.125	0.625	IG	4724	0.750	1.125	0.125	71	7030
0.687	1.182	0.312	63	8028	0.750	1.125	0.187	76	6113
0.687	1.250	0.312	62	0111	0.750	1.125	0.187	91	6113
0.687	1.250	0.312	63	0111	0.750	1.125	0.187	92	6113
0.687	1.250	0.312	67	0111	0.750	1.125	0.234	94	6114
0.687	1.250	0.312	68	0111	0.750	1.125	0.625	IG	5283
0.687	1.250	0.375	63	0112	0.750	1.187	0.156	71	7031
0.687	1.250	0.437	63F1	5041	0.750	1.250	0.125	71	7032
0.687	1.260	0.312	63	8029	0.750	1.250	0.250	3	0427
0.687	1.375	0.125	71	9758	0.750	1.250	0.250	25	7033
0.687	1.375	0.312	62	0113	0.750	1.250	0.250	26	7033
0.687	1.375	0.312	63	0113	0.750	1.250	0.250	71	7033
0.687	1.375	0.312	67	0113	0.750	1.250	0.250	94	7033
0.687	1.375	0.312	68	0113	0.750	1.250	0.312	61	0139
0.687	1.375	0.375	63	0114	0.750	1.250	0.312	61	0139
0.687	1.375	0.406	63	5238	0.750	1.250	0.312	62	0139
0.687	1.378	0.312	63	8343	0.750	1.250	0.312	63	0139

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
0.750	1.250	0.312	66	0139	0.750	1.500	0.562	63T2	7184
0.750	1.250	0.312	67	0139	0.750	1.575	0.250	92	6289
0.750	1.250	0.312	68	0139	0.750	1.575	0.312	63	0145
0.750	1.250	0.312	94	0139	0.750	1.575	0.312	66	0145
0.750	1.250	0.375	63	0140	0.750	1.575	0.375	63	0146
0.750	1.250	0.375	67	0140	0.750	1.575	0.562	63T2	5214
0.750	1.250	0.375	68	0140	0.750	1.575	0.625	EQ	3964
0.750	1.250	0.437	63F1	6612	0.750	1.624	0.250	3	0488
0.750	1.250	0.562	63R2	6720	0.750	1.625	0.312	26	9535
0.750	1.250	0.562	63T2	6720	0.750	1.625	0.312	61	0147
0.750	1.250	0.562	67R2	6720	0.750	1.625	0.312	62	0147
0.750	1.260	0.312	63	8033	0.750	1.625	0.312	63	0147
0.750	1.260	0.312	66	8033	0.750	1.625	0.312	66	0147
0.750	1.260	0.406	63	3870	0.750	1.625	0.312	67	0147
0.750	1.312	0.250	61	2587	0.750	1.625	0.312	68	0147
0.750	1.375	0.250	3	0446	0.750	1.625	0.375	62	0148
0.750	1.375	0.250	26R1	8881	0.750	1.625	0.375	63	0148
0.750	1.375	0.250	71	7034	0.750	1.625	0.562	63T2	6977
0.750	1.375	0.250	92	7034	0.750	1.654	0.312	63	8035
0.750	1.375	0.312	61	0141	0.750	1.750	0.312	61	1247
0.750	1.375	0.312	61	0141	0.750	1.750	0.375	61	0149
0.750	1.375	0.312	62	0141	0.750	1.750	0.375	62	0149
0.750	1.375	0.312	63	0141	0.750	1.750	0.375	63	0149
0.750	1.375	0.312	66	0141	0.750	1.750	0.375	66	0149
0.750	1.375	0.312	67	0141	0.750	1.750	0.375	67	0149
0.750	1.375	0.312	68	0141	0.750	1.750	0.375	68	0149
0.750	1.375	0.312	94	0141	0.750	1.750	0.437	63	0150
0.750	1.375	0.375	62	0142	0.750	1.750	0.687	63T2	2577
0.750	1.375	0.375	63	0142	0.750	1.828	0.375	63	0151
0.750	1.375	0.406	63	4605	0.750	1.828	0.375	66	0151
0.750	1.375	0.406	66	4605	0.750	1.828	0.375	67	0151
0.750	1.375	0.437	63F1	6927	0.750	1.828	0.375	68	0151
0.750	1.375	0.562	63R1	4754	0.750	1.828	0.437	63	0152
0.750	1.375	0.562	63R2	4754	0.750	1.850	0.312	63	4935
0.750	1.375	0.562	63T2	4754	0.750	1.851	0.375	63	6120
0.750	1.378	0.312	63	8344	0.750	1.851	0.375	94	6120
0.750	1.378	0.625	IG	5384	0.750	1.875	0.312	61	1257
0.750	1.379	0.690	EQ	1786	0.750	1.875	0.375	63	0153
0.750	1.437	0.250	71	7035	0.750	1.875	0.375	66	0153
0.750	1.499	0.250	3	0458	0.750	1.875	0.375	67	0153
0.750	1.499	0.625	EQ	1405	0.750	1.875	0.375	68	0153
0.750	1.500	0.312	61	0143	0.750	1.875	0.625	IG	4551
0.750	1.500	0.312	61	0143	0.750	1.875	0.687	63T2	5248
0.750	1.500	0.312	62	0143	0.750	1.984	0.375	63	0155
0.750	1.500	0.312	63	0143	0.750	1.984	0.375	66	0155
0.750	1.500	0.312	66	0143	0.750	1.984	0.437	63	0156
0.750	1.500	0.312	67	0143	0.781	1.250	0.187	71	7705
0.750	1.500	0.312	68	0143	0.781	1.250	0.250	92	5965
0.750	1.500	0.375	62	0144	0.781	1.250	0.312	62	0157
0.750	1.500	0.375	63	0144	0.781	1.250	0.312	63	0157
0.750	1.500	0.437	63F1	6985	0.781	1.250	0.312	67	0157
0.750	1.500	0.562	63R1	7184	0.781	1.250	0.312	68	0157

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
0.781	1.250	0.375	63	0158	0.787	1.654	0.625	EQ	5325
0.781	1.250	0.375	67	0158	0.787	1.850	0.276	92	0194
0.781	1.250	0.375	68	0158	0.787	2.047	0.394	92	0196
0.781	1.250	0.562	63T2	8562	0.807	2.165	0.625	EQ	2028
0.781	1.250	0.562	67T2	8562	0.812	1.062	0.125	71	7037
0.781	1.260	0.312	63	8036	0.812	1.066	0.125	71	7038
0.781	1.375	0.250	76	9991	0.812	1.125	0.187	76	6125
0.781	1.375	0.312	62	0159	0.812	1.236	0.187	76	7802
0.781	1.375	0.312	63	0159	0.812	1.237	0.155	76	5546
0.781	1.375	0.312	67	0159	0.812	1.250	0.250	92	6983
0.781	1.375	0.312	68	0159	0.812	1.250	0.312	62	0175
0.781	1.375	0.375	62	0160	0.812	1.250	0.312	63	0175
0.781	1.375	0.375	63	0160	0.812	1.250	0.375	63	0176
0.781	1.375	0.375	67	0160	0.812	1.250	0.375	92	0176
0.781	1.375	0.375	68	0160	0.812	1.260	0.312	63	8039
0.781	1.375	0.625	IG	5322	0.812	1.375	0.312	63	0177
0.781	1.378	0.312	63	4965	0.812	1.375	0.375	63	0178
0.781	1.500	0.312	63	0161	0.812	1.377	0.156	71	9413
0.781	1.500	0.312	67	0161	0.812	1.378	0.312	63	8345
0.781	1.500	0.312	68	0161	0.812	1.500	0.312	63	0179
0.781	1.500	0.375	63	0162	0.812	1.500	0.375	63	0180
0.781	1.500	0.562	63T2	6662	0.812	1.575	0.312	63	0181
0.781	1.500	0.562	67T2	6662	0.812	1.575	0.312	94	0181
0.781	1.575	0.312	63	0163	0.812	1.575	0.375	63	0182
0.781	1.625	0.125	71	7619	0.812	1.625	0.312	62	0183
0.781	1.625	0.312	63	0165	0.812	1.625	0.312	63	0183
0.781	1.625	0.312	67	0165	0.812	1.654	0.312	63	8041
0.781	1.625	0.312	68	0165	0.812	1.750	0.375	63	0185
0.781	1.625	0.375	63	0166	0.812	1.750	0.437	63	0186
0.781	1.654	0.312	63	8038	0.812	1.828	0.375	63	0187
0.781	1.750	0.375	63	0167	0.812	1.850	0.375	63	8042
0.781	1.750	0.375	67	0167	0.812	1.875	0.375	63	0189
0.781	1.750	0.375	68	0167	0.812	1.984	0.375	63	0191
0.781	1.828	0.375	63	0169	0.812	1.984	0.437	63	0192
0.781	1.828	0.437	63	0170	0.844	1.375	0.312	63	0193
0.781	1.850	0.375	63	7198	0.844	1.378	0.312	63	8346
0.781	1.850	0.375	94	7198	0.844	1.500	0.312	63	0195
0.781	1.851	0.312	63	7846	0.844	1.575	0.312	63	0197
0.781	1.875	0.375	63	0171	0.844	1.625	0.312	63	0199
0.781	1.875	0.437	63	0172	0.844	1.654	0.312	63	8044
0.781	1.984	0.375	63	0173	0.844	1.750	0.375	63	0201
0.785	1.750	0.625	IG	5282	0.844	1.828	0.437	63	0204
0.787	1.181	0.276	92	0120	0.844	1.850	0.375	63	8045
0.787	1.260	0.276	92	0154	0.844	1.984	0.375	63	0207
0.787	1.260	0.690	EQ	1905	0.844	2.047	0.312	63	8046
0.787	1.378	0.276	92	0164	0.844	2.062	0.375	63	0211
0.787	1.378	0.315	61	1760	0.866	1.259	0.275	76	9855
0.787	1.378	0.625	IG	4868	0.866	1.378	0.276	26R1	0209
0.787	1.575	0.276	92	0184	0.866	1.575	0.276	92	0198
0.787	1.575	0.625	EQ	4596	0.866	1.575	0.315	61	1470
0.787	1.575	0.750	IG	4448	0.866	1.575	0.315	61	1470
0.787	1.654	0.276	92	0188	0.866	1.850	0.276	92	0206

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
0.866	1.969	0.625	EQ	3088	0.875	1.575	0.375	63	0218
0.875	1.125	0.125	71	7041	0.875	1.624	0.250	3	0715
0.875	1.187	0.156	71	7042	0.875	1.625	0.312	62	0219
0.875	1.250	0.187	71	6133	0.875	1.625	0.312	63	0219
0.875	1.250	0.187	76	6133	0.875	1.625	0.312	66	0219
0.875	1.250	0.625	IG	4106	0.875	1.625	0.312	67	0219
0.875	1.250	0.690	EQ	3196	0.875	1.625	0.312	68	0219
0.875	1.255	0.125	71	8000	0.875	1.625	0.375	26	1277
0.875	1.375	0.125	71	7045	0.875	1.625	0.375	63	0220
0.875	1.375	0.250	3	0678	0.875	1.625	0.500	61	1265
0.875	1.375	0.250	61	9515	0.875	1.625	0.562	63R1	6476
0.875	1.375	0.250	92	9515	0.875	1.625	0.625	EQ	1012
0.875	1.375	0.312	61	0213	0.875	1.625	0.625	IG	1012
0.875	1.375	0.312	62	0213	0.875	1.625	0.625	IG	4123
0.875	1.375	0.312	63	0213	0.875	1.625	0.690	EQ	2861
0.875	1.375	0.312	66	0213	0.875	1.625	0.750	IG	4123
0.875	1.375	0.312	67	0213	0.875	1.654	0.312	63	8048
0.875	1.375	0.312	68	0213	0.875	1.750	0.312	61	1268
0.875	1.375	0.312	92	0213	0.875	1.750	0.375	63	0221
0.875	1.375	0.375	26	1275	0.875	1.750	0.375	66	0221
0.875	1.375	0.375	63	0214	0.875	1.750	0.375	67	0221
0.875	1.375	0.406	63	5502	0.875	1.750	0.375	68	0221
0.875	1.375	0.406	66	5502	0.875	1.750	0.437	63	0222
0.875	1.375	0.437	63F1	6523	0.875	1.750	0.437	63F1	0222
0.875	1.375	0.562	63T2	6500	0.875	1.750	0.500	EQ	0756
0.875	1.375	0.625	IG	2182	0.875	1.750	0.625	EQ	1090
0.875	1.375	0.690	EQ	2993	0.875	1.750	0.625	EQ	1090
0.875	1.378	0.312	63	8347	0.875	1.750	0.625	IG	1090
0.875	1.378	0.312	66	8347	0.875	1.828	0.375	63	0223
0.875	1.437	0.250	71	7046	0.875	1.828	0.375	66	0223
0.875	1.499	0.250	3	0687	0.875	1.828	0.375	67	0223
0.875	1.500	0.250	92	9489	0.875	1.828	0.375	68	0223
0.875	1.500	0.312	61	0215	0.875	1.828	0.437	62	0224
0.875	1.500	0.312	62	0215	0.875	1.828	0.437	63	0224
0.875	1.500	0.312	63	0215	0.875	1.828	0.438	26	1276
0.875	1.500	0.312	66	0215	0.875	1.828	0.687	63R2	5401
0.875	1.500	0.312	67	0215	0.875	1.851	0.375	63	4748
0.875	1.500	0.312	68	0215	0.875	1.875	0.312	26	4657
0.875	1.500	0.312	94	0215	0.875	1.875	0.312	61	1271
0.875	1.500	0.375	26	0784	0.875	1.875	0.375	63	0225
0.875	1.500	0.375	62	0216	0.875	1.875	0.375	66	0225
0.875	1.500	0.375	63	0216	0.875	1.875	0.375	67	0225
0.875	1.500	0.562	63R1	4700	0.875	1.875	0.375	68	0225
0.875	1.500	0.562	63R2	4700	0.875	1.875	0.437	62	0226
0.875	1.500	0.625	IG	4339	0.875	1.875	0.437	63	0226
0.875	1.500	0.690	EQ	1955	0.875	1.875	0.500	EQ	0625
0.875	1.570	0.312	94	7465	0.875	1.875	0.625	EQ	2711
0.875	1.575	0.187	76	8952	0.875	1.875	0.625	IG	2711
0.875	1.575	0.312	63	0217	0.875	1.875	0.750	IG	4267
0.875	1.575	0.312	66	0217	0.875	1.937	0.625	EQ	1403
0.875	1.575	0.312	67	0217	0.875	1.937	0.625	EQ	1403
0.875	1.575	0.312	68	0217	0.875	1.984	0.375	63	0227

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
0.875	1.984	0.375	66	0227	0.937	1.750	0.437	63	0258
0.875	1.984	0.437	63	0228	0.937	1.750	0.687	63R2	9624
0.875	2.000	0.375	63	0229	0.937	1.828	0.375	63	0259
0.875	2.000	0.375	66	0229	0.937	1.828	0.437	63	0260
0.875	2.000	0.375	67	0229	0.937	1.837	0.625	EQ	3632
0.875	2.000	0.375	68	0229	0.937	1.850	0.375	63	8055
0.875	2.000	0.500	EQ	0850	0.937	1.875	0.375	63	0261
0.875	2.000	0.625	EQ	1765	0.937	1.875	0.375	76	0261
0.875	2.000	0.625	EQ	1765	0.937	1.875	0.625	63R2	5653
0.875	2.047	0.375	63	4849	0.937	1.984	0.375	63	0263
0.875	2.062	0.375	63	0231	0.937	2.000	0.375	63	0265
0.875	2.062	0.375	66	0231	0.937	2.000	0.437	63	0266
0.875	2.062	0.375	67	0231	0.937	2.047	0.375	63	5046
0.875	2.062	0.375	68	0231	0.937	2.048	0.312	94	6537
0.875	2.750	0.750	IG	4731	0.937	2.062	0.375	63	0267
0.906	1.500	0.312	62	0233	0.937	2.062	0.437	63	0268
0.906	1.500	0.312	63	0233	0.938	1.500	0.312	66	0251
0.906	1.500	0.375	63	0234	0.938	1.500	0.375	26	0785
0.906	1.500	0.625	IG	5435	0.938	1.938	0.625	IG	2714
0.906	1.575	0.312	62	0235	0.938	1.938	0.750	IG	4270
0.906	1.575	0.312	63	0235	0.938	2.048	0.625	IG	4533
0.906	1.575	0.375	63	0236	0.945	1.378	0.276	92	0209
0.906	1.625	0.312	63	0237	0.945	1.575	0.276	92	0210
0.906	1.625	0.437	63	5434	0.945	1.732	0.625	EQ	3263
0.906	1.654	0.312	63	8050	0.945	1.732	0.625	EQ	3263
0.906	1.750	0.375	63	0239	0.945	1.929	0.472	26R1	3712
0.906	1.850	0.375	63	8051	0.969	1.499	0.690	EQ	1363
0.906	1.875	0.375	63	0243	0.969	1.500	0.312	63	0269
0.906	1.984	0.375	63	0245	0.969	1.500	0.312	67	0269
0.906	2.000	0.375	63	0247	0.969	1.500	0.312	68	0269
0.906	2.047	0.375	63	8052	0.969	1.500	0.375	62	0270
0.937	1.187	0.125	71	7047	0.969	1.500	0.375	63	0270
0.937	1.375	0.312	62	6233	0.969	1.575	0.312	63	0271
0.937	1.375	0.312	76	6233	0.969	1.625	0.312	62	0273
0.937	1.500	0.312	62	0251	0.969	1.625	0.312	63	0273
0.937	1.500	0.312	63	0251	0.969	1.625	0.312	67	0273
0.937	1.500	0.375	63	0252	0.969	1.625	0.312	68	0273
0.937	1.500	0.562	63R1	4819	0.969	1.625	0.375	63	0274
0.937	1.500	0.562	63T2	4819	0.969	1.654	0.312	63	8056
0.937	1.500	0.562	66T2	4819	0.969	1.686	0.312	63	0282
0.937	1.500	0.625	IG	4122	0.969	1.750	0.312	92	9009
0.937	1.500	0.690	EQ	2563	0.969	1.750	0.375	63	0275
0.937	1.575	0.312	62	0253	0.969	1.750	0.375	67	0275
0.937	1.575	0.312	63	0253	0.969	1.750	0.375	68	0275
0.937	1.625	0.312	62	0255	0.969	1.750	0.437	63	0276
0.937	1.625	0.312	63	0255	0.969	1.828	0.375	63	0277
0.937	1.625	0.375	63	0256	0.969	1.828	0.437	63	0278
0.937	1.625	0.437	63	0264	0.969	1.850	0.375	63	4802
0.937	1.625	0.562	63R2	4721	0.969	1.875	0.375	63	0279
0.937	1.654	0.312	63	8054	0.969	1.984	0.375	63	0281
0.937	1.687	0.625	EQ	1115	0.969	2.000	0.375	26	1282
0.937	1.750	0.375	63	0257	0.969	2.000	0.375	62	0283

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
0.969	2.000	0.375	63	0283	1.000	1.500	0.312	67	0287
0.969	2.048	0.375	63	5937	1.000	1.500	0.312	68	0287
0.969	2.048	0.375	94	5937	1.000	1.500	0.312	94	0287
0.969	2.062	0.375	62	0285	1.000	1.500	0.313	26	0287
0.969	2.062	0.375	63	0285	1.000	1.500	0.375	61	0288
0.969	2.062	0.437	63	0286	1.000	1.500	0.375	61	0288
0.969	2.062	0.687	63R2	7100	1.000	1.500	0.375	62	0288
0.969	2.441	0.375	94	7779	1.000	1.500	0.375	63	0288
0.983	1.983	0.625	IG	5171	1.000	1.500	0.437	63F1	6755
0.983	1.983	0.750	IG	5049	1.000	1.500	0.562	63R2	6694
0.984	1.375	0.187	92	8978	1.000	1.500	0.562	63T2	6694
0.984	1.378	0.276	92	0212	1.000	1.500	0.625	IG	2684
0.984	1.378	0.315	61	1478	1.000	1.500	0.690	EQ	2688
0.984	1.457	0.276	92	0230	1.000	1.501	0.312	94	5314
0.984	1.486	0.625	IG	5205	1.000	1.562	0.187	71	6156
0.984	1.496	0.276	26R1	0280	1.000	1.562	0.187	76	6156
0.984	1.500	0.375	61	2241	1.000	1.575	0.312	63	0289
0.984	1.653	0.315	61	1761	1.000	1.575	0.375	63	0290
0.984	1.654	0.276	92	0232	1.000	1.624	0.250	3	1020
0.984	1.654	0.276	94	2545	1.000	1.625	0.250	61	9490
0.984	1.750	0.690	EQ	5379	1.000	1.625	0.250	76	9490
0.984	1.850	0.276	92	0250	1.000	1.625	0.312	61	0291
0.984	1.850	0.375	61	6859	1.000	1.625	0.312	62	0291
0.984	1.850	0.375	63	6859	1.000	1.625	0.312	63	0291
0.984	1.850	0.625	EQ	4563	1.000	1.625	0.312	67	0291
0.984	1.850	0.625	EQ	4563	1.000	1.625	0.312	68	0291
0.984	1.850	0.625	IG	4563	1.000	1.625	0.375	61	0292
0.984	1.890	0.750	IG	5534	1.000	1.625	0.375	61	0292
0.984	1.929	0.625	IG	5586	1.000	1.625	0.375	61	0292
0.984	1.968	0.709	EQ	1978	1.000	1.625	0.375	61	0292
0.984	1.969	0.625	EQ	5593	1.000	1.625	0.375	63	0292
0.984	1.969	0.625	EQ	5593	1.000	1.625	0.437	63F1	6524
0.984	2.047	0.276	92	0254	1.000	1.625	0.562	63R1	6477
0.984	2.047	0.500	EQ	0773	1.000	1.625	0.562	63R2	6477
0.984	2.048	0.375	62	4687	1.000	1.625	0.562	63T2	6477
0.984	2.048	0.375	63	4687	1.000	1.654	0.312	63	8057
0.984	2.062	0.375	92	9517	1.000	1.686	0.312	63	0310
1.000	1.250	0.109	71	6148	1.000	1.687	0.625	IG	5412
1.000	1.250	0.125	71	7049	1.000	1.750	0.250	61	7055
1.000	1.312	0.125	71	6151	1.000	1.750	0.250	71	7055
1.000	1.375	0.187	76	9518	1.000	1.750	0.312	62	9808
1.000	1.375	0.187	92	9518	1.000	1.750	0.375	26	1283
1.000	1.437	0.250	76	7510	1.000	1.750	0.375	61	0293
1.000	1.499	0.250	3	1004	1.000	1.750	0.375	61	0293
1.000	1.500	0.125	71	7052	1.000	1.750	0.375	62	0293
1.000	1.500	0.188	71	8873	1.000	1.750	0.375	63	0293
1.000	1.500	0.250	61	5306	1.000	1.750	0.375	67	0293
1.000	1.500	0.250	92	5306	1.000	1.750	0.375	68	0293
1.000	1.500	0.281	25	7293	1.000	1.750	0.437	63	0294
1.000	1.500	0.312	61	0287	1.000	1.750	0.500	63	6470
1.000	1.500	0.312	62	0287	1.000	1.750	0.500	63F1	6470
1.000	1.500	0.312	63	0287	1.000	1.750	0.625	63R1	9417

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.000	1.750	0.625	EQ	3398	1.000	2.125	0.375	61	1274
1.000	1.750	0.625	EQ	3398	1.000	2.125	0.500	EQ	0857
1.000	1.750	0.625	IG	3398	1.000	2.125	0.625	EQ	1357
1.000	1.750	0.687	63R1	7215	1.000	2.125	0.625	EQ	1357
1.000	1.750	0.687	63R2	7215	1.000	2.441	0.625	EQ	2160
1.000	1.750	0.690	EQ	2695	1.000	2.441	0.750	IG	4820
1.000	1.750	0.750	IG	4182	1.024	1.654	0.276	92	0262
1.000	1.752	0.250	3	1028	1.024	1.850	0.276	92	0272
1.000	1.828	0.375	63	0295	1.031	1.575	0.312	63	0305
1.000	1.828	0.375	67	0295	1.031	1.575	0.375	63	0306
1.000	1.828	0.375	68	0295	1.031	1.625	0.312	62	0307
1.000	1.828	0.437	63	0296	1.031	1.625	0.312	63	0307
1.000	1.828	0.687	63R2	6580	1.031	1.625	0.375	63	0308
1.000	1.851	0.250	94	9967	1.031	1.654	0.312	63	8059
1.000	1.851	0.375	63	6906	1.031	1.750	0.375	63	0309
1.000	1.875	0.312	63	9345	1.031	1.850	0.375	63	8060
1.000	1.875	0.375	61	0297	1.031	1.875	0.375	63	0313
1.000	1.875	0.375	62	0297	1.031	1.984	0.375	63	0315
1.000	1.875	0.375	63	0297	1.031	2.000	0.375	63	0317
1.000	1.875	0.375	67	0297	1.031	2.047	0.375	63	8061
1.000	1.875	0.375	68	0297	1.031	2.062	0.375	63	0319
1.000	1.875	0.437	63	0298	1.060	1.625	0.625	IG	4333
1.000	1.875	0.500	EQ	1009	1.062	1.499	0.312	63	0314
1.000	1.875	0.625	EQ	1754	1.062	1.562	0.125	71	7056
1.000	1.875	0.625	EQ	1754	1.062	1.575	0.312	63	0321
1.000	1.875	0.687	63R2	4887	1.062	1.575	0.312	66	0321
1.000	1.983	0.500	63	5295	1.062	1.575	0.375	63	0322
1.000	1.984	0.375	63	0299	1.062	1.624	0.625	IG	4121
1.000	1.984	0.437	63	0300	1.062	1.625	0.312	62	0323
1.000	1.984	0.437	67	0300	1.062	1.625	0.312	63	0323
1.000	2.000	0.250	92	6100	1.062	1.625	0.312	66	0323
1.000	2.000	0.312	61	1272	1.062	1.625	0.375	26	1285
1.000	2.000	0.375	62	0301	1.062	1.625	0.375	63	0324
1.000	2.000	0.375	63	0301	1.062	1.654	0.312	63	8062
1.000	2.000	0.375	67	0301	1.062	1.656	0.690	EQ	2329
1.000	2.000	0.375	68	0301	1.062	1.686	0.312	63	0311
1.000	2.000	0.437	62	0302	1.062	1.750	0.375	62	0325
1.000	2.000	0.437	63	0302	1.062	1.750	0.375	63	0325
1.000	2.000	0.500	EQ	0627	1.062	1.750	0.375	66	0325
1.000	2.000	0.625	63F1	5703	1.062	1.750	0.437	63	0326
1.000	2.000	0.625	EQ	1083	1.062	1.812	0.625	EQ	1110
1.000	2.000	0.625	EQ	1083	1.062	1.828	0.375	63	0327
1.000	2.000	0.687	63F1	7186	1.062	1.828	0.375	66	0327
1.000	2.000	0.687	63T2	7186	1.062	1.828	0.437	63	0328
1.000	2.000	0.750	IG	4138	1.062	1.828	0.453	63F1	5791
1.000	2.047	0.312	61	2503	1.062	1.850	0.375	63	8063
1.000	2.047	0.375	63	6654	1.062	1.875	0.375	63	0329
1.000	2.062	0.375	26	0303	1.062	1.875	0.375	66	0329
1.000	2.062	0.375	63	0303	1.062	1.875	0.437	63	0330
1.000	2.062	0.375	67	0303	1.062	1.979	0.375	63	8644
1.000	2.062	0.375	68	0303	1.062	1.984	0.375	63	0331
1.000	2.062	0.437	63	0304	1.062	1.984	0.375	66	0331

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.062	1.984	0.500	63	3871	1.125	1.625	0.312	62	0351
1.062	2.000	0.375	63	0333	1.125	1.625	0.312	63	0351
1.062	2.000	0.375	66	0333	1.125	1.625	0.312	66	0351
1.062	2.000	0.437	63	0334	1.125	1.625	0.312	67	0351
1.062	2.047	0.375	63	8064	1.125	1.625	0.312	68	0351
1.062	2.062	0.375	63	0335	1.125	1.625	0.313	26	0351
1.062	2.062	0.375	66	0335	1.125	1.625	0.375	61	0352
1.062	2.062	0.437	63	0336	1.125	1.625	0.375	63	0352
1.062	2.062	0.437	66	0336	1.125	1.625	0.375	66	0352
1.063	1.624	0.690	EQ	3907	1.125	1.625	0.437	61	1307
1.063	1.625	0.250	61	1281	1.125	1.625	0.562	63R2	6452
1.063	1.643	0.625	IG	4206	1.125	1.625	0.562	63T2	6452
1.063	1.750	0.375	61	0325	1.125	1.625	0.625	IG	2273
1.063	1.875	0.625	IG	4711	1.125	1.625	0.690	EQ	2829
1.063	1.938	0.625	EQ	3796	1.125	1.654	0.312	63	8066
1.063	2.063	0.750	IG	4271	1.125	1.654	0.312	66	8066
1.087	1.686	0.250	76	6642	1.125	1.750	0.375	25	0353
1.093	1.625	0.312	63	0337	1.125	1.750	0.375	26	0353
1.093	1.625	0.312	66	0337	1.125	1.750	0.375	61	0353
1.093	1.625	0.375	62	0338	1.125	1.750	0.375	62	0353
1.093	1.654	0.312	63	7599	1.125	1.750	0.375	63	0353
1.093	1.750	0.375	63	0339	1.125	1.750	0.375	66	0353
1.093	1.750	0.375	66	0339	1.125	1.750	0.375	67	0353
1.093	1.828	0.375	63	0341	1.125	1.750	0.375	68	0353
1.093	1.828	0.375	66	0341	1.125	1.750	0.437	63	0354
1.093	1.850	0.375	63	7173	1.125	1.750	0.562	63R1	7208
1.093	1.875	0.437	63	0344	1.125	1.750	0.625	IG	4184
1.093	1.984	0.437	63	0346	1.125	1.750	0.687	63R1	6857
1.093	2.000	0.375	63	0347	1.125	1.750	0.687	63T2	6857
1.093	2.000	0.375	66	0347	1.125	1.750	0.690	EQ	2994
1.093	2.047	0.375	63	8065	1.125	1.781	0.437	63	9564
1.093	2.062	0.375	63	0349	1.125	1.801	0.690	EQ	3877
1.093	2.062	0.375	66	0349	1.125	1.828	0.375	26	1288
1.100	2.625	0.750	IG	4502	1.125	1.828	0.375	62	0355
1.102	1.496	0.276	92	0280	1.125	1.828	0.375	63	0355
1.102	1.575	0.276	92	0284	1.125	1.828	0.375	66	0355
1.102	1.850	0.394	61	5562	1.125	1.828	0.375	67	0355
1.102	1.850	0.394	61	5562	1.125	1.828	0.375	68	0355
1.103	1.850	0.690	EQ	2842	1.125	1.828	0.437	63	0356
1.108	1.850	0.375	63	5562	1.125	1.850	0.312	63	7650
1.114	1.375	0.125	71	9643	1.125	1.850	0.375	63	4813
1.125	1.375	0.109	71	6162	1.125	1.851	0.437	63	5891
1.125	1.375	0.125	71	7057	1.125	1.855	0.625	IG	4840
1.125	1.437	0.266	92	6167	1.125	1.874	0.250	3	1128
1.125	1.500	0.187	76	7512	1.125	1.875	0.375	26	1394
1.125	1.500	0.625	IG	5207	1.125	1.875	0.375	61	0357
1.125	1.562	0.625	IG	4334	1.125	1.875	0.375	61	0357
1.125	1.562	0.690	EQ	2852	1.125	1.875	0.375	61	0357
1.125	1.624	0.250	3	1113	1.125	1.875	0.375	62	0357
1.125	1.624	0.690	EQ	1352	1.125	1.875	0.375	63	0357
1.125	1.625	0.250	71	6169	1.125	1.875	0.375	66	0357
1.125	1.625	0.250	92	6169	1.125	1.875	0.375	67	0357

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.125	1.875	0.375	68	0357	1.125	2.250	0.625	IG	0815
1.125	1.875	0.437	63	0358	1.125	2.437	0.625	EQ	5573
1.125	1.875	0.625	IG	5394	1.125	2.441	0.281	94	9274
1.125	1.875	0.687	63T2	6688	1.125	2.441	0.375	94	6176
1.125	1.875	0.690	EQ	2968	1.125	2.441	0.625	EQ	2859
1.125	1.875	0.750	IG	4322	1.125	2.441	0.750	IG	4181
1.125	1.876	0.625	EQ	1152	1.125	2.441	0.750	IG	4181
1.125	1.876	0.625	IG	1152	1.125	2.835	0.375	76	4701
1.125	1.984	0.375	63	3872	1.125	2.844	0.500	26	1290
1.125	1.984	0.375	66	3872	1.125	3.150	0.625	EQ	1091
1.125	1.984	0.437	63	3873	1.125	3.192	0.500	26	0817
1.125	1.984	0.438	26	1289	1.127	2.000	0.750	IG	4402
1.125	1.984	0.500	63	3874	1.142	1.575	0.250	61	2218
1.125	2.000	0.375	61	0359	1.145	2.000	0.750	IG	5517
1.125	2.000	0.375	62	0359	1.156	1.575	0.312	76	9038
1.125	2.000	0.375	63	0359	1.156	1.828	0.437	63	5491
1.125	2.000	0.375	66	0359	1.156	1.875	0.375	63	0363
1.125	2.000	0.375	67	0359	1.156	1.875	0.375	67	0363
1.125	2.000	0.375	68	0359	1.156	1.875	0.375	68	0363
1.125	2.000	0.375	94	0359	1.156	1.875	0.625	IG	5112
1.125	2.000	0.437	63	0360	1.156	1.875	0.690	EQ	1025
1.125	2.000	0.437	67	0360	1.156	1.984	0.375	63	0365
1.125	2.000	0.437	68	0360	1.156	2.000	0.375	63	0367
1.125	2.000	0.625	EQ	0988	1.156	2.047	0.375	63	7914
1.125	2.000	0.625	IG	0988	1.156	2.062	0.375	63	0369
1.125	2.000	0.687	63T2	6466	1.156	2.062	0.437	63	0370
1.125	2.000	0.750	IG	4108	1.156	2.106	0.437	63	0372
1.125	2.001	0.375	26	0842	1.156	2.125	0.375	63	0374
1.125	2.001	0.500	EQ	0765	1.156	2.250	0.375	63	0377
1.125	2.001	0.500	EQ	0765	1.156	2.250	0.687	63R1	8514
1.125	2.001	0.625	EQ	0988	1.156	2.375	0.375	63	0380
1.125	2.043	0.625	EQ	5371	1.156	2.441	0.375	63	3875
1.125	2.047	0.375	63	8067	1.156	2.835	0.375	94	6738
1.125	2.050	0.750	IG	5071	1.161	2.000	0.625	EQ	3772
1.125	2.062	0.375	26	0814	1.168	2.437	0.750	IG	5511
1.125	2.062	0.375	63	0361	1.171	2.250	0.750	IG	5526
1.125	2.062	0.375	66	0361	1.173	2.441	0.750	IG	4720
1.125	2.062	0.375	67	0361	1.177	2.500	0.625	EQ	4342
1.125	2.062	0.375	68	0361	1.180	2.000	0.750	IG	5149
1.125	2.062	0.437	62	0362	1.180	2.180	0.750	IG	5166
1.125	2.062	0.437	63	0362	1.180	2.835	0.750	IG	4422
1.125	2.062	0.625	EQ	1920	1.181	1.575	0.276	61	0312
1.125	2.062	0.750	IG	5470	1.181	1.575	0.276	92	0312
1.125	2.125	0.375	66	7242	1.181	1.625	0.690	EQ	2806
1.125	2.125	0.625	EQ	0832	1.181	1.654	0.276	92	0316
1.125	2.125	0.625	EQ	0832	1.181	1.654	0.315	61	1763
1.125	2.125	0.750	IG	4139	1.181	1.654	0.315	61	1763
1.125	2.188	0.625	EQ	4415	1.181	1.654	0.625	IG	4920
1.125	2.250	0.375	61	7246	1.181	1.683	0.250	76	8461
1.125	2.250	0.375	66	7246	1.181	1.772	0.315	92	0318
1.125	2.250	0.625	EQ	0815	1.181	1.772	0.625	IG	5204
1.125	2.250	0.625	EQ	0815	1.181	1.850	0.276	92	0320

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.181	1.850	0.375	61	9342	1.187	2.062	0.375	66	0389
1.181	1.850	0.375	63	9342	1.187	2.062	0.437	62	0390
1.181	1.850	0.690	EQ	3638	1.187	2.062	0.437	63	0390
1.181	1.890	0.315	92	0332	1.187	2.062	0.687	63R1	9585
1.181	1.968	0.276	26	0378	1.187	2.125	0.375	63	0394
1.181	1.968	0.434	26R1	0379	1.187	2.125	0.375	66	0394
1.181	1.969	0.750	IG	5599	1.187	2.125	0.437	63	0395
1.181	2.030	0.625	EQ	5446	1.187	2.250	0.375	63	0397
1.181	2.047	0.276	92	0340	1.187	2.250	0.375	66	0397
1.181	2.181	0.625	EQ	3388	1.187	2.250	0.437	63	0398
1.181	2.181	0.625	IG	3388	1.187	2.250	0.500	26	1431
1.181	2.211	0.625	EQ	1499	1.187	2.250	0.500	63	0399
1.181	2.350	0.625	EQ	2476	1.187	2.375	0.375	63	0400
1.181	2.358	0.625	EQ	1199	1.187	2.375	0.437	63	0401
1.181	2.362	0.500	EQ	1122	1.187	2.375	0.500	63	0402
1.181	2.362	0.750	IG	4684	1.187	2.375	0.687	63R2	7333
1.181	2.441	0.276	92	0342	1.187	2.437	0.625	EQ	5434
1.181	2.441	0.750	IG	5584	1.187	2.437	0.625	EQ	5434
1.181	2.500	0.375	26	0393	1.187	2.437	0.750	IG	5007
1.181	2.835	0.315	92	0348	1.187	2.441	0.250	71	7060
1.181	2.875	0.500	EQ	1084	1.187	2.441	0.375	26R1	4620
1.185	2.442	0.625	EQ	2857	1.187	2.441	0.375	63	4600
1.185	2.442	0.750	IG	4336	1.187	2.441	0.375	94	4600
1.187	1.437	0.125	71	7061	1.187	2.441	0.625	EQ	1850
1.187	1.625	0.250	91	6279	1.187	2.500	0.500	63	6011
1.187	1.828	0.375	63	3876	1.187	2.835	0.375	26R1	4549
1.187	1.828	0.375	66	3876	1.187	2.835	0.375	63	4597
1.187	1.828	0.687	63T2	9748	1.187	2.835	0.375	94	4597
1.187	1.850	0.375	63	6659	1.188	1.750	0.312	61	1319
1.187	1.875	0.375	62	0383	1.188	1.750	0.375	61	2334
1.187	1.875	0.375	63	0383	1.188	1.875	0.312	61	1325
1.187	1.875	0.375	66	0383	1.188	1.875	0.375	26	0383
1.187	1.875	0.437	63	0384	1.188	1.875	0.375	61	0383
1.187	1.875	0.594	63F1	7341	1.188	2.000	0.375	61	0387
1.187	1.875	0.687	63R1	8187	1.188	2.000	0.750	IG	4559
1.187	1.875	0.687	63R2	8187	1.188	2.188	0.750	IG	4272
1.187	1.875	0.687	63T2	8187	1.188	2.250	0.750	IG	4538
1.187	1.984	0.375	62	0385	1.188	2.358	0.625	EQ	4653
1.187	1.984	0.375	63	0385	1.200	2.000	0.750	IG	5148
1.187	1.984	0.375	66	0385	1.203	2.048	0.187	76	7513
1.187	1.984	0.437	63	0386	1.219	1.984	0.375	63	0403
1.187	1.984	0.500	63	5656	1.219	2.000	0.375	63	0405
1.187	2.000	0.375	62	0387	1.219	2.047	0.375	63	8068
1.187	2.000	0.375	63	0387	1.219	2.048	0.187	76	7514
1.187	2.000	0.375	66	0387	1.219	2.125	0.437	63	0413
1.187	2.000	0.437	62	0388	1.219	2.250	0.375	63	0415
1.187	2.000	0.437	63	0388	1.219	2.437	0.375	63	0421
1.187	2.000	0.594	63F1	6993	1.235	2.000	0.625	EQ	2698
1.187	2.048	0.375	62	3877	1.235	2.000	0.625	EQ	2698
1.187	2.048	0.375	63	3877	1.250	1.500	0.125	71	7062
1.187	2.048	0.375	66	3877	1.250	1.625	0.187	71	6183
1.187	2.062	0.375	63	0389	1.250	1.625	0.187	76	6183

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.250	1.625	0.250	92	9524	1.250	2.062	0.375	62	0430
1.250	1.687	0.187	76	7516	1.250	2.062	0.375	63	0430
1.250	1.687	0.625	IG	3534	1.250	2.062	0.375	66	0430
1.250	1.687	0.690	EQ	3622	1.250	2.062	0.437	63	0431
1.250	1.750	0.250	26	5239	1.250	2.062	0.687	63T2	6624
1.250	1.750	0.250	61	5239	1.250	2.063	0.312	61	1338
1.250	1.750	0.250	71	5239	1.250	2.106	0.375	63	0433
1.250	1.750	0.266	76	6186	1.250	2.125	0.250	3	1262
1.250	1.750	0.375	61	8887	1.250	2.125	0.312	61	1343
1.250	1.750	0.375	61	8887	1.250	2.125	0.375	26	1295
1.250	1.750	0.625	IG	4340	1.250	2.125	0.375	61	0436
1.250	1.750	0.690	EQ	1782	1.250	2.125	0.375	63	0436
1.250	1.752	0.250	3	1224	1.250	2.125	0.375	66	0436
1.250	1.874	0.250	3	1232	1.250	2.125	0.437	63	0437
1.250	1.875	0.312	61	1337	1.250	2.125	0.500	63	0438
1.250	1.875	0.375	61	5704	1.250	2.125	0.500	EQ	1048
1.250	1.875	0.375	63	5704	1.250	2.125	0.625	EQ	1932
1.250	1.875	0.688	63T2	1452	1.250	2.125	0.625	EQ	1932
1.250	1.875	0.690	EQ	2996	1.250	2.125	0.687	63R1	6674
1.250	1.984	0.250	92	9525	1.250	2.125	0.687	63TB	6674
1.250	1.984	0.375	62	0424	1.250	2.250	0.312	61	1344
1.250	1.984	0.375	63	0424	1.250	2.250	0.375	25	0439
1.250	1.984	0.375	66	0424	1.250	2.250	0.375	61	0439
1.250	1.984	0.437	62	0425	1.250	2.250	0.375	62	0439
1.250	1.984	0.437	63	0425	1.250	2.250	0.375	63	0439
1.250	1.984	0.500	63	0426	1.250	2.250	0.375	66	0439
1.250	1.984	0.594	63F1	8312	1.250	2.250	0.437	63	0440
1.250	1.984	0.687	63T2	7595	1.250	2.250	0.500	26	0631
1.250	2.000	0.250	3	1246	1.250	2.250	0.500	62	0441
1.250	2.000	0.250	76	7518	1.250	2.250	0.500	63	0441
1.250	2.000	0.250	92	7518	1.250	2.250	0.625	EQ	1420
1.250	2.000	0.375	25	0427	1.250	2.250	0.625	EQ	1420
1.250	2.000	0.375	26	2128	1.250	2.250	0.687	63R1	6675
1.250	2.000	0.375	61	0427	1.250	2.250	0.687	63R2	6675
1.250	2.000	0.375	61	0427	1.250	2.250	0.687	63T2	6675
1.250	2.000	0.375	62	0427	1.250	2.250	0.690	EQ	3533
1.250	2.000	0.375	63	0427	1.250	2.250	0.750	IG	4140
1.250	2.000	0.375	66	0427	1.250	2.375	0.375	61	0442
1.250	2.000	0.375	67	0427	1.250	2.375	0.375	63	0442
1.250	2.000	0.437	63	0428	1.250	2.375	0.375	66	0442
1.250	2.000	0.500	EQ	0798	1.250	2.375	0.437	63	0443
1.250	2.000	0.594	63F1	7390	1.250	2.375	0.500	63	0444
1.250	2.000	0.625	EQ	1215	1.250	2.375	0.594	63F1	7372
1.250	2.000	0.625	EQ	1215	1.250	2.375	0.625	EQ	0787
1.250	2.000	0.625	IG	1215	1.250	2.375	0.625	EQ	0787
1.250	2.000	0.687	63R1	6745	1.250	2.375	0.687	63R2	6517
1.250	2.000	0.687	63R2	6745	1.250	2.375	0.687	63T2	6517
1.250	2.000	0.687	63T2	6745	1.250	2.437	0.375	63	0445
1.250	2.000	0.750	IG	4140	1.250	2.437	0.375	66	0445
1.250	2.000	0.750	IG	4185	1.250	2.437	0.437	63	0446
1.250	2.047	0.375	63	7852	1.250	2.437	0.500	63	0447
1.250	2.047	0.375	66	7852	1.250	2.437	0.687	63R1	8569

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.250	2.438	0.438	26	1296	1.312	2.125	0.437	63	0491
1.250	2.438	0.750	IG	4680	1.312	2.125	0.500	63	0492
1.250	2.500	0.375	25	6502	1.312	2.250	0.375	63	0493
1.250	2.835	0.375	94	6192	1.312	2.250	0.437	63	0494
1.250	2.875	0.625	EQ	2195	1.312	2.250	0.500	63	0495
1.250	2.875	0.750	IG	5101	1.312	2.375	0.375	62	0496
1.250	3.150	0.750	IG	5214	1.312	2.375	0.375	63	0496
1.260	1.654	0.625	IG	5536	1.312	2.375	0.437	63	0497
1.260	1.693	0.394	26	0449	1.312	2.375	0.500	63	0498
1.260	1.772	0.315	61	2224	1.312	2.437	0.375	63	0499
1.260	1.850	0.276	92	0350	1.312	2.441	0.375	63	8071
1.260	1.850	0.625	IG	4922	1.312	2.500	0.375	62	0505
1.260	2.047	0.276	92	0364	1.312	2.500	0.375	63	0505
1.260	2.047	0.354	61	2212	1.312	2.500	0.500	62	0507
1.260	2.165	0.750	IG	4860	1.312	2.500	0.500	63	0507
1.266	2.048	0.375	63	7316	1.312	2.875	0.500	63	3879
1.281	1.984	0.375	63	0448	1.313	2.000	0.690	EQ	2524
1.281	1.984	0.375	66	0448	1.313	2.313	0.750	IG	4273
1.281	2.000	0.375	63	0451	1.334	2.363	0.500	EQ	1019
1.281	2.000	0.375	66	0451	1.334	2.363	0.625	EQ	1411
1.281	2.047	0.375	63	7715	1.334	2.363	0.625	EQ	1411
1.281	2.062	0.375	63	0454	1.337	2.165	0.315	26R1	0574
1.281	2.106	0.375	63	0457	1.344	2.062	0.375	63	0508
1.281	2.125	0.500	63	0462	1.344	2.106	0.375	63	0511
1.281	2.250	0.375	63	0463	1.344	2.125	0.375	63	0514
1.281	2.250	0.500	63	0465	1.344	2.125	0.437	63	0515
1.281	2.437	0.500	63	0471	1.344	2.250	0.375	62	0517
1.281	2.441	0.375	63	8070	1.344	2.250	0.375	63	0517
1.281	2.497	0.500	63	0474	1.344	2.375	0.375	63	0520
1.281	2.497	0.687	63R1	9551	1.344	2.437	0.375	63	0523
1.281	2.497	0.687	63T2	9551	1.344	2.437	0.500	63	0525
1.281	2.500	0.375	63	0475	1.344	2.441	0.375	63	8072
1.299	1.772	0.315	61	1784	1.344	2.497	0.375	63	0526
1.312	1.562	0.125	71	6193	1.344	2.500	0.375	62	0529
1.312	1.605	0.156	76	6194	1.344	2.500	0.375	63	0529
1.312	1.625	0.156	76	6195	1.344	2.625	0.375	63	0532
1.312	1.750	0.187	76	7519	1.370	2.060	0.625	IG	4318
1.312	1.750	0.250	92	6197	1.370	2.375	0.750	IG	4689
1.312	1.875	0.219	92	9527	1.375	1.625	0.109	71	9961
1.312	1.984	0.375	63	0478	1.375	1.625	0.125	71	7068
1.312	2.000	0.375	63	0481	1.375	1.687	0.109	71	8715
1.312	2.000	0.437	63	0482	1.375	1.750	0.187	76	7520
1.312	2.000	0.625	IG	1146	1.375	1.750	0.219	76	8479
1.312	2.047	0.375	63	4821	1.375	1.750	0.690	EQ	4078
1.312	2.062	0.375	26	1297	1.375	1.874	0.690	EQ	2512
1.312	2.062	0.375	62	0484	1.375	1.875	0.187	92	7521
1.312	2.062	0.375	63	0484	1.375	1.875	0.250	26	6207
1.312	2.062	0.437	63	0485	1.375	1.875	0.312	94	6208
1.312	2.106	0.375	63	0487	1.375	1.875	0.625	IG	4176
1.312	2.106	0.687	63T2	9381	1.375	2.000	0.312	3	1348
1.312	2.125	0.375	62	0490	1.375	2.000	0.312	26	1454
1.312	2.125	0.375	63	0490	1.375	2.000	0.312	61	1354

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.375	2.000	0.375	61	7386	1.375	2.250	0.375	61	0544
1.375	2.000	0.375	61	7386	1.375	2.250	0.375	62	0544
1.375	2.000	0.375	62	7386	1.375	2.250	0.375	63	0544
1.375	2.000	0.375	63	7386	1.375	2.250	0.375	66	0544
1.375	2.000	0.500	61	0857	1.375	2.250	0.375	67	0544
1.375	2.000	0.625	IG	2940	1.375	2.250	0.375	68	0544
1.375	2.000	0.690	EQ	1970	1.375	2.250	0.437	63	0545
1.375	2.047	0.375	62	6655	1.375	2.250	0.500	25	0546
1.375	2.047	0.375	63	6655	1.375	2.250	0.500	62	0546
1.375	2.062	0.375	62	0535	1.375	2.250	0.500	63	0546
1.375	2.062	0.375	63	0535	1.375	2.250	0.500	EQ	1008
1.375	2.062	0.375	66	0535	1.375	2.250	0.594	63F1	6701
1.375	2.062	0.375	67	0535	1.375	2.250	0.625	EQ	1121
1.375	2.062	0.375	68	0535	1.375	2.250	0.625	EQ	1121
1.375	2.062	0.375	92	0535	1.375	2.250	0.687	63R1	6774
1.375	2.062	0.437	63	0536	1.375	2.250	0.687	63T2	6774
1.375	2.062	0.500	63	0537	1.375	2.250	0.750	IG	5520
1.375	2.062	0.687	63R1	6576	1.375	2.263	0.625	IG	5097
1.375	2.062	0.687	63T2	6576	1.375	2.374	0.312	3	1378
1.375	2.062	0.690	EQ	2692	1.375	2.375	0.375	26	0547
1.375	2.064	0.500	26	0705	1.375	2.375	0.375	63	0547
1.375	2.103	0.625	IG	4815	1.375	2.375	0.375	66	0547
1.375	2.106	0.375	63	0538	1.375	2.375	0.375	67	0547
1.375	2.106	0.437	63	0539	1.375	2.375	0.375	68	0547
1.375	2.106	0.500	63	0540	1.375	2.375	0.437	62	0548
1.375	2.106	0.687	63T2	5007	1.375	2.375	0.437	63	0548
1.375	2.125	0.312	3	1360	1.375	2.375	0.500	63	0549
1.375	2.125	0.375	26	1829	1.375	2.375	0.625	EQ	1101
1.375	2.125	0.375	61	0541	1.375	2.375	0.750	IG	4141
1.375	2.125	0.375	61	0541	1.375	2.375	0.750	IG	4141
1.375	2.125	0.375	62	0541	1.375	2.437	0.375	62	0550
1.375	2.125	0.375	63	0541	1.375	2.437	0.375	63	0550
1.375	2.125	0.375	66	0541	1.375	2.437	0.375	66	0550
1.375	2.125	0.375	67	0541	1.375	2.437	0.437	62	0551
1.375	2.125	0.375	68	0541	1.375	2.437	0.437	63	0551
1.375	2.125	0.375	76	0541	1.375	2.437	0.500	62	0552
1.375	2.125	0.437	62	0542	1.375	2.437	0.500	63	0552
1.375	2.125	0.437	63	0542	1.375	2.437	0.625	EQ	2694
1.375	2.125	0.500	62	0543	1.375	2.437	0.625	EQ	2694
1.375	2.125	0.500	63	0543	1.375	2.437	0.750	IG	4320
1.375	2.125	0.594	63F1	7567	1.375	2.438	0.250	61	1355
1.375	2.125	0.625	63F1	9833	1.375	2.439	0.500	26	0708
1.375	2.125	0.625	EQ	1092	1.375	2.439	0.625	EQ	1929
1.375	2.125	0.625	EQ	1092	1.375	2.441	0.312	94	5091
1.375	2.125	0.625	IG	1092	1.375	2.441	0.375	63	6658
1.375	2.125	0.687	63R1	6479	1.375	2.441	0.375	66	6658
1.375	2.125	0.687	63R2	6479	1.375	2.497	0.375	63	0553
1.375	2.125	0.687	63T2	6479	1.375	2.497	0.375	66	0553
1.375	2.125	0.690	EQ	2858	1.375	2.497	0.437	63	0554
1.375	2.125	0.750	IG	4118	1.375	2.497	0.500	63	0555
1.375	2.250	0.312	3	1368	1.375	2.500	0.375	26	0556
1.375	2.250	0.375	25	0544	1.375	2.500	0.375	61	0556

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.375	2.500	0.375	63	0556	1.378	2.165	0.750	IG	4529
1.375	2.500	0.375	66	0556	1.378	2.244	0.394	26	0575
1.375	2.500	0.375	67	0556	1.378	2.362	0.625	EQ	1752
1.375	2.500	0.375	68	0556	1.378	2.441	0.276	92	0376
1.375	2.500	0.437	63	0557	1.378	2.539	0.748	EQSPB	7062
1.375	2.500	0.625	26	0754	1.378	2.545	0.625	EQ	4096
1.375	2.500	0.625	EQ	0754	1.378	3.150	0.625	EQ	3087
1.375	2.500	0.625	EQ	0754	1.378	3.465	0.500	26	0913
1.375	2.500	0.687	63T2	6475	1.378	3.465	0.500	EQ	0913
1.375	2.500	0.750	IG	5334	1.387	1.850	0.394	61	1788
1.375	2.561	0.375	63	0562	1.399	2.292	0.315	61	2460
1.375	2.562	0.500	58	2295	1.406	2.125	0.375	62	0565
1.375	2.625	0.375	63	0559	1.406	2.125	0.375	63	0565
1.375	2.625	0.375	66	0559	1.406	2.125	0.437	63	0566
1.375	2.625	0.437	63	0560	1.406	2.250	0.375	63	0568
1.375	2.625	0.500	63	0561	1.406	2.375	0.375	61	0571
1.375	2.625	0.687	63R2	4976	1.406	2.375	0.375	63	0571
1.375	2.625	0.687	63T2	4976	1.406	2.441	0.375	63	8073
1.375	2.625	0.750	IG	5024	1.406	2.500	0.375	63	0580
1.375	2.688	0.500	26	1298	1.406	2.625	0.375	63	0583
1.375	2.750	0.375	61	1356	1.417	1.850	0.276	92	0378
1.375	2.812	0.750	IG	5386	1.417	2.047	0.374	63	7748
1.375	2.828	0.625	EQ	4639	1.417	2.125	0.625	IG	5552
1.375	2.835	0.312	94	6639	1.417	2.126	0.276	92	0379
1.375	2.835	0.375	63	4584	1.427	2.500	0.625	EQ	1100
1.375	2.835	0.375	67	4584	1.428	2.375	0.625	EQ	4084
1.375	2.835	0.375	68	4584	1.437	1.750	0.156	71	7070
1.375	2.835	0.625	EQ	1138	1.437	1.937	0.250	94	6211
1.375	2.835	0.625	EQ	1138	1.437	2.062	0.250	71	7071
1.375	2.835	0.750	IG	4104	1.437	2.125	0.375	62	0592
1.375	2.836	0.500	EQ	1017	1.437	2.125	0.375	63	0592
1.375	2.875	0.375	61	9612	1.437	2.125	0.375	66	0592
1.375	2.875	0.375	63	9612	1.437	2.125	0.375	94	0592
1.375	2.875	0.625	EQ	2622	1.437	2.125	0.437	63	0593
1.375	3.125	0.625	EQ	1105	1.437	2.125	0.500	63	0594
1.375	3.125	0.750	IG	4329	1.437	2.125	0.625	EQ	4456
1.375	3.150	0.375	94	6557	1.437	2.125	0.687	63T2	9122
1.378	1.850	0.276	92	0366	1.437	2.250	0.375	62	0595
1.378	1.850	0.625	IG	4924	1.437	2.250	0.375	63	0595
1.378	1.969	0.276	61	2119	1.437	2.250	0.375	66	0595
1.378	1.969	0.276	61	2119	1.437	2.250	0.437	63	0596
1.378	1.969	0.276	92	0368	1.437	2.250	0.500	62	0597
1.378	1.969	0.315	26R1	0572	1.437	2.250	0.500	63	0597
1.378	1.969	0.394	61	1789	1.437	2.250	0.500	EQ	0741
1.378	1.969	0.625	IG	4925	1.437	2.250	0.625	EQ	1116
1.378	2.047	0.276	26	1139	1.437	2.250	0.687	63R2	6569
1.378	2.047	0.625	IG	4926	1.437	2.250	0.687	63T2	6569
1.378	2.146	0.748	EQSPB	7061	1.437	2.310	0.625	EQ	3002
1.378	2.165	0.315	92	0371	1.437	2.375	0.375	62	0598
1.378	2.165	0.434	26R1	0573	1.437	2.375	0.375	63	0598
1.378	2.165	0.625	EQ	2260	1.437	2.375	0.375	66	0598
1.378	2.165	0.625	EQ	2260	1.437	2.375	0.437	63	0599

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.437	2.375	0.500	62	0600	1.438	2.500	0.375	61	0595
1.437	2.375	0.500	63	0600	1.438	2.500	0.500	26	0609
1.437	2.375	0.625	IG	1958	1.438	2.500	0.750	IG	5436
1.437	2.437	0.375	63	0601	1.450	2.360	0.750	IG	4742
1.437	2.437	0.375	66	0601	1.453	1.968	0.312	92	9965
1.437	2.437	0.437	63	0602	1.453	2.047	0.312	92	6218
1.437	2.437	0.500	63	0603	1.457	2.500	0.750	IG	4440
1.437	2.437	0.594	63F1	6961	1.465	2.343	0.625	EQ	1139
1.437	2.437	0.625	EQ	2720	1.468	2.343	0.690	EQ	3144
1.437	2.437	0.687	63T2	7226	1.468	2.375	0.750	IG	5596
1.437	2.437	0.750	IG	4177	1.469	2.000	0.312	76	6036
1.437	2.441	0.375	63	9294	1.469	2.250	0.375	63	0616
1.437	2.497	0.375	63	0604	1.469	2.250	0.594	63F1	8432
1.437	2.497	0.375	66	0604	1.469	2.375	0.375	63	0619
1.437	2.497	0.437	63	0605	1.469	2.375	0.500	63	0621
1.437	2.500	0.375	63	0607	1.469	2.375	0.625	EQ	4685
1.437	2.500	0.437	63	0608	1.469	2.375	0.687	63R2	9081
1.437	2.500	0.500	62	0609	1.469	2.437	0.375	63	0622
1.437	2.500	0.500	63	0609	1.469	2.437	0.469	63	5496
1.437	2.500	0.625	EQ	2107	1.469	2.437	0.500	62	0624
1.437	2.500	0.687	63R2	4861	1.469	2.437	0.500	63	0624
1.437	2.625	0.375	63	0610	1.469	2.441	0.375	63	8075
1.437	2.625	0.500	63	0612	1.469	2.500	0.375	63	0628
1.437	2.686	0.375	63	0613	1.469	2.686	0.375	63	0634
1.437	2.686	0.500	63	0615	1.469	2.750	0.437	63	0638
1.437	2.686	0.687	63R1	4891	1.469	2.750	0.687	63R2	4818
1.437	2.694	0.750	IG	5268	1.469	2.750	0.687	63T2	4818
1.437	3.150	0.375	94	6215	1.469	2.756	0.375	63	0640
1.438	1.938	0.375	61	2335	1.475	2.335	0.625	EQ	2288
1.438	1.938	0.690	EQ	1783	1.493	2.493	0.625	EQ	3284
1.438	2.000	0.312	61	1358	1.496	2.126	0.394	61	1794
1.438	2.000	0.313	26	1465	1.496	2.165	0.276	92	0381
1.438	2.062	0.690	EQ	3110	1.496	2.165	0.394	61	1484
1.438	2.063	0.312	61	1361	1.496	2.165	0.625	IG	4934
1.438	2.063	0.313	26	1466	1.496	2.165	0.690	EQ	2839
1.438	2.063	0.609	EQSPB	7124	1.496	2.362	0.750	IG	5372
1.438	2.063	0.820	IGSPB	5432	1.496	2.441	0.276	92	0382
1.438	2.063	0.875	EQSPB	3982	1.496	2.496	0.625	EQ	4102
1.438	2.063	0.975	EQSPB	7067	1.500	1.750	0.109	71	6221
1.438	2.125	0.375	26	0737	1.500	1.875	0.125	71	6222
1.438	2.125	0.375	61	0592	1.500	1.875	0.187	71	6223
1.438	2.125	0.625	IG	4456	1.500	1.875	0.187	76	6223
1.438	2.125	0.690	EQ	1888	1.500	2.000	0.250	76	7517
1.438	2.188	0.375	61	1362	1.500	2.000	0.625	IG	4130
1.438	2.250	0.500	26	0741	1.500	2.000	0.690	EQ	2578
1.438	2.250	0.625	EQ	1116	1.500	2.063	0.820	IGSPB	7128
1.438	2.250	0.750	IG	4117	1.500	2.125	0.312	3	1454
1.438	2.375	0.375	26	0598	1.500	2.125	0.312	61	1364
1.438	2.375	0.375	61	0598	1.500	2.125	0.375	61	4798
1.438	2.375	0.625	EQ	1958	1.500	2.125	0.375	62	4798
1.438	2.375	0.750	IG	5489	1.500	2.125	0.437	61	5713
1.438	2.438	0.500	26	0634	1.500	2.125	0.437	61	5713

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.500	2.125	0.437	62	5713	1.500	2.375	0.625	EQ	1214
1.500	2.125	0.437	63	5713	1.500	2.375	0.625	IG	1214
1.500	2.125	0.625	EQ	1118	1.500	2.375	0.687	63R1	6667
1.500	2.125	0.625	IG	1118	1.500	2.375	0.687	63R2	6667
1.500	2.125	0.690	EQ	3410	1.500	2.375	0.687	63T2	6667
1.500	2.219	0.625	IG	5373	1.500	2.375	0.750	IG	4810
1.500	2.250	0.250	26	9722	1.500	2.378	0.500	EQ	1099
1.500	2.250	0.250	61	9722	1.500	2.410	0.625	EQ	1874
1.500	2.250	0.250	92	9722	1.500	2.437	0.375	63	0649
1.500	2.250	0.312	3	1462	1.500	2.437	0.375	66	0649
1.500	2.250	0.312	62	5246	1.500	2.437	0.437	63	0650
1.500	2.250	0.375	26	0643	1.500	2.437	0.500	63	0651
1.500	2.250	0.375	61	0643	1.500	2.441	0.375	63	3880
1.500	2.250	0.375	61	643	1.500	2.441	0.375	66	3880
1.500	2.250	0.375	62	0643	1.500	2.460	0.625	EQ	1872
1.500	2.250	0.375	63	0643	1.500	2.497	0.375	63	0652
1.500	2.250	0.375	66	0643	1.500	2.497	0.375	66	0652
1.500	2.250	0.375	67	0643	1.500	2.497	0.500	63	0654
1.500	2.250	0.375	68	0643	1.500	2.499	0.625	EQ	1194
1.500	2.250	0.437	62	0644	1.500	2.500	0.375	25	0655
1.500	2.250	0.437	63	0644	1.500	2.500	0.375	61	0655
1.500	2.250	0.438	26	0644	1.500	2.500	0.375	61	0655
1.500	2.250	0.500	61	0645	1.500	2.500	0.375	62	0655
1.500	2.250	0.500	61	0645	1.500	2.500	0.375	63	0655
1.500	2.250	0.500	62	0645	1.500	2.500	0.375	66	0655
1.500	2.250	0.500	63	0645	1.500	2.500	0.375	67	0655
1.500	2.250	0.500	EQ	804	1.500	2.500	0.375	68	0655
1.500	2.250	0.531	63R1	8704	1.500	2.500	0.437	63	0656
1.500	2.250	0.594	63F1	7568	1.500	2.500	0.500	26	0635
1.500	2.250	0.625	EQ	1763	1.500	2.500	0.500	62	0657
1.500	2.250	0.625	EQ	1763	1.500	2.500	0.500	63	0657
1.500	2.250	0.687	63R1	6937	1.500	2.500	0.625	IG	1194
1.500	2.250	0.687	63T2	6937	1.500	2.500	0.687	63R1	6551
1.500	2.250	0.690	EQ	3700	1.500	2.500	0.687	63R2	6551
1.500	2.250	0.750	IG	4235	1.500	2.500	0.687	63T2	6551
1.500	2.254	0.750	IG	4595	1.500	2.500	0.687	63TB	6551
1.500	2.313	0.312	61	1367	1.500	2.500	0.750	IG	4143
1.500	2.374	0.312	3	1472	1.500	2.500	0.750	IG	4143
1.500	2.375	0.312	61	2410	1.500	2.502	0.312	3	1492
1.500	2.375	0.375	61	0646	1.500	2.545	0.625	EQ	4346
1.500	2.375	0.375	62	0646	1.500	2.563	0.625	EQ	3048
1.500	2.375	0.375	63	0646	1.500	2.625	0.375	61	0658
1.500	2.375	0.375	66	0646	1.500	2.625	0.375	63	0658
1.500	2.375	0.375	67	0646	1.500	2.625	0.375	67	0658
1.500	2.375	0.375	68	0646	1.500	2.625	0.375	68	0658
1.500	2.375	0.437	63	0647	1.500	2.625	0.437	63	0659
1.500	2.375	0.500	62	0648	1.500	2.625	0.500	63	0660
1.500	2.375	0.500	63	0648	1.500	2.625	0.500	EQ	0856
1.500	2.375	0.500	67	0648	1.500	2.625	0.594	63F1	5004
1.500	2.375	0.500	68	0648	1.500	2.625	0.625	EQ	1166
1.500	2.375	0.500	EQ	0648	1.500	2.625	0.625	EQ	1166
1.500	2.375	0.625	EQ	1214	1.500	2.625	0.687	63T2	6448

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.500	2.686	0.375	63	0661	1.562	2.437	0.375	66	0706
1.500	2.750	0.375	61	0664	1.562	2.437	0.437	62	0707
1.500	2.750	0.375	62	0664	1.562	2.437	0.437	63	0707
1.500	2.750	0.375	63	0664	1.562	2.437	0.500	63	0708
1.500	2.750	0.375	67	0664	1.562	2.437	0.625	EQ	3268
1.500	2.750	0.375	68	0664	1.562	2.437	0.687	63R1	7280
1.500	2.750	0.437	63	0665	1.562	2.441	0.375	63	8077
1.500	2.750	0.500	63	0666	1.562	2.441	0.437	63	8326
1.500	2.750	0.594	63F1	5268	1.562	2.441	0.750	IG	4877
1.500	2.756	0.375	61	0667	1.562	2.497	0.375	63	0709
1.500	2.756	0.375	63	0667	1.562	2.497	0.375	66	0709
1.500	2.756	0.437	63	0668	1.562	2.500	0.375	62	0712
1.500	2.756	0.500	63	0669	1.562	2.500	0.375	63	0712
1.500	2.864	0.750	IG	5578	1.562	2.500	0.375	66	0712
1.500	2.875	0.375	61	1368	1.562	2.500	0.437	63	0713
1.500	2.875	0.406	63	5501	1.562	2.500	0.500	63	0714
1.500	2.882	0.375	63	3881	1.562	2.500	0.594	63F1	6271
1.500	3.000	0.500	26	0874	1.562	2.500	0.625	EQ	3029
1.500	3.045	0.625	EQ	3971	1.562	2.500	0.625	IG	3029
1.500	3.250	0.500	26R1	4228	1.562	2.500	0.687	63R2	6899
1.500	3.500	0.437	61	1369	1.562	2.500	0.750	IG	4843
1.531	2.250	0.375	62	0670	1.562	2.502	0.750	IG	4470
1.531	2.250	0.375	63	0670	1.562	2.561	0.500	63	4645
1.531	2.375	0.375	63	0673	1.562	2.561	0.500	66	4645
1.531	2.441	0.375	63	8076	1.562	2.625	0.375	63	0715
1.531	2.497	0.375	63	0679	1.562	2.625	0.375	66	0715
1.531	2.500	0.375	63	0682	1.562	2.625	0.500	62	0717
1.531	2.500	0.438	26	3993	1.562	2.625	0.500	63	0717
1.531	2.625	0.375	63	0685	1.562	2.625	0.625	EQ	1186
1.531	2.750	0.500	63	0693	1.562	2.686	0.375	63	0718
1.531	2.756	0.375	63	0694	1.562	2.686	0.375	66	0718
1.552	2.500	0.500	61	2574	1.562	2.686	0.687	63T2	7130
1.560	2.590	0.625	EQ	1779	1.562	2.750	0.375	63	0721
1.562	2.188	0.312	26	0698	1.562	2.750	0.375	66	0721
1.562	2.250	0.375	26	1234	1.562	2.750	0.437	63	0722
1.562	2.250	0.375	62	0700	1.562	2.750	0.500	63	0723
1.562	2.250	0.375	63	0700	1.562	2.750	0.625	EQ	4202
1.562	2.250	0.375	66	0700	1.562	2.756	0.375	63	0724
1.562	2.250	0.375	67	0700	1.562	2.756	0.375	66	0724
1.562	2.250	0.437	63	0701	1.562	2.756	0.437	63	0725
1.562	2.250	0.500	63	0702	1.562	2.783	0.375	63	0727
1.562	2.250	0.594	63F1	7116	1.562	2.783	0.375	66	0727
1.562	2.375	0.375	62	0703	1.562	2.783	0.437	63	0728
1.562	2.375	0.375	63	0703	1.562	2.783	0.687	63T2	7261
1.562	2.375	0.375	66	0703	1.562	2.835	0.375	63	8078
1.562	2.375	0.437	63	0704	1.562	2.875	0.375	63	3883
1.562	2.375	0.500	62	0705	1.562	2.875	0.375	66	3883
1.562	2.375	0.687	63R1	8104	1.562	3.150	0.312	94	8003
1.562	2.375	0.687	63R2	8104	1.562	3.150	0.375	66	6686
1.562	2.375	0.690	EQ	4579	1.562	3.544	0.375	66	6486
1.562	2.437	0.375	62	0706	1.562	3.544	0.375	94	6486
1.562	2.437	0.375	63	0706	1.562	3.548	0.750	IG	5292

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.563	2.375	0.375	61	0703	1.594	2.500	0.375	66	0739
1.563	2.438	0.375	61	0706	1.594	2.625	0.375	63	0742
1.563	2.500	0.375	61	0712	1.594	2.625	0.500	63	0744
1.563	2.563	0.500	61	1370	1.594	2.686	0.500	63	0747
1.563	2.563	0.750	IG	4274	1.594	2.750	0.375	63	0748
1.563	2.623	0.750	IG	4771	1.594	2.750	0.500	63	0750
1.570	2.000	0.625	IG	5482	1.594	2.756	0.375	63	0751
1.570	2.250	0.625	IG	4545	1.594	2.835	0.375	63	8080
1.570	2.338	0.625	EQ	1267	1.594	2.875	0.375	63	0757
1.570	3.188	0.625	EQ	1974	1.610	2.000	0.690	EQ	3084
1.571	2.571	0.625	EQ	2971	1.614	2.402	0.750	IG	4825
1.571	2.571	0.625	IG	2971	1.625	1.875	0.109	71	6226
1.573	2.572	0.750	IG	5051	1.625	2.000	0.109	71	6227
1.573	3.250	0.625	EQ	3241	1.625	2.125	0.250	76	9971
1.574	2.440	0.433	26R1	0729	1.625	2.125	0.625	EQ	5360
1.574	2.448	0.314	26	4632	1.625	2.125	0.690	EQ	4079
1.574	2.575	0.625	EQ	1803	1.625	2.187	0.375	61	0758
1.574	3.937	0.625	EQ	3498	1.625	2.188	0.375	26	0758
1.575	2.047	0.276	92	0391	1.625	2.250	0.312	61	1371
1.575	2.047	0.625	IG	4718	1.625	2.250	0.375	61	1092
1.575	2.047	0.690	EQ	1359	1.625	2.250	0.375	61	1092
1.575	2.165	0.276	92	0392	1.625	2.250	0.625	IG	5290
1.575	2.165	0.315	61	2055	1.625	2.250	0.690	EQ	2164
1.575	2.165	0.394	61	1931	1.625	2.374	0.312	3	1576
1.575	2.165	0.394	61	1931	1.625	2.374	0.625	EQ	3321
1.575	2.205	0.276	92	0393	1.625	2.375	0.250	71	6230
1.575	2.283	0.315	92	0406	1.625	2.375	0.312	61	1372
1.575	2.283	0.394	61	2136	1.625	2.375	0.375	26	0760
1.575	2.283	0.625	IG	5068	1.625	2.375	0.375	26R1	0760
1.575	2.362	0.354	26	0733	1.625	2.375	0.375	61	0760
1.575	2.362	0.750	IG	5539	1.625	2.375	0.375	61	0760
1.575	2.441	0.276	92	0423	1.625	2.375	0.375	61	0760
1.575	2.441	0.315	61	0132	1.625	2.375	0.375	62	0760
1.575	2.441	0.375	61	8610	1.625	2.375	0.375	63	0760
1.575	2.441	0.375	63	8610	1.625	2.375	0.375	66	0760
1.575	2.441	0.394	63	7884	1.625	2.375	0.375	94	0760
1.575	2.441	0.750	IG	4808	1.625	2.375	0.437	63	0761
1.575	2.500	0.625	EQ	3628	1.625	2.375	0.500	62	0762
1.575	2.559	0.276	26	1228	1.625	2.375	0.500	63	0762
1.575	2.559	0.472	26R1	1030	1.625	2.375	0.625	EQ	1915
1.575	2.575	0.750	IG	4895	1.625	2.375	0.625	EQ	1915
1.575	2.835	0.276	92	0435	1.625	2.375	0.687	63R2	6516
1.575	3.071	0.750	IG	4441	1.625	2.375	0.750	IG	4615
1.575	3.150	0.394	92	0449	1.625	2.437	0.375	63	0763
1.575	3.150	0.625	EQ	2631	1.625	2.437	0.375	66	0763
1.575	3.425	0.625	EQ	3915	1.625	2.437	0.437	63	0764
1.578	2.687	0.375	62	9488	1.625	2.437	0.469	63	5393
1.594	2.375	0.375	62	0730	1.625	2.437	0.500	63	0765
1.594	2.375	0.375	63	0730	1.625	2.437	0.500	EQ	1748
1.594	2.437	0.437	63	0734	1.625	2.437	0.594	63F1	7152
1.594	2.441	0.375	63	8079	1.625	2.437	0.625	EQ	1270
1.594	2.500	0.375	63	0739	1.625	2.437	0.687	63T2	7044

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.625	2.437	0.750	IG	4679	1.625	2.783	0.375	63	0784
1.625	2.438	0.375	26	1301	1.625	2.783	0.375	66	0784
1.625	2.438	0.625	EQ	1270	1.625	2.800	0.625	EQ	3576
1.625	2.441	0.375	63	7767	1.625	2.835	0.375	63	8081
1.625	2.441	0.594	63F1	9943	1.625	2.875	0.375	63	0787
1.625	2.497	0.375	63	0766	1.625	2.875	0.375	66	0787
1.625	2.497	0.375	66	0766	1.625	2.875	0.437	61	0788
1.625	2.497	0.437	63	0767	1.625	2.875	0.437	63	0788
1.625	2.497	0.500	63	0768	1.625	2.875	0.500	26	0876
1.625	2.500	0.312	61	1373	1.625	2.875	0.500	63	0789
1.625	2.500	0.375	62	0769	1.625	2.875	0.687	63R1	8266
1.625	2.500	0.375	63	0769	1.625	2.875	0.687	63T2	8266
1.625	2.500	0.375	66	0769	1.625	3.750	0.375	94	7636
1.625	2.500	0.500	63	0771	1.653	2.165	0.354	26	0759
1.625	2.500	0.500	EQ	0717	1.653	2.165	0.393	26	0791
1.625	2.500	0.625	EQ	2987	1.653	2.441	0.315	26	1096
1.625	2.500	0.625	EQ	2987	1.654	2.165	0.625	IG	4938
1.625	2.500	0.687	63R1	6860	1.654	2.362	0.276	92	0452
1.625	2.500	0.687	63T2	6860	1.654	2.362	0.394	61	1792
1.625	2.500	0.750	IG	4327	1.654	2.441	0.394	61	1793
1.625	2.502	0.312	3	1590	1.654	2.441	0.625	EQ	2918
1.625	2.525	0.750	IG	4828	1.654	2.441	0.750	IG	5540
1.625	2.562	0.500	63	8615	1.654	2.559	0.625	EQ	2611
1.625	2.623	0.250	92	5249	1.654	2.598	0.625	EQ	2127
1.625	2.623	0.312	3	1598	1.654	2.625	0.750	IG	4439
1.625	2.625	0.375	61	0772	1.654	4.193	0.625	EQ	5448
1.625	2.625	0.375	62	0772	1.654	4.193	0.625	EQ	5448
1.625	2.625	0.375	63	0772	1.656	2.375	0.375	63	0790
1.625	2.625	0.375	66	0772	1.656	2.441	0.375	63	8082
1.625	2.625	0.437	63	0773	1.656	2.500	0.375	63	0799
1.625	2.625	0.500	62	0774	1.656	2.500	0.594	63F1	5362
1.625	2.625	0.500	63	0774	1.656	2.625	0.500	63	0804
1.625	2.625	0.625	EQ	1089	1.656	2.686	0.375	63	0805
1.625	2.625	0.625	IG	1089	1.656	2.686	0.500	63	0807
1.625	2.625	0.687	63R1	4766	1.656	2.750	0.375	63	0808
1.625	2.625	0.750	IG	4144	1.656	2.750	0.500	63	0810
1.625	2.625	0.750	IG	4144	1.656	2.835	0.375	63	8083
1.625	2.656	0.375	63	3884	1.656	2.875	0.375	63	0817
1.625	2.686	0.375	63	0775	1.656	2.997	0.375	63	0820
1.625	2.686	0.375	66	0775	1.685	2.685	0.625	IG	5200
1.625	2.686	0.500	63	0777	1.685	3.185	0.625	IG	5519
1.625	2.687	0.500	26	1302	1.687	2.062	0.690	EQ	3495
1.625	2.750	0.375	26	0778	1.687	2.125	0.187	76	7527
1.625	2.750	0.375	63	0778	1.687	2.125	0.187	92	7527
1.625	2.750	0.375	66	0778	1.687	2.250	0.250	76	9962
1.625	2.750	0.500	63	0780	1.687	2.375	0.375	62	0826
1.625	2.750	0.594	63F1	9739	1.687	2.375	0.375	63	0826
1.625	2.750	0.625	EQ	0770	1.687	2.375	0.375	66	0826
1.625	2.750	0.625	EQ	0770	1.687	2.375	0.437	63	0827
1.625	2.756	0.375	63	0781	1.687	2.375	0.500	63	0828
1.625	2.756	0.375	66	0781	1.687	2.375	0.687	63R1	7569
1.625	2.756	0.437	63	0782	1.687	2.375	0.687	63T2	7569

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.687	2.375	0.690	EQ	3159	1.687	3.000	0.594	63F1	6744
1.687	2.437	0.375	62	0829	1.687	3.000	0.687	63R1	6751
1.687	2.437	0.375	63	0829	1.688	2.125	0.690	EQ	2522
1.687	2.437	0.375	66	0829	1.688	2.313	0.820	IGSPB	7129
1.687	2.437	0.437	63	0830	1.688	2.438	0.375	61	0829
1.687	2.437	0.625	63F1	9234	1.688	2.500	0.375	26	0835
1.687	2.441	0.375	63	7456	1.688	2.500	0.375	61	0835
1.687	2.497	0.375	63	0832	1.688	2.502	0.375	26	0834
1.687	2.497	0.375	66	0832	1.688	2.506	0.625	IG	5408
1.687	2.500	0.375	62	0835	1.688	2.625	0.500	26	0840
1.687	2.500	0.375	63	0835	1.688	2.625	0.750	IG	5415
1.687	2.500	0.375	66	0835	1.688	2.688	0.625	EQ	2723
1.687	2.500	0.375	92	0835	1.688	2.688	0.750	IG	4275
1.687	2.500	0.437	63	0836	1.688	2.750	0.375	61	0844
1.687	2.500	0.500	62	0837	1.688	2.750	0.625	EQ	1341
1.687	2.500	0.500	63	0837	1.688	2.750	0.625	EQ	1341
1.687	2.500	0.500	EQ	0790	1.688	2.875	0.375	61	0853
1.687	2.500	0.594	63F1	7254	1.688	3.000	0.375	61	0859
1.687	2.561	0.500	26	0833	1.693	2.756	0.315	61	2532
1.687	2.625	0.375	63	0838	1.700	2.437	0.375	62	5315
1.687	2.625	0.375	66	0838	1.718	2.561	0.500	63	8484
1.687	2.625	0.500	63	0840	1.719	2.437	0.375	63	0862
1.687	2.625	0.688	63T2	6934	1.719	2.441	0.375	63	8084
1.687	2.686	0.375	62	0841	1.719	2.497	0.375	63	0865
1.687	2.686	0.375	63	0841	1.719	2.497	0.500	63	0867
1.687	2.686	0.375	66	0841	1.719	2.500	0.375	63	0868
1.687	2.686	0.437	63	0842	1.719	2.500	0.500	63	0870
1.687	2.686	0.500	62	0843	1.719	2.625	0.375	63	0871
1.687	2.686	0.500	63	0843	1.719	2.625	0.625	EQ	3071
1.687	2.686	0.687	63R2	6753	1.719	2.625	0.687	63R2	8646
1.687	2.686	0.687	63T2	6753	1.719	2.686	0.375	63	0874
1.687	2.750	0.375	63	0844	1.719	2.750	0.375	63	0877
1.687	2.750	0.375	66	0844	1.719	2.750	0.437	63	0878
1.687	2.750	0.437	26	1305	1.719	2.783	0.375	63	0883
1.687	2.750	0.437	63	0845	1.719	2.835	0.375	63	5963
1.687	2.750	0.500	63	0846	1.719	2.875	0.375	63	0886
1.687	2.750	0.687	63R2	6554	1.719	2.875	0.437	63	0887
1.687	2.750	0.687	63T2	6554	1.719	2.875	0.500	63	0888
1.687	2.756	0.375	63	0847	1.719	3.000	0.375	63	0892
1.687	2.756	0.375	66	0847	1.719	3.000	0.500	63	0894
1.687	2.756	0.437	63	0848	1.720	2.250	0.690	EQ	3784
1.687	2.756	0.500	63	0849	1.725	2.625	0.625	EQ	5494
1.687	2.835	0.375	63	7126	1.732	2.250	0.625	IG	4864
1.687	2.875	0.375	63	0853	1.732	2.362	0.354	26R1	0895
1.687	2.875	0.375	66	0853	1.732	2.835	0.375	63	7865
1.687	2.875	0.437	63	0854	1.745	2.745	0.625	IG	5201
1.687	2.875	0.500	63	0855	1.750	2.000	0.109	71	6240
1.687	2.875	0.594	63F1	9667	1.750	2.125	0.125	71	6241
1.687	3.000	0.375	62	0859	1.750	2.125	0.187	71	6242
1.687	3.000	0.375	63	0859	1.750	2.125	0.187	76	6242
1.687	3.000	0.375	66	0859	1.750	2.250	0.250	71	7080
1.687	3.000	0.500	63	0861	1.750	2.250	0.312	76	9675

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.750	2.250	0.625	IG	4586	1.750	2.563	0.500	61	1409
1.750	2.250	0.690	EQ	3952	1.750	2.623	0.312	3	1714
1.750	2.312	0.625	IG	5319	1.750	2.625	0.312	26	2456
1.750	2.375	0.250	71	7081	1.750	2.625	0.375	61	0907
1.750	2.375	0.312	61	9822	1.750	2.625	0.375	62	0907
1.750	2.375	0.312	63	9822	1.750	2.625	0.375	63	0907
1.750	2.375	0.312	91	9822	1.750	2.625	0.375	66	0907
1.750	2.375	0.375	61	0813	1.750	2.625	0.437	63	0908
1.750	2.375	0.500	61	1377	1.750	2.625	0.500	26R1	0909
1.750	2.375	0.625	IG	4183	1.750	2.625	0.500	62	0909
1.750	2.375	0.690	EQ	2200	1.750	2.625	0.500	63	0909
1.750	2.437	0.375	62	0898	1.750	2.625	0.500	EQ	0909
1.750	2.437	0.375	63	0898	1.750	2.625	0.562	EQ	0990
1.750	2.437	0.375	66	0898	1.750	2.625	0.594	63F1	6028
1.750	2.437	0.375	67	0898	1.750	2.625	0.625	EQ	1062
1.750	2.437	0.375	68	0898	1.750	2.625	0.625	EQ	1062
1.750	2.437	0.437	63	0899	1.750	2.625	0.687	63R2	7228
1.750	2.437	0.500	63	0900	1.750	2.625	0.690	EQ	3739
1.750	2.437	0.625	IG	5401	1.750	2.625	0.750	IG	4323
1.750	2.437	0.687	63R2	4671	1.750	2.656	0.625	23	8721
1.750	2.437	0.687	63T2	4671	1.750	2.686	0.375	63	0910
1.750	2.437	0.690	EQ	1780	1.750	2.686	0.375	66	0910
1.750	2.438	0.312	61	1386	1.750	2.686	0.437	63	0911
1.750	2.438	0.375	26	0898	1.750	2.686	0.500	63	0912
1.750	2.441	0.375	62	9620	1.750	2.700	0.750	IG	5471
1.750	2.441	0.375	63	9620	1.750	2.716	0.625	EQ	3257
1.750	2.441	0.375	66	9620	1.750	2.718	0.359	63	7459
1.750	2.497	0.375	62	0901	1.750	2.750	0.312	3	1726
1.750	2.497	0.375	63	0901	1.750	2.750	0.312	26R1	0896
1.750	2.497	0.375	66	0901	1.750	2.750	0.375	26	1767
1.750	2.497	0.437	63	0902	1.750	2.750	0.375	61	0913
1.750	2.497	0.500	63	0903	1.750	2.750	0.375	61	0913
1.750	2.500	0.250	92	7082	1.750	2.750	0.375	62	0913
1.750	2.500	0.375	23	0904	1.750	2.750	0.375	63	0913
1.750	2.500	0.375	26	0904	1.750	2.750	0.375	66	0913
1.750	2.500	0.375	61	0904	1.750	2.750	0.375	67	0913
1.750	2.500	0.375	62	0904	1.750	2.750	0.375	68	0913
1.750	2.500	0.375	63	0904	1.750	2.750	0.437	63	0914
1.750	2.500	0.375	66	0904	1.750	2.750	0.500	26	0639
1.750	2.500	0.375	67	0904	1.750	2.750	0.500	62	0915
1.750	2.500	0.375	68	0904	1.750	2.750	0.500	63	0915
1.750	2.500	0.375	92	0904	1.750	2.750	0.500	EQ	0639
1.750	2.500	0.437	63	0905	1.750	2.750	0.594	63F1	5005
1.750	2.500	0.500	62	0906	1.750	2.750	0.625	EQ	1744
1.750	2.500	0.500	63	0906	1.750	2.750	0.625	EQ	1744
1.750	2.500	0.594	63F1	7307	1.750	2.750	0.625	IG	1744
1.750	2.500	0.625	EQ	1026	1.750	2.750	0.687	63R1	6832
1.750	2.500	0.625	EQ	1026	1.750	2.750	0.687	63R2	6832
1.750	2.500	0.687	63T2	4672	1.750	2.750	0.687	63T2	6832
1.750	2.500	0.690	EQ	2693	1.750	2.750	0.750	63F1	5256
1.750	2.500	0.750	IG	4319	1.750	2.750	0.750	IG	4145
1.750	2.502	0.312	3	1704	1.750	2.750	0.750	IG	4145

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.750	2.756	0.375	63	0916	1.750	3.543	0.437	66	4899
1.750	2.756	0.375	66	0916	1.750	3.625	0.437	63	8456
1.750	2.756	0.500	63	0918	1.750	3.625	0.500	66	4606
1.750	2.776	0.750	EQSPB	4446	1.750	3.750	0.625	EQ	3270
1.750	2.783	0.375	63	0919	1.750	3.938	0.750	IG	4348
1.750	2.783	0.375	66	0919	1.750	3.968	0.500	EQ	0836
1.750	2.783	0.500	63	0921	1.754	2.754	0.625	IG	5217
1.750	2.812	0.312	61	2223	1.754	2.754	0.750	IG	5167
1.750	2.812	0.375	61	2434	1.755	3.358	0.750	IG	4546
1.750	2.835	0.375	63	6725	1.760	2.875	0.750	IG	4692
1.750	2.875	0.375	63	0922	1.761	3.937	0.375	94	8762
1.750	2.875	0.375	66	0922	1.766	2.323	0.625	IG	5138
1.750	2.875	0.375	67	0922	1.766	2.559	0.375	63	9223
1.750	2.875	0.375	68	0922	1.766	2.750	0.625	EQ	2292
1.750	2.875	0.437	63	0923	1.766	2.750	0.750	IG	4350
1.750	2.875	0.500	61	0924	1.766	2.953	0.312	94	8004
1.750	2.875	0.500	63	0924	1.770	2.834	0.375	26	9538
1.750	2.875	0.500	EQ	0879	1.770	2.875	0.750	IG	4656
1.750	2.875	0.500	EQ	0879	1.771	2.521	0.500	EQ	1784
1.750	2.875	0.625	EQ	0998	1.771	2.568	0.398	26	4633
1.750	2.875	0.625	EQ	0998	1.771	2.996	0.625	EQ	1804
1.750	2.875	0.625	IG	0998	1.771	3.937	0.750	IG	4678
1.750	2.875	0.750	IG	4107	1.772	2.165	0.625	IG	4554
1.750	2.997	0.375	63	0925	1.772	2.362	0.276	92	0488
1.750	2.997	0.375	66	0925	1.772	2.362	0.315	61	1796
1.750	2.997	0.375	67	0925	1.772	2.362	0.690	EQ	3149
1.750	2.997	0.500	63	0927	1.772	2.441	0.312	26R1	0935
1.750	3.000	0.375	61	0928	1.772	2.441	0.394	26	1097
1.750	3.000	0.375	62	0928	1.772	2.441	0.394	58	1797
1.750	3.000	0.375	63	0928	1.772	2.441	0.394	61	1797
1.750	3.000	0.375	66	0928	1.772	2.441	0.625	EQ	4341
1.750	3.000	0.375	67	0928	1.772	2.441	0.690	EQ	1923
1.750	3.000	0.375	68	0928	1.772	2.539	0.748	EQSPB	7063
1.750	3.000	0.500	63	0930	1.772	2.559	0.315	61	1799
1.750	3.000	0.500	EQ	0720	1.772	2.559	0.394	26	4044
1.750	3.000	0.594	63F1	7555	1.772	2.559	0.394	61	9223
1.750	3.000	0.687	63R1	6522	1.772	2.559	0.394	61	9223
1.750	3.000	0.687	63R2	6522	1.772	2.559	0.394	61	9223
1.750	3.000	0.687	63T2	6522	1.772	2.559	0.750	IG	5541
1.750	3.062	0.375	62	0931	1.772	2.622	0.500	26	1579
1.750	3.062	0.375	63	0931	1.772	2.622	0.750	IG	5135
1.750	3.062	0.375	66	0931	1.772	2.638	0.500	EQ	1374
1.750	3.062	0.500	63	0933	1.772	2.750	0.750	IG	5594
1.750	3.125	0.375	63	6724	1.772	2.756	0.750	IG	4490
1.750	3.125	0.375	66	6724	1.772	2.835	0.315	92	0512
1.750	3.125	0.625	EQ	3975	1.772	2.953	0.750	IG	4581
1.750	3.150	0.375	63	8085	1.772	2.972	0.748	EQSPB	7064
1.750	3.189	0.375	66	7282	1.772	3.150	0.394	92	0516
1.750	3.189	0.500	23	3885	1.772	3.228	0.710	IGSPB	7130
1.750	3.189	0.500	63	3885	1.772	3.346	0.394	92	0520
1.750	3.189	0.500	123	3885	1.773	2.500	0.625	IG	5291
1.750	3.347	0.375	94	6256	1.781	2.437	0.375	63	8405

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.781	2.441	0.375	63	7761	1.812	3.125	0.500	63	1005
1.781	2.497	0.375	63	0934	1.812	3.150	0.375	63	8089
1.781	2.497	0.375	66	0934	1.812	3.544	0.500	26	1002
1.781	2.500	0.375	62	0937	1.813	2.625	0.375	61	0976
1.781	2.500	0.375	63	0937	1.813	2.750	0.625	IG	5308
1.781	2.500	0.375	66	0937	1.838	2.750	0.625	EQ	3143
1.781	2.500	0.690	EQ	1903	1.844	2.500	0.375	63	3887
1.781	2.625	0.375	63	0940	1.844	2.625	0.375	63	1006
1.781	2.625	0.375	66	0940	1.844	2.686	0.375	63	1009
1.781	2.625	0.375	94	0940	1.844	2.750	0.375	63	1012
1.781	2.686	0.500	63	0945	1.844	2.756	0.375	63	1015
1.781	2.750	0.375	63	0946	1.844	2.835	0.375	63	8090
1.781	2.750	0.375	66	0946	1.844	2.875	0.375	63	1021
1.781	2.756	0.500	63	0951	1.844	2.875	0.500	63	1023
1.781	2.835	0.375	63	8086	1.844	3.150	0.375	63	8091
1.781	2.875	0.375	63	0955	1.850	2.559	0.394	92	0522
1.781	2.875	0.375	66	0955	1.873	2.812	0.625	EQ	1398
1.781	3.062	0.375	63	0964	1.875	2.250	0.187	76	6262
1.781	3.062	0.375	66	0964	1.875	2.375	0.250	71	7084
1.781	3.125	0.375	63	0967	1.875	2.375	0.690	EQ	3912
1.781	3.125	0.375	66	0967	1.875	2.500	0.312	61	1412
1.781	3.125	0.500	63	0969	1.875	2.500	0.312	61	1412
1.781	3.125	0.625	EQ	1898	1.875	2.500	0.375	61	1418
1.781	3.937	0.375	94	4598	1.875	2.500	0.375	61	1418
1.810	2.875	0.750	IG	5328	1.875	2.500	0.500	61	1419
1.812	2.312	0.625	IG	4414	1.875	2.500	0.500	61	1419
1.812	2.375	0.187	71	7083	1.875	2.500	0.690	EQ	3565
1.812	2.497	0.375	63	0970	1.875	2.562	0.690	EQ	3319
1.812	2.497	0.500	62	0972	1.875	2.563	0.974	IGSPB	7080
1.812	2.497	0.500	63	0972	1.875	2.622	0.500	EQ	0848
1.812	2.500	0.375	26	0973	1.875	2.623	0.312	3	1802
1.812	2.500	0.375	63	0973	1.875	2.625	0.312	26	5844
1.812	2.500	0.437	63	0974	1.875	2.625	0.313	26R1	5844
1.812	2.500	0.500	63	0975	1.875	2.625	0.375	23	1042
1.812	2.625	0.375	26	0976	1.875	2.625	0.375	61	1042
1.812	2.625	0.375	63	0976	1.875	2.625	0.375	62	1042
1.812	2.625	0.500	63	0978	1.875	2.625	0.375	63	1042
1.812	2.686	0.375	63	0979	1.875	2.625	0.375	66	1042
1.812	2.750	0.375	63	0982	1.875	2.625	0.437	63	1043
1.812	2.750	0.375	91	0982	1.875	2.625	0.500	63	1044
1.812	2.750	0.500	63	0984	1.875	2.625	0.500	EQ	0748
1.812	2.756	0.500	63	0987	1.875	2.625	0.500	EQ	0748
1.812	2.758	0.500	63	9633	1.875	2.625	0.594	63F1	8650
1.812	2.783	0.375	63	0988	1.875	2.625	0.625	EQ	0989
1.812	2.812	0.750	IG	4276	1.875	2.625	0.625	EQ	0989
1.812	2.835	0.375	63	8088	1.875	2.625	0.625	IG	0989
1.812	2.875	0.375	63	0991	1.875	2.625	0.687	63R2	6546
1.812	2.875	0.594	63F1	6592	1.875	2.625	0.687	63T2	6546
1.812	2.875	0.750	IG	4560	1.875	2.625	0.690	EQ	3343
1.812	2.875	0.750	IG	4560	1.875	2.625	0.750	IG	4124
1.812	3.000	0.375	63	0997	1.875	2.686	0.375	63	1045
1.812	3.125	0.375	63	1003	1.875	2.686	0.375	66	1045

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.875	2.686	0.437	62	1046	1.875	2.997	0.375	66	1060
1.875	2.686	0.500	63	1047	1.875	2.997	0.500	63	1062
1.875	2.686	0.687	63T2	5652	1.875	2.997	0.625	EQ	1891
1.875	2.686	0.750	IG	4330	1.875	3.000	0.375	26	1063
1.875	2.750	0.312	3	1814	1.875	3.000	0.375	62	1063
1.875	2.750	0.375	61	1048	1.875	3.000	0.375	63	1063
1.875	2.750	0.375	62	1048	1.875	3.000	0.375	66	1063
1.875	2.750	0.375	63	1048	1.875	3.000	0.375	67	1063
1.875	2.750	0.375	66	1048	1.875	3.000	0.375	68	1063
1.875	2.750	0.375	67	1048	1.875	3.000	0.500	61	1065
1.875	2.750	0.375	68	1048	1.875	3.000	0.500	63	1065
1.875	2.750	0.500	26	1039	1.875	3.000	0.562	63	8258
1.875	2.750	0.500	62	1050	1.875	3.000	0.562	66	8258
1.875	2.750	0.500	63	1050	1.875	3.000	0.594	63F1	2967
1.875	2.750	0.625	EQ	1075	1.875	3.000	0.625	EQ	0706
1.875	2.750	0.625	EQ	1075	1.875	3.000	0.625	EQ	0706
1.875	2.750	0.625	IG	1075	1.875	3.000	0.687	63T2	8732
1.875	2.750	0.687	63R2	8643	1.875	3.000	0.750	IG	4809
1.875	2.750	0.750	IG	4110	1.875	3.062	0.375	63	1066
1.875	2.756	0.375	63	1051	1.875	3.062	0.375	66	1066
1.875	2.756	0.375	66	1051	1.875	3.062	0.500	67	1068
1.875	2.756	0.375	67	1051	1.875	3.125	0.375	62	1069
1.875	2.756	0.375	68	1051	1.875	3.125	0.375	63	1069
1.875	2.756	0.437	63	1052	1.875	3.125	0.375	66	1069
1.875	2.756	0.500	63	1053	1.875	3.125	0.500	63	1071
1.875	2.758	0.625	EQ	3506	1.875	3.125	0.500	EQ	0819
1.875	2.758	0.625	EQ	3506	1.875	3.149	0.375	63	3888
1.875	2.783	0.375	63	1054	1.875	3.149	0.375	66	3888
1.875	2.783	0.375	66	1054	1.875	3.149	0.375	67	3888
1.875	2.812	0.500	EQ	1072	1.875	3.149	0.375	68	3888
1.875	2.835	0.375	26R1	7164	1.875	3.189	0.375	62	1075
1.875	2.835	0.375	63	7164	1.875	3.189	0.375	63	1075
1.875	2.875	0.312	3	1826	1.875	3.189	0.375	66	1075
1.875	2.875	0.312	26	0622	1.875	3.189	0.437	63	1076
1.875	2.875	0.375	61	1057	1.875	3.189	0.687	63TB	8292
1.875	2.875	0.375	62	1057	1.875	3.250	0.750	IG	4571
1.875	2.875	0.375	63	1057	1.875	3.543	0.375	26	1067
1.875	2.875	0.375	66	1057	1.875	3.938	0.750	IG	4704
1.875	2.875	0.375	67	1057	1.875	3.938	0.750	IG	4704
1.875	2.875	0.375	68	1057	1.878	2.754	0.625	IG	5363
1.875	2.875	0.437	61	1058	1.880	2.625	0.625	IG	5518
1.875	2.875	0.437	63	1058	1.885	2.700	0.500	26R1	5451
1.875	2.875	0.500	61	1059	1.886	2.886	0.625	EQ	3264
1.875	2.875	0.500	62	1059	1.889	2.874	0.625	IG	5270
1.875	2.875	0.500	63	1059	1.889	2.889	0.625	EQ	3745
1.875	2.875	0.500	EQ	1059	1.890	2.441	0.315	92	0533
1.875	2.875	0.625	EQ	0792	1.890	2.559	0.394	92	0534
1.875	2.875	0.625	EQ	0792	1.890	2.559	0.690	EQ	2681
1.875	2.875	0.687	63R2	8293	1.890	2.750	0.470	26R1	1079
1.875	2.875	0.750	IG	3585	1.890	2.756	0.625	EQ	1935
1.875	2.875	0.750	IG	3585	1.890	2.756	0.750	IG	4189
1.875	2.997	0.375	63	1060	1.890	2.835	0.315	92	0558

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.890	2.835	0.625	EQ	4943	1.937	2.875	0.375	66	1129
1.890	2.890	0.750	IG	5567	1.937	2.875	0.437	63	1130
1.900	3.500	0.750	IG	4356	1.937	2.875	0.500	63	1131
1.906	2.625	0.375	63	1078	1.937	2.875	0.687	63R2	4693
1.906	2.750	0.375	63	1084	1.937	2.875	0.687	63T2	4693
1.906	2.835	0.375	63	8092	1.937	2.997	0.375	63	1132
1.906	2.875	0.375	63	1093	1.937	2.997	0.375	66	1132
1.906	2.875	0.437	63	1094	1.937	2.997	0.500	63	1134
1.906	3.125	0.375	63	1105	1.937	2.997	0.687	63R1	9430
1.906	3.150	0.375	63	8093	1.937	3.000	0.375	62	1135
1.908	2.875	0.625	EQ	2920	1.937	3.000	0.375	63	1135
1.920	3.000	0.750	IG	4716	1.937	3.000	0.375	66	1135
1.922	2.875	0.438	61	2514	1.937	3.000	0.375	94	1135
1.925	3.000	0.750	IG	4664	1.937	3.000	0.437	63	1136
1.932	2.625	0.690	EQ	2495	1.937	3.000	0.500	26	1137
1.932	2.750	0.625	EQ	2038	1.937	3.000	0.500	63	1137
1.932	2.750	0.625	EQ	2038	1.937	3.000	0.687	63R1	6469
1.932	2.806	0.625	EQ	4521	1.937	3.000	0.687	63T2	6469
1.932	2.932	0.625	EQ	3290	1.937	3.000	0.750	IG	4120
1.936	2.367	0.625	IG	4889	1.937	3.062	0.375	63	1138
1.937	2.375	0.187	71	7085	1.937	3.062	0.375	66	1138
1.937	2.412	0.469	76	5325	1.937	3.062	0.437	63	1139
1.937	2.437	0.312	76	9768	1.937	3.062	0.500	63	1140
1.937	2.563	0.875	EQSPB	7041	1.937	3.125	0.375	63	1141
1.937	2.567	0.876	EQSPB	7019	1.937	3.125	0.375	66	1141
1.937	2.625	0.375	26	1114	1.937	3.125	0.437	63	1142
1.937	2.625	0.375	62	1114	1.937	3.125	0.500	63	1143
1.937	2.625	0.375	63	1114	1.937	3.125	0.625	EQ	2108
1.937	2.625	0.375	66	1114	1.937	3.147	0.375	63	1144
1.937	2.625	0.500	63	1116	1.937	3.147	0.375	66	1144
1.937	2.625	0.687	63R2	7223	1.937	3.150	0.375	63	8094
1.937	2.625	0.687	63T2	7223	1.937	3.189	0.375	63	1147
1.937	2.686	0.375	61	1117	1.937	3.189	0.375	66	1147
1.937	2.686	0.375	62	1117	1.937	3.189	0.437	63	1148
1.937	2.686	0.375	63	1117	1.937	3.189	0.500	63	1149
1.937	2.686	0.375	66	1117	1.937	3.250	0.375	26	3308
1.937	2.686	0.500	63	1119	1.937	3.250	0.375	26R1	3308
1.937	2.686	0.687	63R2	7248	1.937	3.250	0.375	94	9086
1.937	2.750	0.375	26	1120	1.937	3.350	0.500	63	3889
1.937	2.750	0.375	63	1120	1.937	3.350	0.687	63R2	6792
1.937	2.750	0.375	66	1120	1.937	3.544	0.375	94	6266
1.937	2.750	0.406	23	9519	1.937	3.548	0.375	26R1	1109
1.937	2.750	0.500	63	1122	1.938	2.412	0.625	IG	5547
1.937	2.750	0.625	EQ	1862	1.938	2.438	0.690	EQ	2882
1.937	2.750	0.625	EQ	1862	1.938	2.500	0.375	26	1111
1.937	2.750	0.750	IG	5274	1.938	2.500	0.375	61	2478
1.937	2.756	0.375	63	1123	1.938	2.500	0.690	EQ	3413
1.937	2.756	0.375	66	1123	1.938	2.563	0.974	IGSPB	7092
1.937	2.783	0.500	63	1128	1.938	2.623	0.625	IG	5129
1.937	2.835	0.375	63	4930	1.938	2.625	0.375	61	1114
1.937	2.875	0.375	62	1129	1.938	2.750	0.375	61	1120
1.937	2.875	0.375	63	1129	1.938	2.812	0.625	EQ	1141

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
1.938	2.875	0.375	61	1129	1.969	2.756	0.394	26	1104
1.938	2.875	0.437	26	1130	1.969	2.756	0.625	EQ	3225
1.938	2.875	0.625	EQ	1743	1.969	2.756	0.690	EQ	3229
1.938	2.875	0.750	IG	4714	1.969	2.756	0.750	IG	4819
1.938	2.938	0.625	EQ	2730	1.969	2.835	0.315	92	0571
1.938	2.938	0.750	IG	4277	1.969	2.835	0.375	61	6656
1.938	2.996	0.438	26	1124	1.969	2.835	0.375	61	6656
1.938	3.000	0.437	26	1125	1.969	2.835	0.375	63	6656
1.938	3.000	0.625	EQ	1123	1.969	2.835	0.375	66	6656
1.938	3.149	0.750	IG	5570	1.969	2.835	0.625	EQ	4947
1.938	3.188	0.469	26	1126	1.969	2.875	0.375	62	1162
1.938	3.188	0.500	26	1149	1.969	2.875	0.375	63	1162
1.949	3.031	0.709	26R1	3715	1.969	2.875	0.375	66	1162
1.950	3.000	0.750	IG	4688	1.969	2.875	0.500	63	1164
1.962	2.962	0.750	IG	4591	1.969	2.875	0.687	63F1	5215
1.962	3.188	0.469	26	1155	1.969	2.953	0.315	61	2422
1.962	3.188	0.469	62	1155	1.969	2.953	0.750	IG	4700
1.963	3.544	0.500	26	1157	1.969	2.997	0.437	63	1166
1.965	3.000	0.750	IG	4665	1.969	2.997	0.500	63	1167
1.967	2.967	0.625	EQ	3266	1.969	3.000	0.375	62	1168
1.967	2.967	0.625	IG	3266	1.969	3.000	0.375	63	1168
1.967	2.967	0.750	IG	5168	1.969	3.000	0.375	66	1168
1.968	2.718	0.750	IG	4880	1.969	3.000	0.500	63	1170
1.968	2.834	0.472	26R1	1107	1.969	3.125	0.375	63	1174
1.968	2.875	0.625	EQ	1760	1.969	3.125	0.375	66	1174
1.968	2.935	0.625	EQ	2480	1.969	3.147	0.375	63	1177
1.968	2.952	0.500	EQ	1127	1.969	3.147	0.375	66	1177
1.968	2.953	0.625	EQ	1197	1.969	3.150	0.315	26	1103
1.969	2.441	0.276	26R1	1106	1.969	3.150	0.375	61	7415
1.969	2.559	0.315	92	0563	1.969	3.150	0.375	61	7415
1.969	2.559	0.354	26R1	7654	1.969	3.150	0.375	63	7415
1.969	2.559	0.394	61	1814	1.969	3.150	0.625	EQ	1975
1.969	2.559	0.690	EQ	3431	1.969	3.189	0.375	63	1180
1.969	2.638	0.690	EQ	2155	1.969	3.189	0.375	66	1180
1.969	2.677	0.315	92	0567	1.969	3.189	0.625	EQ	2969
1.969	2.677	0.354	26R1	1108	1.969	3.246	0.375	63	1183
1.969	2.677	0.625	IG	4945	1.969	3.246	0.375	66	1183
1.969	2.677	0.690	EQ	1846	1.969	3.246	0.500	63	1185
1.969	2.686	0.375	62	1150	1.969	3.250	0.437	61	2082
1.969	2.686	0.375	63	1150	1.969	3.543	0.394	26R1	1953
1.969	2.686	0.375	66	1150	1.969	3.543	0.625	EQ	3600
1.969	2.686	0.594	63F1	5544	1.969	3.543	0.750	IG	4553
1.969	2.688	0.375	61	2258	1.969	4.331	0.375	26	2621
1.969	2.690	0.625	IG	5554	1.969	4.331	0.375	26R1	2621
1.969	2.750	0.375	61	1153	1.969	4.331	0.375	94	8005
1.969	2.750	0.375	62	1153	1.980	2.875	0.625	EQ	3524
1.969	2.750	0.375	63	1153	1.998	2.500	0.625	IG	5318
1.969	2.750	0.375	66	1153	2.000	2.250	0.109	71	6267
1.969	2.750	0.437	63	1154	2.000	2.375	0.187	71	7530
1.969	2.756	0.375	61	1156	2.000	2.375	0.187	76	7530
1.969	2.756	0.375	63	1156	2.000	2.375	0.250	61	7086
1.969	2.756	0.375	66	1156	2.000	2.375	0.250	71	7086

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.000	2.500	0.250	92	9013	2.000	2.750	0.687	63F1	7563
2.000	2.500	0.375	61	1421	2.000	2.750	0.687	63R1	7563
2.000	2.500	0.625	IG	5502	2.000	2.750	0.687	63R2	7563
2.000	2.500	0.690	EQ	2336	2.000	2.750	0.687	63T2	7563
2.000	2.625	0.312	26	4582	2.000	2.750	0.687	66R2	7563
2.000	2.625	0.312	61	4582	2.000	2.750	0.750	IG	4326
2.000	2.625	0.312	76	4582	2.000	2.756	0.375	63	1192
2.000	2.625	0.375	61	1429	2.000	2.756	0.375	66	1192
2.000	2.625	0.375	61	1429	2.000	2.756	0.437	63	1193
2.000	2.625	0.625	IG	4539	2.000	2.756	0.500	63	1194
2.000	2.670	0.690	EQ	4851	2.000	2.783	0.375	26	1195
2.000	2.686	0.375	62	1186	2.000	2.783	0.375	63	1195
2.000	2.686	0.375	63	1186	2.000	2.783	0.375	66	1195
2.000	2.686	0.375	66	1186	2.000	2.783	0.437	63	1196
2.000	2.686	0.375	67	1186	2.000	2.835	0.375	63	8111
2.000	2.686	0.375	68	1186	2.000	2.855	0.625	EQ	3560
2.000	2.686	0.437	63	1187	2.000	2.875	0.312	3	2035
2.000	2.686	0.500	63	1188	2.000	2.875	0.375	26	1198
2.000	2.686	0.687	63R2	6608	2.000	2.875	0.375	61	1198
2.000	2.686	0.687	68R2	6608	2.000	2.875	0.375	63	1198
2.000	2.690	0.690	EQ	3297	2.000	2.875	0.375	66	1198
2.000	2.710	0.690	EQ	1361	2.000	2.875	0.375	67	1198
2.000	2.712	0.625	IG	5151	2.000	2.875	0.375	68	1198
2.000	2.715	0.438	26	1173	2.000	2.875	0.437	63	1199
2.000	2.716	0.375	63	1197	2.000	2.875	0.500	63	1200
2.000	2.716	0.690	EQ	4677	2.000	2.875	0.594	63F1	7099
2.000	2.745	0.375	63	1211	2.000	2.875	0.625	EQ	1406
2.000	2.750	0.250	61	2589	2.000	2.875	0.625	EQ	1406
2.000	2.750	0.312	3	2023	2.000	2.875	0.687	63R2	4670
2.000	2.750	0.312	61	1431	2.000	2.875	0.687	63T2	4670
2.000	2.750	0.375	25	1189	2.000	2.882	0.687	63T2	5778
2.000	2.750	0.375	26	1972	2.000	2.884	0.625	EQ	3541
2.000	2.750	0.375	26R1	1189	2.000	2.997	0.375	26R1	1201
2.000	2.750	0.375	61	1189	2.000	2.997	0.375	62	1201
2.000	2.750	0.375	61	1189	2.000	2.997	0.375	63	1201
2.000	2.750	0.375	62	1189	2.000	2.997	0.375	66	1201
2.000	2.750	0.375	63	1189	2.000	2.997	0.500	63	1203
2.000	2.750	0.375	66	1189	2.000	2.997	0.687	63R1	5568
2.000	2.750	0.375	67	1189	2.000	3.000	0.375	23	1204
2.000	2.750	0.375	68	1189	2.000	3.000	0.375	25	1204
2.000	2.750	0.437	61	1190	2.000	3.000	0.375	26	1204
2.000	2.750	0.437	61	1190	2.000	3.000	0.375	61	1204
2.000	2.750	0.437	63	1190	2.000	3.000	0.375	62	1204
2.000	2.750	0.438	26	1190	2.000	3.000	0.375	63	1204
2.000	2.750	0.500	26	1191	2.000	3.000	0.375	66	1204
2.000	2.750	0.500	61	1191	2.000	3.000	0.375	67	1204
2.000	2.750	0.500	61	1191	2.000	3.000	0.375	68	1204
2.000	2.750	0.500	62	1191	2.000	3.000	0.437	25	1205
2.000	2.750	0.500	63	1191	2.000	3.000	0.437	61	1205
2.000	2.750	0.625	63F1	5283	2.000	3.000	0.437	61	1205
2.000	2.750	0.625	EQ	1249	2.000	3.000	0.437	63	1205
2.000	2.750	0.625	IG	1249	2.000	3.000	0.500	23	1206

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.000	3.000	0.500	26	1206	2.000	3.544	0.375	76	7694
2.000	3.000	0.500	62	1206	2.000	3.750	0.500	76	8186
2.000	3.000	0.500	63	1206	2.015	3.000	0.750	IG	5160
2.000	3.000	0.594	63F1	6904	2.031	2.783	0.375	63	3893
2.000	3.000	0.594	63T2	6904	2.031	2.835	0.375	63	8099
2.000	3.000	0.625	EQ	1206	2.031	2.997	0.375	63	1225
2.000	3.000	0.625	EQ	1350	2.031	3.000	0.375	63	1228
2.000	3.000	0.625	EQ	1350	2.031	3.062	0.375	63	1231
2.000	3.000	0.625	IG	1350	2.031	3.125	0.375	63	1234
2.000	3.000	0.687	63R1	6438	2.031	3.150	0.344	63	3896
2.000	3.000	0.687	63R2	6438	2.031	3.150	0.375	63	8348
2.000	3.000	0.687	63T2	6438	2.031	3.189	0.375	63	1240
2.000	3.000	0.750	EQ	3349	2.031	3.347	0.375	63	8349
2.000	3.000	0.750	IG	3349	2.031	3.350	0.375	63	1249
2.000	3.000	0.750	IG	3349	2.047	2.677	0.315	92	0572
2.000	3.062	0.375	63	1207	2.047	2.750	0.690	EQ	4713
2.000	3.062	0.375	66	1207	2.047	2.835	0.315	92	0573
2.000	3.062	0.500	63	1209	2.047	2.953	0.625	EQ	4660
2.000	3.062	0.594	63F1	9666	2.047	3.150	0.750	IG	5533
2.000	3.125	0.375	62	1210	2.053	3.000	0.750	IG	4489
2.000	3.125	0.375	63	1210	2.060	3.060	0.625	EQ	3083
2.000	3.125	0.375	66	1210	2.062	2.661	0.187	92	9537
2.000	3.125	0.375	123	1210	2.062	2.783	0.375	63	3897
2.000	3.125	0.500	63	1212	2.062	2.783	0.375	66	3897
2.000	3.125	0.625	EQ	2001	2.062	2.835	0.375	63	8100
2.000	3.125	0.625	EQ	2001	2.062	2.875	0.375	62	1252
2.000	3.125	0.687	63T2	5053	2.062	2.875	0.375	63	1252
2.000	3.125	0.750	IG	4217	2.062	2.875	0.375	66	1252
2.000	3.147	0.375	63	1213	2.062	2.875	0.437	63	1253
2.000	3.147	0.375	66	1213	2.062	2.875	0.468	26	1224
2.000	3.147	0.500	63	1215	2.062	2.875	0.500	63	1254
2.000	3.150	0.375	63	8097	2.062	2.875	0.687	63R1	7346
2.000	3.150	0.375	66	8097	2.062	2.996	0.625	EQ	1176
2.000	3.188	0.438	26	1217	2.062	2.997	0.375	23	1255
2.000	3.189	0.375	63	1216	2.062	2.997	0.375	63	1255
2.000	3.189	0.375	66	1216	2.062	2.997	0.375	66	1255
2.000	3.189	0.437	63	1217	2.062	2.997	0.687	63R2	9621
2.000	3.189	0.500	63	1218	2.062	3.000	0.375	26	1258
2.000	3.189	0.687	63R2	6706	2.062	3.000	0.375	26R1	1258
2.000	3.246	0.375	63	1219	2.062	3.000	0.375	63	1258
2.000	3.246	0.375	66	1219	2.062	3.000	0.375	66	1258
2.000	3.246	0.500	63	1221	2.062	3.000	0.500	26	1260
2.000	3.246	0.687	63R2	4866	2.062	3.000	0.500	63	1260
2.000	3.246	0.687	63T2	4866	2.062	3.000	0.594	63F1	7145
2.000	3.250	0.437	61	1446	2.062	3.000	0.625	EQ	1225
2.000	3.347	0.375	63	8098	2.062	3.000	0.750	IG	4119
2.000	3.375	0.375	26	1182	2.062	3.062	0.375	26	1261
2.000	3.375	0.500	61	3892	2.062	3.062	0.375	63	1261
2.000	3.375	0.500	63	3892	2.062	3.062	0.375	66	1261
2.000	3.375	0.687	63R2	6536	2.062	3.062	0.375	94	1261
2.000	3.500	0.375	61	1458	2.062	3.062	0.500	63	1263
2.000	3.500	0.625	EQ	5096	2.062	3.062	0.687	63R1	5476

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.062	3.125	0.375	63	1264	2.125	2.875	0.375	66	1321
2.062	3.125	0.375	66	1264	2.125	2.875	0.375	67	1321
2.062	3.125	0.500	63	1266	2.125	2.875	0.375	68	1321
2.062	3.125	0.625	EQ	2115	2.125	2.875	0.437	26	1320
2.062	3.147	0.375	63	1267	2.125	2.875	0.437	61	1320
2.062	3.147	0.375	66	1267	2.125	2.875	0.437	63	1322
2.062	3.150	0.375	63	8350	2.125	2.875	0.469	63	5688
2.062	3.187	0.703	63R1	5702	2.125	2.875	0.500	62	1323
2.062	3.189	0.375	63	1270	2.125	2.875	0.500	63	1323
2.062	3.189	0.375	66	1270	2.125	2.875	0.500	EQ	0709
2.062	3.189	0.594	63F1	4945	2.125	2.875	0.594	63F1	4916
2.062	3.250	0.375	63	1276	2.125	2.875	0.625	EQ	1322
2.062	3.250	0.375	66	1276	2.125	2.875	0.625	EQ	1322
2.062	3.250	0.500	63	1278	2.125	2.875	0.625	IG	1322
2.062	3.347	0.375	63	4975	2.125	2.875	0.687	63F1	4592
2.062	3.350	0.375	63	1279	2.125	2.875	0.687	63R1	4592
2.062	3.350	0.375	66	1279	2.125	2.875	0.687	63R2	4592
2.062	3.500	0.375	63	9571	2.125	2.875	0.687	63T2	4592
2.062	3.625	0.625	EQ	4057	2.125	2.875	0.750	IG	4109
2.063	2.625	0.375	61	1464	2.125	2.878	0.375	26R1	1321
2.063	2.823	0.974	IGSPB	7078	2.125	2.882	0.375	62	3900
2.063	2.875	0.375	61	1466	2.125	2.882	0.375	63	3900
2.063	3.063	0.625	EQ	2735	2.125	2.882	0.375	66	3900
2.063	3.063	0.750	IG	4278	2.125	2.997	0.375	63	1324
2.065	3.000	0.750	IG	4335	2.125	2.997	0.375	66	1324
2.065	3.065	0.625	EQ	4103	2.125	2.997	0.375	67	1324
2.075	3.189	0.375	62	1648	2.125	2.997	0.375	68	1324
2.094	2.875	0.375	63	1282	2.125	2.997	0.500	62	1326
2.094	2.997	0.375	63	1285	2.125	2.997	0.500	63	1326
2.094	3.062	0.375	63	1291	2.125	3.000	0.312	76	9975
2.094	3.147	0.375	63	1297	2.125	3.000	0.375	3	2186
2.094	3.150	0.375	63	8351	2.125	3.000	0.375	62	1327
2.094	3.250	0.375	63	1306	2.125	3.000	0.375	63	1327
2.094	3.347	0.375	63	8352	2.125	3.000	0.375	66	1327
2.094	3.350	0.375	63	1309	2.125	3.000	0.375	67	1327
2.094	3.372	0.437	63	1313	2.125	3.000	0.375	68	1327
2.094	3.481	0.375	63	1315	2.125	3.000	0.437	61	1328
2.094	3.500	0.375	63	1318	2.125	3.000	0.437	63	1328
2.125	2.500	0.250	71	5064	2.125	3.000	0.500	26	1325
2.125	2.625	0.375	61	2073	2.125	3.000	0.500	62	1329
2.125	2.750	0.312	61	1467	2.125	3.000	0.500	63	1329
2.125	2.750	0.375	61	4892	2.125	3.000	0.625	EQ	1323
2.125	2.762	0.250	76	7995	2.125	3.000	0.625	EQ	1323
2.125	2.763	0.690	EQ	3238	2.125	3.000	0.687	63F1	6593
2.125	2.833	0.438	26	1319	2.125	3.000	0.687	63R2	6593
2.125	2.835	0.375	63	8112	2.125	3.000	0.687	63T2	6593
2.125	2.875	0.375	3	2171	2.125	3.000	0.687	67R2	6593
2.125	2.875	0.375	25	1321	2.125	3.000	0.750	IG	4205
2.125	2.875	0.375	26	1321	2.125	3.050	0.625	EQ	1849
2.125	2.875	0.375	61	1321	2.125	3.061	0.687	63F1	6794
2.125	2.875	0.375	62	1321	2.125	3.062	0.375	63	1330
2.125	2.875	0.375	63	1321	2.125	3.062	0.375	66	1330

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.125	3.062	0.437	63	1331	2.125	3.372	0.437	63	1352
2.125	3.062	0.500	62	1332	2.125	3.372	0.469	63	1342
2.125	3.062	0.500	63	1332	2.125	3.372	0.500	63	1353
2.125	3.062	0.750	63F1	5687	2.125	3.375	0.750	IG	5003
2.125	3.125	0.375	26	1333	2.125	3.500	0.375	63	1357
2.125	3.125	0.375	62	1333	2.125	3.500	0.375	66	1357
2.125	3.125	0.375	63	1333	2.125	3.500	0.500	63	1359
2.125	3.125	0.375	66	1333	2.125	3.500	0.625	EQ	3058
2.125	3.125	0.437	61	1334	2.125	3.520	0.625	EQ	1248
2.125	3.125	0.437	61	1334	2.125	3.545	0.438	26	1355
2.125	3.125	0.437	63	1334	2.125	3.545	0.438	26R1	1355
2.125	3.125	0.438	26	1334	2.125	3.623	0.375	94	9670
2.125	3.125	0.500	63	1335	2.125	3.623	0.437	63	3902
2.125	3.125	0.500	EQ	1335	2.125	3.875	0.625	EQ	5368
2.125	3.125	0.594	63F1	7484	2.125	4.000	0.625	EQ	5369
2.125	3.125	0.625	EQ	1761	2.145	2.865	0.690	EQ	3878
2.125	3.125	0.687	63R2	7160	2.145	2.871	0.625	IG	4839
2.125	3.125	0.687	63T2	7160	2.147	2.875	0.625	IG	5295
2.125	3.125	0.750	IG	4146	2.147	2.875	0.690	EQ	2537
2.125	3.125	0.750	IG	4146	2.148	2.875	0.625	IG	5478
2.125	3.129	0.625	IG	5098	2.149	2.875	0.625	IG	4667
2.125	3.147	0.375	63	1336	2.150	3.150	0.625	EQ	3169
2.125	3.147	0.375	66	1336	2.153	3.153	0.625	EQ	3054
2.125	3.150	0.375	63	8353	2.155	2.875	0.625	IG	4337
2.125	3.187	0.750	IG	4617	2.155	2.875	0.690	EQ	2866
2.125	3.189	0.375	63	1339	2.156	2.835	0.375	63	7667
2.125	3.189	0.375	66	1339	2.156	2.875	0.375	63	1360
2.125	3.189	0.437	62	1340	2.156	2.882	0.375	63	9407
2.125	3.189	0.500	63	1341	2.156	2.997	0.375	63	1363
2.125	3.189	0.625	EQ	1010	2.156	2.997	0.500	63	1365
2.125	3.189	0.750	63F1	7787	2.156	3.000	0.375	62	1366
2.125	3.250	0.375	26	1345	2.156	3.000	0.375	63	1366
2.125	3.250	0.375	61	1345	2.156	3.147	0.375	63	1375
2.125	3.250	0.375	63	1345	2.156	3.150	0.375	63	8355
2.125	3.250	0.375	66	1345	2.156	3.189	0.375	61	1378
2.125	3.250	0.437	63	1346	2.156	3.189	0.375	63	1378
2.125	3.250	0.438	61	1346	2.156	3.250	0.375	63	1384
2.125	3.250	0.500	63	1347	2.156	3.250	0.437	63	1385
2.125	3.250	0.594	63F1	6605	2.156	3.347	0.375	63	8117
2.125	3.250	0.625	EQ	1854	2.156	3.350	0.500	63	1389
2.125	3.250	0.625	EQ	1854	2.156	3.372	0.375	63	1390
2.125	3.250	0.750	IG	4807	2.156	3.372	0.687	63T2	6929
2.125	3.312	0.625	EQ	2999	2.156	3.500	0.375	63	1396
2.125	3.347	0.375	63	8354	2.156	3.500	0.500	63	1398
2.125	3.350	0.375	63	1348	2.156	3.544	0.375	63	7218
2.125	3.350	0.375	66	1348	2.156	4.725	0.375	26R1	2122
2.125	3.350	0.437	63	1349	2.156	4.725	0.375	94	9977
2.125	3.350	0.500	63	1350	2.158	3.150	0.625	EQ	4444
2.125	3.350	0.594	63F1	4838	2.158	3.158	0.750	IG	4590
2.125	3.350	0.687	63R2	8404	2.159	3.000	0.750	IG	4403
2.125	3.372	0.375	63	1351	2.160	3.160	0.625	EQ	3052
2.125	3.372	0.375	66	1351	2.160	3.160	0.625	IG	3052

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.160	3.160	0.750	IG	5538	2.187	3.000	0.375	63	1402
2.160	3.195	0.750	IG	4638	2.187	3.000	0.375	66	1402
2.160	3.250	0.625	EQ	3223	2.187	3.000	0.437	63	1403
2.161	3.161	0.750	IG	5053	2.187	3.000	0.500	25	1404
2.165	2.756	0.315	61	0574	2.187	3.000	0.500	63	1404
2.165	2.756	0.315	92	0574	2.187	3.000	0.750	IG	4204
2.165	2.756	0.690	EQ	2675	2.187	3.062	0.375	63	1405
2.165	2.835	0.315	26R1	1369	2.187	3.062	0.375	66	1405
2.165	2.835	0.315	61	0882	2.187	3.062	0.437	63	1406
2.165	2.835	0.315	61	0882	2.187	3.062	0.500	63	1407
2.165	2.835	0.394	61	1835	2.187	3.062	0.625	EQ	3247
2.165	2.835	0.625	IG	4952	2.187	3.125	0.375	62	1408
2.165	2.874	0.690	EQ	2485	2.187	3.125	0.375	63	1408
2.165	2.952	0.690	EQ	3505	2.187	3.125	0.375	66	1408
2.165	2.953	0.394	92	0575	2.187	3.125	0.500	63	1410
2.165	2.953	0.750	IG	4492	2.187	3.147	0.375	63	1411
2.165	2.972	0.748	EQSPB	7065	2.187	3.147	0.375	66	1411
2.165	3.000	0.625	EQ	1340	2.187	3.147	0.500	63	1413
2.165	3.070	0.354	26R1	1371	2.187	3.147	0.687	63TB	6699
2.165	3.070	0.472	26R1	1370	2.187	3.150	0.375	63	8357
2.165	3.071	0.750	IG	5542	2.187	3.187	0.750	IG	4279
2.165	3.150	0.315	92	0576	2.187	3.189	0.375	63	1414
2.165	3.150	0.394	26	3587	2.187	3.189	0.375	66	1414
2.165	3.150	0.625	EQ	2005	2.187	3.189	0.437	63	1415
2.165	3.150	0.750	IG	4190	2.187	3.189	0.500	63	1416
2.165	3.165	0.625	EQ	1884	2.187	3.189	0.625	EQ	1353
2.165	3.165	0.625	EQ	1884	2.187	3.246	0.437	63	1417
2.165	3.165	0.750	IG	5342	2.187	3.246	0.437	66	1417
2.165	3.189	0.625	EQ	1805	2.187	3.250	0.375	62	1420
2.165	3.250	0.375	94	8958	2.187	3.250	0.375	63	1420
2.165	3.346	0.315	92	0585	2.187	3.250	0.375	66	1420
2.165	3.542	0.750	IG	4744	2.187	3.250	0.500	63	1422
2.165	3.543	0.625	EQ	1906	2.187	3.347	0.375	63	8358
2.165	3.544	0.375	94	8006	2.187	3.350	0.375	63	1423
2.165	3.744	0.625	EQ	5606	2.187	3.350	0.375	66	1423
2.165	3.937	0.375	26	7209	2.187	3.350	0.437	63	1424
2.165	3.937	0.375	94	7209	2.187	3.350	0.500	63	1425
2.166	3.937	0.625	EQ	4447	2.187	3.372	0.375	63	1426
2.174	3.174	0.625	EQ	3015	2.187	3.372	0.375	66	1426
2.185	3.185	0.625	IG	5199	2.187	3.372	0.500	63	1428
2.186	3.186	0.625	EQ	2489	2.187	3.481	0.375	63	1429
2.186	3.186	0.625	EQ	2489	2.187	3.481	0.375	66	1429
2.187	2.875	0.375	62	1399	2.187	3.500	0.375	63	1432
2.187	2.875	0.375	63	1399	2.187	3.500	0.375	66	1432
2.187	2.875	0.437	63	1400	2.187	3.500	0.500	63	1434
2.187	2.875	0.500	63	1401	2.187	3.500	0.687	63R2	4848
2.187	2.875	0.594	63F1	6141	2.187	4.331	0.375	94	6281
2.187	2.875	0.687	63T2	4659	2.187	5.118	0.375	94	6282
2.187	2.882	0.375	63	3903	2.187	5.125	0.625	EQ	4482
2.187	2.997	0.375	63	3904	2.188	2.823	0.974	IGSPB	7093
2.187	2.997	0.375	66	3904	2.188	2.825	1.125	EQSPB	7020
2.187	3.000	0.375	62	1402	2.188	2.832	0.625	IG	5012

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.188	2.837	0.690	EQ	5590	2.250	2.997	0.375	66	1471
2.188	2.875	0.375	61	1399	2.250	2.997	0.375	67	1471
2.188	2.938	1.007	IGSPB	7105	2.250	2.997	0.375	68	1471
2.188	3.000	0.500	26	1404	2.250	2.997	0.437	62	1472
2.188	3.000	0.500	62	1404	2.250	2.997	0.500	62	1473
2.188	3.000	0.500	EQ	1404	2.250	2.997	0.500	63	1473
2.188	3.000	0.625	EQ	1119	2.250	2.997	0.594	63F1	5208
2.188	3.062	0.690	EQ	3249	2.250	2.997	0.687	63F1	6795
2.188	3.125	0.375	26	1408	2.250	2.997	0.687	63R2	6795
2.188	3.250	0.625	EQ	2474	2.250	2.997	0.687	66R1	6795
2.188	3.251	0.750	IG	5307	2.250	2.997	0.750	63F1	8498
2.188	3.350	0.469	26	1427	2.250	2.997	0.750	66F1	8498
2.188	5.125	0.750	IG	4485	2.250	2.997	0.750	IG	4408
2.200	2.750	0.625	IG	5093	2.250	3.000	0.375	3	2303
2.205	2.756	0.315	92	0588	2.250	3.000	0.375	26	1474
2.205	2.835	0.315	92	0606	2.250	3.000	0.375	61	1474
2.205	2.837	0.690	EQ	4200	2.250	3.000	0.375	62	1474
2.205	3.150	0.315	92	0629	2.250	3.000	0.375	63	1474
2.205	3.150	0.625	EQ	4201	2.250	3.000	0.375	66	1474
2.205	3.150	0.750	IG	5545	2.250	3.000	0.375	67	1474
2.205	3.346	0.315	92	0633	2.250	3.000	0.375	68	1474
2.219	2.997	0.375	63	1435	2.250	3.000	0.437	61	1475
2.219	2.997	0.594	63F1	1437	2.250	3.000	0.437	61	1475
2.219	3.000	0.375	62	1438	2.250	3.000	0.437	62	1475
2.219	3.000	0.375	63	1438	2.250	3.000	0.437	63	1475
2.219	3.150	0.375	63	8359	2.250	3.000	0.500	61	1476
2.219	3.250	0.375	63	1456	2.250	3.000	0.500	62	1476
2.219	3.347	0.375	63	8360	2.250	3.000	0.500	63	1476
2.219	3.372	0.375	63	1462	2.250	3.000	0.500	EQ	1476
2.219	3.500	0.375	63	1468	2.250	3.000	0.625	EQ	1479
2.222	3.222	0.625	EQ	3056	2.250	3.000	0.625	EQ	1479
2.225	3.225	0.750	IG	5463	2.250	3.000	0.687	63F1	6478
2.228	3.228	0.750	IG	4812	2.250	3.000	0.687	63R2	6478
2.230	3.230	0.625	EQ	3153	2.250	3.000	0.687	63T2	6478
2.232	3.543	0.375	63	7702	2.250	3.000	0.690	EQ	3298
2.240	3.240	0.750	IG	5056	2.250	3.000	0.750	IG	4462
2.244	3.250	0.625	EQ	4442	2.250	3.062	0.375	63	1477
2.244	3.268	0.625	EQ	1981	2.250	3.062	0.375	66	1477
2.246	4.500	0.750	IG	4368	2.250	3.062	0.437	26	1470
2.248	3.150	0.750	IG	5211	2.250	3.062	0.500	63	1479
2.250	2.625	0.109	71	6284	2.250	3.125	0.250	92	5774
2.250	2.625	0.690	EQ	2567	2.250	3.125	0.375	3	2317
2.250	2.750	0.250	76	7531	2.250	3.125	0.375	23	1480
2.250	2.750	0.690	EQ	1802	2.250	3.125	0.375	63	1480
2.250	2.875	0.312	26	1469	2.250	3.125	0.375	66	1480
2.250	2.875	0.312	61	1503	2.250	3.125	0.437	61	1508
2.250	2.875	0.375	61	1507	2.250	3.125	0.437	63	1481
2.250	2.875	0.625	IG	5564	2.250	3.125	0.500	23	1482
2.250	2.875	0.690	EQ	2667	2.250	3.125	0.500	26	1482
2.250	2.995	0.625	EQ	1473	2.250	3.125	0.500	63	1482
2.250	2.997	0.375	62	1471	2.250	3.125	0.500	EQ	1482
2.250	2.997	0.375	63	1471	2.250	3.125	0.625	EQ	1483

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.250	3.125	0.625	EQ	1483	2.250	3.350	0.375	63	1495
2.250	3.125	0.687	63T2	6995	2.250	3.350	0.375	66	1495
2.250	3.125	0.750	IG	5419	2.250	3.350	0.437	63	1496
2.250	3.147	0.375	62	1483	2.250	3.350	0.469	63	5560
2.250	3.147	0.375	63	1483	2.250	3.350	0.500	63	1497
2.250	3.147	0.375	66	1483	2.250	3.350	0.625	EQ	1498
2.250	3.147	0.500	63	1485	2.250	3.350	0.687	63R1	7382
2.250	3.147	0.594	63F1	7142	2.250	3.353	0.375	26	1508
2.250	3.147	0.687	63R1	4905	2.250	3.372	0.375	63	1498
2.250	3.150	0.375	63	8361	2.250	3.372	0.375	66	1498
2.250	3.150	0.375	71	8361	2.250	3.372	0.437	63	1499
2.250	3.187	0.625	EQ	1180	2.250	3.372	0.500	63	1500
2.250	3.189	0.375	63	1486	2.250	3.372	0.594	63F1	4938
2.250	3.189	0.375	66	1486	2.250	3.372	0.687	63T2	9844
2.250	3.189	0.437	63	1487	2.250	3.372	0.687	63TB	9844
2.250	3.189	0.625	EQ	1901	2.250	3.375	0.437	61	1509
2.250	3.189	0.625	EQ	1901	2.250	3.375	0.500	26	1509
2.250	3.190	0.690	EQ	3778	2.250	3.375	0.625	EQ	1245
2.250	3.190	0.750	IG	4367	2.250	3.375	0.625	EQ	1245
2.250	3.246	0.375	62	1489	2.250	3.481	0.375	63	1501
2.250	3.246	0.375	63	1489	2.250	3.481	0.375	66	1501
2.250	3.246	0.375	66	1489	2.250	3.500	0.375	26	1504
2.250	3.246	0.500	63	1491	2.250	3.500	0.375	62	1504
2.250	3.246	0.687	63R1	7691	2.250	3.500	0.375	63	1504
2.250	3.250	0.375	23	1492	2.250	3.500	0.375	66	1504
2.250	3.250	0.375	26	1492	2.250	3.500	0.375	67	1504
2.250	3.250	0.375	62	1492	2.250	3.500	0.375	68	1504
2.250	3.250	0.375	63	1492	2.250	3.500	0.437	61	1505
2.250	3.250	0.375	66	1492	2.250	3.500	0.437	62	1505
2.250	3.250	0.375	67	1492	2.250	3.500	0.437	63	1505
2.250	3.250	0.375	68	1492	2.250	3.500	0.500	63	1506
2.250	3.250	0.437	61	1493	2.250	3.500	0.594	63F1	4735
2.250	3.250	0.437	61	1493	2.250	3.500	0.625	EQ	1755
2.250	3.250	0.437	63	1493	2.250	3.500	0.687	63R1	6757
2.250	3.250	0.438	23	1493	2.250	3.500	0.687	63T2	6757
2.250	3.250	0.500	23	1494	2.250	3.500	0.703	63R1	5528
2.250	3.250	0.500	25	1494	2.250	3.625	0.437	61	1511
2.250	3.250	0.500	61	1494	2.250	3.625	0.625	EQ	3366
2.250	3.250	0.500	62	1494	2.250	3.625	0.625	EQ	3366
2.250	3.250	0.500	63	1494	2.250	3.625	0.750	IG	4874
2.250	3.250	0.500	EQ	1494	2.250	3.625	0.750	IG	4874
2.250	3.250	0.500	EQ	1494	2.250	3.750	0.500	26	1511
2.250	3.250	0.625	EQ	1493	2.258	3.258	0.750	IG	4813
2.250	3.250	0.625	EQ	1493	2.264	3.250	0.625	EQ	2897
2.250	3.250	0.687	63R2	4665	2.280	3.280	0.625	EQ	2312
2.250	3.250	0.687	63T2	4665	2.280	3.280	0.750	IG	4338
2.250	3.250	0.687	63TF	4665	2.281	3.000	0.375	63	1510
2.250	3.250	0.750	IG	4148	2.281	3.062	0.375	63	1513
2.250	3.250	0.750	IG	4148	2.281	3.147	0.437	63	1520
2.250	3.251	0.375	3	2329	2.281	3.150	0.375	63	8363
2.250	3.347	0.375	63	8362	2.281	3.154	0.375	63	8904
2.250	3.350	0.375	62	1495	2.281	3.347	0.375	63	8364

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.281	3.500	0.375	63	1540	2.312	3.751	0.375	63	1594
2.281	3.543	0.375	63	1543	2.312	3.751	0.500	63	1596
2.281	3.623	0.375	63	1546	2.312	3.751	0.687	63R1	6043
2.281	3.623	0.500	63	1548	2.312	3.812	0.750	IG	4861
2.283	2.835	0.315	92	0745	2.313	3.250	0.625	EQ	1552
2.283	3.150	0.315	92	0635	2.313	3.250	0.625	EQ	1766
2.283	3.150	0.500	EQ	1985	2.313	3.313	0.625	EQ	1351
2.283	3.346	0.394	92	0642	2.313	3.313	0.625	EQ	1351
2.283	3.543	0.625	EQ	3025	2.313	3.313	0.750	IG	4257
2.283	3.835	0.690	EQ	3657	2.313	3.355	0.625	EQ	1136
2.307	4.331	0.625	EQ	3577	2.317	3.375	0.750	IG	5059
2.312	2.997	0.375	63	1552	2.327	3.250	0.500	EQ	1557
2.312	3.000	0.375	63	1555	2.344	3.062	0.375	63	1597
2.312	3.000	0.500	63	1557	2.344	3.062	0.375	66	1597
2.312	3.000	0.687	63R2	9604	2.344	3.125	0.375	63	1600
2.312	3.062	0.375	26	3300	2.344	3.125	0.500	26	1602
2.312	3.062	0.375	63	1558	2.344	3.125	0.500	63	1602
2.312	3.062	0.625	EQ	3239	2.344	3.147	0.375	63	1603
2.312	3.062	0.690	EQ	3237	2.344	3.150	0.375	63	8367
2.312	3.125	0.375	26	1561	2.344	3.219	0.625	23	8276
2.312	3.125	0.375	63	1561	2.344	3.250	0.375	63	1612
2.312	3.125	0.500	61	1563	2.344	3.347	0.375	63	8368
2.312	3.125	0.500	63	1563	2.344	3.350	0.375	63	1615
2.312	3.150	0.375	63	8365	2.344	3.350	0.687	63R1	6941
2.312	3.187	0.690	EQ	3645	2.344	3.372	0.375	63	1618
2.312	3.189	0.375	63	1567	2.344	3.372	0.500	63	1620
2.312	3.246	0.375	63	1570	2.344	3.481	0.375	63	1621
2.312	3.250	0.375	63	1573	2.344	3.500	0.375	63	1624
2.312	3.250	0.500	25	1575	2.344	3.500	0.500	63	1626
2.312	3.250	0.500	26R1	1575	2.344	3.543	0.375	63	1627
2.312	3.250	0.500	63	1575	2.344	3.543	0.500	63	1629
2.312	3.250	0.500	EQ	1552	2.344	3.623	0.375	63	1630
2.312	3.250	0.687	61	4958	2.344	3.751	0.375	63	1633
2.312	3.250	0.687	63R2	4958	2.344	3.876	0.375	63	1636
2.312	3.250	0.687	63T2	4958	2.344	3.876	0.500	63	1638
2.312	3.250	0.750	IG	4478	2.345	3.375	0.750	IG	5443
2.312	3.347	0.375	63	8366	2.350	3.350	0.625	EQ	2618
2.312	3.350	0.375	63	1576	2.350	3.350	0.750	IG	4609
2.312	3.350	0.500	63	1578	2.350	3.375	0.750	IG	4687
2.312	3.371	0.625	EQ	3480	2.352	3.375	0.750	IG	4601
2.312	3.372	0.375	63	1579	2.354	3.354	0.750	IG	5076
2.312	3.372	0.500	63	1581	2.355	3.870	0.750	IG	4351
2.312	3.438	0.625	EQ	3582	2.356	3.625	0.625	EQ	1943
2.312	3.481	0.375	63	1582	2.356	3.780	0.750	IG	5473
2.312	3.481	0.500	63	1584	2.357	3.357	0.625	EQ	2951
2.312	3.500	0.375	63	1585	2.359	2.734	0.690	EQ	2874
2.312	3.500	0.500	62	1587	2.360	3.150	0.375	61	0653
2.312	3.500	0.500	63	1587	2.360	3.228	0.690	EQ	1876
2.312	3.500	0.625	EQ	2632	2.360	3.360	0.750	IG	4883
2.312	3.543	0.375	63	1588	2.360	3.360	0.750	IG	4883
2.312	3.625	0.625	EQ	4392	2.360	3.375	0.750	IG	4693
2.312	3.750	0.625	EQ	3267	2.360	4.090	0.625	EQ	3540

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.362	2.953	0.315	26R1	1605	2.375	3.125	0.375	61	1642
2.362	2.953	0.315	58	1490	2.375	3.125	0.375	61	1642
2.362	2.953	0.315	61	1490	2.375	3.125	0.375	62	1642
2.362	2.953	0.625	IG	4458	2.375	3.125	0.375	63	1642
2.362	3.071	0.394	26	1565	2.375	3.125	0.375	66	1642
2.362	3.111	0.750	IG	5535	2.375	3.125	0.500	62	1644
2.362	3.112	0.375	23	8905	2.375	3.125	0.500	63	1644
2.362	3.150	0.315	92	0653	2.375	3.125	0.500	EQ	1644
2.362	3.150	0.394	61	1839	2.375	3.125	0.594	63F1	6459
2.362	3.150	0.625	EQ	5431	2.375	3.125	0.625	EQ	1645
2.362	3.150	0.625	EQ	1348	2.375	3.125	0.687	63R1	6898
2.362	3.150	0.625	IG	1348	2.375	3.125	0.690	EQ	2831
2.362	3.150	0.690	EQ	3639	2.375	3.125	0.750	IG	4324
2.362	3.150	0.750	IG	5543	2.375	3.126	0.500	EQ	0716
2.362	3.228	0.472	26R1	1606	2.375	3.130	0.750	IG	5585
2.362	3.228	0.625	EQ	1876	2.375	3.147	0.375	63	1645
2.362	3.308	0.625	IG	5126	2.375	3.147	0.375	66	1645
2.362	3.346	0.315	92	0672	2.375	3.147	0.500	63	1647
2.362	3.346	0.625	EQ	2651	2.375	3.150	0.375	63	8369
2.362	3.346	0.625	EQ	3309	2.375	3.150	0.375	66	8369
2.362	3.346	0.750	IG	4191	2.375	3.188	0.438	26	1572
2.362	3.362	0.625	EQ	1806	2.375	3.189	0.375	63	1648
2.362	3.362	0.750	IG	5512	2.375	3.189	0.375	66	1648
2.362	3.366	0.750	EQSPB	7058	2.375	3.189	0.500	63	1650
2.362	3.366	0.788	IGSPB	7136	2.375	3.246	0.375	63	1651
2.362	3.543	0.315	92	0683	2.375	3.246	0.375	66	1651
2.362	3.543	0.500	EQ	1870	2.375	3.246	0.500	63	1653
2.362	3.543	0.551	26R1	1031	2.375	3.246	0.594	63F1	4746
2.362	3.543	0.625	EQ	2488	2.375	3.250	0.328	26	1580
2.362	4.331	0.438	61	2584	2.375	3.250	0.375	62	1654
2.362	4.331	0.512	58	2488	2.375	3.250	0.375	63	1654
2.363	3.127	0.375	26	1568	2.375	3.250	0.375	66	1654
2.363	3.150	0.750	IG	6231	2.375	3.250	0.375	67	1654
2.375	2.875	0.312	61	1512	2.375	3.250	0.375	68	1654
2.375	2.938	0.625	IG	5063	2.375	3.250	0.437	61	1655
2.375	2.948	0.974	IGSPB	7081	2.375	3.250	0.437	63	1655
2.375	3.000	0.312	61	1514	2.375	3.250	0.500	62	1656
2.375	3.000	0.437	61	1523	2.375	3.250	0.500	63	1656
2.375	3.000	0.625	IG	5265	2.375	3.250	0.500	66	1656
2.375	3.062	0.375	62	1639	2.375	3.250	0.500	EQ	0738
2.375	3.062	0.375	63	1639	2.375	3.250	0.625	EQ	1581
2.375	3.062	0.375	66	1639	2.375	3.250	0.625	EQ	1581
2.375	3.062	0.375	67	1639	2.375	3.250	0.625	IG	1581
2.375	3.062	0.375	68	1639	2.375	3.250	0.750	IG	4112
2.375	3.062	0.500	26	1639	2.375	3.255	0.750	IG	5081
2.375	3.062	0.500	63	1641	2.375	3.347	0.375	63	8370
2.375	3.062	0.625	IG	4547	2.375	3.350	0.375	23	1657
2.375	3.062	0.687	63R2	5968	2.375	3.350	0.375	63	1657
2.375	3.062	0.690	EQ	3198	2.375	3.350	0.375	66	1657
2.375	3.125	0.375	23	1642	2.375	3.350	0.437	62	1658
2.375	3.125	0.375	26	1642	2.375	3.350	0.437	63	1658
2.375	3.125	0.375	26R1	1642	2.375	3.350	0.469	63	4646

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.375	3.350	0.500	62	1659	2.375	3.876	0.375	63	1678
2.375	3.350	0.500	63	1659	2.375	3.876	0.375	66	1678
2.375	3.350	0.625	EQ	1776	2.375	3.876	0.375	94	1678
2.375	3.350	0.687	63R2	5980	2.375	3.876	0.500	62	1680
2.375	3.350	0.687	63T2	5980	2.375	3.876	0.500	63	1680
2.375	3.371	0.750	IG	5161	2.375	4.000	0.500	25	5240
2.375	3.372	0.375	63	1660	2.375	5.125	0.625	54	6003
2.375	3.372	0.375	66	1660	2.380	3.375	0.750	IG	5043
2.375	3.372	0.437	63	1661	2.380	3.380	0.625	EQ	3064
2.375	3.372	0.500	63	1662	2.400	3.375	0.750	IG	4623
2.375	3.375	0.437	61	1529	2.400	3.438	0.750	IG	5289
2.375	3.375	0.437	61	1529	2.400	3.500	0.750	IG	4666
2.375	3.375	0.468	25	1637	2.402	3.290	0.625	EQ	3108
2.375	3.375	0.500	26	1652	2.406	3.125	0.375	63	1681
2.375	3.375	0.625	EQ	1654	2.406	3.125	0.687	63T2	2494
2.375	3.375	0.625	EQ	1654	2.406	3.150	0.375	63	8371
2.375	3.375	0.750	IG	4149	2.406	3.250	0.375	63	1693
2.375	3.375	0.750	IG	4149	2.406	3.347	0.375	63	8372
2.375	3.437	0.625	EQ	3006	2.406	3.350	0.375	63	1696
2.375	3.481	0.375	63	1663	2.406	3.372	0.687	63R1	9029
2.375	3.481	0.375	66	1663	2.406	3.543	0.375	63	1708
2.375	3.500	0.375	61	1666	2.406	3.623	0.375	62	1711
2.375	3.500	0.375	62	1666	2.406	3.623	0.375	63	1711
2.375	3.500	0.375	63	1666	2.406	3.751	0.375	63	1714
2.375	3.500	0.375	66	1666	2.406	3.937	0.375	63	7926
2.375	3.500	0.375	67	1666	2.406	4.003	0.375	63	1720
2.375	3.500	0.375	68	1666	2.420	3.355	0.750	IG	4705
2.375	3.500	0.500	26	1668	2.428	3.428	0.625	EQ	3986
2.375	3.500	0.500	62	1668	2.431	3.400	0.500	23	3207
2.375	3.500	0.500	63	1668	2.432	3.432	0.750	IG	4847
2.375	3.500	0.625	EQ	1211	2.433	4.049	0.625	EQ	4597
2.375	3.500	0.625	EQ	1211	2.435	4.094	0.625	EQ	4896
2.375	3.500	0.687	63R1	4914	2.436	3.436	0.625	EQ	3055
2.375	3.500	0.750	63F1	7406	2.437	2.930	0.625	IG	4890
2.375	3.500	0.750	IG	4806	2.437	2.937	0.187	71	7088
2.375	3.543	0.375	63	1669	2.437	3.125	0.375	62	1723
2.375	3.543	0.375	66	1669	2.437	3.125	0.375	63	1723
2.375	3.543	0.375	67	1669	2.437	3.125	0.500	62	1725
2.375	3.543	0.375	68	1669	2.437	3.125	0.500	63	1725
2.375	3.543	0.438	26R1	4020	2.437	3.125	0.594	63F1	7633
2.375	3.543	0.500	63	1671	2.437	3.125	0.687	63T2	6487
2.375	3.623	0.375	63	1672	2.437	3.147	0.375	26R1	1726
2.375	3.623	0.375	66	1672	2.437	3.147	0.375	63	1726
2.375	3.623	0.437	62	1673	2.437	3.150	0.375	62	8373
2.375	3.623	0.437	63	1673	2.437	3.150	0.375	63	8373
2.375	3.751	0.375	62	1675	2.437	3.189	0.375	63	1729
2.375	3.751	0.375	63	1675	2.437	3.189	0.687	63R2	7136
2.375	3.751	0.375	66	1675	2.437	3.246	0.375	63	1732
2.375	3.751	0.500	63	1677	2.437	3.250	0.375	26R1	1735
2.375	3.751	0.687	63R2	6468	2.437	3.250	0.375	62	1735
2.375	3.875	0.625	EQ	4085	2.437	3.250	0.375	63	1735
2.375	3.875	0.750	IG	4619	2.437	3.250	0.500	63	1737

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.437	3.250	0.687	63R2	8521	2.438	3.350	0.625	EQ	3294
2.437	3.250	0.750	IG	5602	2.438	3.375	0.375	61	1537
2.437	3.312	0.375	23	1736	2.438	3.375	0.500	61	1538
2.437	3.347	0.375	63	8374	2.438	3.431	0.625	EQ	3455
2.437	3.350	0.375	62	1738	2.438	3.438	0.625	EQ	1641
2.437	3.350	0.375	63	1738	2.438	3.438	0.750	IG	4280
2.437	3.350	0.500	63	1740	2.438	3.481	0.500	26	1746
2.437	3.372	0.375	62	1741	2.438	3.500	0.375	61	1747
2.437	3.372	0.375	63	1741	2.438	3.500	0.437	61	1539
2.437	3.372	0.437	63	1742	2.438	3.500	0.500	23	1749
2.437	3.372	0.500	63	1743	2.438	3.500	0.500	26	1749
2.437	3.372	0.594	63F1	6270	2.438	3.500	0.625	EQ	3491
2.437	3.437	0.625	EQ	1641	2.438	3.500	0.625	EQ	3491
2.437	3.437	0.750	IG	4280	2.438	3.876	0.700	IGSPB	7139
2.437	3.481	0.375	63	1744	2.440	3.250	0.500	26	1685
2.437	3.481	0.437	63	1745	2.440	3.440	0.625	EQ	3154
2.437	3.481	0.500	63	1746	2.441	2.992	0.625	IG	5139
2.437	3.481	0.625	EQ	4358	2.441	3.150	0.394	61	8373
2.437	3.481	0.687	63R2	7238	2.441	3.150	0.394	61	8373
2.437	3.500	0.375	62	1747	2.441	3.346	0.394	23	0793
2.437	3.500	0.375	63	1747	2.441	3.346	0.394	92	0793
2.437	3.500	0.500	63	1749	2.441	3.346	0.625	EQ	5488
2.437	3.500	0.594	63F1	7285	2.441	3.441	0.750	IG	4846
2.437	3.500	0.687	63T2	6541	2.441	3.543	0.394	92	0684
2.437	3.543	0.375	62	1750	2.441	3.948	0.750	IG	4476
2.437	3.543	0.375	63	1750	2.450	3.450	0.750	IG	4887
2.437	3.543	0.437	63	1751	2.469	3.189	0.375	63	1765
2.437	3.543	0.500	62	1752	2.469	3.250	0.375	63	1771
2.437	3.543	0.500	63	1752	2.469	3.347	0.375	63	8375
2.437	3.547	0.500	26	1621	2.469	3.350	0.375	63	1774
2.437	3.623	0.375	63	1753	2.469	3.350	0.437	63	1775
2.437	3.750	0.750	IG	5288	2.469	3.500	0.375	63	1783
2.437	3.751	0.375	63	1756	2.469	3.500	0.594	63F1	8105
2.437	3.751	0.500	63	1758	2.469	3.543	0.375	63	1786
2.437	3.751	0.687	63T2	7167	2.469	3.937	0.375	63	7928
2.437	3.876	0.375	63	1759	2.480	3.480	0.750	IG	5569
2.437	3.937	0.375	63	7927	2.480	3.543	0.625	EQ	3568
2.437	4.003	0.375	63	1762	2.489	3.250	0.312	26	1757
2.437	4.003	0.500	62	1764	2.490	2.875	0.625	IG	5316
2.437	4.003	0.500	63	1764	2.499	3.542	0.500	26	1623
2.437	4.509	0.625	EQ	3380	2.500	2.875	0.109	71	6292
2.437	4.725	0.725	IG	4872	2.500	3.000	0.250	91	9014
2.438	2.813	0.625	IG	5406	2.500	3.000	0.250	92	9014
2.438	2.938	0.690	EQ	3748	2.500	3.000	0.375	61	2239
2.438	3.125	0.690	EQ	1912	2.500	3.062	0.250	76	7532
2.438	3.187	1.125	EQSPB	2564	2.500	3.125	0.250	71	7089
2.438	3.188	0.945	IGSPB	7069	2.500	3.125	0.312	26	1686
2.438	3.188	1.102	IGSPB	7082	2.500	3.125	0.312	26R1	1686
2.438	3.192	1.062	EQSPB	7004	2.500	3.125	0.312	61	1541
2.438	3.250	0.375	23	1735	2.500	3.125	0.500	61	1542
2.438	3.250	0.625	EQ	1942	2.500	3.125	0.500	61	1542
2.438	3.313	0.750	IG	2141	2.500	3.188	0.375	26	1801

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.500	3.188	1.102	IGSPB	7083	2.500	3.375	0.375	23	9691
2.500	3.189	0.375	62	1801	2.500	3.375	0.437	61	1544
2.500	3.189	0.375	63	1801	2.500	3.375	0.500	EQ	1788
2.500	3.189	0.375	66	1801	2.500	3.375	0.625	EQ	1212
2.500	3.189	0.375	67	1801	2.500	3.375	0.625	EQ	1212
2.500	3.189	0.375	68	1801	2.500	3.418	0.438	23	4882
2.500	3.189	0.437	63	1802	2.500	3.433	0.625	EQ	3004
2.500	3.189	0.500	63	1803	2.500	3.481	0.375	62	1816
2.500	3.189	0.625	EQ	2016	2.500	3.481	0.375	63	1816
2.500	3.189	0.625	IG	2016	2.500	3.481	0.375	66	1816
2.500	3.189	0.690	EQ	2025	2.500	3.481	0.437	63	1817
2.500	3.192	1.062	EQSPB	7035	2.500	3.481	0.500	63	1818
2.500	3.194	0.375	23	4599	2.500	3.500	0.312	61	1545
2.500	3.228	0.315	26	3216	2.500	3.500	0.375	23	1819
2.500	3.246	0.375	23	1804	2.500	3.500	0.375	26R1	1819
2.500	3.246	0.375	63	1804	2.500	3.500	0.375	62	1819
2.500	3.246	0.375	66	1804	2.500	3.500	0.375	63	1819
2.500	3.246	0.375	68	1804	2.500	3.500	0.375	66	1819
2.500	3.246	0.437	63	1805	2.500	3.500	0.375	67	1819
2.500	3.246	0.500	63	1806	2.500	3.500	0.375	68	1819
2.500	3.250	0.250	71	7090	2.500	3.500	0.437	23	1820
2.500	3.250	0.375	23	1807	2.500	3.500	0.437	26	1820
2.500	3.250	0.375	25	1807	2.500	3.500	0.437	61	1820
2.500	3.250	0.375	62	1807	2.500	3.500	0.437	63	1820
2.500	3.250	0.375	63	1807	2.500	3.500	0.500	23	1821
2.500	3.250	0.375	66	1807	2.500	3.500	0.500	26	1821
2.500	3.250	0.375	67	1807	2.500	3.500	0.500	62	1821
2.500	3.250	0.375	68	1807	2.500	3.500	0.500	63	1821
2.500	3.250	0.437	61	1808	2.500	3.500	0.625	EQ	1818
2.500	3.250	0.437	63	1808	2.500	3.500	0.625	EQ	1818
2.500	3.250	0.500	25	1809	2.500	3.500	0.625	IG	1818
2.500	3.250	0.500	63	1809	2.500	3.500	0.687	63R1	6465
2.500	3.250	0.500	EQ	1809	2.500	3.500	0.687	63R2	6465
2.500	3.250	0.594	63F1	6506	2.500	3.500	0.687	63T2	6465
2.500	3.250	0.625	IG	0991	2.500	3.500	0.750	63F1	5387
2.500	3.250	0.687	63R2	7564	2.500	3.500	0.750	63R1	5387
2.500	3.250	0.687	63T2	7564	2.500	3.500	0.750	IG	4150
2.500	3.250	0.750	IG	4111	2.500	3.500	0.750	IG	4150
2.500	3.251	0.375	3	2536	2.500	3.540	0.500	EQ	1823
2.500	3.251	0.625	EQ	0991	2.500	3.543	0.375	63	1822
2.500	3.347	0.375	63	8376	2.500	3.543	0.375	66	1822
2.500	3.350	0.250	26	1787	2.500	3.543	0.375	67	1822
2.500	3.350	0.375	63	1810	2.500	3.543	0.375	68	1822
2.500	3.350	0.375	66	1810	2.500	3.543	0.437	63	1823
2.500	3.350	0.469	63	1811	2.500	3.543	0.500	63	1824
2.500	3.350	0.500	63	1812	2.500	3.543	0.594	63F1	8573
2.500	3.372	0.375	62	1813	2.500	3.543	0.625	EQ	2662
2.500	3.372	0.375	63	1813	2.500	3.543	0.687	63R2	4844
2.500	3.372	0.375	66	1813	2.500	3.543	0.687	63T2	4844
2.500	3.372	0.500	63	1815	2.500	3.543	0.750	IG	4683
2.500	3.372	0.594	63F1	9093	2.500	3.543	0.750	IG	4683
2.500	3.372	0.687	66R1	8728	2.500	3.550	0.625	EQ	1156

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.500	3.562	0.625	EQ	3007	2.519	3.464	0.472	26	0829
2.500	3.623	0.375	63	1825	2.520	3.150	0.315	92	0698
2.500	3.623	0.375	66	1825	2.520	3.740	0.750	IG	4747
2.500	3.623	0.437	26	1826	2.520	4.250	0.625	EQ	4195
2.500	3.623	0.437	63	1826	2.530	3.287	0.690	EQ	4132
2.500	3.623	0.500	63	1827	2.530	3.287	0.750	IG	4483
2.500	3.623	0.625	EQ	1252	2.531	3.246	0.375	63	1837
2.500	3.623	0.750	IG	5042	2.531	3.250	0.375	63	1840
2.500	3.625	0.625	EQ	1951	2.531	3.250	0.437	63	1841
2.500	3.625	0.625	EQ	1951	2.531	3.347	0.375	63	8377
2.500	3.625	0.687	63R2	8930	2.531	3.372	0.375	63	1846
2.500	3.671	0.375	63	5080	2.531	3.481	0.375	63	1849
2.500	3.725	0.625	EQ	3061	2.531	3.500	0.375	63	1852
2.500	3.750	0.375	26	1828	2.531	3.543	0.375	63	1855
2.500	3.750	0.375	61	1828	2.531	3.543	0.500	63	1857
2.500	3.750	0.687	26R1	3987	2.531	3.623	0.375	63	1858
2.500	3.750	0.750	IG	4374	2.531	3.751	0.500	63	1863
2.500	3.750	0.750	IG	4374	2.531	3.876	0.375	63	1864
2.500	3.751	0.375	62	1828	2.531	3.937	0.375	63	7929
2.500	3.751	0.375	63	1828	2.531	4.003	0.375	63	1867
2.500	3.751	0.375	66	1828	2.531	4.725	0.375	26R1	3459
2.500	3.751	0.375	67	1828	2.531	4.725	0.375	94	8959
2.500	3.751	0.375	68	1828	2.540	3.540	0.750	IG	5001
2.500	3.751	0.437	63	1829	2.543	3.543	0.625	IG	5013
2.500	3.751	0.500	63	1830	2.550	3.550	0.625	EQ	3234
2.500	3.751	0.687	63R2	6566	2.554	3.554	0.750	IG	4772
2.500	3.751	0.687	63T2	6566	2.556	3.556	0.625	IG	5016
2.500	3.751	0.687	67R2	6566	2.558	3.558	0.750	IG	4630
2.500	3.875	0.750	IG	5045	2.559	3.150	0.394	61	1847
2.500	3.876	0.375	63	1831	2.559	3.228	0.625	IG	5544
2.500	3.876	0.375	66	1831	2.559	3.346	0.394	23	0710
2.500	3.876	0.687	63R2	4734	2.559	3.346	0.394	61	0710
2.500	3.937	0.375	62	4845	2.559	3.346	0.394	92	0710
2.500	3.937	0.375	63	4845	2.559	3.346	0.625	EQ	2816
2.500	4.000	0.500	26	1794	2.559	3.346	0.750	IG	4532
2.500	4.000	0.750	IG	5143	2.559	3.464	0.472	26R1	1859
2.500	4.003	0.375	26	3988	2.559	3.465	0.625	EQ	1858
2.500	4.003	0.375	62	1834	2.559	3.500	0.625	EQ	1807
2.500	4.003	0.375	63	1834	2.559	3.543	0.375	23	9162
2.500	4.003	0.375	66	1834	2.559	3.543	0.394	61	0729
2.500	4.003	0.375	67	1834	2.559	3.543	0.394	92	0729
2.500	4.003	0.375	68	1834	2.559	3.543	0.625	EQ	1883
2.500	4.003	0.500	63	1836	2.559	3.543	0.750	IG	4721
2.500	4.003	0.687	63R2	6966	2.559	3.543	0.750	IG	4721
2.500	4.250	0.625	EQ	4631	2.559	3.620	0.625	EQ	3735
2.500	4.375	0.625	EQ	1834	2.559	3.740	0.394	92	0733
2.500	4.375	0.750	IG	4353	2.559	3.760	0.788	IGSPB	5411
2.500	4.500	0.437	61	1547	2.559	4.331	0.750	IG	5367
2.500	4.724	0.750	IG	5558	2.560	3.544	0.315	63	1861
2.500	4.937	0.750	IG	4592	2.560	3.560	0.625	EQ	3170
2.500	5.118	0.750	IG	5579	2.562	3.246	0.375	63	1870
2.505	3.505	0.625	EQ	3099	2.562	3.250	0.375	63	1873

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.562	3.250	0.687	63R2	6641	2.625	3.350	0.375	66	1930
2.562	3.347	0.375	63	8378	2.625	3.350	0.469	63	5398
2.562	3.372	0.375	63	1879	2.625	3.350	0.500	63	1932
2.562	3.437	0.500	EQ	1129	2.625	3.350	0.594	63F1	6866
2.562	3.437	0.625	EQ	1098	2.625	3.371	0.625	EQ	2520
2.562	3.439	0.375	23	2617	2.625	3.372	0.375	62	1933
2.562	3.481	0.375	62	1882	2.625	3.372	0.375	63	1933
2.562	3.481	0.375	63	1882	2.625	3.372	0.375	66	1933
2.562	3.500	0.375	23	1885	2.625	3.372	0.500	63	1935
2.562	3.500	0.375	63	1885	2.625	3.374	0.719	63F1	5686
2.562	3.500	0.437	63	1886	2.625	3.375	0.375	63	5407
2.562	3.500	0.500	63	1887	2.625	3.375	0.437	26	1838
2.562	3.500	0.594	63F1	6700	2.625	3.375	0.437	61	1551
2.562	3.502	0.625	EQ	1887	2.625	3.375	0.625	EQ	1962
2.562	3.543	0.375	63	1888	2.625	3.375	0.625	EQ	1962
2.562	3.543	0.500	63	1890	2.625	3.481	0.375	63	1936
2.562	3.562	0.625	EQ	1251	2.625	3.481	0.375	66	1936
2.562	3.562	0.625	EQ	1251	2.625	3.484	0.750	IG	4332
2.562	3.562	0.625	IG	1251	2.625	3.489	0.625	EQ	1203
2.562	3.562	0.750	IG	4281	2.625	3.500	0.375	23	1939
2.562	3.623	0.375	63	1891	2.625	3.500	0.375	25	1939
2.562	3.623	0.437	62	1892	2.625	3.500	0.375	26	1939
2.562	3.623	0.437	63	1892	2.625	3.500	0.375	61	1939
2.562	3.623	0.500	63	1893	2.625	3.500	0.375	62	1939
2.562	3.751	0.375	23	1894	2.625	3.500	0.375	63	1939
2.562	3.751	0.375	63	1894	2.625	3.500	0.375	66	1939
2.562	3.751	0.500	63	1896	2.625	3.500	0.500	23	1941
2.562	3.876	0.375	63	1897	2.625	3.500	0.500	63	1941
2.562	3.876	0.500	63	1899	2.625	3.500	0.500	EQ	1941
2.562	3.937	0.375	63	6300	2.625	3.500	0.625	EQ	1893
2.562	3.937	0.375	94	6300	2.625	3.500	0.625	EQ	1893
2.562	4.003	0.375	63	1900	2.625	3.500	0.687	63R1	7187
2.562	4.003	0.500	63	1902	2.625	3.500	0.687	63R2	7187
2.562	4.125	0.625	EQ	3244	2.625	3.500	0.687	63T2	7187
2.562	4.725	0.375	94	6301	2.625	3.500	0.750	63T2	5257
2.562	5.512	0.375	94	6302	2.625	3.500	0.750	IG	4438
2.563	3.198	0.974	IGSPB	7079	2.625	3.543	0.375	23	1942
2.563	3.500	0.375	26	1627	2.625	3.543	0.375	63	1942
2.563	3.512	0.625	EQ	1887	2.625	3.543	0.375	66	1942
2.569	3.569	0.625	EQ	3016	2.625	3.543	0.500	63	1944
2.594	3.350	0.375	62	1903	2.625	3.543	0.750	IG	5163
2.598	3.386	0.500	EQ	1747	2.625	3.623	0.375	25	1945
2.619	3.682	0.750	IG	5154	2.625	3.623	0.375	62	1945
2.622	3.046	0.690	EQ	3831	2.625	3.623	0.375	63	1945
2.622	3.346	0.690	EQ	3835	2.625	3.623	0.375	66	1945
2.625	3.250	0.187	71	7092	2.625	3.623	0.437	63	1946
2.625	3.250	0.312	61	1549	2.625	3.623	0.469	63	5581
2.625	3.250	0.375	61	1550	2.625	3.623	0.500	62	1947
2.625	3.250	0.375	61	1550	2.625	3.623	0.500	63	1947
2.625	3.250	0.625	IG	1976	2.625	3.623	0.594	63F1	7776
2.625	3.250	0.625	IG	1976	2.625	3.625	0.375	23	1958
2.625	3.350	0.375	63	1930	2.625	3.625	0.437	61	1842

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.625	3.625	0.438	26	1842	2.687	3.372	0.375	63	1987
2.625	3.625	0.500	23	1844	2.687	3.481	0.375	63	1990
2.625	3.625	0.625	EQ	1841	2.687	3.500	0.375	62	1993
2.625	3.625	0.625	EQ	1841	2.687	3.500	0.375	63	1993
2.625	3.625	0.687	63R1	5483	2.687	3.500	0.437	63	1994
2.625	3.625	0.687	63R2	5483	2.687	3.500	0.594	63F1	6244
2.625	3.625	0.750	IG	4151	2.687	3.500	0.625	EQ	2003
2.625	3.628	0.625	EQ	2014	2.687	3.543	0.375	63	1996
2.625	3.670	0.750	IG	5080	2.687	3.623	0.375	63	1999
2.625	3.675	0.750	IG	4179	2.687	3.623	0.500	63	2001
2.625	3.677	0.625	EQ	1086	2.687	3.623	0.687	63R2	9040
2.625	3.677	0.750	IG	4125	2.687	3.687	0.375	23	9510
2.625	3.683	0.625	EQ	3650	2.687	3.687	0.625	EQ	2736
2.625	3.688	0.625	EQ	1087	2.687	3.751	0.375	63	2002
2.625	3.688	0.750	IG	4126	2.687	3.751	0.437	63	2003
2.625	3.750	0.500	26	1950	2.687	3.751	0.500	26	2004
2.625	3.750	0.500	EQ	1950	2.687	3.751	0.500	62	2004
2.625	3.750	0.625	EQ	1162	2.687	3.751	0.500	63	2004
2.625	3.751	0.375	62	1948	2.687	3.751	0.594	63F1	8679
2.625	3.751	0.375	63	1948	2.687	3.751	0.687	63R1	7210
2.625	3.751	0.375	66	1948	2.687	3.876	0.375	63	2005
2.625	3.751	0.500	63	1950	2.687	3.876	0.437	63	2006
2.625	3.751	0.687	63R2	6651	2.687	3.876	0.500	63	2007
2.625	3.751	0.687	63T2	6651	2.687	3.876	0.594	63F1	9694
2.625	3.751	0.687	66R2	6651	2.687	3.876	0.687	63T2	5886
2.625	3.876	0.375	63	1951	2.687	3.881	0.468	23	2013
2.625	3.876	0.375	66	1951	2.687	3.937	0.375	63	7932
2.625	3.876	0.437	63	1952	2.687	4.000	0.375	94	7217
2.625	3.937	0.375	63	7800	2.687	4.003	0.375	62	2008
2.625	4.000	0.750	IG	5073	2.687	4.003	0.375	63	2008
2.625	4.003	0.375	63	1954	2.687	4.003	0.500	63	2010
2.625	4.003	0.375	66	1954	2.687	4.003	0.687	63T2	6589
2.625	4.003	0.437	63	1955	2.688	3.372	0.375	26	1987
2.625	4.003	0.500	63	1956	2.688	3.500	0.375	61	1993
2.625	4.003	0.687	63R2	6800	2.688	3.543	0.625	EQ	3023
2.625	4.003	0.750	IG	5065	2.688	3.563	1.102	IGSPB	7094
2.625	4.050	0.750	IG	5472	2.688	3.574	1.062	EQSPB	7021
2.628	3.750	0.625	EQ	1740	2.688	3.625	0.500	61	1230
2.650	3.630	0.625	EQ	3514	2.688	3.688	0.750	IG	4282
2.656	3.543	0.375	63	1969	2.688	3.875	0.468	26	1848
2.656	3.623	0.375	63	1972	2.710	3.710	0.750	IG	4818
2.656	3.751	0.375	63	1975	2.717	3.752	0.625	EQ	2010
2.656	3.937	0.375	63	7931	2.718	3.700	0.750	IG	5404
2.656	4.003	0.375	63	1981	2.719	3.481	0.375	63	2011
2.656	4.003	0.625	EQ	2635	2.719	3.481	0.375	66	2011
2.675	3.350	0.375	61	2451	2.719	3.500	0.375	63	2014
2.676	3.362	0.625	IG	4484	2.719	3.500	0.375	66	2014
2.677	3.543	0.394	92	0735	2.719	3.543	0.375	63	2017
2.677	3.543	0.500	EQ	1984	2.719	3.623	0.375	63	2020
2.677	3.937	0.394	92	0749	2.719	3.623	0.375	66	2020
2.685	3.998	0.750	IG	4541	2.719	3.751	0.375	63	2023
2.687	3.372	0.375	62	1987	2.719	3.751	0.375	66	2023

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.719	3.751	0.500	63	2025	2.750	3.543	0.375	67	2038
2.719	3.876	0.500	63	2028	2.750	3.543	0.375	68	2038
2.719	3.937	0.375	63	7933	2.750	3.543	0.437	26	2039
2.719	4.003	0.375	63	2029	2.750	3.543	0.437	63	2039
2.719	4.003	0.375	66	2029	2.750	3.543	0.500	63	2040
2.719	4.003	0.500	63	2031	2.750	3.543	0.500	EQ	1041
2.719	4.003	0.594	63F1	5693	2.750	3.543	0.625	EQ	1242
2.726	3.500	0.750	IG	5420	2.750	3.560	0.690	EQ	2830
2.726	3.726	0.625	EQ	4469	2.750	3.623	0.375	62	2041
2.746	3.746	0.625	IG	5014	2.750	3.623	0.375	63	2041
2.746	3.746	0.750	IG	4589	2.750	3.623	0.375	66	2041
2.750	3.125	0.109	71	7093	2.750	3.623	0.375	67	2041
2.750	3.125	0.187	71	6304	2.750	3.623	0.375	68	2041
2.750	3.250	0.625	IG	4793	2.750	3.623	0.437	63	2042
2.750	3.375	0.312	26	2020	2.750	3.623	0.500	63	2043
2.750	3.375	0.312	61	1553	2.750	3.625	0.438	23	2054
2.750	3.375	0.437	61	1554	2.750	3.625	0.438	26	2054
2.750	3.481	0.375	62	2032	2.750	3.625	0.438	26R1	2054
2.750	3.481	0.375	63	2032	2.750	3.625	0.625	EQ	2264
2.750	3.481	0.375	66	2032	2.750	3.625	0.625	EQ	2264
2.750	3.481	0.375	67	2032	2.750	3.625	0.750	IG	4708
2.750	3.481	0.375	68	2032	2.750	3.720	0.750	IG	5005
2.750	3.481	0.500	63	2034	2.750	3.750	0.375	23	2057
2.750	3.500	0.250	26	0795	2.750	3.750	0.375	61	2057
2.750	3.500	0.375	3	2683	2.750	3.750	0.438	26	2058
2.750	3.500	0.375	23	2035	2.750	3.750	0.438	26R1	2058
2.750	3.500	0.375	26	2035	2.750	3.750	0.500	23	6471
2.750	3.500	0.375	26R1	2035	2.750	3.750	0.500	25	6471
2.750	3.500	0.375	61	2035	2.750	3.750	0.500	26	6471
2.750	3.500	0.375	62	2035	2.750	3.750	0.500	61	6471
2.750	3.500	0.375	63	2035	2.750	3.750	0.500	66	6471
2.750	3.500	0.375	66	2035	2.750	3.750	0.625	EQ	1250
2.750	3.500	0.375	67	2035	2.750	3.750	0.750	IG	4152
2.750	3.500	0.375	68	2035	2.750	3.750	0.750	IG	4152
2.750	3.500	0.437	63	2036	2.750	3.751	0.375	3	2710
2.750	3.500	0.500	26	2037	2.750	3.751	0.375	23	2044
2.750	3.500	0.500	26R1	2037	2.750	3.751	0.375	62	2044
2.750	3.500	0.500	61	2037	2.750	3.751	0.375	63	2044
2.750	3.500	0.500	61	2037	2.750	3.751	0.375	66	2044
2.750	3.500	0.500	63	2037	2.750	3.751	0.375	67	2044
2.750	3.500	0.500	66	2037	2.750	3.751	0.375	68	2044
2.750	3.500	0.500	EQ	2037	2.750	3.751	0.437	62	2045
2.750	3.500	0.562	94	5572	2.750	3.751	0.437	63	2045
2.750	3.500	0.594	63F1	7829	2.750	3.751	0.500	62	2046
2.750	3.500	0.625	EQ	1238	2.750	3.751	0.500	63	2046
2.750	3.500	0.625	IG	1238	2.750	3.751	0.687	26	2033
2.750	3.500	0.687	63R2	6716	2.750	3.751	0.687	63R1	6467
2.750	3.500	0.690	EQ	3779	2.750	3.751	0.687	63R2	6467
2.750	3.500	0.750	IG	4187	2.750	3.751	0.687	63T2	6467
2.750	3.543	0.375	62	2038	2.750	3.751	0.750	63F1	7339
2.750	3.543	0.375	63	2038	2.750	3.755	0.500	EQ	1147
2.750	3.543	0.375	66	2038	2.750	3.772	1.000	EQSPB	7042

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.750	3.875	0.375	3	2719	2.756	3.937	0.625	EQ	2250
2.750	3.875	0.500	61	2049	2.756	3.937	0.625	EQ	2250
2.750	3.875	0.500	EQ	0901	2.756	4.015	0.500	26	5598
2.750	3.875	0.625	EQ	2062	2.756	4.331	0.500	26	2274
2.750	3.875	0.625	EQ	2062	2.756	4.331	0.625	EQ	3989
2.750	3.876	0.375	62	2047	2.770	3.770	0.750	IG	5611
2.750	3.876	0.375	63	2047	2.781	3.500	0.375	26	0845
2.750	3.876	0.375	66	2047	2.795	3.465	0.472	26	2077
2.750	3.876	0.437	62	2048	2.812	3.500	0.375	62	2077
2.750	3.876	0.437	63	2048	2.812	3.500	0.375	63	2077
2.750	3.876	0.500	62	2049	2.812	3.543	0.375	63	2080
2.750	3.876	0.500	63	2049	2.812	3.560	0.375	23	0806
2.750	3.881	0.750	26R1	9094	2.812	3.569	1.375	EQSPB	7032
2.750	3.937	0.375	63	7934	2.812	3.580	0.625	EQ	1982
2.750	3.983	0.500	23	1086	2.812	3.623	0.375	63	2083
2.750	4.000	0.500	23	2030	2.812	3.623	0.500	63	2085
2.750	4.000	0.625	EQ	2957	2.812	3.751	0.375	62	2086
2.750	4.000	0.750	IG	4706	2.812	3.751	0.375	63	2086
2.750	4.003	0.375	63	2050	2.812	3.751	0.500	62	2088
2.750	4.003	0.375	66	2050	2.812	3.751	0.500	63	2088
2.750	4.003	0.375	67	2050	2.812	3.751	0.687	63R2	7159
2.750	4.003	0.375	68	2050	2.812	3.812	0.750	IG	4283
2.750	4.003	0.469	26	2065	2.812	3.875	0.469	63	7143
2.750	4.003	0.500	62	2052	2.812	3.876	0.375	63	2089
2.750	4.003	0.500	63	2052	2.812	3.876	0.437	23	2090
2.750	4.003	0.687	63R2	7177	2.812	3.876	0.437	63	2090
2.750	4.125	0.438	26	2068	2.812	3.876	0.500	63	2091
2.750	4.125	0.625	EQ	2634	2.812	3.937	0.375	63	7936
2.750	4.375	0.625	EQ	3174	2.812	4.002	0.750	IG	4834
2.750	4.533	0.625	EQ	3381	2.812	4.003	0.375	63	2092
2.750	4.625	0.625	26	2021	2.812	4.003	0.437	63	2093
2.750	5.000	0.500	61	1559	2.812	4.003	0.500	63	2094
2.750	6.000	0.625	54	6005	2.812	4.003	0.594	63F1	9070
2.755	3.543	0.375	23	4765	2.813	3.563	1.102	IGSPB	7085
2.755	3.622	0.472	26R1	2027	2.813	3.750	0.375	61	7159
2.755	3.741	0.625	EQ	3107	2.813	3.751	0.438	61	2526
2.755	3.750	0.625	EQ	1810	2.813	3.751	0.625	EQ	2676
2.755	3.755	0.625	EQ	3012	2.819	3.813	0.750	IG	5329
2.756	3.346	0.315	26R1	2026	2.820	3.843	0.750	IG	5396
2.756	3.543	0.237	26	2071	2.835	3.543	0.394	92	0770
2.756	3.543	0.394	26	2070	2.835	3.740	0.375	23	1039
2.756	3.543	0.394	61	2038	2.835	3.740	0.394	92	0776
2.756	3.543	0.472	26R1	1032	2.835	3.937	0.394	92	0791
2.756	3.543	0.500	EQ	2067	2.844	3.623	0.375	62	2098
2.756	3.543	0.625	EQ	2919	2.844	3.623	0.375	63	2098
2.756	3.543	0.625	EQ	2059	2.844	3.623	0.500	63	2100
2.756	3.543	0.750	IG	4969	2.844	3.751	0.375	62	2101
2.756	3.622	0.500	EQ	2078	2.844	3.751	0.375	63	2101
2.756	3.622	0.625	EQ	5095	2.844	3.751	0.500	62	2103
2.756	3.740	0.750	IG	4192	2.844	3.751	0.500	63	2103
2.756	3.937	0.394	92	0759	2.844	3.937	0.375	63	7937
2.756	3.937	0.500	EQ	2087	2.844	4.003	0.375	63	2107

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.850	3.650	0.625	EQ	4741	2.875	4.003	0.500	63	2126
2.857	3.857	0.375	23	0128	2.875	4.003	0.594	63F1	6680
2.863	4.724	0.500	63	6627	2.875	4.003	0.625	EQ	1205
2.863	4.724	0.500	76	6627	2.875	4.003	0.625	EQ	1205
2.874	3.543	0.393	61	2508	2.875	4.003	0.687	63R2	6599
2.875	3.375	0.625	IG	5062	2.875	4.003	0.687	63T2	6599
2.875	3.500	0.312	26	2114	2.875	4.003	0.687	66R2	6599
2.875	3.500	0.312	61	1556	2.875	4.125	0.406	63	2127
2.875	3.500	0.625	IG	4564	2.875	4.125	0.469	63	2128
2.875	3.623	0.375	23	2115	2.875	4.125	0.500	23	5127
2.875	3.623	0.375	62	2115	2.875	4.125	0.719	63F1	6762
2.875	3.623	0.375	63	2115	2.875	4.125	0.750	IG	4215
2.875	3.623	0.437	63	2116	2.875	4.134	0.750	IG	4694
2.875	3.623	0.500	63	2117	2.875	4.250	0.750	IG	5312
2.875	3.625	0.375	23	2110	2.875	4.375	0.625	EQ	5069
2.875	3.625	0.438	23	2111	2.875	4.380	0.625	EQ	1878
2.875	3.625	0.625	EQ	2086	2.875	4.625	0.625	EQ	3093
2.875	3.625	0.625	EQ	2086	2.875	4.625	0.750	IG	4386
2.875	3.625	0.750	IG	4548	2.880	3.625	0.375	61	2059
2.875	3.750	0.375	23	2118	2.880	3.625	0.375	61	2059
2.875	3.750	0.625	EQ	1081	2.883	3.633	0.375	23	0993
2.875	3.750	0.625	EQ	1081	2.900	3.900	0.625	EQ	3137
2.875	3.750	0.750	IG	4479	2.901	3.601	0.232	26	2137
2.875	3.751	0.250	26R1	4021	2.906	3.623	0.375	63	2129
2.875	3.751	0.375	3	2782	2.906	3.751	0.437	63	2133
2.875	3.751	0.375	62	2118	2.906	3.876	0.375	63	2135
2.875	3.751	0.375	63	2118	2.906	3.937	0.375	63	7939
2.875	3.751	0.500	26	2120	2.906	4.003	0.375	63	2138
2.875	3.751	0.500	62	2120	2.906	4.125	0.406	63	2141
2.875	3.751	0.500	63	2120	2.906	4.125	0.469	63	2142
2.875	3.751	0.687	63R1	6730	2.925	3.925	0.750	IG	5469
2.875	3.751	0.687	63R2	6730	2.932	3.806	0.625	EQ	3493
2.875	3.875	0.375	3	2791	2.932	3.806	0.690	EQ	3504
2.875	3.875	0.375	23	2121	2.932	3.932	0.625	EQ	3513
2.875	3.875	0.375	26	2121	2.933	3.750	0.625	EQ	3086
2.875	3.875	0.500	61	2123	2.937	3.623	0.375	62	2143
2.875	3.875	0.625	EQ	1268	2.937	3.623	0.375	63	2143
2.875	3.875	0.625	EQ	1268	2.937	3.623	0.500	63	2145
2.875	3.875	0.750	IG	4153	2.937	3.623	0.687	63R2	8863
2.875	3.876	0.375	63	2121	2.937	3.623	0.690	EQ	2138
2.875	3.876	0.437	63	2122	2.937	3.625	0.375	26	2144
2.875	3.876	0.500	63	2123	2.937	3.625	0.690	EQ	2153
2.875	3.876	0.687	63R2	1171	2.937	3.687	0.375	23	7833
2.875	3.937	0.375	63	7938	2.937	3.688	0.500	EQ	2145
2.875	4.000	0.468	26	2113	2.937	3.750	0.625	EQ	1980
2.875	4.000	0.500	61	1560	2.937	3.751	0.375	62	2146
2.875	4.000	0.625	EQ	2843	2.937	3.751	0.375	63	2146
2.875	4.000	0.750	IG	4331	2.937	3.751	0.437	62	2147
2.875	4.000	0.750	IG	4331	2.937	3.751	0.437	63	2147
2.875	4.003	0.375	62	2124	2.937	3.751	0.500	63	2148
2.875	4.003	0.375	63	2124	2.937	3.817	1.062	EQSPB	7022
2.875	4.003	0.437	63	2125	2.937	3.875	0.500	26	2151

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.937	3.876	0.375	23	2149	2.938	4.000	0.500	61	0917
2.937	3.876	0.375	63	2149	2.938	4.000	0.750	IG	4594
2.937	3.876	0.437	63	2150	2.938	4.003	0.375	23	2152
2.937	3.876	0.500	63	2151	2.938	4.003	0.750	IG	5127
2.937	3.876	0.687	63R1	8470	2.938	4.008	0.468	26	2081
2.937	3.906	0.484	23	8488	2.938	4.064	0.500	23	2946
2.937	3.937	0.375	23	7596	2.938	4.125	0.750	IG	4544
2.937	3.937	0.375	62	7596	2.938	4.295	0.750	IG	4838
2.937	3.937	0.375	63	7596	2.938	4.500	0.750	IG	5413
2.937	3.937	0.500	23	2140	2.942	3.942	0.750	IG	4770
2.937	3.937	0.500	23	6351	2.950	3.460	0.625	IG	4398
2.937	4.000	0.375	23	8385	2.950	3.960	0.625	EQ	3519
2.937	4.000	0.500	23	0917	2.950	4.250	0.625	EQ	3736
2.937	4.000	0.500	EQ	2167	2.952	4.000	0.625	EQ	1811
2.937	4.000	0.750	IG	4648	2.953	3.543	0.394	61	2377
2.937	4.003	0.375	25	2152	2.953	3.740	0.394	92	0797
2.937	4.003	0.375	63	2152	2.953	3.740	0.511	26	3663
2.937	4.003	0.437	23	2153	2.953	3.740	0.512	61	1848
2.937	4.003	0.437	63	2153	2.953	3.740	0.625	EQ	3316
2.937	4.003	0.500	25	2154	2.953	3.740	0.690	EQ	3312
2.937	4.003	0.500	62	2154	2.953	3.740	0.750	IG	4822
2.937	4.003	0.500	63	2154	2.953	3.740	0.750	IG	4822
2.937	4.003	0.594	63F1	6585	2.953	3.937	0.375	23	2966
2.937	4.003	0.625	EQ	0997	2.953	3.937	0.375	61	2966
2.937	4.003	0.687	63R1	6588	2.953	3.937	0.394	61	0809
2.937	4.003	0.687	63TF	6588	2.953	3.937	0.394	92	0809
2.937	4.125	0.406	63	2155	2.953	3.937	0.500	EQ	1078
2.937	4.125	0.562	63	9481	2.953	3.937	0.512	26	0827
2.937	4.125	0.719	63F1	7722	2.953	3.937	0.512	58	1921
2.937	4.125	0.719	63T2	7722	2.953	3.937	0.625	EQ	2166
2.937	4.480	1.062	EQSPB	7060	2.953	3.937	0.625	EQ	2166
2.938	3.544	0.625	IG	5153	2.953	3.937	0.750	IG	4749
2.938	3.623	0.625	IG	4522	2.953	4.175	0.750	IG	5589
2.938	3.625	0.312	61	1562	2.953	4.213	0.492	23	2105
2.938	3.688	0.625	EQ	1908	2.953	4.213	0.492	26	2105
2.938	3.750	0.375	23	2146	2.953	4.213	0.500	23	2331
2.938	3.750	0.375	26	2146	2.953	4.331	0.472	92	0819
2.938	3.750	0.500	61	2148	2.953	4.528	0.375	94	5074
2.938	3.750	0.750	IG	4850	2.953	4.528	0.472	26R1	2908
2.938	3.812	0.625	EQ	1142	2.953	4.724	0.472	92	0824
2.938	3.813	1.007	IGSPB	7095	2.955	3.500	0.625	IG	5004
2.938	3.817	1.000	IGSPB	4832	2.969	3.751	0.375	63	2157
2.938	3.875	0.375	61	2149	2.969	3.751	0.687	63T2	4648
2.938	3.875	0.437	61	2150	2.969	3.876	0.375	63	2160
2.938	3.875	0.500	61	2151	2.969	3.937	0.375	63	7940
2.938	3.905	0.484	23	1256	2.969	4.003	0.375	63	2163
2.938	3.938	0.500	EQ	2159	2.969	4.125	0.406	63	2166
2.938	3.938	0.625	EQ	2083	2.977	3.959	0.500	23	4442
2.938	3.938	0.750	IG	4284	2.990	3.750	0.750	IG	4457
2.938	3.940	1.062	IGSPB	7106	2.990	4.000	0.750	IG	4675
2.938	3.956	1.375	EQSPB	7017	2.997	3.831	0.750	IG	4658
2.938	4.000	0.500	23	0895	2.998	3.515	0.690	EQ	2165

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
2.998	3.998	0.625	EQ	3221	3.000	3.937	0.625	EQ	3642
3.000	3.406	0.203	91	9574	3.000	3.937	0.687	63T2	9654
3.000	3.500	0.250	71	6308	3.000	4.000	0.375	21	5023
3.000	3.500	0.250	92	6308	3.000	4.000	0.375	23	5023
3.000	3.500	0.690	EQ	2045	3.000	4.000	0.375	25	5023
3.000	3.625	0.312	61	1564	3.000	4.000	0.375	61	5023
3.000	3.625	0.437	61	1469	3.000	4.000	0.406	23	2565
3.000	3.750	0.375	61	2168	3.000	4.000	0.437	23	9915
3.000	3.750	0.438	61	2169	3.000	4.000	0.437	25	9915
3.000	3.750	0.500	61	2170	3.000	4.000	0.500	23	4557
3.000	3.750	0.625	EQ	1265	3.000	4.000	0.500	25	4557
3.000	3.750	0.625	EQ	1265	3.000	4.000	0.500	26	4557
3.000	3.750	0.750	IG	4709	3.000	4.000	0.500	61	4557
3.000	3.751	0.375	23	2168	3.000	4.000	0.500	61	4557
3.000	3.751	0.375	25	2168	3.000	4.000	0.500	61	4557
3.000	3.751	0.375	26	2168	3.000	4.000	0.500	62	4557
3.000	3.751	0.375	62	2168	3.000	4.000	0.500	113	4557
3.000	3.751	0.375	63	2168	3.000	4.000	0.625	EQ	1220
3.000	3.751	0.375	66	2168	3.000	4.000	0.625	EQ	1220
3.000	3.751	0.375	67	2168	3.000	4.000	0.750	EQ	2175
3.000	3.751	0.375	68	2168	3.000	4.000	0.750	IG	2175
3.000	3.751	0.438	63	2169	3.000	4.000	0.750	IG	2175
3.000	3.751	0.500	62	2170	3.000	4.003	0.375	23	2174
3.000	3.751	0.500	63	2170	3.000	4.003	0.375	26	2174
3.000	3.751	0.500	66	2120	3.000	4.003	0.375	62	2174
3.000	3.751	0.500	66	2170	3.000	4.003	0.375	63	2174
3.000	3.751	0.594	63F1	7542	3.000	4.003	0.375	66	2174
3.000	3.751	0.687	63R2	6543	3.000	4.003	0.375	67	2174
3.000	3.813	1.007	IGSPB	7070	3.000	4.003	0.375	68	2174
3.000	3.818	1.375	EQSPB	7023	3.000	4.003	0.437	62	2175
3.000	3.825	1.062	EQSPB	7010	3.000	4.003	0.438	63	2175
3.000	3.875	0.500	23	2173	3.000	4.003	0.500	23	2176
3.000	3.875	0.500	61	2173	3.000	4.003	0.500	25	2176
3.000	3.875	0.500	EQ	2173	3.000	4.003	0.500	62	2176
3.000	3.875	0.625	EQ	2172	3.000	4.003	0.500	63	2176
3.000	3.875	0.625	EQ	2172	3.000	4.003	0.594	63F1	7328
3.000	3.875	0.750	IG	4328	3.000	4.003	0.625	EQ	3570
3.000	3.876	0.375	23	2171	3.000	4.003	0.687	63R1	7197
3.000	3.876	0.375	26	2171	3.000	4.003	0.687	63R2	7197
3.000	3.876	0.375	62	2171	3.000	4.003	0.687	63T2	7197
3.000	3.876	0.375	63	2171	3.000	4.003	0.687	63TB	7197
3.000	3.876	0.375	66	2171	3.000	4.003	0.687	66R2	7197
3.000	3.876	0.438	62	2172	3.000	4.008	0.625	EQ	2171
3.000	3.876	0.438	63	2172	3.000	4.062	0.375	23	9230
3.000	3.876	0.500	63	2173	3.000	4.070	0.500	23	4607
3.000	3.876	0.500	66	2173	3.000	4.125	0.375	23	6868
3.000	3.876	0.687	63T2	7153	3.000	4.125	0.437	26	2187
3.000	3.880	0.594	26R1	4946	3.000	4.125	0.438	26R1	2187
3.000	3.881	0.625	EQ	1216	3.000	4.125	0.500	23	2177
3.000	3.937	0.375	23	7941	3.000	4.125	0.500	53	2177
3.000	3.937	0.375	63	7941	3.000	4.125	0.500	26R1	2177
3.000	3.937	0.500	62	1937	3.000	4.125	0.500	62	2177

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.000	4.125	0.500	EQ	2177	3.000	5.875	0.750	IG	5215
3.000	4.125	0.563	53	2178	3.006	4.006	0.625	EQ	2950
3.000	4.125	0.625	EQ	2179	3.008	4.008	0.750	IG	5403
3.000	4.125	0.719	53F1	5059	3.010	4.010	0.625	EQ	3138
3.000	4.125	0.750	IG	4361	3.015	4.015	0.625	EQ	3096
3.000	4.125	0.906	53R1	7255	3.016	4.016	0.750	IG	5455
3.000	4.125	0.906	53R2	7255	3.062	3.810	1.062	EQSPB	7005
3.000	4.249	0.500	53	2180	3.062	4.000	0.500	23	2108
3.000	4.249	0.500	62	2180	3.062	4.003	0.375	62	8876
3.000	4.249	0.625	53	2182	3.062	4.003	0.375	76	8876
3.000	4.250	0.375	24	8245	3.062	4.062	0.375	94	9622
3.000	4.250	0.500	23	4804	3.062	4.062	0.625	EQ	2201
3.000	4.250	0.500	25	4804	3.062	4.125	0.437	23	1895
3.000	4.250	0.500	26	2180	3.062	4.125	0.500	53	2201
3.000	4.250	0.500	61	4804	3.062	4.125	0.500	62	2201
3.000	4.250	0.625	23	9724	3.062	4.125	0.562	53	2202
3.000	4.250	0.625	53	9724	3.062	4.249	0.500	53	2204
3.000	4.250	0.625	EQ	9724	3.062	4.331	0.500	53	7944
3.000	4.331	0.500	53	6435	3.062	4.500	0.500	53	2210
3.000	4.375	0.375	23	9649	3.062	4.625	0.500	53	2213
3.000	4.375	0.500	23	2183	3.062	4.724	0.500	53	7945
3.000	4.375	0.500	53	2183	3.062	4.875	0.500	53	2219
3.000	4.375	0.500	62	2183	3.062	4.875	0.625	53	2221
3.000	4.375	0.562	53	2184	3.062	4.999	0.500	53	2222
3.000	4.375	0.750	IG	4507	3.063	3.813	1.007	IGSPB	7084
3.000	4.500	0.500	23	2186	3.063	4.063	0.500	23	2200
3.000	4.500	0.500	26	2186	3.063	4.063	0.750	IG	4285
3.000	4.500	0.500	53	2186	3.063	4.125	0.500	23	2201
3.000	4.500	0.500	62	2186	3.063	4.125	0.500	61	2177
3.000	4.500	0.562	53	4546	3.070	3.937	0.437	23	4769
3.000	4.500	0.625	25	2188	3.071	3.937	0.625	EQ	3024
3.000	4.500	0.625	53	2188	3.071	4.071	0.500	23	7144
3.000	4.500	0.625	EQ	2091	3.071	4.331	0.750	IG	5395
3.000	4.500	0.719	53F1	7402	3.071	4.571	0.500	23	4954
3.000	4.500	0.750	IG	5333	3.075	4.325	0.625	EQ	2643
3.000	4.500	0.906	53T2	6511	3.122	4.000	0.625	EQ	2209
3.000	4.500	0.937	53T2	5758	3.125	3.625	0.109	71	6553
3.000	4.500	0.969	53T2	7551	3.125	3.750	0.312	61	1565
3.000	4.617	0.625	EQ	2492	3.125	3.750	0.500	61	1566
3.000	4.625	0.500	53	2189	3.125	3.875	0.375	21	7213
3.000	4.724	0.500	53	7942	3.125	3.875	0.375	23	7213
3.000	4.750	0.500	25	2192	3.125	3.875	0.375	26	7213
3.000	4.750	0.500	53	2192	3.125	3.875	0.500	61	1568
3.000	4.875	0.500	53	2195	3.125	3.875	0.750	IG	4775
3.000	4.910	0.750	IG	4352	3.125	4.000	0.375	61	1569
3.000	4.922	0.500	53	7879	3.125	4.000	0.500	23	5209
3.000	4.922	0.625	53	6649	3.125	4.000	0.625	EQ	2222
3.000	4.999	0.500	53	2198	3.125	4.000	0.625	IG	2222
3.000	4.999	0.500	62	2198	3.125	4.003	0.750	IG	5362
3.000	5.000	0.500	26	2198	3.125	4.008	0.375	23	3172
3.000	5.000	0.750	IG	5423	3.125	4.125	0.375	3	3104
3.000	5.875	0.750	IG	5215	3.125	4.125	0.437	23	6102

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.125	4.125	0.500	23	2225	3.149	4.500	0.625	EQ	1813
3.125	4.125	0.500	26	2225	3.149	4.724	0.750	IG	5487
3.125	4.125	0.500	53	2225	3.150	3.937	0.394	23	1033
3.125	4.125	0.500	58	2225	3.150	3.937	0.394	26R1	1033
3.125	4.125	0.500	61	2225	3.150	3.937	0.394	61	1033
3.125	4.125	0.500	62	2225	3.150	3.937	0.394	61	1033
3.125	4.125	0.562	53	2226	3.150	3.937	0.500	62	1938
3.125	4.125	0.625	EQ	2223	3.150	3.937	0.512	26	2238
3.125	4.125	0.750	IG	4114	3.150	3.937	0.625	EQ	2240
3.125	4.125	0.906	53R2	6739	3.150	3.937	0.625	EQ	2240
3.125	4.125	0.906	53T2	6739	3.150	3.937	0.690	EQ	3674
3.125	4.130	0.625	EQ	1207	3.150	3.937	0.750	IG	4798
3.125	4.249	0.438	26R1	2216	3.150	4.134	0.394	61	2411
3.125	4.249	0.500	23	2228	3.150	4.134	0.472	92	0825
3.125	4.249	0.562	53	2229	3.150	4.134	0.512	26	2215
3.125	4.249	0.625	53	2230	3.150	4.134	0.512	26R1	2215
3.125	4.249	0.719	53F1	5162	3.150	4.134	0.625	EQ	2272
3.125	4.249	.500	53	2228	3.150	4.135	0.750	IG	4728
3.125	4.250	0.375	23	6862	3.150	4.150	0.750	IG	5141
3.125	4.250	0.500	23	5025	3.150	4.249	0.438	23	4768
3.125	4.250	0.500	26	0914	3.150	4.250	0.750	IG	4574
3.125	4.250	0.625	23	7682	3.150	4.330	0.237	26	2243
3.125	4.250	0.625	26	7682	3.150	4.331	0.394	92	0831
3.125	4.250	0.625	EQ	7682	3.150	4.331	0.472	23	7426
3.125	4.250	0.750	IG	5066	3.150	4.331	0.472	53	7426
3.125	4.250	0.750	IG	5066	3.150	4.331	0.500	23	1998
3.125	4.331	0.500	53	7947	3.150	4.331	0.625	EQ	3593
3.125	4.375	0.500	23	2231	3.150	4.331	0.625	EQ	3593
3.125	4.375	0.500	53	2231	3.150	4.528	0.500	EQ	2239
3.125	4.375	0.500	61	2231	3.150	4.724	0.750	IG	5293
3.125	4.375	0.500	62	2231	3.150	5.118	0.625	EQ	5269
3.125	4.375	0.625	EQ	2224	3.156	4.250	0.750	IG	4655
3.125	4.500	0.438	23	2358	3.158	4.158	0.625	IG	5218
3.125	4.500	0.500	23	2234	3.158	4.158	0.750	IG	5169
3.125	4.500	0.500	53	2234	3.167	4.167	0.500	23	9704
3.125	4.500	0.500	61	2234	3.185	4.185	0.625	EQ	3962
3.125	4.500	0.625	53	2236	3.187	4.132	0.500	23	5132
3.125	4.506	0.500	26R1	2217	3.187	4.187	0.375	23	7656
3.125	4.625	0.500	26	2237	3.187	4.187	0.500	23	4948
3.125	4.625	0.500	53	2237	3.187	4.249	0.500	23	2249
3.125	4.625	0.500	62	2237	3.187	4.249	0.500	53	2249
3.125	4.724	0.500	53	7948	3.187	4.249	0.500	66	2249
3.125	4.750	0.500	53	2240	3.187	4.249	0.562	53	2250
3.125	4.875	0.500	53	2243	3.187	4.249	0.625	53	2251
3.125	4.875	0.969	53F1	7181	3.187	4.249	0.906	53R1	6461
3.125	4.875	0.969	53T2	7181	3.187	4.249	0.906	53R2	6461
3.125	4.999	0.500	53	2246	3.187	4.249	0.969	53T2	5941
3.125	4.999	0.906	53R2	6968	3.187	4.312	0.625	EQ	3005
3.140	4.140	0.750	IG	4888	3.187	4.331	0.500	53	7950
3.142	4.142	0.750	IG	5055	3.187	4.375	0.500	23	2252
3.149	3.942	0.625	EQ	1739	3.187	4.375	0.500	53	2252
3.149	4.122	0.750	IG	5313	3.187	4.375	0.500	66	2252

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.187	4.375	0.562	53	2253	3.250	4.000	0.375	67	5551
3.187	4.375	0.625	53	2254	3.250	4.000	0.437	61	1574
3.187	4.437	0.375	23	0521	3.250	4.000	0.438	26	2265
3.187	4.499	0.468	EQ	1759	3.250	4.000	0.500	61	1577
3.187	4.500	0.500	26	3415	3.250	4.000	0.625	EQ	1028
3.187	4.500	0.500	53	2255	3.250	4.000	0.625	EQ	1028
3.187	4.500	0.500	58	2255	3.250	4.000	0.690	EQ	2855
3.187	4.500	0.500	66	2255	3.250	4.000	0.750	IG	4186
3.187	4.500	0.562	53	2257	3.250	4.003	0.625	EQ	1237
3.187	4.625	0.625	53	2260	3.250	4.030	0.750	IG	5498
3.187	4.724	0.500	53	8121	3.250	4.125	0.437	23	6121
3.187	4.750	0.500	53	2261	3.250	4.125	0.500	23	5426
3.187	4.750	0.500	62	2261	3.250	4.125	0.562	26	2269
3.187	4.750	0.500	66	2261	3.250	4.225	0.375	23	1586
3.187	4.750	0.500	94	2261	3.250	4.249	0.375	3	3221
3.187	4.875	0.500	53	2264	3.250	4.249	0.375	23	8233
3.187	4.875	0.500	66	2264	3.250	4.249	0.375	26	8233
3.187	4.999	0.500	53	2267	3.250	4.249	0.500	23	2270
3.187	4.999	0.500	66	2267	3.250	4.249	0.500	53	2270
3.187	4.999	0.969	53T2	8608	3.250	4.249	0.500	62	2270
3.187	5.000	0.500	26	2267	3.250	4.249	0.562	53	2271
3.188	3.250	0.625	EQ	2474	3.250	4.249	0.625	53	2272
3.188	3.688	0.625	IG	5136	3.250	4.249	0.719	53F1	6584
3.188	4.188	0.750	IG	4286	3.250	4.249	0.750	53F1	7670
3.188	4.249	0.625	EQ	5047	3.250	4.249	0.906	53R1	6708
3.188	4.249	0.625	EQ	5047	3.250	4.249	0.906	53R2	6708
3.188	4.250	0.375	61	1571	3.250	4.249	0.937	53F1	5512
3.188	4.250	0.750	IG	4550	3.250	4.250	0.375	21	6356
3.188	4.312	0.750	IG	5044	3.250	4.250	0.375	23	6356
3.188	4.335	1.000	IGSPB	5131	3.250	4.250	0.375	25	6356
3.188	4.335	1.124	IGSPB	7108	3.250	4.250	0.437	23	6839
3.188	4.335	1.298	EQSPB	7119	3.250	4.250	0.437	26	6839
3.188	4.335	1.312	EQSPB	7131	3.250	4.250	0.500	23	7374
3.188	4.340	0.305	26	2218	3.250	4.250	0.500	26	7374
3.188	4.500	0.500	23	2255	3.250	4.250	0.500	61	7374
3.188	4.999	0.438	26R1	2669	3.250	4.250	0.500	61	7374
3.188	5.000	0.625	EQ	3777	3.250	4.250	0.625	23	2272
3.189	4.252	0.750	IG	5213	3.250	4.250	0.625	EQ	2280
3.201	4.201	0.625	EQ	3017	3.250	4.250	0.625	EQ	2280
3.206	4.250	0.500	23	8586	3.250	4.250	0.750	IG	4154
3.218	4.468	0.500	23	9830	3.250	4.250	0.750	IG	4154
3.225	3.975	0.375	26	2111	3.250	4.250	0.969	53R2	7419
3.228	4.102	0.375	23	1986	3.250	4.250	0.969	53T2	7419
3.228	4.448	0.625	EQ	3109	3.250	4.263	0.437	92	6313
3.228	4.488	0.500	23	1590	3.250	4.312	0.500	23	1589
3.238	4.180	0.500	23	2385	3.250	4.313	0.625	EQ	3009
3.250	3.812	0.109	71	8810	3.250	4.331	0.500	53	7952
3.250	3.875	0.312	61	1572	3.250	4.335	1.124	IGSPB	7096
3.250	3.875	0.312	61	1572	3.250	4.335	1.312	EQSPB	7050
3.250	3.875	0.375	61	2318	3.250	4.375	0.500	23	2273
3.250	3.940	0.250	76	6591	3.250	4.375	0.500	53	2273
3.250	4.000	0.250	26	2262	3.250	4.375	0.500	61	2273

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.250	4.375	0.500	62	2273	3.312	4.375	0.500	62	2297
3.250	4.375	0.625	EQ	2286	3.312	4.375	0.625	53	2299
3.250	4.375	0.906	53TF	7784	3.312	4.375	0.625	EQ	3966
3.250	4.500	0.375	3	3254	3.312	4.500	0.468	23	2301
3.250	4.500	0.438	23	5460	3.312	4.500	0.500	53	2300
3.250	4.500	0.500	23	2276	3.312	4.500	0.625	53	2302
3.250	4.500	0.500	53	2276	3.312	4.500	0.719	53F1	0238
3.250	4.500	0.500	61	2276	3.312	4.625	0.500	53	2303
3.250	4.500	0.500	62	2276	3.312	4.724	0.500	53	6628
3.250	4.500	0.562	53	2277	3.312	4.725	0.500	53	7906
3.250	4.500	0.625	53	2278	3.312	4.750	0.500	53	2306
3.250	4.500	0.718	53F1	7313	3.312	4.875	0.500	53	2309
3.250	4.500	0.750	IG	4425	3.312	4.999	0.500	53	2312
3.250	4.500	0.750	IG	4425	3.312	5.000	0.468	26	2305
3.250	4.500	0.843	53R2	8700	3.312	5.118	0.500	53	7957
3.250	4.500	0.906	53R2	6528	3.312	5.125	0.500	53	2315
3.250	4.543	0.500	23	1778	3.312	5.250	0.500	53	0989
3.250	4.625	0.500	23	2279	3.313	4.125	0.625	EQ	2296
3.250	4.625	0.500	53	2279	3.313	4.125	0.750	IG	4113
3.250	4.724	0.500	53	7953	3.313	4.130	0.625	EQ	1209
3.250	4.750	0.437	23	5160	3.313	4.313	0.750	IG	4287
3.250	4.750	0.500	23	2282	3.313	4.375	0.500	61	2297
3.250	4.750	0.500	53	2282	3.313	4.375	0.750	IG	4477
3.250	4.750	0.500	61	2282	3.313	4.500	0.500	23	2300
3.250	4.750	0.500	62	2282	3.313	4.500	0.625	EQ	2304
3.250	4.750	0.562	53	2283	3.320	4.132	0.450	61	2562
3.250	4.750	0.625	53	2284	3.335	4.335	0.625	EQ	3139
3.250	4.812	0.500	113	4558	3.335	4.335	0.750	IG	5087
3.250	4.875	0.500	53	2285	3.343	4.343	0.375	23	8693
3.250	4.875	0.625	53	2287	3.343	4.343	0.500	23	6752
3.250	4.999	0.500	53	2288	3.345	4.304	0.625	EQ	3299
3.250	4.999	0.625	EQ	4461	3.345	4.320	0.750	IG	4722
3.250	4.999	0.906	53R2	8441	3.346	3.937	0.690	EQ	5104
3.250	5.118	0.500	53	7955	3.346	4.134	0.500	26	2310
3.250	5.125	0.500	53	2291	3.346	4.134	0.625	EQ	2523
3.250	5.125	0.844	52R1	5094	3.346	4.321	0.625	EQ	3045
3.280	4.280	0.375	23	5682	3.346	4.330	0.625	EQ	3161
3.307	4.331	0.551	26	2562	3.346	4.331	0.394	61	1854
3.307	4.331	0.625	EQ	1988	3.346	4.331	0.472	23	2214
3.307	4.331	0.625	EQ	1988	3.346	4.331	0.472	26	2214
3.312	4.125	0.438	23	9539	3.346	4.331	0.492	23	2137
3.312	4.125	0.500	23	4879	3.346	4.331	0.500	23	5650
3.312	4.125	0.690	EQ	2846	3.346	4.331	0.512	26	5343
3.312	4.213	0.750	IG	4826	3.346	4.331	0.625	EQ	3161
3.312	4.250	0.437	23	6128	3.346	4.331	0.750	IG	4193
3.312	4.250	0.500	23	1628	3.346	4.331	0.750	IG	4193
3.312	4.312	0.375	23	7591	3.346	4.335	0.750	IG	5398
3.312	4.312	0.500	23	7841	3.346	4.370	0.694	IGSPB	7142
3.312	4.331	0.500	53	6903	3.346	4.375	0.625	EQ	1814
3.312	4.375	0.500	23	2297	3.346	4.437	0.500	23	5777
3.312	4.375	0.500	26	2297	3.346	4.528	0.512	92	0833
3.312	4.375	0.500	53	2297	3.346	4.528	0.551	EQ	3584

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.346	4.528	0.630	EQ	2311	3.375	4.625	0.500	53	2327
3.346	4.724	0.472	23	7394	3.375	4.625	0.500	62	2327
3.346	4.724	0.472	53	7394	3.375	4.625	0.625	53	2329
3.346	4.724	0.472	26R1	7394	3.375	4.625	0.750	IG	5058
3.346	4.724	0.625	EQ	5521	3.375	4.626	0.563	26	2318
3.346	4.921	0.472	53	7399	3.375	4.724	0.500	53	7868
3.346	4.921	0.750	IG	4816	3.375	4.750	0.500	23	2330
3.346	5.118	0.500	94	6314	3.375	4.750	0.500	53	2330
3.346	5.118	0.625	EQ	5110	3.375	4.750	0.750	53F1	5332
3.347	4.500	0.625	EQ	1911	3.375	4.875	0.500	23	2333
3.360	5.000	0.625	EQ	2527	3.375	4.875	0.500	53	2333
3.375	4.000	0.312	61	1580	3.375	4.999	0.500	53	2336
3.375	4.125	0.690	EQ	3767	3.375	4.999	0.500	62	2336
3.375	4.125	0.750	IG	4385	3.375	5.000	0.469	26	2319
3.375	4.250	0.375	26	0839	3.375	5.118	0.500	53	7959
3.375	4.250	0.500	23	7642	3.375	5.125	0.500	53	2339
3.375	4.250	0.625	EQ	2316	3.375	5.250	0.500	53	2342
3.375	4.335	0.770	IGSPB	5124	3.375	5.250	0.750	IG	4354
3.375	4.335	0.990	IGSPB	5272	3.375	5.290	0.625	EQ	3646
3.375	4.355	0.375	26	1375	3.375	6.500	0.625	54	9733
3.375	4.375	0.375	23	9056	3.380	4.000	0.690	EQ	2973
3.375	4.375	0.438	23	4688	3.385	4.385	0.625	EQ	3101
3.375	4.375	0.500	23	2321	3.386	5.118	0.750	IG	4748
3.375	4.375	0.500	26	2321	3.386	5.315	0.750	IG	4750
3.375	4.375	0.500	53	2321	3.400	4.400	0.750	IG	4325
3.375	4.375	0.500	61	2321	3.402	4.375	0.625	EQ	3334
3.375	4.375	0.500	62	2321	3.408	4.500	0.625	EQ	2332
3.375	4.375	0.500	EQ	2321	3.420	4.375	0.750	IG	5133
3.375	4.375	0.625	53	2323	3.420	4.500	0.750	IG	4603
3.375	4.375	0.625	EQ	2322	3.425	4.685	0.492	26	4224
3.375	4.375	0.625	EQ	2322	3.430	4.625	0.458	23	1087
3.375	4.375	0.687	53F1	9209	3.432	4.624	0.484	113	8800
3.375	4.375	0.750	IG	0774	3.435	5.000	0.500	26	4710
3.375	4.375	0.906	53T2	7357	3.437	4.437	0.375	23	7075
3.375	4.400	0.750	IG	5607	3.437	4.437	0.437	23	7438
3.375	4.437	0.375	23	4797	3.437	4.437	0.500	23	6355
3.375	4.500	0.375	23	9614	3.437	4.500	0.375	23	0996
3.375	4.500	0.500	23	2324	3.437	4.500	0.437	23	1440
3.375	4.500	0.500	25	2324	3.437	4.500	0.437	61	1440
3.375	4.500	0.500	26	2324	3.437	4.500	0.500	26	2345
3.375	4.500	0.500	53	2324	3.437	4.500	0.500	53	2345
3.375	4.500	0.500	61	2324	3.437	4.500	0.500	62	2345
3.375	4.500	0.500	62	2324	3.437	4.500	0.719	53F1	5319
3.375	4.500	0.562	53	2325	3.437	4.500	0.906	53R1	5183
3.375	4.500	0.625	53	2326	3.437	4.500	0.906	53R2	5183
3.375	4.500	0.625	EQ	2326	3.437	4.523	1.312	EQSPB	7147
3.375	4.500	0.625	EQ	2326	3.437	4.625	0.500	23	2348
3.375	4.500	0.719	53F1	7289	3.437	4.625	0.500	53	2348
3.375	4.500	0.750	IG	4379	3.437	4.625	0.500	62	2348
3.375	4.500	0.750	IG	4379	3.437	4.687	0.500	23	6357
3.375	4.625	0.375	23	9954	3.437	4.724	0.500	53	7960
3.375	4.625	0.500	23	2327	3.437	4.750	0.500	53	2351

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.437	4.750	0.625	53	2353	3.500	4.125	0.500	61	1595
3.437	4.875	0.437	23	2943	3.500	4.125	0.625	IG	4893
3.437	4.875	0.500	53	2354	3.500	4.250	0.500	61	1599
3.437	4.875	0.625	53	2356	3.500	4.375	0.375	23	2364
3.437	4.875	0.719	53F1	6159	3.500	4.375	0.375	26	2364
3.437	4.921	0.625	53	5535	3.500	4.375	0.500	23	6285
3.437	4.937	0.500	23	9944	3.500	4.375	0.500	25	6285
3.437	4.999	0.500	53	2357	3.500	4.375	0.500	61	6285
3.437	5.000	0.500	23	4710	3.500	4.375	0.625	EQ	2378
3.437	5.000	0.500	25	4710	3.500	4.375	0.750	IG	4214
3.437	5.118	0.500	53	7962	3.500	4.375	0.750	IG	4214
3.437	5.125	0.500	53	2360	3.500	4.376	0.375	3	3460
3.437	5.125	0.625	53	2362	3.500	4.390	0.336	21	6559
3.437	5.125	0.625	EQ	3753	3.500	4.437	0.312	26	3981
3.437	5.250	0.500	53	2363	3.500	4.437	0.500	23	1296
3.437	5.250	0.625	53	2365	3.500	4.458	1.312	EQSPB	7036
3.438	4.125	0.437	61	1583	3.500	4.475	0.500	23	1444
3.438	4.313	0.625	EQ	3344	3.500	4.500	0.375	3	3478
3.438	4.333	1.102	IGSPB	7086	3.500	4.500	0.375	23	6358
3.438	4.338	1.375	EQSPB	7033	3.500	4.500	0.437	26	2377
3.438	4.438	0.625	EQ	2577	3.500	4.500	0.468	23	4640
3.438	4.438	0.625	EQ	2577	3.500	4.500	0.469	66	4640
3.438	4.438	0.750	IG	4288	3.500	4.500	0.500	23	2366
3.438	4.458	1.312	EQSPB	7025	3.500	4.500	0.500	25	2366
3.438	4.460	0.500	23	2965	3.500	4.500	0.500	26	2366
3.438	4.460	1.124	IGSPB	7112	3.500	4.500	0.500	53	2366
3.438	4.500	0.500	23	2345	3.500	4.500	0.500	61	2366
3.438	4.500	0.500	61	2345	3.500	4.500	0.500	61	2366
3.438	4.500	0.750	IG	4650	3.500	4.500	0.500	61	2366
3.438	4.523	1.124	IGSPB	7113	3.500	4.500	0.500	62	2366
3.438	4.562	0.375	23	0823	3.500	4.500	0.500	66	2366
3.438	4.600	0.500	23	1906	3.500	4.500	0.500	EQ	2366
3.438	4.625	0.500	26	2348	3.500	4.500	0.562	53	2367
3.438	4.625	0.500	EQ	2348	3.500	4.500	0.562	62	2367
3.438	4.625	0.625	EQ	2335	3.500	4.500	0.625	26	2368
3.438	4.626	0.625	EQ	2335	3.500	4.500	0.625	53	2368
3.438	4.875	0.625	26	2356	3.500	4.500	0.625	EQ	2368
3.438	5.000	0.750	IG	5592	3.500	4.500	0.625	EQ	2368
3.450	4.500	0.625	EQ	2944	3.500	4.500	0.719	53F1	7115
3.464	4.331	0.500	23	1772	3.500	4.500	0.750	IG	4156
3.464	4.500	0.750	IG	5090	3.500	4.500	0.750	IG	4156
3.465	4.331	0.472	92	0834	3.500	4.500	0.812	53R1	5300
3.465	4.331	0.591	26R1	0846	3.500	4.500	0.906	53R1	6534
3.465	4.729	0.500	23	1768	3.500	4.500	0.906	53R2	6534
3.469	4.500	0.500	23	9015	3.500	4.500	0.906	53T2	6534
3.469	4.500	0.500	62	9015	3.500	4.523	1.124	IGSPB	7097
3.469	4.500	0.625	23	7468	3.500	4.625	0.375	23	5122
3.475	4.500	0.375	23	4686	3.500	4.625	0.500	53	2369
3.500	3.876	0.187	71	7095	3.500	4.625	0.500	62	2369
3.500	4.003	0.250	71	7096	3.500	4.625	0.500	66	2369
3.500	4.062	0.109	71	9668	3.500	4.625	0.562	53	2370
3.500	4.125	0.312	61	1591	3.500	4.625	0.625	53	2371

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.500	4.625	0.625	EQ	1882	3.542	4.542	0.375	23	5100
3.500	4.721	0.375	26R1	2862	3.543	4.330	0.472	26R1	2437
3.500	4.724	0.500	53	7963	3.543	4.330	0.511	26	5002
3.500	4.750	0.375	23	7578	3.543	4.331	0.394	61	1856
3.500	4.750	0.375	24	7578	3.543	4.331	0.394	61	1856
3.500	4.750	0.500	23	2372	3.543	4.331	0.394	61	1856
3.500	4.750	0.500	25	2372	3.543	4.331	0.625	EQ	3265
3.500	4.750	0.500	53	2372	3.543	4.500	0.625	EQ	1815
3.500	4.750	0.500	61	2372	3.543	4.527	0.491	23	8803
3.500	4.750	0.500	62	2372	3.543	4.527	0.500	23	4846
3.500	4.750	0.500	66	2372	3.543	4.527	0.512	26R1	5344
3.500	4.750	0.562	53	2373	3.543	4.528	0.472	23	9963
3.500	4.750	0.625	53	2374	3.543	4.528	0.512	26	5344
3.500	4.750	0.625	EQ	2374	3.543	4.543	0.625	IG	2405
3.500	4.750	0.625	EQ	2374	3.543	4.543	0.750	IG	5479
3.500	4.750	0.843	53R1	7269	3.543	4.724	0.472	23	7839
3.500	4.750	0.906	53R1	5008	3.543	4.724	0.472	53	7839
3.500	4.750	0.906	53TF	5008	3.543	4.724	0.472	92	7839
3.500	4.750	0.969	53TB	7230	3.543	4.724	0.500	23	8429
3.500	4.812	0.500	23	1034	3.543	4.724	0.500	53	8429
3.500	4.875	0.500	53	2375	3.543	4.724	0.511	26	2457
3.500	4.875	0.500	66	2375	3.543	4.724	0.625	EQ	2902
3.500	4.875	0.625	EQ	5461	3.543	4.724	0.625	EQ	2902
3.500	4.875	0.625	EQ	5461	3.543	4.724	0.750	IG	4758
3.500	4.875	0.969	53R1	7611	3.543	4.724	0.750	IG	4758
3.500	4.875	0.969	53T2	7611	3.543	4.960	0.750	IG	4844
3.500	4.921	0.562	53	8877	3.544	4.565	0.625	EQ	5382
3.500	4.999	0.375	23	4745	3.550	4.550	0.750	IG	4715
3.500	4.999	0.500	53	2378	3.562	4.438	0.438	23	2406
3.500	4.999	0.500	66	2378	3.562	4.500	0.625	EQ	3240
3.500	4.999	0.625	53	2380	3.562	4.562	0.375	23	1988
3.500	4.999	0.719	53F1	7332	3.562	4.625	0.375	23	6923
3.500	4.999	0.906	53R2	7324	3.562	4.625	0.500	23	2393
3.500	5.000	0.500	23	7253	3.562	4.625	0.500	53	2393
3.500	5.000	0.500	53	7253	3.562	4.625	0.500	62	2393
3.500	5.118	0.500	53	7965	3.562	4.625	0.625	EQ	5449
3.500	5.125	0.500	53	2381	3.562	4.625	0.625	EQ	5449
3.500	5.125	0.500	66	2381	3.562	4.625	0.906	53R1	6545
3.500	5.250	0.500	53	2384	3.562	4.625	0.906	53R2	6545
3.500	5.250	0.500	66	2384	3.562	4.724	0.500	53	8126
3.500	5.250	0.625	53	2386	3.562	4.750	0.500	23	2396
3.500	5.250	0.750	IG	5381	3.562	4.750	0.500	53	2396
3.500	5.375	0.500	53	2387	3.562	4.750	0.500	62	2396
3.500	5.375	0.500	66	2387	3.562	4.750	0.562	53	2397
3.500	5.500	0.500	53	2390	3.562	4.750	0.625	53	2398
3.500	5.500	0.500	66	2390	3.562	4.751	0.625	EQ	1174
3.500	5.500	0.625	53	2392	3.562	4.812	0.500	23	5933
3.500	5.807	0.828	IGSPB	7114	3.562	4.812	0.500	24	5933
3.500	6.375	0.375	26	1665	3.562	4.875	0.500	53	2399
3.526	4.526	0.625	EQ	2261	3.562	4.999	0.500	53	2402
3.535	4.500	0.750	IG	4491	3.562	4.999	0.500	62	2402
3.537	4.500	0.500	26	1968	3.562	5.118	0.500	53	7967

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.562	5.125	0.500	53	2405	3.625	4.875	0.844	53R1	9401
3.562	5.250	0.500	53	2408	3.625	4.999	0.500	23	2426
3.562	5.250	0.500	62	2408	3.625	4.999	0.500	53	2426
3.562	5.250	0.906	53R1	7905	3.625	4.999	0.625	53	2428
3.562	5.500	0.500	53	2414	3.625	5.000	0.500	23	2415
3.562	7.250	0.562	54	6008	3.625	5.000	0.562	53	5582
3.563	4.500	0.437	61	1601	3.625	5.000	0.719	53F1	5646
3.563	4.500	0.469	23	1029	3.625	5.118	0.500	53	7970
3.563	4.500	0.500	61	1604	3.625	5.125	0.500	23	2429
3.563	4.500	0.750	IG	5165	3.625	5.125	0.500	53	2429
3.563	4.563	0.500	23	5051	3.625	5.250	0.500	26	2432
3.563	4.563	0.750	IG	4289	3.625	5.250	0.500	53	2432
3.580	4.916	0.750	IG	5314	3.625	5.250	0.500	26R1	2432
3.605	4.625	0.750	IG	5210	3.625	5.375	0.500	53	2435
3.625	4.250	0.312	61	1605	3.625	5.500	0.500	53	2438
3.625	4.333	1.102	IGSPB	7071	3.625	5.500	0.969	53T2	6505
3.625	4.375	0.625	EQ	1080	3.634	4.625	0.750	IG	5296
3.625	4.499	0.468	EQ	1751	3.681	4.681	0.500	23	1901
3.625	4.500	0.500	23	5313	3.681	5.000	0.500	23	2095
3.625	4.609	0.492	23	1515	3.687	4.560	0.750	IG	5258
3.625	4.625	0.375	23	6359	3.687	4.687	0.375	23	8639
3.625	4.625	0.437	23	1022	3.687	4.687	0.500	23	9104
3.625	4.625	0.500	23	2417	3.687	4.687	0.500	25	9104
3.625	4.625	0.500	26	2417	3.687	4.750	0.375	23	5749
3.625	4.625	0.500	53	2417	3.687	4.750	0.500	23	2441
3.625	4.625	0.500	61	2417	3.687	4.750	0.500	26	2441
3.625	4.625	0.500	62	2417	3.687	4.750	0.500	53	2441
3.625	4.625	0.562	53	2418	3.687	4.750	0.562	53	2442
3.625	4.625	0.625	53	2419	3.687	4.875	0.500	23	2444
3.625	4.625	0.625	EQ	2419	3.687	4.875	0.500	53	2444
3.625	4.625	0.625	EQ	2419	3.687	4.937	0.500	23	8159
3.625	4.625	0.719	53F1	6590	3.687	4.999	0.500	23	2447
3.625	4.625	0.719	53F1	6950	3.687	4.999	0.500	53	2447
3.625	4.625	0.750	IG	4157	3.687	5.118	0.500	53	7972
3.625	4.625	0.906	53R2	6901	3.687	5.125	0.500	23	2450
3.625	4.626	0.375	3	3568	3.687	5.125	0.500	53	2450
3.625	4.724	0.500	53	7968	3.687	5.250	0.500	53	2453
3.625	4.750	0.375	23	0692	3.687	5.250	0.781	53F1	8531
3.625	4.750	0.500	23	2420	3.687	5.375	0.500	53	2456
3.625	4.750	0.500	53	2420	3.687	5.500	0.500	53	2459
3.625	4.750	0.500	61	2420	3.688	4.688	0.625	EQ	2744
3.625	4.750	0.562	53	2421	3.688	4.688	0.750	IG	4290
3.625	4.750	0.562	62	2421	3.688	4.750	0.438	26	3037
3.625	4.750	0.625	26	2412	3.688	4.750	0.750	IG	4562
3.625	4.750	0.906	53R1	8396	3.688	4.999	0.500	26	2447
3.625	4.750	0.906	53R2	8396	3.688	5.000	0.500	23	5097
3.625	4.751	0.500	26R1	2420	3.712	4.712	0.500	23	9547
3.625	4.875	0.375	23	4864	3.719	5.094	0.500	23	4742
3.625	4.875	0.500	23	2423	3.720	4.720	0.500	23	1041
3.625	4.875	0.500	53	2423	3.731	4.731	0.750	IG	5057
3.625	4.875	0.562	53	2424	3.735	4.735	0.625	EQ	3072
3.625	4.875	0.625	53	2425	3.740	4.528	0.472	92	0850

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.740	4.724	0.394	61	1859	3.750	4.875	0.375	23	6619
3.740	4.724	0.472	23	9190	3.750	4.875	0.500	23	2465
3.740	4.724	0.472	92	9190	3.750	4.875	0.500	53	2465
3.740	4.724	0.511	26R1	6061	3.750	4.875	0.500	66	2465
3.740	4.724	0.625	EQ	3021	3.750	4.875	0.562	53	2466
3.740	4.724	0.625	EQ	3021	3.750	4.885	0.500	62	8168
3.740	4.725	0.472	26R1	9190	3.750	4.999	0.500	23	2468
3.740	4.740	0.375	23	1110	3.750	4.999	0.500	53	2468
3.740	4.740	0.500	23	6896	3.750	4.999	0.500	26R1	4654
3.740	4.740	0.750	IG	4506	3.750	4.999	0.500	66	2468
3.740	4.750	0.625	EQ	1816	3.750	4.999	0.562	53	2469
3.740	4.921	0.472	23	1010	3.750	4.999	0.625	53	2470
3.740	4.921	0.472	92	1010	3.750	4.999	0.906	53R2	6806
3.740	4.921	0.750	IG	4979	3.750	5.000	0.375	23	9089
3.740	4.990	0.375	24	5741	3.750	5.000	0.437	23	0802
3.740	4.990	0.500	23	7464	3.750	5.000	0.438	26	2477
3.740	5.118	0.472	92	0851	3.750	5.000	0.500	23	5079
3.740	5.118	0.625	EQ	2972	3.750	5.000	0.500	26	2478
3.740	5.512	0.750	IG	4751	3.750	5.000	0.500	61	5079
3.741	5.240	0.500	23	6250	3.750	5.000	0.625	EQ	2483
3.741	5.240	0.500	24	6250	3.750	5.000	0.750	IG	5364
3.750	4.312	0.109	71	9981	3.750	5.062	0.375	23	2016
3.750	4.375	0.312	61	7097	3.750	5.118	0.500	53	7974
3.750	4.375	0.312	71	7097	3.750	5.125	0.500	23	2471
3.750	4.375	0.500	61	1606	3.750	5.125	0.500	53	2471
3.750	4.375	0.690	EQ	4523	3.750	5.125	0.500	66	2471
3.750	4.500	0.375	61	2235	3.750	5.250	0.438	23	3256
3.750	4.500	0.625	EQ	2210	3.750	5.250	0.500	23	2474
3.750	4.625	0.375	23	9174	3.750	5.250	0.500	53	2474
3.750	4.732	0.405	23	1713	3.750	5.250	0.500	62	2474
3.750	4.750	0.250	76	7192	3.750	5.250	0.500	66	2474
3.750	4.750	0.375	23	7389	3.750	5.250	0.625	53	2476
3.750	4.750	0.375	25	7389	3.750	5.250	0.625	EQ	1095
3.750	4.750	0.438	23	4455	3.750	5.375	0.500	66	7249
3.750	4.750	0.500	23	2462	3.750	5.500	0.500	53	2480
3.750	4.750	0.500	25	2462	3.750	5.500	0.500	66	2480
3.750	4.750	0.500	26	2462	3.750	8.000	0.625	54	6009
3.750	4.750	0.500	53	2462	3.777	4.732	0.625	EQ	4696
3.750	4.750	0.500	58	2462	3.786	4.786	0.625	EQ	3039
3.750	4.750	0.500	61	2462	3.812	4.773	1.375	EQSPB	7044
3.750	4.750	0.500	61	2462	3.812	4.812	0.500	23	6464
3.750	4.750	0.500	62	2462	3.812	4.812	0.750	IG	4291
3.750	4.750	0.500	66	2462	3.812	4.875	0.500	23	2483
3.750	4.750	0.500	EQ	2462	3.812	4.875	0.500	53	2483
3.750	4.750	0.562	53	2463	3.812	4.875	0.750	IG	5476
3.750	4.750	0.625	53	2464	3.812	4.999	0.500	23	2486
3.750	4.750	0.625	113	2464	3.812	4.999	0.500	53	2486
3.750	4.750	0.625	EQ	2464	3.812	5.118	0.500	53	7976
3.750	4.750	0.690	EQ	3781	3.812	5.125	0.500	53	2489
3.750	4.750	0.750	IG	4158	3.812	5.250	0.500	53	2492
3.750	4.750	0.906	53R2	7440	3.812	5.312	0.500	23	9817
3.750	4.812	0.500	23	6960	3.812	5.375	0.500	23	2495

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.812	5.375	0.500	53	2495	3.907	5.118	0.500	23	0503
3.812	5.500	0.500	26	2498	3.916	5.234	0.500	23	2294
3.812	5.500	0.500	53	2498	3.922	4.922	0.500	23	9487
3.813	4.773	1.062	IGSPB	7087	3.933	4.933	0.500	23	4747
3.815	4.815	0.625	EQ	3185	3.934	4.934	0.625	EQ	3983
3.820	5.042	0.375	23	3096	3.934	5.120	0.625	EQ	4697
3.825	4.875	0.750	IG	4602	3.937	4.562	0.690	EQ	3271
3.847	5.063	0.375	23	0422	3.937	4.687	0.690	EQ	3557
3.850	4.875	0.750	IG	4622	3.937	4.724	0.394	92	0852
3.875	4.500	0.312	61	1607	3.937	4.724	0.433	58	4263
3.875	4.500	0.500	61	1611	3.937	4.724	0.472	61	2242
3.875	4.625	0.500	61	1613	3.937	4.724	0.472	61	2242
3.875	4.750	0.375	23	7746	3.937	4.724	0.500	23	9284
3.875	4.750	0.500	61	1614	3.937	4.724	0.512	26R1	9030
3.875	4.843	0.484	23	5959	3.937	4.724	0.625	EQ	1347
3.875	4.875	0.437	23	8592	3.937	4.734	0.511	26	4634
3.875	4.875	0.437	26	8592	3.937	4.812	0.375	23	7036
3.875	4.875	0.500	23	2501	3.937	4.875	0.500	23	5872
3.875	4.875	0.500	53	2501	3.937	4.875	0.625	EQ	3830
3.875	4.875	0.500	62	2501	3.937	4.883	0.625	EQ	2942
3.875	4.875	0.625	EQ	2503	3.937	4.900	0.625	EQ	2891
3.875	4.875	0.719	53F1	5201	3.937	4.906	0.484	23	8483
3.875	4.875	0.750	IG	4159	3.937	4.921	0.256	26	1907
3.875	4.875	0.906	53R2	5645	3.937	4.921	0.433	23	5363
3.875	4.876	0.375	3	3721	3.937	4.921	0.472	92	0860
3.875	4.999	0.500	53	2504	3.937	4.921	0.492	23	1875
3.875	4.999	0.500	62	2504	3.937	4.921	0.500	23	3248
3.875	4.999	0.625	53	2506	3.937	4.921	0.512	26R1	5345
3.875	5.000	0.375	23	9298	3.937	4.921	0.625	EQ	2230
3.875	5.000	0.468	26	2514	3.937	4.921	0.625	EQ	2230
3.875	5.000	0.500	23	4772	3.937	4.921	0.750	IG	4649
3.875	5.000	0.625	EQ	2506	3.937	4.921	0.750	IG	4649
3.875	5.000	0.625	EQ	2506	3.937	4.922	0.512	26	5345
3.875	5.062	0.375	23	4426	3.937	4.937	0.375	23	6709
3.875	5.085	1.375	EQSPB	7056	3.937	4.937	0.375	26R1	6709
3.875	5.118	0.500	53	7978	3.937	4.937	0.500	23	4817
3.875	5.125	0.500	23	2507	3.937	4.937	0.500	26	4817
3.875	5.125	0.500	53	2507	3.937	4.937	0.500	53	4817
3.875	5.250	0.500	23	2510	3.937	4.937	0.690	EQ	3000
3.875	5.250	0.500	53	2510	3.937	4.937	0.750	IG	4292
3.875	5.250	0.562	53	2511	3.937	4.955	1.252	EQSPB	7048
3.875	5.375	0.500	23	2513	3.937	4.960	0.750	IG	5072
3.875	5.375	0.500	26	2513	3.937	4.990	0.750	IG	5397
3.875	5.375	0.500	53	2513	3.937	4.999	0.500	23	2519
3.875	5.500	0.500	53	2516	3.937	4.999	0.500	53	2519
3.875	5.500	0.500	94	2516	3.937	4.999	0.500	62	2519
3.875	5.500	0.625	EQ	1961	3.937	4.999	0.562	53	2520
3.876	4.313	0.690	EQ	3752	3.937	4.999	0.625	53	2521
3.897	4.876	0.500	23	2259	3.937	4.999	0.750	IG	4641
3.900	4.900	0.625	EQ	3104	3.937	4.999	0.906	53R1	5049
3.900	5.200	0.500	23	1317	3.937	5.000	0.469	23	6129
3.906	5.000	0.500	23	1610	3.937	5.000	0.500	23	5913

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
3.937	5.000	0.625	EQ	2962	3.938	5.000	0.500	26	5913
3.937	5.062	0.375	23	9646	3.938	5.040	0.400	23	1000
3.937	5.062	0.375	26	9646	3.938	5.085	1.050	IGSPB	7133
3.937	5.062	0.500	23	6111	3.938	5.085	1.375	EQSPB	7057
3.937	5.118	0.472	23	1979	3.938	5.118	0.375	23	3229
3.937	5.118	0.472	53	7842	3.938	5.125	0.468	23	2548
3.937	5.118	0.472	92	7842	3.938	5.188	0.750	IG	4845
3.937	5.118	0.500	23	7979	3.938	5.250	0.500	61	2525
3.937	5.118	0.500	53	7979	3.938	5.250	0.750	IG	5128
3.937	5.118	0.512	61	7979	3.938	5.251	0.625	EQ	3474
3.937	5.118	0.625	EQ	1346	3.938	5.315	0.625	EQ	4091
3.937	5.118	0.625	EQ	1346	3.938	5.501	0.625	EQ	2046
3.937	5.118	0.750	IG	4859	3.938	5.643	1.125	EQSPB	7047
3.937	5.125	0.500	53	2522	3.938	5.807	0.828	IGSPB	5113
3.937	5.125	0.500	62	2522	3.938	6.250	0.500	61	1640
3.937	5.125	0.625	53	2524	3.948	4.948	0.625	EQ	3018
3.937	5.187	0.375	23	5444	3.950	4.950	0.500	23	1239
3.937	5.187	0.500	23	4776	3.976	5.551	0.630	26	4225
3.937	5.250	0.500	23	2525	4.000	4.500	0.250	71	9016
3.937	5.250	0.500	26	2525	4.000	4.500	0.250	92	9016
3.937	5.250	0.500	53	2525	4.000	4.500	0.625	IG	5137
3.937	5.250	0.625	53	2527	4.000	4.562	0.109	71	6325
3.937	5.250	0.625	EQ	3474	4.000	4.625	0.312	61	9879
3.937	5.256	0.468	23	1145	4.000	4.625	0.312	76	9879
3.937	5.312	0.500	23	6205	4.000	4.625	0.500	61	9879
3.937	5.328	1.375	EQSPB	7031	4.000	4.750	0.375	61	1643
3.937	5.375	0.500	53	2528	4.000	4.750	0.500	61	1488
3.937	5.375	0.906	53R1	8570	4.000	4.750	0.500	61	1488
3.937	5.437	0.500	23	7416	4.000	4.875	0.500	23	2554
3.937	5.500	0.500	53	2531	4.000	4.875	0.500	26R1	2554
3.937	5.500	0.500	62	2531	4.000	4.875	0.563	26	2590
3.937	5.512	0.625	EQ	5604	4.000	4.875	0.625	26	2591
3.937	5.625	0.500	53	2534	4.000	4.875	0.750	IG	5203
3.937	5.905	0.500	94	6323	4.000	4.897	0.500	23	4738
3.937	6.375	0.750	IG	4640	4.000	4.937	0.375	23	9851
3.938	4.724	0.750	IG	4980	4.000	4.937	0.500	23	2557
3.938	4.875	0.500	61	5872	4.000	4.999	0.375	3	4010
3.938	4.875	0.500	EQ	2533	4.000	4.999	0.500	23	2537
3.938	4.881	0.625	26R1	2494	4.000	4.999	0.500	53	2537
3.938	4.906	0.484	23	1746	4.000	4.999	0.500	62	2537
3.938	4.906	0.484	23	1766	4.000	4.999	0.500	66	2537
3.938	4.906	0.500	23	8790	4.000	4.999	0.625	53	2539
3.938	4.921	0.394	23	0811	4.000	4.999	0.718	53F1	6990
3.938	4.937	0.625	EQ	1144	4.000	4.999	0.906	53R2	6799
3.938	4.938	0.438	23	2523	4.000	5.000	0.375	21	6360
3.938	4.938	0.625	EQ	1144	4.000	5.000	0.375	23	6360
3.938	4.938	0.750	IG	4292	4.000	5.000	0.375	25	6360
3.938	4.957	1.375	EQSPB	7026	4.000	5.000	0.375	26	0978
3.938	4.960	1.062	IGSPB	7098	4.000	5.000	0.437	23	9662
3.938	4.986	1.375	EQSPB	7018	4.000	5.000	0.437	26	9662
3.938	4.999	0.438	23	2493	4.000	5.000	0.468	26	2592
3.938	5.000	0.400	23	1448	4.000	5.000	0.500	21	4651

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
4.000	5.000	0.500	23	4651	4.000	5.500	0.438	23	2553
4.000	5.000	0.500	25	4651	4.000	5.500	0.500	23	2549
4.000	5.000	0.500	26	4651	4.000	5.500	0.500	24	2549
4.000	5.000	0.500	61	4651	4.000	5.500	0.500	25	2549
4.000	5.000	0.500	61	4651	4.000	5.500	0.500	53	2549
4.000	5.000	0.500	62	4651	4.000	5.500	0.500	66	2549
4.000	5.000	0.500	88	4651	4.000	5.500	0.500	EQ	2549
4.000	5.000	0.500	88NS	4651	4.000	5.500	0.563	53	2550
4.000	5.000	0.500	EQ	4651	4.000	5.500	0.625	53	2551
4.000	5.000	0.625	26	2593	4.000	5.500	0.719	53F1	7448
4.000	5.000	0.625	EQ	2593	4.000	5.500	0.750	25	9665
4.000	5.000	0.625	EQ	2593	4.000	5.625	0.375	23	2985
4.000	5.000	0.750	IG	4160	4.000	5.625	0.500	53	2552
4.000	5.000	0.750	IG	4160	4.000	5.750	0.500	26	2555
4.000	5.031	0.375	23	9741	4.000	5.750	0.500	53	2555
4.000	5.031	0.500	23	9824	4.000	5.750	0.500	62	2555
4.000	5.118	0.500	53	7980	4.000	5.750	0.500	66	2555
4.000	5.125	0.375	23	8957	4.000	5.750	0.563	53	2556
4.000	5.125	0.500	23	2540	4.000	5.750	0.781	53F1	5492
4.000	5.125	0.500	53	2540	4.000	5.875	0.500	53	2558
4.000	5.125	0.500	61	2540	4.000	6.000	0.500	53	2561
4.000	5.125	0.500	62	2540	4.000	6.000	0.500	66	2561
4.000	5.125	0.500	66	2540	4.000	6.000	0.906	53R2	8771
4.000	5.125	0.563	53	2541	4.000	6.125	0.500	53	2564
4.000	5.125	0.625	53	2542	4.000	6.125	0.500	66	2564
4.000	5.125	0.625	111	2542	4.000	6.125	0.625	53	2566
4.000	5.125	0.625	EQ	2542	4.000	6.250	0.500	53	2567
4.000	5.125	0.906	53R2	7559	4.000	6.250	0.500	66	2567
4.000	5.125	0.969	53TB	8731	4.000	6.250	0.563	53	2568
4.000	5.131	0.375	23	9648	4.000	6.250	0.563	111	2568
4.000	5.248	0.500	EQ	0930	4.000	6.250	0.625	53	2569
4.000	5.250	0.312	26	4645	4.000	8.000	0.625	54	6010
4.000	5.250	0.375	24	9926	4.003	4.500	0.690	EQ	4471
4.000	5.250	0.438	EQ	1056	4.016	5.438	0.500	23	2533
4.000	5.250	0.468	26	2595	4.062	5.000	0.375	23	1928
4.000	5.250	0.500	23	2543	4.062	5.125	0.469	23	6298
4.000	5.250	0.500	25	2543	4.062	5.125	0.500	23	2570
4.000	5.250	0.500	53	2543	4.062	5.125	0.750	IG	4572
4.000	5.250	0.500	61	2543	4.062	5.250	0.500	23	2573
4.000	5.250	0.500	62	2543	4.062	5.256	0.469	23	0202
4.000	5.250	0.500	66	2543	4.062	5.500	0.500	23	2579
4.000	5.250	0.563	53	2544	4.062	6.000	0.906	53R2	7651
4.000	5.250	0.625	53	2545	4.063	5.062	0.500	23	7123
4.000	5.250	0.625	111	2545	4.063	5.063	0.750	IG	4293
4.000	5.250	0.750	IG	5480	4.063	5.125	0.500	53	2570
4.000	5.250	0.906	53R1	6434	4.063	5.250	0.500	53	2573
4.000	5.265	0.500	23	6409	4.063	5.312	0.500	23	6616
4.000	5.375	0.500	23	2546	4.063	5.500	0.500	53	2579
4.000	5.375	0.500	26	2546	4.063	5.500	0.563	26	2601
4.000	5.375	0.500	53	2546	4.063	5.875	0.500	53	2588
4.000	5.375	0.500	66	2546	4.120	5.000	0.750	IG	5513
4.000	5.375	0.750	IG	4209	4.125	4.686	0.109	71	7992

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
4.125	4.750	0.690	EQ	2287	4.125	6.000	0.500	53	2621
4.125	5.000	0.500	23	6870	4.125	6.250	0.500	53	2627
4.125	5.025	1.375	EQSPB	7024	4.130	4.505	0.625	IG	5006
4.125	5.085	0.770	IGSPB	5125	4.133	5.110	0.472	23	4847
4.125	5.085	1.051	IGSPB	5271	4.133	5.118	0.472	23	8768
4.125	5.125	0.375	23	6625	4.133	5.314	0.551	23	5353
4.125	5.125	0.500	23	2600	4.133	5.511	0.625	EQ	5309
4.125	5.125	0.500	26	2600	4.133	5.511	0.625	EQ	5309
4.125	5.125	0.500	53	2600	4.134	5.118	0.472	92	8768
4.125	5.125	0.500	61	2600	4.134	5.118	0.500	23	2000
4.125	5.125	0.500	62	2600	4.134	5.118	0.512	23	6052
4.125	5.125	0.625	EQ	2604	4.134	5.118	0.625	EQ	2625
4.125	5.125	0.625	EQ	2604	4.134	5.118	0.625	EQ	2625
4.125	5.125	0.719	53F1	8683	4.134	5.118	0.750	IG	4981
4.125	5.125	0.750	IG	4161	4.134	5.134	0.625	EQ	2629
4.125	5.125	0.906	53R2	9018	4.134	5.315	0.500	23	5763
4.125	5.131	0.625	EQ	2438	4.134	5.315	0.550	26	5353
4.125	5.187	0.500	23	6578	4.134	5.315	0.551	26R1	1034
4.125	5.250	0.375	23	9060	4.134	5.512	0.472	23	0866
4.125	5.250	0.407	23	9877	4.134	5.512	0.472	92	0866
4.125	5.250	0.500	23	2603	4.134	5.512	0.750	IG	4982
4.125	5.250	0.500	26	2603	4.156	5.406	0.500	23	9950
4.125	5.250	0.500	53	2603	4.166	5.500	0.750	IG	4497
4.125	5.250	0.500	61	2603	4.166	5.506	0.500	23	4880
4.125	5.250	0.500	62	2603	4.187	4.999	0.468	61	2074
4.125	5.250	0.562	53	2604	4.187	5.187	0.375	23	4758
4.125	5.250	0.625	53	2605	4.187	5.230	1.375	EQSPB	7027
4.125	5.250	0.625	EQ	2605	4.187	5.243	1.375	EQSPB	7006
4.125	5.250	0.750	IG	4116	4.187	5.250	0.500	23	2630
4.125	5.250	0.906	53R2	6082	4.187	5.250	0.500	53	2630
4.125	5.375	0.500	23	2606	4.187	5.250	0.500	62	2630
4.125	5.375	0.500	53	2606	4.187	5.250	0.750	IG	4366
4.125	5.375	0.500	61	2606	4.187	5.250	0.969	53T2	8811
4.125	5.375	0.625	23	2608	4.187	5.312	0.500	23	2355
4.125	5.375	0.625	24	2608	4.187	5.375	0.470	23	7129
4.125	5.375	0.625	53	2608	4.187	5.375	0.500	23	2633
4.125	5.375	0.750	IG	4884	4.187	5.375	0.500	53	2633
4.125	5.375	0.906	53R2	9320	4.187	5.375	0.625	53	2635
4.125	5.500	0.438	23	6142	4.187	5.437	0.500	23	6783
4.125	5.500	0.500	23	2609	4.187	5.500	0.500	53	2636
4.125	5.500	0.500	53	2609	4.187	5.500	0.500	62	2636
4.125	5.500	0.500	EQ	0932	4.187	5.500	0.562	53	2637
4.125	5.500	0.563	53	2610	4.187	5.500	0.625	EQ	2106
4.125	5.500	0.969	53R2	4752	4.187	5.625	0.500	53	2639
4.125	5.500	0.969	53T2	4752	4.187	5.687	0.375	23	5190
4.125	5.625	0.500	23	2612	4.187	5.750	0.500	23	2642
4.125	5.625	0.500	24	2612	4.187	5.750	0.500	53	2642
4.125	5.625	0.500	26	2612	4.187	5.875	0.500	53	2645
4.125	5.625	0.500	53	2612	4.187	5.875	0.625	EQ	1960
4.125	5.750	0.625	EQ	2616	4.187	6.000	0.500	53	2648
4.125	5.875	0.500	53	2618	4.187	6.000	0.906	53R2	6871
4.125	6.000	0.500	23	2621	4.187	6.125	0.500	53	2651

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
4.187	6.250	0.500	53	2654	4.250	5.375	0.906	53R1	4837
4.188	4.999	0.438	61	2403	4.250	5.500	0.500	21	2663
4.188	5.004	0.625	EQ	1768	4.250	5.500	0.500	23	2663
4.188	5.188	0.500	23	2641	4.250	5.500	0.500	53	2663
4.188	5.188	0.625	EQ	2747	4.250	5.500	0.500	61	2663
4.188	5.188	0.750	IG	4295	4.250	5.500	0.500	62	2663
4.188	5.230	1.062	IGSPB	7088	4.250	5.500	0.500	66	2663
4.188	5.250	0.468	26	2644	4.250	5.500	0.562	26	2664
4.188	5.250	0.469	23	2644	4.250	5.500	0.562	53	2664
4.188	5.250	0.625	26	2646	4.250	5.500	0.625	53	2665
4.188	5.250	0.750	IG	4366	4.250	5.500	0.625	EQ	0811
4.188	5.256	0.625	EQ	2623	4.250	5.500	0.625	EQ	0811
4.188	5.500	0.500	23	2636	4.250	5.500	0.750	IG	4480
4.213	5.827	0.750	IG	4835	4.250	5.625	0.500	23	2666
4.217	5.280	0.500	23	5635	4.250	5.625	0.500	53	2666
4.230	5.230	0.625	EQ	3210	4.250	5.625	0.625	EQ	4390
4.245	5.245	0.625	EQ	3224	4.250	5.687	0.500	23	5331
4.245	5.626	0.625	EQ	3282	4.250	5.687	0.500	94	5331
4.250	4.812	0.109	71	7546	4.250	5.702	0.484	23	9640
4.250	4.875	0.500	61	1646	4.250	5.750	0.500	21	6293
4.250	5.000	0.437	61	1649	4.250	5.750	0.500	23	2669
4.250	5.000	0.438	26	2653	4.250	5.750	0.500	24	2669
4.250	5.062	0.375	23	2578	4.250	5.750	0.500	53	2669
4.250	5.125	0.500	61	1652	4.250	5.750	0.562	53	2670
4.250	5.250	0.375	23	7590	4.250	5.750	0.625	53	2671
4.250	5.250	0.437	23	9960	4.250	5.750	0.906	53R2	6563
4.250	5.250	0.437	26	9960	4.250	5.875	0.625	EQ	2672
4.250	5.250	0.500	23	2657	4.250	6.000	0.500	53	2675
4.250	5.250	0.500	25	2657	4.250	6.125	0.500	53	2678
4.250	5.250	0.500	26	2657	4.250	6.250	0.500	53	2681
4.250	5.250	0.500	53	2657	4.250	6.250	0.500	62	2681
4.250	5.250	0.500	61	2657	4.250	6.250	0.562	53	2682
4.250	5.250	0.500	62	2657	4.250	6.250	0.625	54	7351
4.250	5.250	0.500	66	2657	4.255	5.255	0.625	EQ	3038
4.250	5.250	0.562	23	2658	4.279	5.500	0.375	23	0929
4.250	5.250	0.625	53	2659	4.284	5.284	0.750	IG	4464
4.250	5.250	0.625	EQ	2659	4.291	5.394	0.500	23	2949
4.250	5.250	0.625	EQ	2659	4.295	5.295	0.375	23	0992
4.250	5.250	0.625	IG	2659	4.298	5.298	0.750	IG	4769
4.250	5.250	0.719	53F1	7880	4.309	5.348	0.375	23	3012
4.250	5.250	0.750	IG	4163	4.310	5.300	0.475	23	5075
4.250	5.250	0.750	IG	4163	4.311	5.331	0.500	23	7595
4.250	5.250	0.906	53R2	4904	4.312	5.187	0.375	23	6851
4.250	5.251	0.375	3	4255	4.312	5.312	0.375	23	9862
4.250	5.375	0.406	23	6361	4.312	5.312	0.500	23	9143
4.250	5.375	0.500	23	2660	4.312	5.375	0.500	23	2684
4.250	5.375	0.500	26	0933	4.312	5.375	0.500	53	2684
4.250	5.375	0.500	53	2660	4.312	5.437	0.500	23	0736
4.250	5.375	0.500	66	2660	4.312	5.500	0.500	53	2687
4.250	5.375	0.625	53	2662	4.312	5.500	0.500	62	2687
4.250	5.375	0.625	EQ	2874	4.312	5.500	0.625	23	2689
4.250	5.375	0.625	EQ	2874	4.312	5.500	0.625	53	2689

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
4.312	5.500	0.750	IG	4115	4.331	5.512	0.512	61	1502
4.312	5.500	0.969	53R2	8635	4.331	5.512	0.551	23	5346
4.312	5.625	0.500	23	2690	4.331	5.512	0.551	26R1	2703
4.312	5.625	0.500	53	2690	4.331	5.512	0.551	58	4264
4.312	5.750	0.500	23	2693	4.331	5.512	0.551	59	2703
4.312	5.750	0.500	53	2693	4.331	5.512	0.625	EQ	1082
4.312	5.750	0.562	53	2694	4.331	5.512	0.750	IG	4984
4.312	5.794	0.500	23	5606	4.331	5.541	0.500	23	7449
4.312	6.000	0.500	53	2699	4.331	5.562	0.750	IG	5548
4.312	6.250	0.500	53	2705	4.331	5.831	0.500	23	6820
4.312	6.375	0.781	53F1	7232	4.331	5.905	0.625	23	6992
4.313	5.313	0.438	23	2696	4.331	6.693	0.500	94	4488
4.313	5.313	0.625	EQ	2042	4.335	5.335	0.625	EQ	3094
4.313	5.313	0.750	IG	4296	4.343	5.342	0.375	23	5716
4.313	5.500	0.500	23	2687	4.375	5.000	0.375	61	6363
4.313	5.500	0.625	EQ	2700	4.375	5.250	0.375	23	3159
4.313	5.500	0.750	IG	4115	4.375	5.250	0.500	61	2753
4.313	5.501	0.438	23	2691	4.375	5.375	0.375	23	9204
4.313	5.687	0.750	IG	5123	4.375	5.375	0.500	23	2708
4.313	5.750	0.625	EQ	2689	4.375	5.375	0.500	25	2708
4.321	5.195	0.500	23	9761	4.375	5.375	0.500	53	2708
4.328	5.203	0.375	23	6957	4.375	5.375	0.500	62	2708
4.330	5.127	0.511	26	4635	4.375	5.375	0.625	EQ	2050
4.330	5.250	0.625	EQ	1817	4.375	5.375	0.687	26R1	9708
4.330	5.393	0.500	23	0587	4.375	5.375	0.718	53F1	9708
4.331	4.961	0.625	IG	5266	4.375	5.375	0.750	IG	4164
4.331	5.118	0.354	26	3260	4.375	5.375	0.906	53R2	8202
4.331	5.118	0.472	26R1	2034	4.375	5.500	0.500	23	2711
4.331	5.118	0.512	26	2686	4.375	5.500	0.500	53	2711
4.331	5.118	0.625	EQ	3318	4.375	5.500	0.500	62	2711
4.331	5.118	0.690	EQ	3315	4.375	5.500	0.562	26	2712
4.331	5.250	0.375	23	7482	4.375	5.500	0.562	53	2712
4.331	5.315	0.433	23	5364	4.375	5.500	0.625	EQ	5048
4.331	5.315	0.500	23	2626	4.375	5.500	0.969	53R2	7803
4.331	5.331	0.500	23	0977	4.375	5.500	0.969	53T2	7803
4.331	5.331	0.625	EQ	2974	4.375	5.563	0.500	53	7473
4.331	5.331	0.750	IG	5383	4.375	5.625	0.500	23	2714
4.331	5.331	0.750	IG	5383	4.375	5.625	0.500	53	2714
4.331	5.500	0.437	23	9144	4.375	5.750	0.500	23	2717
4.331	5.500	0.719	53F1	1874	4.375	5.750	0.500	53	2717
4.331	5.500	0.875	53R1	8454	4.375	5.750	0.625	23	2719
4.331	5.511	0.472	26R1	7396	4.375	5.812	0.500	23	0995
4.331	5.511	0.511	26R1	2731	4.375	5.827	0.484	23	9785
4.331	5.511	0.625	EQ	1082	4.375	5.875	0.375	23	6919
4.331	5.512	0.472	23	7396	4.375	5.875	0.375	25	6919
4.331	5.512	0.472	53	7396	4.375	5.875	0.500	23	2720
4.331	5.512	0.472	61	7396	4.375	5.875	0.500	53	2720
4.331	5.512	0.472	61	7396	4.375	6.000	0.500	53	2723
4.331	5.512	0.500	23	9567	4.375	6.000	0.500	62	2723
4.331	5.512	0.512	26	2731	4.375	6.000	0.562	23	2724
4.331	5.512	0.512	61	1502	4.375	6.125	0.500	53	2726
4.331	5.512	0.512	61	1502	4.375	6.250	0.500	53	2729

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
4.375	6.250	0.500	66	2729	4.438	5.890	0.625	EQ	4743
4.375	6.250	0.562	53	2730	4.438	6.000	0.500	23	2744
4.375	9.125	0.625	54	6014	4.438	6.250	0.500	23	2750
4.409	5.709	0.551	58	2262	4.443	5.500	0.625	EQ	1840
4.410	5.375	0.625	26R1	2827	4.449	5.472	0.375	23	0408
4.425	5.626	0.625	EQ	3251	4.449	6.378	0.750	IG	4841
4.429	6.297	0.750	IG	4842	4.450	5.325	0.625	EQ	2740
4.435	5.594	0.500	23	2984	4.450	5.437	0.750	IG	5132
4.437	5.250	0.375	23	5449	4.450	5.692	0.500	23	9672
4.437	5.437	0.375	23	4705	4.475	5.500	0.500	23	5003
4.437	5.437	0.500	23	6362	4.477	6.256	0.625	23	1020
4.437	5.500	0.500	53	2732	4.500	5.250	0.375	26	2763
4.437	5.500	0.500	62	2732	4.500	5.250	0.500	61	2756
4.437	5.500	0.562	53	2733	4.500	5.250	0.750	IG	4213
4.437	5.500	0.562	EQ	2733	4.500	5.375	0.500	23	6015
4.437	5.500	0.625	EQ	2885	4.500	5.500	0.375	21	6363
4.437	5.500	0.625	EQ	2885	4.500	5.500	0.375	23	6363
4.437	5.500	0.750	IG	4495	4.500	5.500	0.375	25	6363
4.437	5.500	0.906	53R1	7439	4.500	5.500	0.375	26	4614
4.437	5.548	1.375	EQSPB	7028	4.500	5.500	0.375	61	6363
4.437	5.562	0.500	23	4820	4.500	5.500	0.437	23	4873
4.437	5.625	0.500	53	2735	4.500	5.500	0.437	26	4873
4.437	5.625	0.625	62	2737	4.500	5.500	0.437	61	4873
4.437	5.687	0.500	23	6410	4.500	5.500	0.500	23	2753
4.437	5.687	0.625	23	8444	4.500	5.500	0.500	25	2753
4.437	5.750	0.500	23	2738	4.500	5.500	0.500	26	2753
4.437	5.750	0.500	53	2738	4.500	5.500	0.500	53	2753
4.437	5.750	0.500	62	2738	4.500	5.500	0.500	26R1	2753
4.437	5.750	0.562	53	2739	4.500	5.500	0.500	61	2759
4.437	5.750	0.625	53	2740	4.500	5.500	0.500	62	2753
4.437	5.750	0.719	53F1	6917	4.500	5.500	0.500	66	2753
4.437	5.812	0.500	23	7821	4.500	5.500	0.500	94	2753
4.437	5.875	0.375	23	8534	4.500	5.500	0.500	EQ	2753
4.437	5.890	0.484	23	8490	4.500	5.500	0.562	53	2754
4.437	5.937	0.500	23	9085	4.500	5.500	0.625	53	2755
4.437	5.937	0.500	24	9085	4.500	5.500	0.625	EQ	2755
4.437	6.000	0.500	53	2744	4.500	5.500	0.625	EQ	2755
4.437	6.000	0.562	23	2745	4.500	5.500	0.690	EQ	3782
4.437	6.000	0.594	23	9600	4.500	5.500	0.719	53F1	5892
4.437	6.125	0.500	53	2747	4.500	5.500	0.750	IG	4165
4.437	6.201	0.828	IGSPB	7122	4.500	5.500	0.906	53T2	7110
4.437	6.250	0.500	53	2750	4.500	5.500	0.969	53R1	6685
4.437	6.250	0.562	53	2751	4.500	5.500	0.969	53R2	6685
4.438	5.375	0.375	23	4842	4.500	5.501	0.375	3	4455
4.438	5.438	0.750	IG	4297	4.500	5.512	0.375	23	6587
4.438	5.500	0.500	23	2732	4.500	5.543	1.050	IGSPB	7135
4.438	5.500	0.500	26	2732	4.500	5.625	0.375	23	7205
4.438	5.543	1.062	IGSPB	7099	4.500	5.625	0.500	23	2756
4.438	5.625	0.500	23	2735	4.500	5.625	0.500	53	2756
4.438	5.750	0.563	26	1697	4.500	5.625	0.500	61	2765
4.438	5.750	0.625	EQ	2963	4.500	5.625	0.500	66	2756
4.438	5.875	0.375	23	8543	4.500	5.625	0.500	94	2756

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
4.500	5.625	0.562	53	2757	4.500	6.375	0.625	53	2776
4.500	5.625	0.625	53	2758	4.500	6.500	0.500	21	1380
4.500	5.625	0.719	53F1	8278	4.500	6.988	0.807	IGSPB	7148
4.500	5.687	0.500	23	1277	4.500	7.000	0.531	26R1	3542
4.500	5.688	0.625	23	1625	4.500	7.000	0.531	94	9543
4.500	5.750	0.375	23	2763	4.520	5.500	0.750	IG	4604
4.500	5.750	0.375	23	4771	4.527	5.511	0.433	23	5365
4.500	5.750	0.437	61	1664	4.527	5.512	0.625	EQ	2780
4.500	5.750	0.438	23	1664	4.527	5.708	0.551	23	5347
4.500	5.750	0.438	26	4406	4.527	5.708	0.551	26	0841
4.500	5.750	0.500	23	2759	4.527	5.709	0.787	26R1	3419
4.500	5.750	0.500	26	2759	4.528	5.512	0.472	23	7271
4.500	5.750	0.500	53	2759	4.528	5.512	0.472	53	7271
4.500	5.750	0.500	61	2759	4.528	5.512	0.472	26R1	2279
4.500	5.750	0.500	62	2759	4.528	5.512	0.625	EQ	2780
4.500	5.750	0.500	EQ	2759	4.528	5.709	0.472	92	0869
4.500	5.750	0.562	53	2760	4.531	5.531	0.500	23	6748
4.500	5.750	0.625	26	2761	4.540	6.150	0.625	EQ	3105
4.500	5.750	0.625	53	2761	4.560	6.125	0.625	EQ	2948
4.500	5.750	0.625	EQ	2761	4.562	5.437	0.375	23	9842
4.500	5.750	0.750	IG	4391	4.562	5.562	0.375	23	4939
4.500	5.750	0.750	IG	4391	4.562	5.625	0.500	23	2777
4.500	5.750	0.969	53R2	7258	4.562	5.625	0.500	53	2777
4.500	5.750	0.969	53T2	7258	4.562	5.687	0.500	23	4796
4.500	5.875	0.500	23	2762	4.562	5.750	0.500	53	2780
4.500	5.875	0.500	24	2762	4.562	5.750	0.500	62	2780
4.500	5.875	0.500	53	2762	4.562	5.750	0.562	26	2788
4.500	5.875	0.500	66	2762	4.562	5.750	0.625	53	2782
4.500	5.937	0.500	23	6801	4.562	5.812	0.500	23	8455
4.500	6.000	0.375	23	9132	4.562	5.875	0.500	53	2783
4.500	6.000	0.375	24	9132	4.562	6.000	0.500	23	2786
4.500	6.000	0.500	23	2765	4.562	6.000	0.500	53	2786
4.500	6.000	0.500	24	2765	4.562	6.062	0.500	23	0688
4.500	6.000	0.500	25	2765	4.562	6.125	0.500	53	2789
4.500	6.000	0.500	26	2765	4.562	6.250	0.500	23	2792
4.500	6.000	0.500	53	2765	4.562	6.250	0.500	53	2792
4.500	6.000	0.500	61	2765	4.562	6.375	0.500	53	2795
4.500	6.000	0.500	62	2765	4.563	5.437	0.500	23	4459
4.500	6.000	0.562	53	2766	4.563	5.543	1.062	IGSPB	7090
4.500	6.000	0.625	53	2767	4.563	5.563	0.625	EQ	2051
4.500	6.000	0.750	IG	4212	4.563	5.563	0.750	IG	2051
4.500	6.000	0.750	IG	4212	4.563	5.750	0.500	23	2780
4.500	6.000	0.906	53R1	7560	4.563	5.751	0.625	EQ	2141
4.500	6.125	0.500	53	2768	4.565	5.565	0.625	EQ	3168
4.500	6.250	0.500	53	2771	4.591	5.508	0.625	EQ	5164
4.500	6.250	0.500	62	2771	4.599	5.599	0.625	EQ	2949
4.500	6.250	0.500	66	2771	4.625	5.625	0.375	23	6544
4.500	6.250	0.625	EQ	2291	4.625	5.625	0.500	23	2798
4.500	6.250	0.969	53T2	8697	4.625	5.625	0.500	25	2798
4.500	6.375	0.500	23	2774	4.625	5.625	0.500	26	2798
4.500	6.375	0.500	53	2774	4.625	5.625	0.500	53	2798
4.500	6.375	0.500	62	2774	4.625	5.625	0.500	26R1	2798

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
4.625	5.625	0.500	62	2798	4.724	5.512	0.750	IG	5550
4.625	5.625	0.562	53	2799	4.724	5.708	0.433	23	5366
4.625	5.625	0.625	EQ	2808	4.724	5.708	0.433	26	0994
4.625	5.625	0.625	EQ	2808	4.724	5.708	0.500	23	2634
4.625	5.625	0.750	IG	4166	4.724	5.724	0.750	IG	5159
4.625	5.750	0.500	23	2801	4.724	5.905	0.433	23	8242
4.625	5.750	0.500	53	2801	4.724	5.905	0.500	23	5118
4.625	5.750	0.500	62	2801	4.724	5.905	0.551	23	5348
4.625	5.750	0.562	26	2802	4.724	5.906	0.472	53	7376
4.625	5.750	0.562	53	2802	4.724	5.906	0.472	92	7376
4.625	5.750	0.906	53R2	7245	4.724	5.906	0.512	26R1	2863
4.625	5.875	0.500	23	2804	4.724	5.906	0.512	61	1880
4.625	5.875	0.500	53	2804	4.724	5.906	0.512	61	1880
4.625	6.000	0.500	23	2807	4.724	5.906	0.591	53	7277
4.625	6.000	0.500	53	2807	4.724	5.910	0.472	23	7376
4.625	6.000	0.500	62	2807	4.724	5.941	0.591	26R1	7277
4.625	6.000	0.625	53	2809	4.724	6.000	0.500	23	1024
4.625	6.000	0.625	26R1	2809	4.724	6.101	0.500	23	1303
4.625	6.000	0.719	53F1	9347	4.724	6.299	0.472	23	7836
4.625	6.000	0.969	53T2	7689	4.724	6.299	0.472	26	7836
4.625	6.077	0.484	23	8614	4.724	6.299	0.472	53	7836
4.625	6.125	0.500	23	2810	4.725	5.905	0.625	EQ	3179
4.625	6.125	0.500	24	2810	4.725	5.906	0.551	26	5348
4.625	6.125	0.500	53	2810	4.734	5.984	0.500	23	7587
4.625	6.250	0.500	21	2813	4.750	5.500	0.375	26	2841
4.625	6.250	0.500	23	2813	4.750	5.500	0.375	26R1	2841
4.625	6.250	0.500	53	2813	4.750	5.500	0.500	61	1667
4.646	5.039	0.625	IG	5326	4.750	5.500	0.500	61	1667
4.646	5.906	0.625	EQ	5510	4.750	5.500	0.750	IG	5410
4.656	6.031	0.500	23	6084	4.750	5.625	0.437	26	5439
4.664	5.875	0.500	23	4447	4.750	5.625	0.500	23	5443
4.680	6.000	0.625	EQ	3062	4.750	5.625	0.625	23	5495
4.687	5.625	0.500	23	1160	4.750	5.625	0.625	26	5495
4.687	5.687	0.500	23	6525	4.750	5.750	0.375	23	6213
4.687	5.687	0.500	25	6525	4.750	5.750	0.500	23	2837
4.687	5.750	0.500	23	2819	4.750	5.750	0.500	26	2837
4.687	5.750	0.500	53	2819	4.750	5.750	0.500	53	2837
4.687	5.750	0.562	53	2820	4.750	5.750	0.500	61	2837
4.687	5.750	0.906	53T2	5043	4.750	5.750	0.500	61	2837
4.687	5.812	0.500	23	6364	4.750	5.750	0.500	62	2837
4.687	5.875	0.500	23	2822	4.750	5.750	0.562	53	2838
4.687	5.875	0.500	53	2822	4.750	5.750	0.625	53	2839
4.687	5.937	0.500	23	5058	4.750	5.750	0.625	EQ	2931
4.687	6.000	0.500	53	2825	4.750	5.750	0.625	EQ	2931
4.687	6.000	0.906	53R2	7348	4.750	5.750	0.750	IG	4167
4.687	6.250	0.500	53	2831	4.750	5.750	0.937	53R2	5285
4.687	6.250	0.969	53T2	9045	4.750	5.756	0.625	EQ	2510
4.687	6.375	0.500	53	2834	4.750	5.875	0.500	23	2840
4.688	5.688	0.750	IG	4298	4.750	5.875	0.500	26	2840
4.688	5.750	0.500	26	2820	4.750	5.875	0.500	53	2840
4.705	5.750	0.625	EQ	4682	4.750	5.875	0.562	23	6431
4.724	5.512	0.512	26	1855	4.750	5.875	0.625	53	2842

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
4.750	5.937	0.500	23	9839	4.875	5.875	0.625	EQ	2048
4.750	6.000	0.375	23	7795	4.875	5.875	0.750	IG	4168
4.750	6.000	0.500	23	2843	4.875	5.938	0.500	23	5880
4.750	6.000	0.500	53	2843	4.875	5.980	1.062	IGSPB	7089
4.750	6.000	0.500	61	2843	4.875	5.983	1.375	EQSPB	7007
4.750	6.000	0.625	26	2845	4.875	6.000	0.500	23	2873
4.750	6.000	0.625	53	2845	4.875	6.000	0.500	53	2873
4.750	6.000	0.750	IG	4218	4.875	6.000	0.625	23	2875
4.750	6.000	0.906	53R1	4836	4.875	6.000	0.625	26	2875
4.750	6.000	0.906	53R2	4836	4.875	6.000	0.625	53	2875
4.750	6.000	0.906	53T2	4836	4.875	6.000	0.625	EQ	2875
4.750	6.125	0.500	23	2846	4.875	6.000	0.625	EQ	2875
4.750	6.125	0.500	53	2846	4.875	6.000	0.906	53R2	8630
4.750	6.250	0.500	23	2849	4.875	6.000	0.906	53T2	8630
4.750	6.250	0.500	53	2849	4.875	6.062	0.500	23	3143
4.750	6.250	0.500	62	2849	4.875	6.125	0.500	23	2876
4.750	6.250	0.625	26	2851	4.875	6.125	0.500	53	2876
4.750	6.250	0.625	53	2851	4.875	6.125	0.625	23	2878
4.750	6.250	0.625	EQ	2851	4.875	6.125	0.625	53	2878
4.750	6.250	0.750	23	4934	4.875	6.250	0.500	23	2879
4.750	6.250	0.906	53R2	7877	4.875	6.250	0.500	24	2879
4.750	6.375	0.500	53	2852	4.875	6.250	0.500	26	2879
4.750	6.500	0.625	26	2853	4.875	6.250	0.500	53	2879
4.750	9.250	0.625	54	9986	4.875	6.250	0.500	66	2879
4.788	6.000	0.625	EQ	3165	4.875	6.250	0.562	23	2880
4.803	5.906	0.500	23	2496	4.875	6.250	0.625	26	2881
4.810	6.000	0.625	EQ	3164	4.875	6.250	0.625	53	2881
4.812	5.750	0.500	23	4759	4.875	6.250	0.858	26	2886
4.812	5.812	0.375	23	8402	4.875	6.325	0.500	23	1241
4.812	5.812	0.500	23	6491	4.875	6.375	0.500	23	2882
4.812	5.812	0.750	IG	4299	4.875	6.375	0.500	24	2882
4.812	5.875	0.500	23	2855	4.875	6.375	0.509	53	2882
4.812	5.875	0.500	53	2855	4.875	6.500	0.500	53	2885
4.812	5.875	0.625	53	2857	4.875	6.500	0.906	53R2	6814
4.812	5.905	0.562	53	9558	4.875	6.625	0.500	53	2888
4.812	5.937	0.375	23	7857	4.875	6.625	0.906	53T2	6463
4.812	6.000	0.500	23	2858	4.875	6.625	0.969	53T2	4708
4.812	6.000	0.500	53	2858	4.875	6.750	0.500	53	2891
4.812	6.125	0.500	23	2861	4.875	7.000	0.750	IG	5119
4.812	6.250	0.500	53	2864	4.882	6.299	0.413	23	1707
4.812	6.375	0.625	53	2869	4.910	5.910	0.500	23	2024
4.813	6.007	0.375	23	1248	4.920	6.125	0.437	23	6638
4.813	6.313	0.500	23	4536	4.921	5.906	0.472	23	2887
4.835	6.250	0.500	62	8132	4.921	5.906	0.472	58	2887
4.851	5.886	0.750	IG	4837	4.921	5.906	0.472	92	2887
4.866	5.875	0.500	23	1007	4.921	5.906	0.591	23	1259
4.875	5.875	0.375	23	5166	4.921	6.102	0.551	23	5354
4.875	5.875	0.500	23	2870	4.921	6.102	0.551	26R1	5354
4.875	5.875	0.500	53	2870	4.921	6.102	0.625	EQ	5089
4.875	5.875	0.500	26R1	0664	4.921	6.299	0.472	92	0873
4.875	5.875	0.500	62	2870	4.921	6.299	0.512	23	2293
4.875	5.875	0.625	53	2872	4.921	6.299	0.590	26	2889

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
4.921	6.299	0.709	23	1397	4.984	6.234	0.500	23	9268
4.921	6.692	0.472	26R1	2890	4.987	6.000	0.500	23	2518
4.921	6.890	0.625	EQ	2930	4.987	6.000	0.500	26	2913
4.922	5.922	0.500	23	5459	5.000	5.625	0.375	61	1670
4.922	6.063	0.487	23	5377	5.000	5.750	0.437	26	2932
4.928	6.250	0.500	26	2900	5.000	5.750	0.500	61	1966
4.935	6.000	0.625	EQ	3790	5.000	5.750	0.500	EQ	1051
4.937	5.937	0.375	23	6754	5.000	5.875	0.375	23	9702
4.937	5.937	0.500	23	6561	5.000	5.875	0.500	23	2974
4.937	5.982	1.375	EQSPB	7029	5.000	5.980	1.062	IGSPB	7102
4.937	6.000	0.375	23	8629	5.000	5.982	1.375	EQSPB	7030
4.937	6.000	0.500	23	2894	5.000	6.000	0.375	23	6365
4.937	6.000	0.500	53	2894	5.000	6.000	0.437	23	9389
4.937	6.000	0.500	62	2894	5.000	6.000	0.500	21	2915
4.937	6.000	0.500	EQ	2894	5.000	6.000	0.500	23	2915
4.937	6.000	0.625	23	2896	5.000	6.000	0.500	25	2915
4.937	6.000	0.625	53	2896	5.000	6.000	0.500	26	2915
4.937	6.000	0.625	EQ	2896	5.000	6.000	0.500	53	2915
4.937	6.062	0.500	23	9791	5.000	6.000	0.500	26R1	2915
4.937	6.125	0.500	53	2897	5.000	6.000	0.500	61	2915
4.937	6.187	0.500	23	5138	5.000	6.000	0.500	61	2915
4.937	6.250	0.500	53	2900	5.000	6.000	0.500	61	2915
4.937	6.250	0.562	53	2901	5.000	6.000	0.500	61	2915
4.937	6.375	0.500	53	2903	5.000	6.000	0.500	62	2915
4.937	6.375	0.562	23	2904	5.000	6.000	0.562	53	2916
4.937	6.437	0.500	23	7867	5.000	6.000	0.625	53	2917
4.937	6.437	0.500	24	7867	5.000	6.000	0.625	EQ	2917
4.937	6.437	0.562	23	5052	5.000	6.000	0.687	23	5585
4.937	6.437	0.750	23	6178	5.000	6.000	0.719	53F1	6603
4.937	6.500	0.500	53	2906	5.000	6.000	0.750	IG	4169
4.937	6.500	0.625	53	2908	5.000	6.000	0.906	53R1	6711
4.937	6.500	0.719	53F1	6902	5.000	6.000	0.906	53R2	6711
4.937	6.500	0.906	53R2	7315	5.000	6.000	0.969	53F1	6893
4.937	6.750	0.500	53	2912	5.000	6.000	0.969	53R2	6640
4.938	5.500	0.625	IG	5563	5.000	6.000	0.969	53T2	6640
4.938	5.500	0.690	EQ	4652	5.000	6.062	0.500	23	5222
4.938	5.750	0.500	23	2977	5.000	6.125	0.500	23	2918
4.938	5.875	0.500	23	2910	5.000	6.125	0.500	25	2918
4.938	5.938	0.438	23	2893	5.000	6.125	0.500	53	2918
4.938	5.938	0.625	EQ	2539	5.000	6.125	0.500	61	2918
4.938	5.938	0.750	IG	4300	5.000	6.125	0.563	23	2919
4.938	5.980	1.062	IGSPB	7100	5.000	6.250	0.500	23	2921
4.938	6.000	0.750	IG	4472	5.000	6.250	0.500	25	2921
4.938	6.125	0.500	23	2897	5.000	6.250	0.500	26	2921
4.938	6.250	0.500	23	2900	5.000	6.250	0.500	53	2921
4.938	6.375	0.500	23	2903	5.000	6.250	0.500	26R1	2921
4.938	6.988	0.827	IGSPB	7123	5.000	6.250	0.500	61	2921
4.938	7.000	0.750	IG	4647	5.000	6.250	0.500	62	2921
4.938	7.382	0.918	IGSPB	7134	5.000	6.250	0.562	26	2922
4.960	5.885	0.500	23	1025	5.000	6.250	0.562	53	2922
4.969	6.375	0.500	23	9372	5.000	6.250	0.562	62	2922
4.969	6.375	0.500	94	9372	5.000	6.250	0.625	23	2923

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
5.000	6.250	0.625	25	2923	5.062	6.375	0.562	25	6147
5.000	6.250	0.625	26	2923	5.062	7.875	0.500	94	6329
5.000	6.250	0.625	53	2923	5.063	6.063	0.750	IG	4301
5.000	6.250	0.625	26R1	2923	5.063	6.125	0.500	26	3583
5.000	6.250	0.625	EQ	2923	5.088	6.088	0.625	EQ	2986
5.000	6.250	0.625	EQ	2923	5.094	6.586	0.484	23	1229
5.000	6.250	0.750	IG	4203	5.098	6.598	0.500	23	0581
5.000	6.250	0.906	53R2	4828	5.115	6.115	0.500	23	5490
5.000	6.250	0.969	53T2	6893	5.115	6.115	0.625	EQ	3095
5.000	6.250	0.969	53TF	6893	5.115	6.118	0.375	23	0926
5.000	6.256	0.625	EQ	2924	5.118	5.992	0.375	23	5797
5.000	6.375	0.500	23	2924	5.118	5.993	0.500	23	0815
5.000	6.375	0.500	53	2924	5.118	6.118	0.500	23	5388
5.000	6.375	0.625	23	2926	5.118	6.259	0.472	23	5367
5.000	6.375	0.625	53	2926	5.118	6.260	0.488	23	1002
5.000	6.375	0.625	EQ	3785	5.118	6.299	0.472	23	4656
5.000	6.375	0.625	EQ	3785	5.118	6.299	0.472	92	4656
5.000	6.375	0.719	53F1	6137	5.118	6.299	0.511	23	7221
5.000	6.375	0.750	23	9483	5.118	6.299	0.551	26R1	2989
5.000	6.437	0.500	23	2973	5.118	6.299	0.551	58	2989
5.000	6.437	0.500	25	2973	5.118	6.299	0.590	26	2988
5.000	6.500	0.375	23	6453	5.118	6.299	0.591	23	2988
5.000	6.500	0.500	23	2927	5.118	6.299	0.625	EQ	3022
5.000	6.500	0.500	53	2927	5.118	6.614	0.630	23	0956
5.000	6.500	0.500	61	2927	5.125	6.000	0.500	23	2274
5.000	6.500	0.500	62	2927	5.125	6.125	0.375	23	5189
5.000	6.500	0.562	23	2928	5.125	6.125	0.375	25	5189
5.000	6.500	0.562	26	2928	5.125	6.125	0.422	23	6392
5.000	6.500	0.625	53	2929	5.125	6.125	0.437	23	6198
5.000	6.500	0.750	23	6939	5.125	6.125	0.500	23	2990
5.000	6.500	0.906	53R2	4668	5.125	6.125	0.500	25	2990
5.000	6.500	0.906	53T2	4668	5.125	6.125	0.500	26	2990
5.000	6.563	0.500	24	9930	5.125	6.125	0.500	53	2990
5.000	6.625	0.500	53	2930	5.125	6.125	0.625	53	2992
5.000	6.750	0.500	53	2933	5.125	6.125	0.750	IG	4170
5.000	6.750	0.625	53	2935	5.125	6.125	0.843	53R1	6432
5.000	6.875	0.500	53	2936	5.125	6.125	0.843	53R2	6432
5.000	7.000	0.500	53	2939	5.125	6.125	0.906	53T2	7347
5.000	7.000	0.625	53	2941	5.125	6.125	0.969	53T2	7365
5.000	7.125	0.500	53	2942	5.125	6.250	0.500	23	2993
5.000	7.250	0.500	53	2945	5.125	6.250	0.500	53	2993
5.000	7.375	0.500	53	2948	5.125	6.250	0.500	EQ	0951
5.000	7.500	0.500	53	2951	5.125	6.250	0.562	23	2994
5.000	9.750	0.625	54	6018	5.125	6.250	0.562	53	2994
5.060	5.934	0.375	23	0419	5.125	6.250	0.906	53R2	7361
5.062	6.062	0.500	23	6485	5.125	6.375	0.500	23	2996
5.062	6.125	0.500	23	2954	5.125	6.375	0.500	53	2996
5.062	6.125	0.500	53	2954	5.125	6.375	0.500	62	2996
5.062	6.125	0.500	62	2954	5.125	6.375	0.562	23	2997
5.062	6.250	0.500	53	2957	5.125	6.375	0.562	53	2997
5.062	6.250	0.625	94	2959	5.125	6.375	0.625	23	2998
5.062	6.375	0.562	23	6147	5.125	6.375	0.625	26	2998

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
5.125	6.375	0.625	53	2998	5.250	6.250	0.500	26	3059
5.125	6.375	0.625	EQ	2998	5.250	6.250	0.500	53	3059
5.125	6.500	0.500	23	2999	5.250	6.250	0.500	58	3059
5.125	6.500	0.500	53	2999	5.250	6.250	0.500	61	3059
5.125	6.500	0.625	23	3001	5.250	6.250	0.500	62	3059
5.125	6.500	0.625	53	3001	5.250	6.250	0.625	EQ	2270
5.125	6.500	0.906	53R2	4982	5.250	6.250	0.750	23	8657
5.125	6.625	0.484	23	9541	5.250	6.250	0.750	IG	4171
5.125	6.625	0.500	53	3002	5.250	6.256	0.625	EQ	3063
5.125	6.625	0.750	23	8137	5.250	6.313	0.500	23	1635
5.125	6.750	0.500	53	3005	5.250	6.375	0.500	23	3062
5.125	7.000	0.500	53	3011	5.250	6.375	0.500	53	3062
5.125	7.000	0.625	53	3013	5.250	6.437	0.375	23	5697
5.125	7.000	0.719	53F1	9429	5.250	6.437	0.500	23	5696
5.125	7.250	0.500	53	3017	5.250	6.500	0.500	23	3065
5.125	7.500	0.500	21	3023	5.250	6.500	0.500	25	3065
5.125	7.500	0.500	53	3023	5.250	6.500	0.500	53	3065
5.125	7.500	0.625	53	3025	5.250	6.500	0.500	26R1	3065
5.161	6.475	0.500	23	1779	5.250	6.500	0.500	61	3065
5.181	6.118	0.625	EQ	3727	5.250	6.500	0.500	62	3065
5.187	6.187	0.500	23	4660	5.250	6.500	0.625	23	3067
5.187	6.250	0.500	23	3026	5.250	6.500	0.625	26	3067
5.187	6.250	0.500	53	3026	5.250	6.500	0.625	53	3067
5.187	6.250	0.500	26R1	3026	5.250	6.500	0.625	62	3067
5.187	6.375	0.500	53	3029	5.250	6.500	0.625	88	3067
5.187	6.437	0.500	23	8215	5.250	6.500	0.625	88NS	3067
5.187	6.437	0.625	23	6136	5.250	6.500	0.625	EQ	3067
5.187	6.500	0.500	23	3032	5.250	6.500	0.719	53F1	5171
5.187	6.500	0.500	53	3032	5.250	6.500	0.750	IG	4208
5.187	6.500	0.625	53	3034	5.250	6.500	0.969	53T2	6750
5.187	6.625	0.500	53	3035	5.250	6.500	1.344	53R2	5621
5.187	6.750	0.500	53	3038	5.250	6.562	0.750	23	4733
5.187	7.000	0.500	53	3044	5.250	6.625	0.500	23	3068
5.187	7.000	0.750	IG	5385	5.250	6.625	0.500	53	3068
5.187	7.500	0.500	21	3056	5.250	6.625	0.625	53	3070
5.187	7.500	0.500	53	3056	5.250	6.750	0.500	23	3071
5.188	6.188	0.625	EQ	2766	5.250	6.750	0.500	24	3071
5.188	6.188	0.750	IG	4302	5.250	6.750	0.500	53	3071
5.188	6.250	0.500	26	3026	5.250	6.750	0.500	61	3071
5.188	6.375	0.500	23	3029	5.250	6.750	0.500	62	3071
5.188	6.375	1.116	IGSPB	7121	5.250	6.750	0.625	23	3073
5.196	6.299	0.500	23	9275	5.250	6.750	0.625	EQ	3073
5.203	6.312	0.500	23	5516	5.250	6.750	0.687	23	9642
5.225	6.225	0.500	23	6579	5.250	6.750	0.750	23	6366
5.225	6.513	0.625	23	3163	5.250	6.750	0.750	IG	2573
5.250	6.000	0.375	26	5457	5.250	6.750	0.906	53R2	7610
5.250	6.000	0.500	61	1674	5.250	7.000	0.500	53	3077
5.250	6.000	0.625	EQ	3057	5.250	7.000	0.500	61	3077
5.250	6.000	0.750	IG	5424	5.250	7.000	0.500	62	3077
5.250	6.250	0.437	23	5900	5.250	7.125	0.500	53	3080
5.250	6.250	0.500	23	3059	5.250	7.125	0.906	53R2	9972
5.250	6.250	0.500	25	3059	5.250	7.250	0.625	26	1705

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
5.250	10.750	0.687	54	6020	5.375	6.500	0.500	23	3125
5.280	6.280	0.500	23	5717	5.375	6.500	0.500	53	3125
5.302	6.302	0.500	23	3090	5.375	6.500	0.500	66	3125
5.305	6.305	0.500	23	2022	5.375	6.500	0.562	23	3126
5.312	6.312	0.500	23	7132	5.375	6.500	0.562	53	3126
5.312	6.375	0.500	53	3092	5.375	6.500	0.625	23	3127
5.312	6.500	0.500	23	3095	5.375	6.500	0.625	53	3127
5.312	6.500	0.500	53	3095	5.375	6.500	0.750	23	4451
5.312	6.500	0.500	62	3095	5.375	6.625	0.500	23	3128
5.312	6.562	0.625	23	5092	5.375	6.625	0.500	53	3128
5.312	6.578	0.500	23	4786	5.375	6.625	0.500	66	3128
5.312	6.625	0.500	23	3098	5.375	6.625	0.562	23	3129
5.312	6.625	0.500	53	3098	5.375	6.625	0.562	53	3129
5.312	6.625	0.719	53F1	7252	5.375	6.625	0.563	62	3129
5.312	6.687	0.625	23	4425	5.375	6.625	0.625	23	3130
5.312	6.750	0.500	53	3101	5.375	6.625	0.625	53	3130
5.312	6.750	0.500	62	3101	5.375	6.687	0.562	111	4559
5.312	6.812	0.500	23	5931	5.375	6.750	0.500	23	3131
5.312	6.875	0.500	53	3104	5.375	6.750	0.500	53	3131
5.312	6.937	0.500	23	9251	5.375	6.750	0.625	26	3124
5.312	7.250	0.500	53	3113	5.375	6.875	0.500	23	3134
5.313	6.313	0.750	IG	4303	5.375	6.875	0.500	53	3134
5.313	6.375	0.500	23	3092	5.375	6.875	0.500	66	3134
5.313	6.375	1.062	IGSPB	7091	5.375	6.875	0.625	53	3136
5.313	6.375	1.187	IGSPB	7072	5.375	6.875	0.750	23	7124
5.314	6.496	0.551	23	5355	5.375	7.000	0.625	53	3139
5.314	6.692	0.512	26	9175	5.375	7.125	0.625	53	3142
5.314	6.692	0.590	26R1	3118	5.375	7.500	0.625	21	3151
5.314	6.814	0.500	24	9206	5.375	7.500	0.625	53	3151
5.315	6.299	0.500	23	5511	5.415	6.815	0.500	23	1089
5.315	6.456	0.487	23	5378	5.420	6.625	0.500	23	4841
5.315	6.496	0.315	61	1884	5.433	7.008	0.630	26	4226
5.315	6.496	0.625	EQ	5088	5.437	6.375	0.500	23	0627
5.315	6.614	0.709	26	2047	5.437	6.437	0.500	23	4750
5.315	6.693	0.472	23	9175	5.437	6.500	0.500	23	0738
5.315	6.693	0.500	23	2572	5.437	6.625	0.500	53	3152
5.315	6.693	0.591	23	3118	5.437	6.656	0.463	23	6532
5.315	6.693	0.625	EQ	3162	5.437	6.687	0.625	23	6367
5.344	6.312	0.500	23	4575	5.437	6.750	0.500	23	3155
5.375	6.125	0.500	61	1676	5.437	6.750	0.500	53	3155
5.375	6.312	0.500	23	4576	5.437	6.750	0.562	53	3156
5.375	6.375	0.375	23	6622	5.437	6.750	0.625	23	3157
5.375	6.375	0.500	21	3122	5.437	6.875	0.500	53	3158
5.375	6.375	0.500	23	3122	5.437	6.875	0.969	53F1	5027
5.375	6.375	0.500	25	3122	5.437	6.937	0.625	23	8575
5.375	6.375	0.500	26	3122	5.437	6.937	0.750	25	8782
5.375	6.375	0.500	53	3122	5.437	7.000	0.500	53	3161
5.375	6.375	0.500	26R1	3122	5.437	7.125	0.500	53	3164
5.375	6.375	0.500	61	3122	5.437	7.250	0.500	53	3167
5.375	6.375	0.500	62	3122	5.437	7.500	0.500	21	3174
5.375	6.375	0.750	EQ	1864	5.438	6.438	0.750	IG	4304
5.375	6.375	0.750	IG	1864	5.438	6.500	0.500	61	0738

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
5.438	6.500	0.525	23	4713	5.500	6.750	0.687	23	2159
5.438	6.625	0.500	23	3152	5.500	6.750	0.719	53F1	8306
5.438	6.625	0.500	26	3173	5.500	6.750	0.750	23	6574
5.438	6.688	0.625	EQ	2904	5.500	6.750	0.750	IG	6574
5.438	6.720	0.625	23	1250	5.500	6.750	0.906	53R2	7409
5.438	6.750	0.750	23	1777	5.500	6.756	0.500	23	4461
5.438	6.750	1.062	IGSPB	7103	5.500	6.765	0.500	23	6540
5.438	6.750	1.250	EQSPB	7049	5.500	6.875	0.500	23	3185
5.438	6.875	0.750	23	3144	5.500	6.875	0.500	53	3185
5.438	6.875	0.750	IG	4504	5.500	6.875	0.562	23	1961
5.500	6.250	0.312	76	7534	5.500	7.000	0.500	23	3188
5.500	6.250	0.437	61	1679	5.500	7.000	0.500	24	3188
5.500	6.250	0.438	26	3177	5.500	7.000	0.500	25	3188
5.500	6.375	0.437	23	2624	5.500	7.000	0.500	53	3188
5.500	6.375	0.500	61	1682	5.500	7.000	0.500	26R1	0963
5.500	6.375	0.563	26	3019	5.500	7.000	0.500	61	3188
5.500	6.500	0.250	61	1683	5.500	7.000	0.500	62	3188
5.500	6.500	0.500	23	3176	5.500	7.000	0.625	23	3190
5.500	6.500	0.500	25	3176	5.500	7.000	0.625	53	3190
5.500	6.500	0.500	26	3176	5.500	7.000	0.625	62	3190
5.500	6.500	0.500	53	3176	5.500	7.000	0.750	23	5010
5.500	6.500	0.500	61	3176	5.500	7.000	0.750	26	3189
5.500	6.500	0.500	62	3176	5.500	7.000	0.750	26R1	5010
5.500	6.500	0.625	53	3178	5.500	7.000	0.828	26R1	3193
5.500	6.500	0.719	53F1	6741	5.500	7.000	0.969	53T2	5923
5.500	6.500	0.750	IG	4172	5.500	7.125	0.500	53	3191
5.500	6.500	0.906	53R1	4825	5.500	7.250	0.500	26	3194
5.500	6.500	0.906	53R2	4825	5.500	7.250	0.500	53	3194
5.500	6.563	0.500	23	0743	5.500	7.500	0.500	53	3200
5.500	6.625	0.406	23	3212	5.500	8.268	0.500	94	8960
5.500	6.625	0.500	23	3179	5.511	6.299	0.511	26R1	3201
5.500	6.625	0.500	53	3179	5.511	6.511	0.500	23	4831
5.500	6.625	0.562	23	3180	5.511	6.692	0.590	26	7267
5.500	6.625	0.562	53	3180	5.511	6.692	0.625	23	5861
5.500	6.625	0.625	53	3181	5.511	6.693	0.472	23	1718
5.500	6.632	0.500	26R1	3186	5.511	6.693	0.591	53	7267
5.500	6.687	0.625	23	4420	5.511	6.811	0.547	23	5368
5.500	6.693	0.750	IG	5279	5.511	7.011	0.500	24	5526
5.500	6.750	0.437	3	5680	5.512	6.387	0.375	23	4489
5.500	6.750	0.500	23	3182	5.512	6.496	0.492	23	2019
5.500	6.750	0.500	26	3182	5.512	6.496	0.625	EQ	5140
5.500	6.750	0.500	53	3182	5.512	6.512	0.625	EQ	3728
5.500	6.750	0.500	61	3182	5.512	6.692	0.500	23	9158
5.500	6.750	0.562	26	3183	5.512	6.693	0.295	26	3203
5.500	6.750	0.562	53	3183	5.512	6.693	0.472	92	1718
5.500	6.750	0.575	23	2409	5.512	6.693	0.551	23	7383
5.500	6.750	0.625	23	3184	5.512	6.693	0.551	53	7383
5.500	6.750	0.625	26	3184	5.512	6.693	0.551	26R1	7383
5.500	6.750	0.625	53	3184	5.512	6.693	0.551	61	7383
5.500	6.750	0.625	62	3184	5.512	6.693	0.591	23	7267
5.500	6.750	0.625	EQ	3184	5.512	6.693	0.630	59	1134
5.500	6.750	0.625	EQ	3184	5.512	6.693	0.750	IG	4994

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
5.512	6.890	0.709	23	3204	5.625	7.500	0.719	53F1	7002
5.512	6.890	0.709	26	3204	5.625	8.000	0.500	21	6963
5.512	7.087	0.591	61	2461	5.625	11.375	1.000	54	6021
5.512	7.087	0.625	23	3148	5.687	6.750	0.500	23	3253
5.512	7.087	0.630	26	2098	5.687	6.750	0.500	53	3253
5.515	6.497	0.500	23	0674	5.687	6.875	0.625	53	3258
5.523	6.500	0.500	23	0500	5.687	6.937	0.500	23	7362
5.562	6.562	0.500	23	9760	5.687	6.937	0.625	23	9914
5.562	6.625	0.500	23	3203	5.687	7.000	0.500	53	3259
5.562	6.625	0.500	53	3203	5.687	7.000	0.625	23	7444
5.562	6.750	0.500	23	6150	5.687	7.187	0.500	23	9663
5.562	6.750	0.625	53	3208	5.687	7.187	0.500	24	9663
5.562	6.875	0.906	53R2	7111	5.687	7.375	0.500	53	3268
5.562	7.250	0.500	53	3218	5.687	7.375	0.625	53	3270
5.562	7.375	0.500	53	3221	5.687	7.500	0.500	53	3271
5.562	7.500	0.625	53	3226	5.687	7.500	0.906	53R2	5090
5.563	6.563	0.750	IG	4305	5.688	6.688	0.750	IG	4306
5.591	6.378	0.750	IG	5549	5.688	6.750	0.625	23	3258
5.625	6.624	0.625	EQ	1177	5.708	6.889	0.551	23	5349
5.625	6.625	0.375	26R1	3232	5.708	6.889	0.551	26R1	5349
5.625	6.625	0.453	23	5726	5.708	7.086	0.630	23	3197
5.625	6.625	0.500	23	3228	5.709	7.087	0.591	23	4415
5.625	6.625	0.500	53	3228	5.748	7.087	0.591	23	0519
5.625	6.625	0.625	53	3230	5.750	6.375	0.500	61	1684
5.625	6.625	0.750	IG	4173	5.750	6.500	0.500	61	1685
5.625	6.750	0.500	23	3231	5.750	6.750	0.437	23	7172
5.625	6.750	0.500	53	3231	5.750	6.750	0.438	23	3276
5.625	6.750	0.500	62	3231	5.750	6.750	0.438	88	7172
5.625	6.750	0.625	23	3233	5.750	6.750	0.438	88NS	7172
5.625	6.750	0.906	53R1	4711	5.750	6.750	0.500	23	3275
5.625	6.875	0.219	61	2296	5.750	6.750	0.500	25	3275
5.625	6.875	0.281	61	2316	5.750	6.750	0.500	26	0672
5.625	6.875	0.500	23	3234	5.750	6.750	0.500	53	3275
5.625	6.875	0.500	53	3234	5.750	6.750	0.500	66	3275
5.625	6.875	0.562	53	3235	5.750	6.750	0.562	53	3276
5.625	6.875	0.625	23	3236	5.750	6.750	0.625	26	3277
5.625	6.875	0.625	26	3236	5.750	6.750	0.625	62	3277
5.625	6.875	0.625	53	3236	5.750	6.750	0.625	EQ	3277
5.625	6.875	0.625	EQ	3236	5.750	6.750	0.750	IG	4174
5.625	6.875	0.719	53F1	8471	5.750	6.750	0.750	IG	4174
5.625	6.875	0.750	IG	4830	5.750	6.875	0.500	23	3278
5.625	6.875	0.969	53R2	5324	5.750	6.875	0.500	25	3278
5.625	7.000	0.500	53	3237	5.750	6.875	0.500	53	3278
5.625	7.000	0.750	23	4762	5.750	6.875	0.500	62	3278
5.625	7.125	0.500	23	3240	5.750	6.875	0.500	66	3278
5.625	7.125	0.500	24	3240	5.750	6.875	0.562	23	3279
5.625	7.125	0.500	53	3240	5.750	6.875	0.562	62	3279
5.625	7.125	0.750	23	6368	5.750	6.875	0.625	23	3280
5.625	7.250	0.500	53	3243	5.750	6.875	0.625	62	3280
5.625	7.250	0.625	53	3245	5.750	6.937	0.500	23	6728
5.625	7.375	0.500	53	3246	5.750	6.938	1.116	IGSPB	7126
5.625	7.500	0.500	53	3249	5.750	6.938	1.250	EQSPB	7055

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
5.750	6.950	0.305	26	3287	5.812	7.375	0.500	53	3309
5.750	6.968	0.500	23	6474	5.812	7.500	0.500	53	3312
5.750	7.000	0.375	23	6924	5.813	7.250	0.625	23	3308
5.750	7.000	0.500	23	3281	5.866	6.875	0.562	58	2033
5.750	7.000	0.500	26	3281	5.875	6.750	0.625	23	3303
5.750	7.000	0.500	53	3281	5.875	6.875	0.437	23	6164
5.750	7.000	0.500	59	3281	5.875	6.875	0.500	23	3316
5.750	7.000	0.500	62	3281	5.875	6.875	0.500	25	3316
5.750	7.000	0.500	66	3281	5.875	6.875	0.500	26	0674
5.750	7.000	0.562	23	3282	5.875	6.875	0.500	53	3316
5.750	7.000	0.562	53	3282	5.875	6.875	0.750	IG	4175
5.750	7.000	0.562	62	3282	5.875	6.938	1.116	IGSPB	7125
5.750	7.000	0.625	23	3283	5.875	6.938	1.523	EQSPB	7118
5.750	7.000	0.625	26	3283	5.875	7.000	0.500	23	3319
5.750	7.000	0.625	53	3283	5.875	7.000	0.500	53	3319
5.750	7.000	0.625	62	3283	5.875	7.000	0.500	66	3319
5.750	7.000	0.844	53R2	9854	5.875	7.125	0.455	23	9880
5.750	7.000	0.906	53R2	6166	5.875	7.125	0.500	53	3322
5.750	7.000	0.969	53T2	7128	5.875	7.125	0.562	53	3323
5.750	7.000	0.969	66T2	7128	5.875	7.125	0.625	23	3324
5.750	7.000	1.031	53R2	5710	5.875	7.125	0.625	53	3324
5.750	7.125	0.500	23	3284	5.875	7.125	0.750	IG	4211
5.750	7.125	0.500	53	3284	5.875	7.125	0.828	66TF	6914
5.750	7.125	0.562	62	0752	5.875	7.140	0.562	23	5597
5.750	7.202	0.734	23	9440	5.875	7.250	0.500	23	3325
5.750	7.250	0.500	23	3287	5.875	7.250	0.500	53	3325
5.750	7.250	0.500	24	3287	5.875	7.250	0.906	53R1	8480
5.750	7.250	0.500	53	3287	5.875	7.375	0.500	23	3328
5.750	7.250	0.625	53	3289	5.875	7.375	0.500	53	3328
5.750	7.250	0.750	23	9017	5.875	7.375	0.563	23	4585
5.750	7.250	0.906	53R1	5420	5.875	7.375	0.625	23	3330
5.750	7.250	1.032	53R2	9422	5.875	7.375	0.625	26	3330
5.750	7.250	1.344	53R1	8818	5.875	7.375	0.750	23	9142
5.750	7.375	0.500	53	3290	5.875	7.500	0.500	53	3331
5.750	7.375	0.625	53	3292	5.875	7.500	0.563	23	3332
5.750	7.500	0.500	23	3293	5.875	7.500	0.750	21	3334
5.750	7.500	0.500	53	3293	5.897	7.147	0.625	23	3171
5.750	7.500	0.500	66	3293	5.905	7.086	0.551	26R1	5335
5.750	7.500	0.562	21	3288	5.905	7.087	0.512	23	1111
5.750	7.500	0.562	23	3288	5.905	7.087	0.625	EQ	1349
5.750	7.500	0.750	53	3296	5.905	7.087	0.630	23	2341
5.750	8.858	0.750	94	5672	5.905	7.480	0.590	26	4395
5.780	7.030	0.625	23	5636	5.906	6.906	0.500	23	9751
5.800	6.800	0.500	23	7507	5.906	6.906	0.750	IG	4831
5.812	6.812	0.500	23	9197	5.906	6.906	0.750	IG	4831
5.812	6.812	0.750	IG	4307	5.906	7.086	0.551	23	5335
5.812	6.875	0.500	53	3297	5.906	7.087	0.472	92	0875
5.812	6.937	0.500	23	7275	5.906	7.087	0.551	26	5335
5.812	7.000	0.500	53	3300	5.906	7.087	0.551	59	5335
5.812	7.000	0.562	62	3301	5.906	7.087	0.591	23	3327
5.812	7.125	0.500	53	3305	5.906	7.087	0.591	58	3327
5.812	7.250	0.500	53	3306	5.906	7.087	0.625	EQ	1349

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
5.906	7.204	0.547	23	5369	6.000	7.000	1.156	53R1	8870
5.906	7.283	0.708	23	4862	6.000	7.059	0.750	IG	5555
5.906	7.405	0.500	24	9952	6.000	7.085	0.438	23	4789
5.906	7.410	0.625	23	7117	6.000	7.125	0.437	23	2680
5.906	7.480	0.591	23	2233	6.000	7.125	0.500	53	3358
5.906	7.590	0.539	23	5379	6.000	7.125	0.562	23	3359
5.906	7.906	0.500	23	1374	6.000	7.125	0.562	53	3359
5.935	6.963	0.517	26	1259	6.000	7.125	0.625	23	3360
5.937	6.937	0.500	23	7298	6.000	7.125	0.625	26	6042
5.937	7.000	0.500	23	3335	6.000	7.125	0.625	53	3360
5.937	7.000	0.500	53	3335	6.000	7.125	0.719	23	9023
5.937	7.000	0.500	62	3335	6.000	7.187	0.750	23	1689
5.937	7.000	0.625	53	3337	6.000	7.203	0.750	23	4726
5.937	7.125	0.500	53	3338	6.000	7.250	0.500	23	3361
5.937	7.187	0.500	23	7647	6.000	7.250	0.500	26	3361
5.937	7.187	0.625	23	7481	6.000	7.250	0.500	53	3361
5.937	7.250	0.500	53	3341	6.000	7.250	0.625	23	3363
5.937	7.250	0.625	53	3343	6.000	7.250	0.625	25	3363
5.937	7.375	0.500	53	3344	6.000	7.250	0.625	53	3363
5.937	7.437	0.750	23	7214	6.000	7.250	0.625	62	3363
5.937	7.500	0.500	53	3347	6.000	7.250	1.343	53R2	7202
5.937	7.500	0.906	53R1	8708	6.000	7.340	1.375	EQSPB	7040
5.937	7.625	0.500	53	3351	6.000	7.343	0.983	IGSPB	5504
5.937	7.625	0.500	62	3351	6.000	7.343	1.375	EQSPB	7068
5.937	7.687	0.625	23	9031	6.000	7.375	0.500	23	3364
5.938	6.938	0.750	IG	4308	6.000	7.375	0.500	53	3364
5.938	7.250	0.625	23	3343	6.000	7.375	0.750	IG	5481
5.938	7.343	1.200	IGSPB	7110	6.000	7.375	0.750	IG	5481
5.938	7.375	0.500	23	3344	6.000	7.406	0.588	23	3196
5.938	7.625	0.500	23	3351	6.000	7.452	0.734	23	9458
6.000	6.750	0.750	IG	5285	6.000	7.500	0.375	23	1172
6.000	7.000	0.375	23	0530	6.000	7.500	0.375	26	3379
6.000	7.000	0.437	23	6165	6.000	7.500	0.500	23	3367
6.000	7.000	0.437	26R1	3354	6.000	7.500	0.500	24	3367
6.000	7.000	0.438	26	3354	6.000	7.500	0.500	25	3367
6.000	7.000	0.500	21	3355	6.000	7.500	0.500	53	3367
6.000	7.000	0.500	23	3355	6.000	7.500	0.500	59	3367
6.000	7.000	0.500	25	3355	6.000	7.500	0.500	62	3367
6.000	7.000	0.500	53	3355	6.000	7.500	0.625	23	3369
6.000	7.000	0.500	59	3355	6.000	7.500	0.625	25	3369
6.000	7.000	0.500	61	3355	6.000	7.500	0.625	26	3389
6.000	7.000	0.500	62	3355	6.000	7.500	0.625	53	3369
6.000	7.000	0.500	113	3355	6.000	7.500	0.625	59	1024
6.000	7.000	0.562	53	3356	6.000	7.500	0.625	EQ	1024
6.000	7.000	0.625	23	3357	6.000	7.500	0.719	53F1	9304
6.000	7.000	0.625	53	3357	6.000	7.500	0.750	21	3370
6.000	7.000	0.625	EQ	3357	6.000	7.500	0.750	23	3370
6.000	7.000	0.625	EQ	3357	6.000	7.500	0.750	25	3370
6.000	7.000	0.750	26	3362	6.000	7.500	0.750	53	3370
6.000	7.000	0.750	IG	3362	6.000	7.500	0.750	IG	3370
6.000	7.000	0.969	53R2	6746	6.000	7.500	0.750	IG	3370
6.000	7.000	0.969	53T2	6746	6.000	7.500	0.906	53F1	7433

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
6.000	7.500	0.906	53R1	7433	6.125	7.375	0.500	23	3381
6.000	7.500	0.906	53R2	7433	6.125	7.375	0.500	53	3381
6.000	7.500	0.906	53T2	7433	6.125	7.375	0.625	23	3383
6.000	7.500	1.344	53R2	4784	6.125	7.375	0.625	53	3383
6.000	7.531	0.588	23	5284	6.125	7.500	0.500	53	3384
6.000	7.625	0.500	53	3371	6.125	7.500	0.500	62	3384
6.000	7.625	0.500	62	3371	6.125	7.500	0.750	53	3387
6.000	7.625	0.562	53	3372	6.125	7.500	0.906	53R1	6146
6.000	7.625	0.625	26	3373	6.125	7.500	0.906	53R2	6146
6.000	7.625	0.750	53	3374	6.125	7.500	0.969	53F1	5884
6.000	8.250	0.750	21	4780	6.125	7.500	0.969	53TF	5884
6.002	7.002	0.500	23	0803	6.125	7.625	0.500	24	8169
6.030	7.324	0.615	23	1300	6.125	7.625	0.500	62	8169
6.032	7.312	0.500	23	9245	6.125	7.625	0.625	23	6602
6.062	7.062	0.375	23	2560	6.125	7.625	0.625	26	3418
6.062	7.125	0.500	23	5057	6.125	7.625	0.625	53	6602
6.062	7.312	0.625	23	9099	6.125	7.625	0.687	64	1299
6.062	7.349	1.375	EQSPB	7014	6.125	7.625	0.750	23	4729
6.062	7.375	0.500	23	5661	6.125	7.625	0.750	25	4729
6.062	7.500	0.500	53	4490	6.125	7.625	0.750	53	4729
6.062	7.500	0.750	23	1393	6.125	7.625	0.750	IG	5583
6.062	7.562	0.750	23	5119	6.125	9.000	1.438	26	3422
6.062	7.687	0.500	23	9703	6.187	7.187	0.500	23	7789
6.063	7.062	0.500	23	7726	6.187	7.250	0.500	23	5563
6.063	7.063	0.438	23	3376	6.187	7.437	0.500	23	7719
6.063	7.063	0.750	IG	4309	6.187	7.437	0.625	23	8654
6.063	7.087	0.413	23	1706	6.187	7.500	0.625	76	7472
6.063	7.343	1.187	IGSPB	7074	6.187	7.508	0.250	26	4388
6.063	7.500	0.500	23	4490	6.188	7.188	0.750	IG	4311
6.100	6.875	0.625	61	2281	6.188	7.500	0.625	23	7472
6.102	6.850	0.472	26	3326	6.188	7.688	0.750	26	3390
6.102	7.086	0.590	26R1	3352	6.218	8.062	0.750	IG	5524
6.102	7.087	0.500	23	1269	6.221	7.250	0.500	23	1004
6.102	7.087	0.591	59	3352	6.229	7.480	0.511	23	7816
6.102	7.102	0.500	23	6982	6.229	7.549	0.625	26	6867
6.109	7.094	0.492	23	7634	6.247	7.188	0.375	23	1286
6.125	7.000	0.500	23	9232	6.250	7.125	0.625	EQ	1764
6.125	7.125	0.500	23	3375	6.250	7.185	0.500	23	4551
6.125	7.125	0.500	25	3375	6.250	7.250	0.375	23	0527
6.125	7.125	0.500	53	3375	6.250	7.250	0.437	23	6450
6.125	7.125	0.500	62	3375	6.250	7.250	0.437	61	6450
6.125	7.125	0.625	26	3377	6.250	7.250	0.438	26	6450
6.125	7.125	0.625	53	3377	6.250	7.250	0.500	23	3388
6.125	7.125	0.625	26R1	3377	6.250	7.250	0.500	53	3388
6.125	7.125	0.750	IG	4310	6.250	7.250	0.500	26R1	0678
6.125	7.125	0.750	IG	4310	6.250	7.250	0.625	23	3390
6.125	7.187	0.500	23	4424	6.250	7.250	0.750	IG	4312
6.125	7.250	0.500	23	3378	6.250	7.250	0.750	IG	4312
6.125	7.250	0.500	53	3378	6.250	7.250	0.906	53R1	7330
6.125	7.250	0.625	23	3380	6.250	7.250	0.969	53T2	7864
6.125	7.250	0.625	25	3380	6.250	7.343	1.187	IGSPB	7073
6.125	7.250	0.625	53	3380	6.250	7.375	0.500	23	3391

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
6.250	7.375	0.500	53	3391	6.312	7.312	0.625	23	7597
6.250	7.375	0.562	23	1609	6.313	7.313	0.750	IG	4313
6.250	7.375	0.625	23	1457	6.375	7.250	0.500	23	2269
6.250	7.500	0.500	23	3394	6.375	7.375	0.375	23	9939
6.250	7.500	0.500	53	3394	6.375	7.375	0.500	23	3406
6.250	7.500	0.500	62	3394	6.375	7.375	0.500	53	3406
6.250	7.500	0.562	23	3395	6.375	7.375	0.750	IG	4314
6.250	7.500	0.562	53	3395	6.375	7.498	0.750	IG	4542
6.250	7.500	0.625	23	3396	6.375	7.498	0.750	IG	4542
6.250	7.500	0.625	53	3396	6.375	7.500	0.500	23	3409
6.250	7.500	0.750	53	3397	6.375	7.500	0.500	53	3409
6.250	7.500	0.750	IG	4865	6.375	7.500	0.500	94	3409
6.250	7.500	1.344	53R1	4991	6.375	7.500	0.625	23	3419
6.250	7.625	0.500	23	3398	6.375	7.500	0.969	53T2	7609
6.250	7.625	0.500	53	3398	6.375	7.625	0.500	23	3413
6.250	7.687	0.625	23	7264	6.375	7.625	0.500	53	3413
6.250	7.750	0.500	23	3402	6.375	7.625	0.625	23	3415
6.250	7.750	0.500	53	3402	6.375	7.625	0.625	53	3415
6.250	7.750	0.625	23	3404	6.375	7.687	0.625	23	5195
6.250	7.750	0.719	53F1	5212	6.375	7.750	0.472	24	9933
6.250	7.750	0.750	23	3405	6.375	7.750	0.500	23	3417
6.250	7.750	0.750	25	3405	6.375	7.750	0.500	53	3417
6.250	7.750	0.750	53	3405	6.375	7.750	0.625	23	4694
6.250	7.750	0.750	62	3405	6.375	7.875	0.500	23	3421
6.250	7.750	0.750	IG	3405	6.375	7.875	0.500	53	3421
6.250	7.750	0.906	53R2	7247	6.375	7.875	0.625	23	3423
6.250	7.750	1.344	53R2	7629	6.375	7.875	0.625	26	3423
6.281	7.281	0.375	23	6922	6.375	7.875	0.625	53	3423
6.281	7.299	0.375	23	9630	6.375	7.875	0.750	23	3424
6.281	7.530	0.625	23	5637	6.375	7.875	0.750	53	3424
6.298	7.500	0.375	23	1391	6.437	7.375	0.500	23	9185
6.299	7.244	0.551	23	1394	6.437	7.437	0.500	23	7321
6.299	7.274	0.750	23	3269	6.437	7.500	0.500	53	3917
6.299	7.283	0.394	92	0876	6.437	7.500	0.500	62	3917
6.299	7.299	0.500	23	9789	6.437	7.687	0.625	23	7924
6.299	7.480	0.500	23	4634	6.437	7.687	0.625	26	3424
6.299	7.480	0.591	23	7276	6.437	7.687	0.625	59	3424
6.299	7.480	0.591	26	7276	6.437	7.687	0.625	EQ	3424
6.299	7.480	0.591	53	7276	6.437	7.750	0.750	53	3425
6.299	7.480	0.591	26R1	7276	6.437	7.780	1.375	EQSPB	7043
6.299	7.480	0.625	EQ	3913	6.437	7.937	0.625	23	9823
6.299	7.480	0.629	23	3913	6.437	7.937	0.750	23	9021
6.299	7.480	0.630	26	3913	6.438	7.438	0.750	IG	4315
6.299	7.549	0.625	23	6867	6.438	7.500	0.500	23	3917
6.299	7.677	0.709	53	8619	6.438	7.500	0.625	23	4595
6.299	7.677	0.709	26R1	1035	6.438	7.708	0.625	23	4445
6.299	7.874	0.472	23	1717	6.438	7.750	0.750	23	3425
6.299	7.874	0.551	59	4038	6.438	7.780	1.187	IGSPB	7104
6.299	7.874	0.630	21	4633	6.440	7.969	0.750	23	1702
6.300	7.480	0.295	26	3404	6.494	7.525	0.517	26	1060
6.300	7.781	0.500	23	5628	6.495	7.525	0.500	23	0795
6.312	7.312	0.500	23	8194	6.496	7.480	0.512	58	0584

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
6.496	7.874	0.591	23	1970	6.500	8.000	0.750	53	3435
6.500	7.250	0.500	61	1686	6.500	8.000	0.844	53F1	5211
6.500	7.375	0.500	23	3168	6.500	8.000	1.000	EQ	1185
6.500	7.500	0.250	61	1687	6.500	8.125	0.625	53	6501
6.500	7.500	0.375	23	1832	6.500	8.500	0.585	21	5410
6.500	7.500	0.437	23	9374	6.562	7.562	0.500	23	6371
6.500	7.500	0.500	23	4560	6.625	7.625	0.500	23	6897
6.500	7.500	0.500	25	4560	6.625	7.625	0.625	23	3436
6.500	7.500	0.500	62	4560	6.625	7.625	0.625	53	3436
6.500	7.500	0.500	113	4560	6.625	7.625	0.750	IG	5522
6.500	7.500	0.500	EQ	0682	6.625	7.718	1.116	IGSPB	7127
6.500	7.500	0.562	23	9780	6.625	7.718	1.250	EQSPB	7054
6.500	7.500	0.562	26	9780	6.625	7.725	0.305	26	3438
6.500	7.500	0.562	53	9780	6.625	7.750	0.625	23	3438
6.500	7.500	0.625	23	3426	6.625	7.750	0.625	25	3438
6.500	7.500	0.625	53	3426	6.625	7.750	0.625	53	3438
6.500	7.500	0.625	59	3426	6.625	7.875	0.500	53	5677
6.500	7.500	0.625	62	3426	6.625	7.875	0.625	23	3440
6.500	7.500	0.750	IG	4316	6.625	7.875	0.625	53	3440
6.500	7.500	0.781	53F1	8149	6.625	7.875	0.625	62	3440
6.500	7.500	0.844	53F1	6920	6.625	8.000	0.500	23	8567
6.500	7.500	0.906	53R2	5531	6.625	8.000	0.625	23	3442
6.500	7.500	0.906	53T2	5531	6.625	8.000	0.625	53	3442
6.500	7.500	1.031	53T2	7174	6.625	8.000	0.844	53F1	6051
6.500	7.500	1.218	53T2	5286	6.625	8.125	0.500	23	5139
6.500	7.625	0.625	23	3428	6.625	8.125	0.500	24	5139
6.500	7.625	0.625	53	3428	6.625	8.125	0.625	23	3444
6.500	7.687	0.625	23	7771	6.625	8.125	0.625	53	3444
6.500	7.750	0.500	23	6817	6.625	8.125	0.687	23	6172
6.500	7.750	0.500	53	6817	6.625	8.125	0.750	23	3445
6.500	7.750	0.625	23	3430	6.625	8.125	0.750	53	3445
6.500	7.750	0.625	25	3430	6.625	8.125	0.969	53R2	8775
6.500	7.750	0.625	26	3430	6.625	8.250	0.625	53	3446
6.500	7.750	0.625	53	3430	6.625	8.250	0.750	53	3447
6.500	7.750	0.625	EQ	3430	6.625	8.375	0.500	23	5691
6.500	7.750	0.750	23	3431	6.625	8.375	0.625	53	3448
6.500	7.874	0.472	23	8171	6.625	8.390	1.375	EQSPB	7039
6.500	7.874	0.472	24	8171	6.625	8.500	0.625	53	3450
6.500	7.875	0.625	23	3432	6.625	8.750	0.500	26	3135
6.500	7.875	0.625	53	3432	6.625	8.750	0.625	53	3454
6.500	7.875	0.750	23	9217	6.625	12.500	0.625	54	6023
6.500	7.937	0.625	23	5792	6.670	7.750	0.500	23	9958
6.500	8.000	0.500	23	6370	6.679	7.405	0.250	26	2940
6.500	8.000	0.500	24	6370	6.687	7.687	0.500	23	6229
6.500	8.000	0.500	26R1	6370	6.687	7.750	0.625	53	3918
6.500	8.000	0.563	26R1	3348	6.687	7.937	0.500	23	5032
6.500	8.000	0.625	23	3434	6.687	8.007	0.625	23	9828
6.500	8.000	0.625	53	3434	6.688	7.937	0.625	23	7882
6.500	8.000	0.625	26R1	3434	6.690	7.940	0.625	23	6818
6.500	8.000	0.625	62	3434	6.692	8.192	0.750	23	8445
6.500	8.000	0.750	23	3435	6.693	7.638	0.551	23	1395
6.500	8.000	0.750	26	3435	6.693	7.677	0.492	23	0637

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
6.693	7.874	0.295	26	3451	6.750	8.375	0.625	53	3466
6.693	7.874	0.472	23	2826	6.750	8.500	0.500	23	3241
6.693	7.874	0.492	23	5356	6.750	8.500	0.625	21	3468
6.693	7.874	0.590	26R1	3919	6.750	8.500	0.625	53	3468
6.693	7.874	0.591	23	7268	6.750	8.500	1.219	53T2	9168
6.693	7.874	0.591	53	7268	6.750	8.625	0.625	53	3470
6.693	7.874	0.625	EQ	3180	6.750	8.750	0.625	53	3472
6.693	7.874	0.630	26	3919	6.750	8.750	0.875	EQ	4607
6.693	7.874	0.630	59	3919	6.750	9.062	0.750	21	7622
6.693	7.875	0.590	59	7268	6.781	8.031	0.625	23	7063
6.693	7.943	0.625	23	8699	6.812	8.312	0.750	23	4900
6.693	7.992	0.547	23	5370	6.875	7.875	0.375	23	1127
6.693	8.193	0.500	24	9951	6.875	7.875	0.438	23	3477
6.693	8.268	0.630	26	3329	6.875	7.875	0.500	23	8433
6.750	7.750	0.438	23	3455	6.875	7.875	0.625	53	3474
6.750	7.750	0.500	21	6372	6.875	7.875	0.625	58	3474
6.750	7.750	0.500	23	6372	6.875	7.875	0.625	62	3474
6.750	7.750	0.500	25	6372	6.875	7.875	0.750	IG	5565
6.750	7.750	0.500	26	6372	6.875	7.875	0.969	53F1	4853
6.750	7.750	0.625	23	3456	6.875	8.000	0.437	23	6199
6.750	7.750	0.625	53	3456	6.875	8.000	0.500	23	6951
6.750	7.750	0.625	62	3456	6.875	8.000	0.625	23	3476
6.750	7.750	0.750	59	5287	6.875	8.000	0.625	53	3476
6.750	7.750	0.750	IG	5287	6.875	8.000	1.219	53T2	7777
6.750	7.875	0.375	23	3459	6.875	8.062	0.563	23	3216
6.750	7.875	0.500	23	6890	6.875	8.125	0.500	23	7274
6.750	7.875	0.625	23	3458	6.875	8.125	0.562	23	8134
6.750	7.875	0.625	53	3458	6.875	8.125	0.625	23	3478
6.750	7.875	0.625	62	3458	6.875	8.125	0.625	53	3478
6.750	8.000	0.375	23	2983	6.875	8.125	1.406	53R2	8685
6.750	8.000	0.625	23	3460	6.875	8.125	1.406	53T2	8685
6.750	8.000	0.625	26	3460	6.875	8.250	0.625	23	3480
6.750	8.000	0.625	53	3460	6.875	8.250	0.625	25	3480
6.750	8.000	0.719	53F1	7436	6.875	8.250	0.625	53	3480
6.750	8.000	0.750	IG	3467	6.875	8.250	0.625	62	3480
6.750	8.000	0.844	53F1	8216	6.875	8.250	0.750	23	3481
6.750	8.125	0.625	23	3462	6.875	8.250	1.406	53T2	6526
6.750	8.125	0.625	53	3462	6.875	8.375	0.625	23	3482
6.750	8.250	0.500	23	9404	6.875	8.375	0.625	53	3482
6.750	8.250	0.562	59	0844	6.875	8.375	0.750	23	3483
6.750	8.250	0.625	23	3464	6.875	8.375	0.750	53	3483
6.750	8.250	0.625	25	3464	6.875	8.375	1.156	53R1	7796
6.750	8.250	0.625	53	3464	6.875	8.384	0.625	26	3486
6.750	8.250	0.625	59	3464	6.875	8.500	0.625	53	3484
6.750	8.250	0.625	EQ	3464	6.875	8.500	0.750	25	3485
6.750	8.250	0.750	23	3465	6.875	8.500	0.750	53	3485
6.750	8.250	0.750	53	3465	6.875	8.750	0.625	53	3488
6.750	8.250	0.750	IG	3465	6.889	7.874	0.472	23	1709
6.750	8.250	0.781	53F1	7572	6.889	7.874	0.500	23	3251
6.750	8.250	1.031	53R2	6945	6.889	7.874	0.591	23	4624
6.750	8.250	1.032	53R1	6945	6.889	7.889	0.500	23	1869
6.750	8.250	1.156	53R1	9664	6.889	8.465	0.629	53	7495

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
6.890	8.071	0.591	23	2457	7.000	8.375	0.750	23	3499
6.890	8.465	0.625	23	1388	7.000	8.375	0.750	58	3499
6.906	8.156	0.625	23	6597	7.000	8.375	1.375	EQSPB	7015
6.937	7.937	0.500	23	6373	7.000	8.383	1.062	IGSPB	7075
6.937	8.000	0.625	23	5731	7.000	8.406	0.588	23	8434
6.937	8.062	0.500	23	6258	7.000	8.450	0.562	23	0983
6.937	8.125	0.625	53	4477	7.000	8.500	0.500	23	6375
6.937	8.125	0.750	23	3490	7.000	8.500	0.500	24	6375
6.937	8.375	0.625	53	4478	7.000	8.500	0.500	25	6375
6.937	8.437	0.500	23	7378	7.000	8.500	0.625	23	3500
6.937	8.500	0.625	23	4479	7.000	8.500	0.625	25	3500
6.937	8.500	0.625	53	4479	7.000	8.500	0.625	26	3500
6.937	9.000	0.500	94	9047	7.000	8.500	0.625	53	3500
6.938	8.000	0.625	26	3511	7.000	8.500	0.625	59	3500
6.938	8.125	0.625	23	4477	7.000	8.500	0.750	23	3501
6.938	8.375	0.625	23	4478	7.000	8.500	0.750	25	3501
6.938	8.383	1.249	IGSPB	7107	7.000	8.500	0.750	53	3501
6.938	8.383	1.312	IGSPB	7109	7.000	8.500	0.750	IG	3501
6.950	8.125	0.750	23	4730	7.000	8.500	0.875	53R2	7360
7.000	7.875	0.375	23	1017	7.000	8.500	0.969	53F1	6437
7.000	8.000	0.375	23	3257	7.000	8.500	0.969	53R2	6437
7.000	8.000	0.437	26	3452	7.000	8.750	0.625	53	3504
7.000	8.000	0.438	23	3502	7.000	13.500	0.750	54	6024
7.000	8.000	0.500	23	6374	7.007	8.582	0.629	26	4227
7.000	8.000	0.500	25	6374	7.010	8.510	0.500	23	2064
7.000	8.000	0.500	26R1	6374	7.059	8.249	0.625	23	3109
7.000	8.000	0.500	61	6374	7.062	8.062	0.500	23	7674
7.000	8.000	0.500	61	6374	7.062	8.062	0.625	23	9262
7.000	8.000	0.625	23	3492	7.062	8.562	0.500	23	9244
7.000	8.000	0.625	26	3492	7.062	8.562	0.500	24	9244
7.000	8.000	0.625	53	3492	7.062	8.562	0.750	23	9805
7.000	8.000	0.625	59	3492	7.078	8.562	0.500	23	5629
7.000	8.000	0.625	62	3492	7.078	8.578	0.625	23	6841
7.000	8.000	0.750	IG	3453	7.086	8.086	0.500	23	4826
7.000	8.000	0.844	53F1	6433	7.086	8.267	0.492	23	5336
7.000	8.000	0.844	53R1	6433	7.086	8.267	0.590	26R1	3920
7.000	8.125	0.625	23	3494	7.086	8.267	0.591	23	7807
7.000	8.125	0.625	26	3494	7.086	8.385	0.547	23	5371
7.000	8.125	0.625	53	3494	7.086	8.500	0.625	23	4449
7.000	8.125	0.750	23	3495	7.086	8.586	0.750	23	9858
7.000	8.125	0.750	53	3495	7.087	7.961	0.472	23	1433
7.000	8.187	0.625	23	3094	7.087	8.071	0.512	23	1616
7.000	8.250	0.500	23	4924	7.087	8.267	0.591	53	7807
7.000	8.250	0.625	23	3496	7.087	8.268	0.472	23	2828
7.000	8.250	0.625	25	3496	7.087	8.268	0.591	61	7807
7.000	8.250	0.625	53	3496	7.087	8.268	0.591	61	7807
7.000	8.250	0.750	23	3497	7.087	8.268	0.630	26	3920
7.000	8.250	0.750	25	3497	7.087	8.661	0.625	23	9994
7.000	8.375	0.500	23	6163	7.090	8.334	0.500	23	0856
7.000	8.375	0.625	23	3498	7.125	8.000	0.375	61	1724
7.000	8.375	0.625	53	3498	7.125	8.125	0.500	23	4561
7.000	8.375	0.688	23	4774	7.125	8.125	0.500	53	4561

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
7.125	8.125	0.500	113	4561	7.250	8.250	1.344	53R2	5500
7.125	8.125	0.625	23	3506	7.250	8.375	0.625	53	3520
7.125	8.125	0.625	53	3506	7.250	8.375	1.125	53R2	7707
7.125	8.250	0.469	23	6402	7.250	8.437	0.590	23	6556
7.125	8.250	0.500	23	7740	7.250	8.500	0.500	23	6377
7.125	8.250	0.625	23	3508	7.250	8.500	0.500	25	6377
7.125	8.250	0.625	53	3508	7.250	8.500	0.625	23	3522
7.125	8.250	0.969	53T2	6691	7.250	8.500	0.625	25	3522
7.125	8.375	0.500	61	2404	7.250	8.500	0.625	26	3522
7.125	8.375	0.625	23	3510	7.250	8.500	0.625	53	3522
7.125	8.375	0.625	53	3510	7.250	8.500	0.625	62	3522
7.125	8.500	0.500	61	1731	7.250	8.500	0.625	88	3522
7.125	8.500	0.625	23	3512	7.250	8.500	0.625	88NS	3522
7.125	8.500	0.625	26	3512	7.250	8.500	0.750	21	3523
7.125	8.500	0.625	53	3512	7.250	8.500	0.750	23	3523
7.125	8.500	0.625	59	3512	7.250	8.500	0.750	53	3523
7.125	8.500	1.094	53R2	8667	7.250	8.500	1.094	53R2	8546
7.125	8.625	0.437	23	1464	7.250	8.625	0.625	23	3524
7.125	8.625	0.500	24	8173	7.250	8.625	0.625	53	3524
7.125	8.625	0.625	53	3514	7.250	8.625	0.750	23	3525
7.125	8.625	0.750	23	3515	7.250	8.702	0.609	23	1868
7.125	8.625	0.750	25	3515	7.250	8.750	0.500	23	6251
7.125	8.625	0.750	53	3515	7.250	8.750	0.625	23	3526
7.125	8.625	0.750	26R1	3515	7.250	8.750	0.625	53	3526
7.125	8.625	0.750	58	3515	7.250	8.750	0.625	EQ	1239
7.125	8.625	1.094	53R1	6089	7.250	8.750	0.750	23	3527
7.125	8.750	0.625	53	3516	7.250	8.750	0.750	53	3527
7.125	8.750	0.750	25	3526	7.250	8.750	0.750	59	3527
7.187	8.187	0.500	23	7812	7.250	9.000	0.500	61	1739
7.187	8.437	0.500	23	1734	7.256	8.756	0.500	23	2065
7.187	8.562	0.625	23	4886	7.283	8.268	0.500	23	0801
7.187	8.639	0.625	23	8580	7.283	8.283	0.500	23	2081
7.187	8.686	0.625	23	7811	7.283	8.850	0.625	59	0001
7.188	8.437	0.625	23	3521	7.312	8.375	0.625	53	4492
7.188	8.438	0.500	61	1734	7.312	8.375	0.625	62	4492
7.188	8.570	0.980	EQSPB	7132	7.312	8.437	0.562	53	6888
7.188	8.640	0.625	26	5273	7.313	8.438	0.563	26	1714
7.207	8.225	0.500	23	9956	7.375	8.250	0.438	23	0953
7.250	8.000	0.312	71	9565	7.375	8.375	0.437	23	6182
7.250	8.250	0.375	23	6861	7.375	8.375	0.437	26	6182
7.250	8.250	0.437	23	6175	7.375	8.375	0.500	23	4921
7.250	8.250	0.438	26	6175	7.375	8.375	0.500	25	4921
7.250	8.250	0.500	23	6376	7.375	8.375	0.625	23	3528
7.250	8.250	0.500	25	6376	7.375	8.375	0.625	53	3528
7.250	8.250	0.625	23	3518	7.375	8.375	0.637	88	9126
7.250	8.250	0.625	53	3518	7.375	8.375	0.637	88NS	9126
7.250	8.250	0.625	26R1	3518	7.375	8.375	0.750	53	3529
7.250	8.250	0.625	62	3518	7.375	8.500	0.500	23	1308
7.250	8.250	0.625	EQ	3518	7.375	8.500	0.625	23	3530
7.250	8.250	0.750	53	3519	7.375	8.500	0.625	53	3530
7.250	8.250	1.156	53R1	9087	7.375	8.625	0.625	23	3532
7.250	8.250	1.219	53T2	7920	7.375	8.625	0.625	53	3532

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
7.375	8.625	0.750	23	3533	7.500	8.625	0.625	23	3546
7.375	8.750	0.625	53	3534	7.500	8.625	0.625	53	3546
7.375	8.875	0.625	23	3536	7.500	8.750	0.500	23	7180
7.375	8.875	0.625	53	3536	7.500	8.750	0.625	23	3548
7.375	8.875	0.625	62	3536	7.500	8.750	0.625	53	3548
7.375	8.875	0.750	23	3537	7.500	8.750	0.625	59	3548
7.375	9.000	0.625	53	3538	7.500	8.875	0.500	23	4889
7.375	9.125	0.625	53	3540	7.500	8.875	0.625	53	3550
7.375	9.250	0.625	53	3542	7.500	9.000	0.500	23	6773
7.402	8.583	0.591	26	2145	7.500	9.000	0.500	24	6773
7.437	8.437	0.500	23	7847	7.500	9.000	0.625	23	3552
7.437	8.500	0.625	23	7443	7.500	9.000	0.625	25	3552
7.437	8.687	0.625	23	9846	7.500	9.000	0.625	26	3552
7.437	8.937	0.750	23	9792	7.500	9.000	0.625	53	3552
7.437	8.945	1.115	IGSPB	7146	7.500	9.000	0.625	59	3552
7.437	8.945	1.375	EQSPB	7111	7.500	9.000	0.625	62	3552
7.437	8.945	1.540	EQSPB	7120	7.500	9.000	0.625	EQ	3552
7.438	8.500	0.500	23	1965	7.500	9.000	0.718	53F1	9584
7.440	8.858	0.629	26R1	3923	7.500	9.000	0.750	23	3553
7.441	9.875	0.512	26	1716	7.500	9.000	0.750	26	3553
7.468	8.468	0.688	59	5324	7.500	9.000	0.750	53	3553
7.480	8.425	0.472	23	1290	7.500	9.000	0.750	IG	3553
7.480	8.464	0.629	26	4997	7.500	9.000	0.750	IG	3553
7.480	8.465	0.500	23	2581	7.500	9.000	0.844	53F1	7233
7.480	8.480	0.500	23	2679	7.500	9.000	1.343	53R1	6564
7.480	8.661	0.472	23	0504	7.500	9.125	0.625	23	3554
7.480	8.661	0.492	23	5333	7.500	9.125	0.625	53	3554
7.480	8.661	0.591	23	8049	7.500	9.125	0.750	21	3555
7.480	8.661	0.591	53	8049	7.500	9.125	0.750	53	3555
7.480	8.661	0.591	59	2043	7.500	9.250	0.625	53	3556
7.480	8.661	0.591	61	8049	7.500	9.250	0.750	21	3557
7.480	8.661	0.630	23	1379	7.500	9.250	0.937	53F1	5234
7.480	8.661	0.750	IG	4756	7.500	9.250	1.218	53R2	6596
7.480	8.677	0.500	23	2866	7.500	9.250	1.344	53R2	4942
7.480	8.729	0.625	23	1690	7.519	9.019	0.750	23	9065
7.480	8.858	0.629	23	3911	7.530	8.780	0.625	23	5638
7.480	8.858	0.630	26R1	1036	7.562	9.062	0.750	23	5241
7.480	8.980	0.750	23	1316	7.562	9.065	0.750	23	5578
7.480	9.055	0.630	23	1214	7.620	9.120	0.750	23	9895
7.480	9.250	0.630	26	3758	7.625	8.500	0.500	23	2106
7.500	8.375	0.500	23	8252	7.625	8.625	0.500	23	7367
7.500	8.464	0.625	53	5115	7.625	8.625	0.625	23	3558
7.500	8.500	0.500	21	6378	7.625	8.625	0.625	53	3558
7.500	8.500	0.500	23	6378	7.625	8.625	0.625	62	3558
7.500	8.500	0.500	61	6378	7.625	8.750	0.625	53	3560
7.500	8.500	0.625	23	3544	7.625	8.750	0.625	59	2992
7.500	8.500	0.625	26	3544	7.625	8.875	0.625	23	3562
7.500	8.500	0.625	53	3544	7.625	8.875	0.625	53	3562
7.500	8.500	0.625	59	3544	7.625	9.000	0.625	23	3564
7.500	8.500	0.625	62	3544	7.625	9.000	0.625	53	3564
7.500	8.500	0.750	142	3545	7.625	9.000	0.750	53	3565
7.500	8.500	1.094	53R1	8384	7.625	9.125	0.500	24	5630

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
7.625	9.125	0.625	23	3566	7.812	9.312	0.750	23	6016
7.625	9.125	0.625	25	3566	7.854	8.854	0.500	23	4990
7.625	9.125	0.625	26	3566	7.874	8.816	0.500	23	4860
7.625	9.125	0.625	53	3566	7.874	8.858	0.591	23	1949
7.625	9.125	0.750	23	3567	7.874	8.874	0.750	IG	5158
7.625	9.125	0.750	53	3567	7.874	9.055	0.492	23	5337
7.625	9.250	0.625	53	3568	7.874	9.055	0.500	53	4834
7.667	9.055	0.591	23	7320	7.874	9.055	0.551	23	3914
7.677	9.055	0.591	59	2183	7.874	9.055	0.551	26	3914
7.687	9.187	0.750	23	9340	7.874	9.055	0.551	26R1	3914
7.716	8.661	0.472	23	0980	7.874	9.055	0.590	26R1	7388
7.725	9.375	0.750	21	7912	7.874	9.055	0.591	23	7388
7.750	8.750	0.437	23	6185	7.874	9.055	0.591	53	7388
7.750	8.750	0.437	26	6185	7.874	9.055	0.591	58	7388
7.750	8.750	0.438	88	6185	7.874	9.055	0.591	59	7388
7.750	8.750	0.438	88NS	6185	7.874	9.055	0.591	61	7388
7.750	8.750	0.500	23	6379	7.874	9.055	0.591	61	7388
7.750	8.750	0.625	23	3570	7.874	9.055	0.630	59	5317
7.750	8.750	0.625	53	3570	7.874	9.252	0.625	26	3908
7.750	8.750	0.625	59	1895	7.874	9.374	0.752	23	2500
7.750	8.750	1.094	53R2	8686	7.874	9.448	0.618	23	5372
7.750	8.750	1.156	53R2	6954	7.874	9.448	0.629	23	8420
7.750	8.812	0.500	23	3217	7.874	9.448	0.787	26R1	3916
7.750	8.875	0.625	53	3572	7.874	9.449	0.787	26	3916
7.750	8.875	0.750	23	3573	7.874	9.875	0.625	21	6973
7.750	8.938	0.625	23	7744	7.874	9.875	0.625	23	6973
7.750	9.000	0.500	23	6759	7.875	8.875	0.375	23	5605
7.750	9.000	0.625	23	3574	7.875	8.875	0.500	23	6492
7.750	9.000	0.625	53	3574	7.875	8.875	0.625	23	3580
7.750	9.000	0.750	23	2391	7.875	8.875	0.625	53	3580
7.750	9.125	0.625	23	3576	7.875	8.875	0.625	66	3580
7.750	9.125	0.625	53	3576	7.875	8.937	0.500	23	5789
7.750	9.250	0.500	24	9798	7.875	9.000	0.438	26	3811
7.750	9.250	0.625	23	3578	7.875	9.000	0.500	23	6844
7.750	9.250	0.625	25	3578	7.875	9.000	0.625	53	3582
7.750	9.250	0.625	26	3578	7.875	9.000	0.625	66	3582
7.750	9.250	0.625	53	3578	7.875	9.056	0.375	23	6000
7.750	9.250	0.625	59	3578	7.875	9.125	0.375	23	7108
7.750	9.250	0.625	62	3578	7.875	9.125	0.500	23	6647
7.750	9.250	0.750	23	3579	7.875	9.125	0.625	23	3584
7.750	9.250	0.750	53	3579	7.875	9.125	0.625	25	3584
7.750	9.250	0.844	53F1	7241	7.875	9.125	0.625	53	3584
7.750	9.250	0.875	53R2	7358	7.875	9.125	0.625	66	3584
7.750	9.250	0.969	53T2	4876	7.875	9.250	0.625	23	3586
7.750	10.250	0.500	26	3136	7.875	9.250	0.625	53	3586
7.760	8.875	0.500	23	4833	7.875	9.250	0.625	66	3586
7.800	8.800	0.500	23	1152	7.875	9.250	0.750	23	3587
7.812	8.812	0.438	23	3581	7.875	9.281	0.750	23	6926
7.812	8.812	0.500	23	8578	7.875	9.375	0.500	24	9934
7.812	9.000	0.625	23	1288	7.875	9.375	0.625	23	3588
7.812	9.062	0.625	23	9861	7.875	9.375	0.625	53	3588
7.812	9.250	0.500	23	2156	7.875	9.375	0.625	59	3588

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
7.875	9.375	0.625	66	3588	8.000	9.250	0.750	23	3597
7.875	9.375	0.687	64	9176	8.000	9.250	0.750	53	3597
7.875	9.375	0.750	23	3589	8.000	9.250	0.844	53F1	6661
7.875	9.375	0.750	26	3589	8.000	9.250	1.000	53R2	5883
7.875	9.375	0.750	53	3589	8.000	9.250	1.000	53T2	5883
7.875	9.375	0.750	IG	3589	8.000	9.375	0.625	23	3598
7.875	9.375	0.969	53R2	5932	8.000	9.375	0.625	26	3598
7.875	9.375	0.969	53T2	5932	8.000	9.375	0.625	53	3598
7.875	9.375	1.141	53T2	9472	8.000	9.375	0.625	62	3598
7.875	9.500	0.625	23	1107	8.000	9.438	0.500	23	9184
7.875	9.500	0.750	21	9835	8.000	9.450	0.625	23	1770
7.937	8.937	0.500	23	7661	8.000	9.500	0.500	23	7758
7.937	8.937	0.750	142	4463	8.000	9.500	0.500	24	7758
7.937	9.000	0.500	23	1061	8.000	9.500	0.625	23	3600
7.937	9.125	0.625	23	3590	8.000	9.500	0.625	53	3600
7.937	9.125	0.625	53	3590	8.000	9.500	0.625	62	3600
7.937	9.187	0.625	23	9955	8.000	9.500	0.687	23	3921
7.937	9.250	0.625	23	2575	8.000	9.500	0.687	59	3768
7.937	9.437	0.750	23	7133	8.000	9.500	0.687	62	3921
7.937	10.125	0.500	94	9307	8.000	9.500	0.687	64	3921
7.938	8.875	0.500	23	4763	8.000	9.500	0.750	23	3601
7.938	9.125	0.969	53F1	4978	8.000	9.500	0.750	53	3601
7.960	9.460	0.625	23	5685	8.000	9.500	0.750	62	3601
7.971	9.000	0.375	23	3930	8.000	9.500	0.750	IG	3601
7.985	9.000	0.375	23	3966	8.000	9.500	0.969	53F1	5260
8.000	8.875	0.437	23	9578	8.000	9.500	0.969	53R2	5260
8.000	8.875	0.437	26	1775	8.000	9.500	1.094	53R1	9485
8.000	8.875	0.437	76	9578	8.000	9.592	0.609	23	9520
8.000	9.000	0.437	23	4822	8.000	9.625	0.750	53	6381
8.000	9.000	0.500	23	6380	8.000	9.750	0.750	53	3922
8.000	9.000	0.500	24	6380	8.000	9.750	1.406	53T2	7370
8.000	9.000	0.500	25	6380	8.000	9.875	0.812	21	9418
8.000	9.000	0.625	23	3592	8.000	9.910	0.750	21	9756
8.000	9.000	0.625	26	3592	8.000	10.000	0.625	59	0002
8.000	9.000	0.625	53	3592	8.000	10.000	0.625	62	3003
8.000	9.000	0.625	62	3592	8.000	10.000	0.687	53	3924
8.000	9.000	0.750	53	3593	8.000	10.000	0.750	21	3925
8.000	9.000	0.969	53R2	9165	8.000	10.000	0.750	53	3925
8.000	9.000	1.156	53R1	8751	8.000	10.000	0.812	21	3926
8.000	9.000	1.344	53R2	5651	8.000	10.000	1.000	53	3602
8.000	9.125	0.500	23	7577	8.000	10.000	1.375	53R2	9970
8.000	9.125	0.625	23	3594	8.000	14.750	0.625	54	9750
8.000	9.125	0.625	26	3594	8.062	9.000	0.500	23	1295
8.000	9.125	0.625	53	3594	8.062	9.062	0.463	23	8805
8.000	9.125	0.750	23	3595	8.062	9.312	0.500	23	4810
8.000	9.250	0.437	23	3199	8.062	9.312	0.625	23	9874
8.000	9.250	0.500	23	6510	8.062	9.562	0.500	26	5192
8.000	9.250	0.625	23	3596	8.062	9.562	0.750	23	5009
8.000	9.250	0.625	25	3596	8.062	10.000	1.000	62	3927
8.000	9.250	0.625	53	3596	8.063	10.062	1.000	59	0003
8.000	9.250	0.625	59	3596	8.070	9.258	0.591	26	4611
8.000	9.250	0.625	61	3596	8.125	9.125	0.437	23	5384

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
8.125	9.125	0.500	23	8175	8.250	10.260	0.687	87	2268
8.125	9.187	0.500	23	7869	8.250	10.500	0.875	59	0006
8.125	9.250	0.625	23	3298	8.250	11.500	0.750	59	0007
8.125	9.625	0.500	24	7861	8.260	9.142	0.375	23	8265
8.125	9.625	0.750	23	3928	8.267	9.448	0.590	23	5338
8.125	9.625	0.750	53	3928	8.267	9.448	0.590	26	5338
8.125	10.000	1.000	53	3603	8.267	9.448	0.590	26R1	5338
8.125	10.125	0.625	59	0004	8.267	9.842	0.551	53	7887
8.125	10.125	0.687	64	9712	8.267	9.842	0.618	21	5373
8.125	10.125	0.750	21	3932	8.267	9.842	0.630	21	9521
8.125	10.125	0.750	53	3932	8.268	9.449	0.472	23	2833
8.125	10.125	0.750	62	3932	8.268	9.803	0.866	26	5231
8.125	10.125	1.281	53T2	7786	8.312	9.562	0.625	23	9889
8.125	10.135	0.750	59	3816	8.313	9.313	0.500	23	5161
8.187	9.187	0.500	23	8418	8.375	9.375	0.500	23	9548
8.187	9.312	0.500	23	8234	8.375	9.500	0.625	23	7344
8.187	9.687	0.500	23	9473	8.375	9.500	0.750	23	1721
8.189	9.370	0.591	26	2147	8.375	9.625	0.500	23	8776
8.250	9.250	0.437	23	6204	8.375	9.625	0.625	23	4893
8.250	9.250	0.500	23	6382	8.375	9.750	0.625	23	3007
8.250	9.250	0.625	23	3604	8.375	9.750	0.625	59	0008
8.250	9.250	0.625	26	3817	8.375	9.750	0.750	23	3608
8.250	9.250	0.625	53	3604	8.375	9.750	0.750	53	3608
8.250	9.250	0.625	59	3817	8.375	9.750	0.750	59	3631
8.250	9.250	0.625	62	3604	8.375	9.750	0.750	62	3608
8.250	9.250	0.750	142	4483	8.375	9.750	1.156	53R1	9618
8.250	9.312	0.437	23	2970	8.375	9.875	0.500	23	8452
8.250	9.375	0.500	23	4760	8.375	9.875	0.500	24	8452
8.250	9.375	0.625	53	3605	8.375	9.875	0.625	23	4799
8.250	9.500	0.500	23	8451	8.375	9.875	0.625	25	4799
8.250	9.500	0.625	21	3606	8.375	9.875	0.625	59	0009
8.250	9.500	0.625	23	3606	8.375	9.875	0.687	23	3933
8.250	9.500	0.625	26	3606	8.375	9.875	0.687	53	3933
8.250	9.500	0.625	53	3606	8.375	9.875	0.687	64	3933
8.250	9.500	0.625	59	3606	8.375	9.875	0.688	26	3933
8.250	9.500	0.625	61	3606	8.375	9.875	0.750	23	3934
8.250	9.500	0.750	23	3818	8.375	9.875	0.750	53	3934
8.250	9.500	0.844	53F1	8729	8.375	9.875	0.750	88	3934
8.250	9.500	1.125	53T2	4545	8.375	9.875	0.750	88NS	3934
8.250	9.750	0.500	23	6247	8.375	9.875	1.156	53R2	5918
8.250	9.750	0.500	24	6247	8.375	10.000	0.500	24	9935
8.250	9.750	0.625	23	6684	8.375	10.375	0.750	21	9267
8.250	9.750	0.750	23	7157	8.375	10.375	0.750	23	9267
8.250	10.000	0.750	59	3819	8.375	10.375	0.750	59	0010
8.250	10.250	0.625	59	0005	8.375	10.375	0.812	64	4500
8.250	10.250	0.750	21	8967	8.375	10.375	1.000	53	3609
8.250	10.250	0.750	26	1068	8.375	10.375	1.250	53F1	4782
8.250	10.250	0.750	59	1068	8.375	10.500	0.875	59	0011
8.250	10.250	0.812	64	4499	8.376	9.565	0.750	23	1699
8.250	10.250	1.000	53	3607	8.394	9.394	0.500	23	5308
8.250	10.250	1.218	53T2	5179	8.406	9.406	0.500	23	5163
8.250	10.250	1.875	53T2	4681	8.437	9.687	0.625	23	7834

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
8.437	9.937	0.500	23	1463	8.500	10.000	0.750	23	3937
8.437	9.937	0.750	23	1592	8.500	10.000	0.750	26	3937
8.437	10.000	0.625	53	4501	8.500	10.000	0.750	53	3937
8.437	10.000	1.000	53R2	9532	8.500	10.000	0.750	61	3937
8.438	9.563	0.500	23	0999	8.500	10.000	0.750	62	3937
8.438	10.000	0.625	59	4501	8.500	10.000	1.000	53F1	6760
8.464	9.339	0.437	23	3112	8.500	10.000	1.000	53R1	6760
8.464	9.448	0.500	23	5402	8.500	10.000	1.250	53F1	5681
8.464	9.645	0.590	23	5358	8.500	10.062	0.750	23	3117
8.464	9.646	0.492	23	1953	8.500	10.250	0.750	23	4727
8.465	9.764	0.590	23	0961	8.500	10.375	0.625	23	8223
8.465	9.843	0.591	23	2597	8.500	10.410	0.812	23	9718
8.465	9.845	0.645	23	0746	8.500	10.500	0.500	21	8560
8.469	9.968	0.500	23	8623	8.500	10.500	0.500	23	8560
8.469	9.968	0.500	24	8623	8.500	10.500	0.625	23	5916
8.469	9.968	0.750	23	8189	8.500	10.500	0.625	25	5916
8.470	9.500	0.500	23	5461	8.500	10.500	0.625	59	0013
8.471	9.850	0.630	23	2976	8.500	10.500	0.750	21	7101
8.500	9.375	0.500	23	8583	8.500	10.500	0.750	23	7101
8.500	9.500	0.500	21	6383	8.500	10.500	0.750	26	7101
8.500	9.500	0.500	23	6383	8.500	10.500	0.750	53	7101
8.500	9.500	0.500	61	6383	8.500	10.500	0.812	23	3938
8.500	9.500	0.500	88	6383	8.500	10.500	0.812	62	3938
8.500	9.500	0.500	88NS	6383	8.500	10.500	0.812	64	3938
8.500	9.500	0.625	23	3935	8.500	10.500	1.000	53	3610
8.500	9.500	0.625	26	3935	8.500	10.500	1.000	62	3610
8.500	9.500	0.625	53	3935	8.500	10.500	1.250	53R2	9414
8.500	9.500	0.625	59	3935	8.500	10.500	1.312	53R1	6770
8.500	9.500	0.625	62	3935	8.500	10.625	0.750	53	4587
8.500	9.500	0.969	53R2	6969	8.530	9.780	0.625	23	5684
8.500	9.500	0.969	53T2	6969	8.540	9.750	0.625	58	2490
8.500	9.500	1.094	53R1	9299	8.560	9.810	0.625	23	0570
8.500	9.500	1.312	53R1	6140	8.562	9.500	0.500	23	1090
8.500	9.750	0.500	23	4922	8.562	10.062	0.750	23	9022
8.500	9.750	0.562	64	1705	8.611	10.236	0.750	23	0957
8.500	9.750	0.625	21	6384	8.625	9.625	0.500	26	3825
8.500	9.750	0.625	23	6384	8.625	9.812	0.625	23	1095
8.500	9.750	0.625	26	6384	8.625	9.875	0.500	23	9210
8.500	9.750	0.652	64	6384	8.625	9.875	0.625	23	6570
8.500	9.750	0.750	23	9207	8.625	9.875	0.625	26	6570
8.500	9.750	0.750	25	9207	8.625	10.000	0.750	59	0014
8.500	9.750	0.750	26	1913	8.625	10.125	0.609	23	4444
8.500	9.875	0.750	23	8709	8.625	10.125	0.625	59	0015
8.500	10.000	0.500	23	8665	8.625	10.125	0.687	53	3939
8.500	10.000	0.500	24	8665	8.625	10.125	0.687	64	3939
8.500	10.000	0.625	23	4502	8.625	10.125	0.750	23	3940
8.500	10.000	0.625	25	4502	8.625	10.125	0.750	53	3940
8.500	10.000	0.625	53	4502	8.625	10.250	0.625	59	0016
8.500	10.000	0.625	59	0012	8.625	10.250	0.750	23	3941
8.500	10.000	0.625	62	4502	8.625	10.250	0.750	53	3941
8.500	10.000	0.687	64	8453	8.625	10.260	0.687	64	2736
8.500	10.000	0.750	21	3937	8.625	10.500	0.500	26	3828

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
8.625	10.500	0.750	21	3943	8.750	10.000	0.625	88	6386
8.625	10.500	0.750	53	3943	8.750	10.000	0.625	88NS	6386
8.625	10.500	0.750	59	1741	8.750	10.000	1.000	53F1	8182
8.625	10.500	1.000	53F1	6520	8.750	10.250	0.500	23	6845
8.625	10.625	0.625	59	0017	8.750	10.250	0.500	24	6845
8.625	10.625	0.750	23	3611	8.750	10.250	0.625	23	8142
8.625	10.625	0.750	26	3611	8.750	10.250	0.625	59	0022
8.625	10.625	0.750	53	3611	8.750	10.250	0.687	53	3946
8.625	10.625	0.812	23	9203	8.750	10.250	0.687	62	3946
8.625	10.625	1.000	53	3945	8.750	10.250	0.687	64	3946
8.625	10.750	0.812	64	7718	8.750	10.250	0.750	23	3947
8.625	10.750	0.875	59	0018	8.750	10.250	0.750	53	3947
8.625	10.750	1.000	53	3612	8.750	10.375	0.750	23	3948
8.661	9.370	0.748	23	1014	8.750	10.375	0.750	53	3948
8.661	9.661	0.500	23	5598	8.750	10.500	0.687	64	9911
8.661	9.842	0.512	23	4757	8.750	10.500	0.750	23	3949
8.661	9.842	0.590	23	5357	8.750	10.500	0.750	53	3949
8.661	9.842	0.590	53	5357	8.750	10.500	0.750	59	0023
8.661	9.842	0.590	26R1	5357	8.750	10.500	0.750	62	3949
8.661	9.842	0.594	59	5357	8.750	10.500	0.812	23	1082
8.661	9.842	0.630	23	3942	8.750	10.625	0.750	53	3950
8.661	9.843	0.472	23	2829	8.750	10.625	0.750	59	0024
8.661	9.843	0.591	62	5357	8.750	10.750	0.625	23	0960
8.661	9.843	0.630	26	3942	8.750	10.750	0.750	21	3951
8.661	9.911	0.500	23	9242	8.750	10.750	0.750	23	3951
8.661	9.911	0.625	23	9243	8.750	10.750	0.750	26	3951
8.661	10.228	0.625	59	0020	8.750	10.750	0.750	53	3951
8.661	10.236	0.511	53	7840	8.750	10.750	0.750	59	3951
8.661	10.236	0.591	23	0891	8.750	10.750	0.750	62	3951
8.661	10.236	0.625	59	0019	8.750	10.750	0.812	23	3952
8.661	10.236	0.630	21	8606	8.750	10.750	0.812	64	3952
8.661	10.236	0.630	23	8606	8.750	10.750	1.000	53	3613
8.661	10.236	0.787	23	1392	8.750	10.750	1.375	53R1	8687
8.661	10.236	0.866	26	3944	8.750	10.750	1.375	53R2	8687
8.661	10.236	0.866	26R1	3944	8.780	10.780	0.750	23	5525
8.661	10.819	0.950	59	0021	8.800	9.500	0.625	61	3600
8.687	9.937	0.625	23	7804	8.812	9.812	0.500	23	6943
8.687	9.938	0.750	23	6210	8.812	10.312	0.500	23	6334
8.688	9.687	0.500	23	9146	8.812	10.312	0.750	23	7617
8.688	9.938	0.500	23	4413	8.858	9.842	0.492	23	8481
8.688	10.625	0.750	23	4518	8.858	9.858	0.500	23	4992
8.750	9.750	0.500	23	6827	8.858	10.433	0.630	23	2247
8.750	9.750	0.562	26	3829	8.858	11.016	0.906	59	0025
8.750	9.764	0.375	23	1694	8.859	10.359	0.750	23	5910
8.750	9.875	0.625	23	5890	8.875	9.875	0.500	23	6813
8.750	9.875	0.687	23	9559	8.875	10.125	0.625	23	3832
8.750	9.875	0.750	23	5480	8.875	10.125	0.625	23	5153
8.750	10.000	0.515	23	4981	8.875	10.125	0.625	26	3832
8.750	10.000	0.625	23	6386	8.875	10.125	0.625	59	3832
8.750	10.000	0.625	26	6386	8.875	10.125	0.625	87	3832
8.750	10.000	0.625	53	6386	8.875	10.125	0.750	26	1914
8.750	10.000	0.625	59	6386	8.875	10.250	0.750	23	2244

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
8.875	10.375	0.500	23	8177	9.000	10.500	0.625	23	4507
8.875	10.375	0.750	23	7336	9.000	10.500	0.625	53	4507
8.875	10.500	0.750	23	5213	9.000	10.500	0.625	59	0030
8.875	10.625	0.812	23	5559	9.000	10.500	0.625	62	4507
8.875	10.750	0.750	62	9438	9.000	10.500	0.687	53	3954
8.875	10.875	0.750	23	6646	9.000	10.500	0.687	59	3150
8.875	10.875	0.750	59	6646	9.000	10.500	0.687	62	3954
8.875	10.875	0.812	23	3953	9.000	10.500	0.687	64	3954
8.875	10.875	0.812	64	3953	9.000	10.500	0.750	23	3619
8.875	10.875	1.000	26	3833	9.000	10.500	0.750	25	3619
8.875	11.000	0.875	59	0026	9.000	10.500	0.750	26	3619
8.937	9.937	0.500	23	9151	9.000	10.500	0.750	53	3619
8.937	9.968	0.500	23	6273	9.000	10.500	0.812	21	4929
8.937	10.000	0.500	23	6797	9.000	10.500	1.375	53R1	6521
8.937	10.187	0.625	23	6190	9.000	10.500	1.375	53R2	6521
8.937	10.443	1.562	EQSPB	7052	9.000	10.500	1.437	53R2	8828
8.937	10.500	0.750	23	1235	9.000	10.625	0.625	23	4508
9.000	10.000	0.437	23	9201	9.000	10.625	0.625	53	4508
9.000	10.000	0.468	26	3834	9.000	10.625	0.625	59	0031
9.000	10.000	0.500	21	6387	9.000	10.625	0.625	62	4508
9.000	10.000	0.500	23	6387	9.000	10.625	0.750	23	3620
9.000	10.000	0.500	25	6387	9.000	10.672	0.750	23	3160
9.000	10.000	0.625	23	4503	9.000	10.750	0.750	23	3621
9.000	10.000	0.625	53	4503	9.000	10.750	0.750	53	3621
9.000	10.000	0.625	59	4503	9.000	10.750	1.375	53R2	4943
9.000	10.000	0.625	62	4503	9.000	10.875	0.750	23	3622
9.000	10.000	0.750	53	3615	9.000	10.875	0.750	53	3622
9.000	10.000	0.750	142	3615	9.000	10.910	0.812	23	1165
9.000	10.032	0.500	23	0579	9.000	10.910	0.838	21	8564
9.000	10.062	0.500	23	1019	9.000	11.000	0.625	23	9948
9.000	10.125	0.500	23	0985	9.000	11.000	0.625	59	0032
9.000	10.125	0.547	23	6423	9.000	11.000	0.750	21	3623
9.000	10.125	0.625	23	4504	9.000	11.000	0.750	23	3623
9.000	10.125	0.625	53	4504	9.000	11.000	0.750	26	3623
9.000	10.125	0.750	23	3616	9.000	11.000	0.750	53	3623
9.000	10.125	0.750	53	3616	9.000	11.000	0.812	23	3955
9.000	10.125	0.750	59	0027	9.000	11.000	0.812	64	3955
9.000	10.187	0.625	59	0028	9.000	11.000	1.000	53	3624
9.000	10.250	0.625	23	4505	9.000	11.000	1.000	62	3624
9.000	10.250	0.625	25	4505	9.000	11.000	1.250	53T2	8462
9.000	10.250	0.625	53	4505	9.000	11.000	1.375	53R1	5949
9.000	10.250	0.625	59	4505	9.000	11.000	1.375	53R2	5949
9.000	10.250	0.750	53	3617	9.000	11.054	0.750	59	0033
9.000	10.375	0.500	24	9108	9.000	11.250	0.875	59	0034
9.000	10.375	0.625	23	4506	9.055	10.039	0.500	23	5403
9.000	10.375	0.625	53	4506	9.055	10.180	0.494	23	2485
9.000	10.375	0.625	59	0029	9.055	10.180	0.625	23	1109
9.000	10.375	0.750	53	3618	9.055	10.230	0.590	23	5334
9.000	10.500	0.500	23	5952	9.055	10.236	0.590	26	3955
9.000	10.500	0.500	26	0809	9.055	10.236	0.591	59	3955
9.000	10.500	0.562	23	1963	9.055	10.236	0.591	87	5334
9.000	10.500	0.609	23	8494	9.055	10.551	0.750	23	5784

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
9.055	10.590	0.866	26R1	3956	9.250	10.375	0.625	23	3255
9.055	10.591	0.866	26	3956	9.250	10.375	0.750	53	3629
9.055	10.621	0.629	59	0035	9.250	10.500	0.500	23	4724
9.055	10.629	0.551	59	4035	9.250	10.500	0.625	23	4511
9.055	10.630	0.630	23	4885	9.250	10.500	0.625	26	0041
9.055	10.630	0.630	59	4763	9.250	10.500	0.625	53	4511
9.055	10.866	0.684	23	5374	9.250	10.500	0.625	26R1	0041
9.055	11.024	0.625	59	0036	9.250	10.500	0.625	59	0041
9.055	11.024	0.630	23	4865	9.250	10.500	0.750	25	3630
9.062	10.062	0.375	23	5575	9.250	10.500	0.750	53	3630
9.062	10.062	0.500	21	7322	9.250	10.625	0.750	23	7831
9.062	10.062	0.500	23	7322	9.250	10.625	1.437	53T2	9103
9.062	10.500	0.750	23	8838	9.250	10.750	0.500	23	8179
9.062	10.562	0.750	23	9553	9.250	10.750	0.625	23	6595
9.062	10.562	0.750	113	9553	9.250	10.750	0.625	59	0042
9.062	11.062	0.750	21	6092	9.250	10.750	0.656	26	3840
9.062	11.062	0.750	23	6092	9.250	10.750	0.687	53	3963
9.125	10.125	0.375	23	3195	9.250	10.750	0.687	64	3963
9.125	10.125	0.500	23	6756	9.250	10.750	0.750	23	3632
9.125	10.375	0.625	23	4803	9.250	10.750	0.750	53	3632
9.125	10.375	0.625	26	4803	9.250	10.750	1.375	53R1	5021
9.125	10.375	0.625	59	4803	9.250	10.750	1.375	53R2	5021
9.125	10.500	0.625	23	1876	9.250	10.875	0.750	53	3964
9.125	10.625	0.625	59	0037	9.250	11.000	0.625	59	0043
9.125	10.625	0.687	53	3957	9.250	11.000	0.750	23	3965
9.125	10.625	0.687	64	3957	9.250	11.000	0.750	25	3965
9.125	10.625	0.750	23	3958	9.250	11.000	0.750	53	3965
9.125	10.625	0.750	53	3958	9.250	11.000	1.375	53R1	6663
9.125	10.625	1.250	53T2	7823	9.250	11.000	1.375	53R2	6663
9.125	10.750	0.625	59	0038	9.250	11.250	0.562	59	4481
9.125	10.750	0.750	23	3959	9.250	11.250	0.625	23	9172
9.125	10.750	0.750	53	3959	9.250	11.250	0.625	26R1	9388
9.125	10.799	0.703	23	0466	9.250	11.250	0.687	64	9706
9.125	11.000	0.750	53	3961	9.250	11.250	0.750	23	3967
9.125	11.125	0.625	59	0039	9.250	11.250	0.750	25	3967
9.125	11.125	0.750	23	5745	9.250	11.250	0.750	26	0044
9.125	11.125	0.812	64	3962	9.250	11.250	0.750	53	3967
9.125	11.125	1.250	53F1	6726	9.250	11.250	0.750	26R1	0044
9.134	10.625	0.687	64	8765	9.250	11.250	0.750	58	3967
9.156	10.656	0.750	23	5126	9.250	11.250	0.750	59	0044
9.187	10.375	0.750	59	0040	9.250	11.250	0.750	62	3967
9.187	10.687	0.750	23	9295	9.250	11.250	0.812	23	9875
9.250	10.125	0.375	23	7640	9.250	11.250	1.000	26	3633
9.250	10.170	0.500	23	1430	9.250	11.250	1.000	53	3633
9.250	10.250	0.437	23	5320	9.250	11.250	1.375	53R2	7562
9.250	10.250	0.500	23	6676	9.250	11.250	1.375	53T2	7562
9.250	10.250	0.500	25	6676	9.250	11.375	0.875	59	0045
9.250	10.250	0.625	23	4509	9.250	11.500	0.875	59	0046
9.250	10.250	0.625	53	4509	9.375	10.375	0.437	23	5093
9.250	10.250	0.625	26R1	2976	9.375	10.375	0.500	23	0981
9.250	10.250	0.750	53	3628	9.375	10.375	0.750	142	8621
9.250	10.250	0.750	142	3628	9.375	10.375	1.000	59	0047

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
9.375	10.625	0.500	23	9544	9.449	11.024	0.748	26	3973
9.375	10.625	0.625	23	6648	9.449	11.811	0.984	59	0054
9.375	10.625	0.625	59	0048	9.469	10.625	0.625	59	2044
9.375	10.875	0.750	23	3971	9.500	10.500	0.437	23	6214
9.375	10.875	0.750	59	0049	9.500	10.500	0.438	26	3841
9.375	11.000	0.625	59	1343	9.500	10.500	0.500	23	6388
9.375	11.000	0.750	23	3972	9.500	10.500	0.625	23	3638
9.375	11.000	0.750	53	3972	9.500	10.500	0.625	53	3638
9.375	11.250	0.750	23	2580	9.500	10.500	1.000	53F1	8717
9.375	11.375	0.625	59	0050	9.500	10.625	0.500	23	6669
9.375	11.375	0.750	53	3975	9.500	10.625	0.625	53	3639
9.375	11.375	0.812	23	4610	9.500	10.750	0.500	23	8783
9.375	11.375	0.812	64	4610	9.500	10.750	0.562	64	3145
9.375	11.375	1.000	53	3634	9.500	10.750	0.625	23	3640
9.409	10.909	0.625	23	0476	9.500	10.750	0.625	26	3640
9.410	10.410	0.750	142	8414	9.500	10.750	0.625	53	3640
9.437	10.437	0.500	23	8753	9.500	10.750	0.625	59	3640
9.437	10.500	0.625	23	3977	9.500	10.750	1.375	53R2	6942
9.437	10.500	0.625	53	3977	9.500	10.750	1.375	53T2	6942
9.437	10.500	0.750	53	3635	9.500	10.875	0.750	23	3105
9.437	10.625	0.625	53	7447	9.500	10.937	0.750	23	2530
9.437	10.625	0.750	23	3636	9.500	11.000	0.500	23	8388
9.437	10.625	0.750	53	3636	9.500	11.000	0.625	21	3642
9.437	10.687	0.625	23	8447	9.500	11.000	0.625	23	3642
9.437	10.750	0.625	23	0528	9.500	11.000	0.625	53	3642
9.437	10.937	0.750	23	9916	9.500	11.000	0.625	59	0055
9.437	11.500	1.000	53	3637	9.500	11.000	0.688	26	3842
9.438	10.625	0.750	59	0051	9.500	11.000	0.750	21	3979
9.438	11.500	0.875	59	0052	9.500	11.000	0.750	23	3979
9.445	10.633	0.500	23	9941	9.500	11.000	0.750	25	3979
9.448	10.433	0.492	23	7637	9.500	11.125	0.625	53	3643
9.448	10.448	0.500	23	6991	9.500	11.125	0.625	59	0056
9.448	10.629	0.590	23	5359	9.500	11.250	0.625	26	3644
9.448	10.629	0.590	53	5359	9.500	11.250	0.625	53	3644
9.448	10.629	0.590	26R1	5359	9.500	11.250	0.625	59	3644
9.448	10.948	0.750	23	5852	9.500	11.250	0.750	23	3981
9.448	11.023	0.500	23	1097	9.500	11.250	0.750	53	3981
9.448	11.023	0.629	23	7891	9.500	11.250	0.750	64	3981
9.448	11.023	0.629	53	7891	9.500	11.250	1.375	53R2	8909
9.448	11.024	0.748	26R1	3973	9.500	11.375	0.625	23	3645
9.448	11.024	0.787	23	9435	9.500	11.375	0.625	53	3645
9.448	11.259	0.684	23	5380	9.500	11.437	0.625	23	5463
9.448	11.417	0.630	23	3132	9.500	11.500	0.500	23	1910
9.448	11.417	0.748	26R1	3974	9.500	11.500	0.578	23	9536
9.448	12.598	0.984	26	0828	9.500	11.500	0.625	23	3646
9.449	10.630	0.591	26	5359	9.500	11.500	0.625	26	0055
9.449	10.630	0.594	59	5359	9.500	11.500	0.625	53	3646
9.449	10.630	0.630	59	0053	9.500	11.500	0.625	59	0057
9.449	10.827	0.630	26	3910	9.500	11.500	0.687	23	5960
9.449	10.827	0.709	23	1036	9.500	11.500	0.750	21	3983
9.449	11.024	0.591	26	2041	9.500	11.500	0.750	23	3983
9.449	11.024	0.748	23	3973	9.500	11.500	0.812	21	3984

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
9.500	11.500	0.812	23	3984	9.750	11.000	0.750	25	3652
9.500	11.500	0.812	62	3984	9.750	11.000	0.750	53	3652
9.500	11.500	0.812	64	3984	9.750	11.000	1.375	53R1	9713
9.500	11.500	1.000	26	3648	9.750	11.125	0.562	64	1692
9.500	11.500	1.000	53	3648	9.750	11.125	0.625	23	4516
9.500	11.500	1.000	62	3648	9.750	11.125	0.625	53	4516
9.500	11.500	1.250	53F1	7909	9.750	11.125	0.625	59	0061
9.500	11.500	1.312	53R1	4925	9.750	11.125	0.750	26	1922
9.528	10.709	0.591	26	2149	9.750	11.125	0.750	53	3653
9.562	10.812	0.625	23	9888	9.750	11.160	0.588	23	6201
9.562	11.062	0.625	23	8846	9.750	11.250	0.625	23	4517
9.563	10.563	0.500	23	4823	9.750	11.250	0.625	25	4517
9.563	10.653	0.500	23	4460	9.750	11.250	0.625	53	4517
9.620	10.875	0.625	59	0058	9.750	11.250	0.625	59	0062
9.625	10.500	0.500	23	7835	9.750	11.250	0.687	64	3985
9.625	10.625	0.500	23	7889	9.750	11.250	0.688	23	3985
9.625	10.875	0.500	23	6664	9.750	11.250	0.750	23	3654
9.625	10.875	0.625	23	8313	9.750	11.250	0.750	26	3654
9.625	10.875	0.625	26	8313	9.750	11.250	0.750	53	3654
9.625	10.875	0.625	53	8313	9.750	11.250	1.000	53F1	5205
9.625	10.875	0.750	23	4512	9.750	11.250	1.000	EQ	1183
9.625	10.875	0.750	53	4512	9.750	11.375	0.750	23	1283
9.625	10.875	0.750	59	0059	9.750	11.500	0.750	59	0063
9.625	11.000	0.750	23	2343	9.750	11.750	0.625	23	9947
9.625	11.125	0.500	23	6682	9.750	11.750	0.625	59	0064
9.625	11.125	0.625	23	9300	9.750	11.750	0.687	64	9425
9.625	11.125	0.750	23	9260	9.750	11.750	0.750	21	3989
9.625	11.625	0.750	21	6389	9.750	11.750	0.750	23	3989
9.625	11.625	0.750	23	6389	9.750	11.750	0.750	25	3989
9.625	11.625	0.812	23	9594	9.750	11.750	0.750	53	3989
9.625	11.625	1.000	53	3649	9.750	11.750	1.000	26	3655
9.642	10.642	0.500	23	7764	9.750	11.750	1.000	53	3655
9.645	12.007	0.984	26R1	1837	9.750	12.000	0.875	59	0065
9.646	11.142	0.812	23	2256	9.774	11.024	0.500	23	9317
9.687	11.187	0.750	23	9253	9.842	11.023	0.590	23	5339
9.719	11.625	0.700	59	0060	9.842	11.023	0.590	26R1	5339
9.724	10.724	0.500	23	4989	9.842	11.417	0.590	23	4497
9.725	11.750	0.625	59	2189	9.842	11.467	0.750	23	5961
9.750	10.625	0.500	23	1072	9.842	11.653	0.684	23	5375
9.750	10.750	0.500	23	6067	9.842	11.842	0.750	23	1314
9.750	10.750	0.625	23	4513	9.843	10.843	0.750	142	8553
9.750	10.750	0.625	53	4513	9.843	11.024	0.591	59	5339
9.750	10.750	0.625	59	2914	9.843	11.024	0.591	62	5339
9.750	10.750	0.625	62	4513	9.843	11.024	0.650	26	4345
9.750	10.750	0.750	53	3650	9.843	11.220	0.630	23	1099
9.750	10.875	0.625	53	4514	9.843	11.342	0.748	23	1703
9.750	11.000	0.500	23	6390	9.843	11.417	0.630	23	8607
9.750	11.000	0.625	23	4515	9.844	10.844	0.500	23	9969
9.750	11.000	0.625	26	4515	9.844	11.020	0.500	23	9676
9.750	11.000	0.625	53	4515	9.844	11.343	0.812	23	6533
9.750	11.000	0.625	59	4515	9.844	11.409	0.625	59	0066
9.750	11.000	0.750	23	3652	9.859	10.859	0.500	23	4482

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
9.868	11.368	0.750	23	9995	10.000	11.250	0.687	23	3146
9.875	10.875	0.500	23	7621	10.000	11.250	0.750	53	3670
9.875	10.875	0.500	25	7621	10.000	11.250	1.000	53F1	6481
9.875	11.375	0.625	23	1441	10.000	11.375	0.500	23	2352
9.875	11.375	0.750	23	3990	10.000	11.375	0.562	53	3663
9.875	11.375	0.750	53	3990	10.000	11.375	0.750	53	3671
9.875	11.375	0.750	59	0067	10.000	11.375	0.750	59	0071
9.875	11.500	0.750	23	3991	10.000	11.437	0.750	23	8841
9.875	11.500	0.750	53	3991	10.000	11.500	0.375	23	9957
9.875	11.875	0.750	23	5082	10.000	11.500	0.562	53	3664
9.875	11.875	0.969	59	3140	10.000	11.500	0.625	23	4950
9.875	11.875	1.312	53R1	8829	10.000	11.500	0.625	59	4950
9.875	11.875	1.312	53T2	8829	10.000	11.500	0.625	87	4950
9.875	12.000	0.875	59	0068	10.000	11.500	0.687	53	3992
9.892	11.338	0.750	23	4850	10.000	11.500	0.687	59	3992
9.937	10.937	0.500	23	5901	10.000	11.500	0.687	64	3992
9.937	11.187	0.625	23	9272	10.000	11.500	0.688	23	3992
9.937	11.437	0.750	23	9145	10.000	11.500	0.750	21	3672
9.937	11.500	0.750	23	9057	10.000	11.500	0.750	23	3672
9.937	11.937	0.750	23	5472	10.000	11.500	0.750	25	3672
9.937	12.000	1.000	53	3658	10.000	11.500	0.750	53	3672
9.937	12.125	1.000	53	3659	10.000	11.500	0.750	62	3672
9.938	11.938	0.625	23	4618	10.000	11.625	0.750	23	3993
9.938	12.000	0.750	59	0069	10.000	11.625	0.750	53	3993
9.938	12.125	1.000	59	0070	10.000	11.625	0.750	59	0072
9.945	11.560	0.750	23	3110	10.000	11.640	0.750	23	2344
9.947	10.875	0.500	23	1079	10.000	11.750	0.562	23	3666
9.947	11.875	0.500	23	1064	10.000	11.750	0.562	53	3666
9.960	10.834	0.375	23	8140	10.000	11.750	0.625	59	0073
10.000	10.875	0.375	23	1030	10.000	11.750	0.750	23	3994
10.000	11.000	0.375	23	2068	10.000	11.750	0.750	26	3994
10.000	11.000	0.375	26	4927	10.000	11.750	0.750	53	3994
10.000	11.000	0.500	23	6391	10.000	11.750	0.750	64	3994
10.000	11.000	0.562	23	3660	10.000	11.875	0.562	53	3667
10.000	11.000	0.562	53	3660	10.000	11.875	0.812	23	1881
10.000	11.000	0.562	59	3660	10.000	11.910	0.812	23	4684
10.000	11.000	0.562	62	3660	10.000	11.910	0.838	21	8742
10.000	11.000	0.750	53	3668	10.000	12.000	0.625	23	3995
10.000	11.000	0.750	62	3668	10.000	12.000	0.625	59	0074
10.000	11.000	0.750	142	3668	10.000	12.000	0.687	21	5906
10.000	11.000	1.375	53R1	8868	10.000	12.000	0.687	23	5906
10.000	11.125	0.547	23	7736	10.000	12.000	0.687	53	5906
10.000	11.125	0.562	53	3661	10.000	12.000	0.750	23	3996
10.000	11.125	0.563	23	3661	10.000	12.000	0.750	24	3996
10.000	11.250	0.500	23	4923	10.000	12.000	0.750	53	3996
10.000	11.250	0.500	25	4923	10.000	12.000	0.812	23	3997
10.000	11.250	0.562	23	3662	10.000	12.000	0.812	64	3997
10.000	11.250	0.562	53	3662	10.000	12.000	0.875	53	3998
10.000	11.250	0.625	23	6808	10.000	12.000	0.875	64	3998
10.000	11.250	0.625	25	6808	10.000	12.000	1.000	25	3673
10.000	11.250	0.625	26	6808	10.000	12.000	1.000	26	0800
10.000	11.250	0.625	59	6808	10.000	12.000	1.000	53	3673

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
10.000	12.000	1.000	62	3673	10.250	11.250	0.500	23	9476
10.000	12.000	1.250	53R1	8756	10.250	11.250	0.500	59	4049
10.000	12.000	1.312	53T2	4800	10.250	11.250	0.625	23	9384
10.000	12.000	1.375	53R2	6842	10.250	11.250	0.750	142	6931
10.000	12.000	1.812	53R1	8662	10.250	11.500	0.500	23	3198
10.000	12.250	0.813	64	3669	10.250	11.500	0.625	23	6698
10.000	12.250	0.875	59	0075	10.250	11.500	0.625	59	0080
10.039	11.417	0.630	59	4767	10.250	11.687	0.625	23	1070
10.063	11.688	0.750	23	4764	10.250	11.750	0.625	23	5523
10.125	11.375	0.625	23	6219	10.250	11.750	0.625	59	0081
10.125	11.500	0.625	23	1908	10.250	11.750	0.687	53	4004
10.125	11.500	0.750	23	7147	10.250	11.750	0.687	64	4004
10.125	11.625	0.500	23	1461	10.250	11.750	0.750	23	4005
10.125	11.625	0.687	53	3999	10.250	11.750	0.750	26	4005
10.125	11.625	0.687	64	3999	10.250	11.750	0.750	53	4005
10.125	11.625	0.688	59	0076	10.250	12.000	0.625	59	0082
10.125	11.625	0.750	23	4000	10.250	12.000	0.750	23	4007
10.125	11.625	0.750	53	4000	10.250	12.000	0.750	53	4007
10.125	11.750	0.687	64	5989	10.250	12.250	0.625	26R1	4008
10.125	11.750	0.688	59	0077	10.250	12.250	0.625	59	4008
10.125	12.000	0.750	23	4003	10.250	12.250	0.750	23	3676
10.125	12.000	0.750	26	4003	10.250	12.250	0.750	53	3676
10.125	12.000	0.750	53	4003	10.250	12.250	0.812	23	4009
10.125	12.000	0.750	59	4003	10.250	12.250	0.812	64	4009
10.125	12.000	1.000	53	3674	10.250	12.250	1.000	26	3677
10.158	11.417	0.630	23	0695	10.250	12.250	1.000	53	3677
10.187	11.188	0.500	23	6216	10.250	12.250	1.000	53F1	3677
10.187	11.437	0.625	23	7588	10.250	12.500	0.813	64	4015
10.187	12.250	1.000	53	3675	10.250	13.750	0.750	26	4380
10.188	12.250	1.000	59	0078	10.300	11.550	0.625	23	1037
10.229	11.729	0.750	23	0821	10.313	11.938	0.813	23	4778
10.236	11.417	0.590	23	5351	10.357	11.500	0.625	23	2458
10.236	11.417	0.590	26	5351	10.375	11.625	0.625	23	9133
10.236	11.417	0.630	26	5111	10.375	11.625	0.625	59	0084
10.236	11.418	0.630	59	5111	10.375	11.633	0.812	23	1146
10.236	11.486	0.625	23	5957	10.375	11.875	0.500	23	6882
10.236	11.732	0.750	23	5665	10.375	11.875	0.750	59	0085
10.236	11.736	0.750	23	5186	10.375	12.000	0.750	23	0641
10.236	11.811	0.511	53	7892	10.375	12.197	1.000	53	4010
10.236	11.811	0.630	23	7010	10.375	12.197	1.000	59	0086
10.236	11.811	0.787	26	5429	10.375	12.250	0.750	23	9997
10.236	11.812	0.787	59	5429	10.375	12.500	0.875	59	0087
10.236	11.968	0.787	23	4805	10.433	11.683	0.625	23	7288
10.236	11.969	0.787	87	4805	10.433	11.683	0.625	26	7288
10.236	12.000	0.812	23	1026	10.437	11.937	0.750	23	9776
10.236	12.047	0.684	23	5381	10.437	12.437	0.750	24	6758
10.236	12.125	0.787	23	1292	10.437	12.500	1.000	53	3678
10.236	12.205	0.630	23	0872	10.438	11.688	0.812	23	3150
10.236	12.244	0.748	23	2314	10.438	12.000	0.750	23	4812
10.236	12.402	0.945	59	4891	10.438	12.438	0.875	59	0088
10.236	12.590	0.984	59	0079	10.438	12.500	1.000	59	0089
10.236	12.598	0.984	59	4999	10.441	11.441	0.375	23	6568

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
10.500	11.500	0.375	23	2376	10.562	12.562	0.750	23	4963
10.500	11.500	0.500	23	6781	10.562	12.562	0.750	24	4963
10.500	11.500	0.625	59	3427	10.625	11.625	0.415	23	5294
10.500	11.500	0.750	142	9922	10.625	11.625	0.625	23	5067
10.500	11.625	0.547	23	9679	10.625	11.812	0.625	59	0094
10.500	11.750	0.500	23	8334	10.625	11.875	0.625	23	7432
10.500	11.750	0.625	21	5934	10.625	11.875	0.625	25	7432
10.500	11.750	0.625	23	5934	10.625	12.000	0.750	23	6935
10.500	11.750	0.625	25	5934	10.625	12.125	0.750	23	4018
10.500	11.750	0.625	26	3665	10.625	12.125	0.750	53	4018
10.500	11.750	0.625	26R1	3665	10.625	12.125	0.750	59	0095
10.500	11.750	0.625	59	3665	10.625	12.250	0.750	23	4019
10.500	11.750	0.750	23	8565	10.625	12.250	0.750	53	4019
10.500	11.750	0.875	EQ	3679	10.625	12.375	0.750	23	4020
10.500	11.906	0.766	23	1980	10.625	12.375	0.750	53	4020
10.500	12.000	0.500	23	6683	10.625	12.375	0.750	59	0096
10.500	12.000	0.625	23	4495	10.625	12.375	1.437	53T2	4653
10.500	12.000	0.625	25	4495	10.625	12.500	0.750	53	4021
10.500	12.000	0.625	59	0090	10.625	12.500	0.750	59	0097
10.500	12.000	0.625	113	4495	10.625	12.500	0.969	53F1	6447
10.500	12.000	0.687	53	4011	10.625	12.500	1.000	53F1	7585
10.500	12.000	0.687	64	4011	10.625	12.625	0.750	23	6704
10.500	12.000	0.688	23	4011	10.625	12.625	0.812	23	6428
10.500	12.000	0.750	21	4012	10.625	13.000	0.750	59	0098
10.500	12.000	0.750	23	4012	10.629	11.629	0.409	23	7709
10.500	12.000	0.750	25	4012	10.629	11.811	0.590	23	5350
10.500	12.000	0.750	53	4012	10.629	11.811	0.630	26	5445
10.500	12.000	0.750	62	4012	10.629	12.119	0.750	23	5881
10.500	12.125	0.625	59	0091	10.629	12.251	0.625	23	5862
10.500	12.125	0.750	23	4013	10.630	12.126	0.687	64	7769
10.500	12.125	0.750	53	4013	10.630	12.205	0.630	23	8655
10.500	12.125	0.750	62	4013	10.630	12.205	0.787	26R1	2965
10.500	12.250	0.750	23	4014	10.630	12.362	0.787	23	1027
10.500	12.250	0.750	53	4014	10.630	13.189	0.708	59	0099
10.500	12.250	0.750	59	0092	10.687	12.687	0.750	23	4854
10.500	12.500	0.500	23	1971	10.688	11.742	0.625	23	0205
10.500	12.500	0.625	26R1	4006	10.688	12.500	0.625	59	2620
10.500	12.500	0.625	59	4006	10.710	12.511	0.625	23	1049
10.500	12.500	0.750	23	4016	10.728	11.728	0.500	23	4994
10.500	12.500	0.750	53	4016	10.750	11.750	0.500	23	7598
10.500	12.500	0.750	62	4016	10.750	11.750	0.562	23	3682
10.500	12.500	0.812	23	4017	10.750	11.750	0.562	26	3682
10.500	12.500	0.812	62	4017	10.750	11.750	0.562	53	3682
10.500	12.500	0.812	64	4017	10.750	11.750	0.562	59	3682
10.500	12.500	1.000	26	3680	10.750	11.875	0.562	53	3683
10.500	12.500	1.000	53	3680	10.750	11.875	0.625	53	4519
10.500	12.500	1.375	53R1	7774	10.750	11.875	1.375	53T2	9611
10.500	12.500	1.375	53T2	7774	10.750	12.000	0.562	53	3684
10.500	12.500	1.812	53T2	8680	10.750	12.000	0.625	23	4520
10.500	12.625	1.000	53	3681	10.750	12.000	0.625	53	4520
10.500	12.625	1.000	59	0093	10.750	12.000	0.625	59	0100
10.530	12.030	0.625	23	5639	10.750	12.250	0.562	23	3685

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
10.750	12.250	0.562	26	3685	10.937	12.500	0.625	23	8874
10.750	12.250	0.562	53	3685	10.937	12.500	0.625	23	9974
10.750	12.250	0.562	59	3685	10.937	12.937	0.750	23	6504
10.750	12.250	0.625	23	4522	10.984	12.165	0.591	23	1246
10.750	12.250	0.625	53	4522	10.992	12.402	0.787	59	4858
10.750	12.250	0.625	59	0101	11.000	12.000	0.375	23	8761
10.750	12.250	0.687	64	4023	11.000	12.000	0.500	23	9693
10.750	12.250	0.750	23	4024	11.000	12.000	0.625	23	3691
10.750	12.250	0.750	53	4024	11.000	12.000	0.625	26	3691
10.750	12.375	0.562	53	4025	11.000	12.000	0.625	53	3691
10.750	12.500	0.562	23	3686	11.000	12.000	0.625	59	3691
10.750	12.500	0.562	26	3686	11.000	12.125	0.547	23	6393
10.750	12.500	0.562	53	3686	11.000	12.125	0.625	53	4034
10.750	12.500	0.625	53	4524	11.000	12.250	0.562	64	3135
10.750	12.500	0.625	59	0102	11.000	12.250	0.609	26R1	5018
10.750	12.625	0.750	53	4029	11.000	12.250	0.625	23	3692
10.750	12.687	0.578	23	1623	11.000	12.250	0.625	25	3692
10.750	12.750	0.562	23	3687	11.000	12.250	0.625	53	3692
10.750	12.750	0.562	26	3687	11.000	12.250	0.625	59	0106
10.750	12.750	0.562	53	3687	11.000	12.250	0.687	64	3720
10.750	12.750	0.625	26R1	5465	11.000	12.250	0.688	26	3720
10.750	12.750	0.625	59	5465	11.000	12.375	0.750	23	4450
10.750	12.750	0.750	23	4030	11.000	12.500	0.375	23	7606
10.750	12.750	0.750	53	4030	11.000	12.500	0.500	23	7716
10.750	12.750	0.750	87	4030	11.000	12.500	0.625	23	3693
10.750	12.750	0.812	23	4031	11.000	12.500	0.625	25	3693
10.750	12.750	0.812	62	4031	11.000	12.500	0.625	53	3693
10.750	12.750	0.812	64	4031	11.000	12.500	0.625	26R1	3693
10.750	12.750	0.875	53	3688	11.000	12.500	0.625	59	3693
10.750	12.750	1.000	25	3689	11.000	12.500	0.687	64	4611
10.750	12.750	1.000	53	3689	11.000	12.500	0.750	23	6394
10.750	13.000	0.813	64	4022	11.000	12.500	1.375	53R2	5927
10.750	13.000	0.875	59	0103	11.000	12.625	0.625	23	5006
10.750	13.250	0.813	64	4026	11.000	12.625	0.750	23	7204
10.787	11.969	0.591	26	2148	11.000	12.750	0.750	23	4867
10.787	12.250	0.688	26	8830	11.000	12.812	0.625	23	5462
10.826	12.008	0.591	26	1040	11.000	12.875	0.812	23	9149
10.827	11.827	0.590	23	5808	11.000	13.000	0.500	23	1905
10.827	12.205	0.591	23	2350	11.000	13.000	0.625	59	0107
10.827	12.205	0.591	26	3722	11.000	13.000	0.687	64	6034
10.875	12.375	0.687	64	4027	11.000	13.000	0.750	23	6395
10.875	12.375	0.750	23	4032	11.000	13.000	0.750	24	6395
10.875	12.375	0.750	25	4032	11.000	13.000	0.750	26	6395
10.875	12.375	0.750	59	0104	11.000	13.000	0.812	23	4036
10.875	12.500	0.687	64	4028	11.000	13.000	0.812	64	4036
10.875	12.500	1.000	59	0105	11.000	13.000	1.000	53	3694
10.875	12.625	0.750	23	9542	11.000	13.000	1.000	53R1	3694
10.875	12.875	0.500	23	1982	11.000	13.000	1.000	53R2	3694
10.875	12.875	0.578	23	9535	11.000	13.250	1.000	53	4037
10.875	12.875	0.812	23	6416	11.023	12.023	0.500	23	6964
10.937	12.187	0.625	23	9932	11.023	12.023	0.625	23	5958
10.937	12.437	0.625	23	6087	11.024	12.197	0.625	53	4038

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
11.024	12.197	0.629	59	0108	11.250	12.750	0.625	26	7832
11.024	12.205	0.630	23	2582	11.250	12.750	0.625	59	7832
11.024	12.205	0.630	59	0982	11.250	12.750	0.687	23	4527
11.024	12.205	0.787	23	0890	11.250	12.750	0.687	53	4527
11.024	12.441	0.709	26	5233	11.250	12.750	0.687	64	4527
11.024	12.520	0.709	23	1962	11.250	12.750	0.750	23	4046
11.024	12.598	0.630	53	7848	11.250	12.750	0.750	25	4046
11.024	12.598	0.709	59	4028	11.250	12.750	0.750	53	4046
11.024	12.598	0.787	23	7391	11.250	12.750	0.750	59	1904
11.024	12.598	0.787	26	3695	11.250	13.250	0.625	23	0420
11.024	12.598	0.787	59	3695	11.250	13.250	0.625	59	0117
11.024	12.598	0.787	64	7391	11.250	13.250	0.687	64	8778
11.024	12.992	0.610	23	0897	11.250	13.250	0.812	21	4047
11.024	13.386	0.813	64	4039	11.250	13.250	0.812	23	4047
11.024	13.386	0.984	59	0109	11.250	13.250	0.812	59	3613
11.027	12.500	0.625	23	5303	11.250	13.250	0.812	64	4047
11.029	12.029	0.375	23	7878	11.250	13.250	1.000	53	3703
11.031	12.031	0.500	23	1465	11.250	13.500	0.875	59	0118
11.031	12.031	0.625	23	5724	11.250	13.500	1.000	53	4048
11.062	12.250	0.750	23	3695	11.335	12.520	0.500	23	9942
11.062	12.250	0.750	53	3695	11.344	12.593	0.625	23	5014
11.062	12.500	0.750	53	3696	11.365	12.625	0.625	23	7437
11.062	12.750	0.750	53	3697	11.375	12.375	0.500	23	6549
11.062	13.000	0.750	53	3698	11.375	12.625	0.625	23	5397
11.063	12.250	0.750	59	0110	11.375	12.875	0.750	23	4050
11.063	12.313	0.625	23	3261	11.375	12.875	0.750	25	4050
11.063	12.500	0.750	23	3696	11.375	12.875	0.750	53	4050
11.063	12.500	0.750	59	0111	11.375	12.875	0.750	59	0119
11.063	13.000	0.750	59	0112	11.375	13.000	0.625	59	0120
11.100	12.150	0.625	23	0858	11.375	13.000	0.687	23	5261
11.125	12.500	0.750	23	5395	11.375	13.000	0.750	23	4051
11.125	12.750	1.000	59	0113	11.375	13.000	0.750	53	4051
11.125	13.000	0.687	64	3699	11.375	13.000	0.750	59	4051
11.125	13.000	0.750	23	1124	11.375	13.000	1.375	53R2	6063
11.125	13.000	1.000	59	0114	11.375	13.375	0.812	64	4052
11.125	13.125	0.812	23	4049	11.375	13.375	0.813	59	0121
11.125	13.250	0.813	64	3700	11.375	13.500	1.000	53	3704
11.125	13.250	0.875	59	0115	11.375	13.500	1.000	59	0122
11.150	12.375	0.625	23	3154	11.375	13.500	1.250	53F1	4995
11.150	12.526	0.500	23	0678	11.417	12.992	0.787	23	1031
11.181	12.992	0.622	23	0740	11.417	12.992	0.787	26R1	3886
11.187	12.188	0.500	23	6238	11.417	13.142	0.750	59	0123
11.188	13.000	0.750	23	1782	11.417	13.417	0.750	23	5882
11.219	12.953	0.787	23	5712	11.417	13.417	0.812	23	0932
11.220	12.402	0.787	23	1262	11.417	13.780	0.984	59	3100
11.250	12.250	0.625	23	9829	11.418	12.992	0.709	23	0416
11.250	12.250	0.750	142	8297	11.422	12.921	0.750	23	5719
11.250	12.500	0.625	23	6672	11.437	13.750	0.625	59	4573
11.250	12.500	0.625	25	6672	11.438	13.000	0.688	59	0124
11.250	12.500	0.625	59	0116	11.471	13.471	0.750	23	5851
11.250	12.530	0.625	23	2968	11.500	12.375	0.375	23	7639
11.250	12.750	0.625	23	7832	11.500	12.500	0.375	23	8962

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
11.500	12.500	0.500	23	9094	11.750	13.250	0.625	23	9980
11.500	12.500	0.500	26	3850	11.750	13.250	0.625	26	0131
11.500	12.625	0.625	23	5642	11.750	13.250	0.625	59	0131
11.500	12.750	0.500	23	6621	11.750	13.250	0.687	53	4064
11.500	12.750	0.625	23	7263	11.750	13.250	0.687	64	4064
11.500	12.750	0.625	26	7263	11.750	13.250	0.688	23	4064
11.500	12.750	0.625	59	7263	11.750	13.250	0.750	23	4065
11.500	12.875	0.688	59	0125	11.750	13.250	0.750	53	4065
11.500	12.875	0.750	23	5012	11.750	13.250	0.750	62	4065
11.500	13.000	0.500	23	7219	11.750	13.500	0.750	23	6826
11.500	13.000	0.625	23	6687	11.750	13.500	0.812	23	9976
11.500	13.000	0.625	26	0126	11.750	13.750	0.625	23	9721
11.500	13.000	0.625	59	0126	11.750	13.750	0.625	23	9726
11.500	13.000	0.687	53	4057	11.750	13.750	0.625	59	0132
11.500	13.000	0.687	59	2569	11.750	13.750	0.625	61	9721
11.500	13.000	0.687	64	4057	11.750	13.750	0.750	23	6836
11.500	13.000	0.688	23	4057	11.750	13.750	0.812	23	8315
11.500	13.000	0.750	21	4058	11.750	13.750	1.000	53	3706
11.500	13.000	0.750	23	4058	11.750	14.000	1.000	53	3707
11.500	13.000	0.750	25	4058	11.750	14.000	1.000	59	0133
11.500	13.000	0.750	53	4058	11.808	13.308	0.750	23	9793
11.500	13.000	0.750	59	2906	11.811	12.811	0.500	23	5835
11.500	13.000	0.812	62	5773	11.811	12.992	0.590	23	5352
11.500	13.000	1.250	53T2	5584	11.811	13.071	0.630	59	4009
11.500	13.250	0.750	23	4060	11.811	13.189	0.709	23	5446
11.500	13.250	0.750	53	4060	11.811	13.311	0.750	23	6932
11.500	13.250	0.750	59	0127	11.811	13.385	0.812	23	0947
11.500	13.250	0.812	23	1035	11.811	13.386	0.630	23	7893
11.500	13.375	0.750	23	4061	11.811	13.386	0.630	53	7893
11.500	13.375	0.750	53	4061	11.811	13.386	0.709	59	0134
11.500	13.375	0.750	59	0128	11.811	13.386	0.787	23	4655
11.500	13.500	0.625	59	0129	11.811	13.543	0.787	23	4602
11.500	13.500	0.750	23	4062	11.811	13.543	0.787	59	4056
11.500	13.500	0.750	53	4062	11.811	13.543	0.807	23	8525
11.500	13.500	0.750	62	4062	11.811	13.543	0.807	88	8525
11.500	13.500	0.812	23	4063	11.811	13.543	0.807	88NS	8525
11.500	13.500	0.812	64	4063	11.811	13.583	0.866	26R1	1037
11.500	13.500	1.000	53	3705	11.811	13.779	0.750	23	4881
11.500	13.500	1.250	53R2	9036	11.812	13.312	0.750	23	9491
11.562	13.062	0.750	23	8559	11.813	13.780	1.000	59	0135
11.575	12.575	0.500	23	5307	11.813	13.812	0.625	59	0136
11.614	13.114	0.750	23	5878	11.813	13.813	0.813	23	0697
11.625	12.625	0.500	23	7053	11.813	14.000	0.750	59	0137
11.625	13.000	0.750	59	1875	11.875	12.875	0.500	23	6705
11.625	13.125	0.750	23	8287	11.875	13.375	0.750	23	6328
11.625	13.191	0.750	59	0130	11.875	13.875	0.750	23	9749
11.625	13.625	0.812	23	5298	11.906	13.156	0.625	23	6719
11.687	13.187	0.625	23	5776	11.937	13.937	0.750	24	7876
11.687	13.250	0.625	23	6840	11.937	13.938	0.812	23	7105
11.688	13.750	0.750	23	5176	11.938	13.438	0.625	23	4604
11.732	12.606	0.375	23	7874	11.938	13.760	0.750	23	4452
11.750	13.000	0.813	23	3239	11.938	13.938	0.625	59	0138

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
11.962	12.687	0.500	23	4785	12.000	14.000	0.812	59	4072
12.000	12.875	0.375	23	1310	12.000	14.000	0.812	62	4072
12.000	13.000	0.500	23	8804	12.000	14.000	0.812	64	4072
12.000	13.000	0.625	23	1925	12.000	14.000	0.937	59	2980
12.000	13.000	0.750	142	8107	12.000	14.000	1.000	53	3709
12.000	13.125	1.250	142	9707	12.000	14.000	1.000	53F1	3709
12.000	13.125	1.312	142	2986	12.000	14.000	1.250	53F1	7392
12.000	13.125	1.375	142	7445	12.000	14.000	1.375	53R2	7283
12.000	13.250	0.625	23	7306	12.000	14.188	1.000	59	0142
12.000	13.250	0.625	59	0139	12.000	14.250	1.000	53	3710
12.000	13.250	0.750	23	0954	12.000	14.250	1.000	59	3710
12.000	13.500	0.625	25	4707	12.000	14.750	0.813	64	3702
12.000	13.500	0.625	59	0140	12.000	14.750	0.875	59	0143
12.000	13.500	0.687	64	4612	12.050	13.313	0.750	59	0144
12.000	13.500	0.688	23	4612	12.062	13.562	0.750	23	7250
12.000	13.500	0.688	26	4612	12.063	13.313	0.750	59	0145
12.000	13.500	0.688	59	4612	12.063	13.625	0.750	21	4441
12.000	13.500	0.750	23	4067	12.063	13.625	0.750	23	4441
12.000	13.500	0.750	53	4067	12.125	13.125	0.500	23	1781
12.000	13.500	0.750	62	4067	12.125	13.375	0.750	23	2395
12.000	13.500	0.812	62	5670	12.125	13.625	0.750	23	7570
12.000	13.500	1.312	53R1	5950	12.125	13.875	0.687	59	5581
12.000	13.625	0.625	59	0141	12.125	13.875	0.750	59	0146
12.000	13.625	0.687	64	8523	12.125	14.000	0.875	59	0147
12.000	13.625	0.750	23	4068	12.125	14.000	1.000	53	4073
12.000	13.625	0.750	26	4068	12.125	14.125	0.750	23	6484
12.000	13.625	0.750	53	4068	12.147	13.688	0.625	23	0990
12.000	13.625	0.750	62	4068	12.187	13.688	0.625	23	6253
12.000	13.625	1.437	53R2	7326	12.188	13.438	0.625	59	0148
12.000	13.750	0.688	23	3701	12.188	13.688	0.625	59	0149
12.000	13.750	0.688	26	0985	12.188	14.000	0.750	23	0691
12.000	13.750	0.688	64	3701	12.204	13.385	0.590	23	5340
12.000	13.750	0.750	23	4911	12.204	13.780	0.787	59	0999
12.000	13.875	0.437	23	0623	12.205	13.189	0.500	23	5536
12.000	13.875	0.500	23	0949	12.205	13.205	0.500	23	7735
12.000	13.875	1.312	53R2	4884	12.205	13.780	0.709	23	3093
12.000	13.937	0.812	23	9148	12.205	13.937	0.787	23	2454
12.000	14.000	0.625	23	3853	12.205	13.937	0.787	87	2454
12.000	14.000	0.625	26	3853	12.208	13.703	0.750	23	6441
12.000	14.000	0.625	59	3853	12.250	12.500	0.750	59	0083
12.000	14.000	0.625	61	3853	12.250	13.500	0.750	23	0599
12.000	14.000	0.687	64	5838	12.250	13.750	0.625	26	4041
12.000	14.000	0.750	23	4071	12.250	13.750	0.625	59	4041
12.000	14.000	0.750	24	4071	12.250	13.750	0.687	64	4613
12.000	14.000	0.750	53	4071	12.250	13.750	0.750	23	4074
12.000	14.000	0.750	26R1	4071	12.250	13.750	0.750	26	4074
12.000	14.000	0.750	64	4071	12.250	13.750	0.750	53	4074
12.000	14.000	0.750	88	4071	12.250	13.750	0.812	62	7381
12.000	14.000	0.750	88NS	4071	12.250	13.813	0.719	59	0150
12.000	14.000	0.812	21	4072	12.250	13.821	0.719	23	0950
12.000	14.000	0.812	23	4072	12.250	13.821	0.750	23	4895
12.000	14.000	0.812	25	4072	12.250	13.875	0.625	23	3137

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
12.250	14.000	0.625	23	2472	12.500	14.000	0.625	113	4496
12.250	14.000	0.625	59	0151	12.500	14.000	0.687	53	4079
12.250	14.000	0.687	64	4055	12.500	14.000	0.687	59	2936
12.250	14.000	0.750	26	4232	12.500	14.000	0.687	64	4079
12.250	14.000	0.875	59	1869	12.500	14.000	0.687	88	4079
12.250	14.125	0.750	23	1710	12.500	14.000	0.687	88NS	4079
12.250	14.250	0.625	59	0152	12.500	14.000	0.688	23	4079
12.250	14.250	0.750	23	6829	12.500	14.000	0.750	23	4080
12.250	14.250	0.750	53	6829	12.500	14.000	0.750	25	4080
12.250	14.250	0.750	88	6829	12.500	14.000	0.750	53	4080
12.250	14.250	0.750	88NS	6829	12.500	14.000	0.812	23	4591
12.250	14.250	0.812	23	4075	12.500	14.000	1.375	53R2	8716
12.250	14.250	0.812	59	1868	12.500	14.008	0.906	59	4621
12.250	14.250	0.812	64	4075	12.500	14.062	0.625	23	1691
12.250	14.250	1.000	53	3713	12.500	14.062	0.750	21	8589
12.250	14.250	1.250	87	1040	12.500	14.062	0.750	23	8589
12.283	13.750	0.688	26	8814	12.500	14.375	0.750	23	1304
12.312	13.937	0.750	23	5558	12.500	14.500	0.750	23	4082
12.318	13.694	0.500	23	0677	12.500	14.500	0.750	25	4082
12.366	14.500	0.750	59	3454	12.500	14.500	0.750	26	4082
12.375	13.375	0.500	26	2007	12.500	14.500	0.750	59	4082
12.375	13.500	1.250	142	1715	12.500	14.500	0.750	64	4082
12.375	13.705	0.375	23	1973	12.500	14.500	0.812	23	4083
12.375	13.875	0.625	23	9301	12.500	14.500	0.812	62	4083
12.375	13.875	0.687	64	4076	12.500	14.500	0.812	64	4083
12.375	13.875	0.688	59	0153	12.500	14.500	0.906	59	1050
12.375	13.875	0.750	23	4077	12.500	14.500	1.000	53	3714
12.375	13.875	0.750	53	4077	12.500	14.500	1.250	53R2	9419
12.375	13.875	1.437	53R2	4751	12.500	14.500	1.312	53T2	6527
12.375	14.000	0.687	64	4056	12.500	14.750	1.000	53	4085
12.375	14.000	0.750	59	0154	12.500	14.750	1.000	59	0158
12.375	14.375	0.687	64	4097	12.500	15.000	0.813	59	0159
12.375	14.375	1.000	59	0155	12.500	15.000	0.813	64	4084
12.375	14.500	0.813	64	4106	12.562	14.062	0.750	23	6815
12.375	14.500	0.875	59	0156	12.565	14.063	0.750	59	0160
12.380	14.380	0.812	23	9928	12.579	14.000	0.750	23	1989
12.401	14.173	0.787	23	1108	12.590	14.125	1.000	59	0161
12.406	13.906	0.750	23	5953	12.598	13.583	0.500	23	5576
12.437	14.000	0.750	23	9396	12.598	13.780	0.625	59	0162
12.438	14.375	0.812	23	1173	12.598	13.976	0.630	59	0163
12.438	14.438	0.812	23	1176	12.598	14.095	0.750	23	5667
12.500	13.375	0.500	23	1984	12.598	14.173	0.708	23	1113
12.500	13.500	0.500	23	5114	12.598	14.173	0.748	23	1712
12.500	13.500	0.500	26	5114	12.598	14.173	0.787	23	1103
12.500	13.500	0.625	23	3712	12.598	14.173	0.787	26	4397
12.500	13.750	0.625	23	8229	12.598	14.173	0.787	59	4397
12.500	13.750	0.625	59	0157	12.598	14.252	0.812	23	1182
12.500	13.875	0.437	23	6449	12.598	14.330	0.787	23	2911
12.500	13.906	0.750	23	8998	12.598	14.331	0.787	26	3721
12.500	14.000	0.625	23	4496	12.625	13.875	0.625	23	7135
12.500	14.000	0.625	26	4496	12.625	14.000	0.750	23	4480
12.500	14.000	0.625	59	4496	12.625	14.125	0.687	64	4081

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
12.625	14.125	0.750	23	4086	12.992	14.173	0.394	23	0590
12.625	14.125	0.750	59	4086	12.992	14.173	0.590	26	5341
12.625	14.500	0.687	64	3716	12.992	14.566	0.708	23	9996
12.625	14.500	0.875	59	0164	12.992	14.566	0.708	59	0174
12.625	14.625	0.750	23	7279	12.992	14.567	0.482	26R1	3235
12.625	14.625	0.875	59	0165	12.992	14.724	0.748	23	3170
12.625	14.625	1.000	53	3715	12.992	14.724	0.787	23	4630
12.687	14.687	0.812	23	5669	12.992	14.724	0.787	59	5525
12.687	14.750	0.812	64	9766	12.992	15.354	0.984	59	1000
12.687	14.750	1.000	53	3717	13.000	14.000	0.500	23	8576
12.688	14.250	0.750	59	0166	13.000	14.000	0.750	142	8296
12.688	14.750	1.000	59	0167	13.000	14.125	0.546	23	4969
12.750	13.750	0.500	23	7600	13.000	14.125	1.250	142	7729
12.750	14.000	0.500	23	3224	13.000	14.250	0.625	23	4770
12.750	14.000	0.750	23	4788	13.000	14.375	0.375	23	1698
12.750	14.250	0.625	23	4088	13.000	14.500	0.625	23	7805
12.750	14.250	0.625	59	0168	13.000	14.500	0.625	59	7805
12.750	14.250	0.687	64	4089	13.000	14.500	0.687	23	4093
12.750	14.250	0.688	23	4089	13.000	14.500	0.687	53	4093
12.750	14.250	0.750	23	5942	13.000	14.500	0.687	59	4093
12.750	14.250	0.750	26	5942	13.000	14.500	0.687	64	4093
12.750	14.250	0.812	23	2185	13.000	14.500	0.688	26	4093
12.750	14.482	0.787	23	2319	13.000	14.500	0.750	21	4094
12.750	14.500	0.750	23	5917	13.000	14.500	0.750	23	4094
12.750	14.687	0.812	23	0617	13.000	14.500	0.750	53	4094
12.750	14.750	0.687	64	7652	13.000	14.500	0.812	23	0818
12.750	14.750	0.750	21	6396	13.000	14.500	1.000	53F1	3890
12.750	14.750	0.750	23	6396	13.000	14.606	0.703	23	1242
12.750	14.750	0.750	59	0169	13.000	14.608	0.750	23	1889
12.750	14.750	0.812	23	2497	13.000	14.625	0.750	23	4095
12.750	15.000	0.813	64	4092	13.000	14.625	0.750	26	4095
12.750	15.000	0.875	59	0170	13.000	14.625	0.750	53	4095
12.750	15.250	0.875	59	0171	13.000	14.625	0.750	59	4095
12.750	15.500	0.875	59	0172	13.000	14.734	0.703	23	9697
12.795	13.669	0.375	23	8261	13.000	14.750	0.500	23	9255
12.795	14.370	0.630	23	3209	13.000	14.750	0.750	23	7547
12.795	14.370	0.630	59	4058	13.000	14.812	0.625	59	0175
12.812	14.812	0.750	23	1016	13.000	14.825	0.812	23	6168
12.875	13.875	0.500	23	1960	13.000	14.875	0.687	64	4096
12.875	14.000	0.750	23	1619	13.000	14.875	0.875	59	0176
12.875	14.375	0.750	23	5939	13.000	15.000	0.625	23	9598
12.875	14.750	0.812	23	6782	13.000	15.000	0.750	23	4098
12.875	14.750	1.000	53	3718	13.000	15.000	0.750	24	4098
12.875	14.750	1.000	59	3718	13.000	15.000	0.750	26	4098
12.875	14.875	0.750	23	8115	13.000	15.000	0.750	53	4098
12.875	15.000	0.750	24	9937	13.000	15.000	0.750	59	4098
12.875	15.000	0.812	64	5404	13.000	15.000	0.812	21	4099
12.875	15.500	0.875	59	0173	13.000	15.000	0.812	23	4099
12.906	14.906	0.750	23	8511	13.000	15.000	0.812	62	4099
12.909	13.872	0.675	23	4791	13.000	15.000	0.812	64	4099
12.922	14.173	0.590	23	5341	13.000	15.000	1.000	53	3719
12.938	14.250	0.625	23	0203	13.000	15.000	1.375	53R2	6607

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
13.070	14.570	0.750	23	0994	13.386	14.961	0.630	53	7896
13.125	14.625	0.750	23	9258	13.386	14.961	0.708	23	0893
13.125	14.875	0.625	23	9949	13.386	14.961	0.709	26	3882
13.125	15.000	0.750	23	1769	13.386	14.961	0.709	59	3882
13.125	15.125	0.750	23	7602	13.386	14.961	0.787	59	5170
13.125	15.125	0.812	23	5783	13.386	15.118	0.787	23	2245
13.187	14.187	0.500	23	8332	13.386	15.157	0.787	23	2286
13.220	14.407	0.625	59	0177	13.469	14.468	0.500	23	5984
13.250	14.250	0.500	23	0489	13.469	14.680	0.500	23	3114
13.250	14.750	0.625	23	6263	13.500	14.500	0.500	23	0986
13.250	14.750	0.625	59	0178	13.500	14.919	0.700	23	2383
13.250	14.750	0.687	53	4101	13.500	15.000	0.625	23	8620
13.250	14.750	0.687	64	4101	13.500	15.000	0.625	59	0190
13.250	14.750	0.688	26	2580	13.500	15.000	0.653	26	5456
13.250	14.750	0.750	23	4102	13.500	15.000	0.653	26R1	5456
13.250	14.750	0.750	53	4102	13.500	15.000	0.687	23	4121
13.250	14.875	0.687	64	7734	13.500	15.000	0.687	53	4121
13.250	14.875	0.750	23	4103	13.500	15.000	0.687	59	4251
13.250	14.875	0.750	53	4103	13.500	15.000	0.687	64	4121
13.250	14.875	0.750	59	0179	13.500	15.000	0.688	88	4121
13.250	15.000	0.687	64	7169	13.500	15.000	0.688	88NS	4121
13.250	15.000	0.750	59	0180	13.500	15.000	0.750	23	4122
13.250	15.125	0.500	23	4913	13.500	15.000	0.750	53	4122
13.250	15.125	0.687	64	4105	13.500	15.250	0.750	53	4124
13.250	15.125	0.875	59	0181	13.500	15.250	0.750	59	0191
13.250	15.250	0.687	64	6294	13.500	15.250	0.750	64	4124
13.250	15.250	0.750	23	6264	13.500	15.312	0.625	59	0192
13.250	15.250	0.750	59	0182	13.500	15.375	0.750	53	4125
13.250	15.250	0.750	88	6264	13.500	15.500	0.688	88	2982
13.250	15.250	0.750	88NS	6264	13.500	15.500	0.688	88NS	2982
13.250	15.250	0.812	21	4779	13.500	15.500	0.750	23	4127
13.250	15.250	0.812	23	4779	13.500	15.500	0.750	26	4127
13.250	15.250	0.812	64	4779	13.500	15.500	0.750	53	4127
13.250	15.250	1.000	53	4107	13.500	15.500	0.750	59	4127
13.250	15.375	1.000	53	4109	13.500	15.500	0.812	21	4128
13.250	15.375	1.000	59	0183	13.500	15.500	0.812	23	4128
13.250	15.500	1.000	53	4113	13.500	15.500	0.812	64	4128
13.250	16.000	0.875	59	0184	13.500	15.500	0.875	53	9964
13.312	15.312	0.812	23	7969	13.500	15.500	1.000	53	3721
13.375	14.375	0.500	23	9331	13.500	15.500	1.375	53R1	6154
13.375	14.625	0.500	23	0944	13.500	15.500	1.375	53R2	6154
13.375	14.875	0.625	53	4116	13.500	15.500	1.437	53R1	9039
13.375	14.875	0.750	23	7323	13.500	15.750	0.813	64	4123
13.375	14.875	0.750	59	0185	13.500	15.750	0.875	59	0193
13.375	15.000	0.750	59	0186	13.500	15.752	1.000	59	0194
13.375	15.375	0.812	23	9256	13.500	17.300	1.000	59	0195
13.375	15.375	0.875	59	0187	13.504	15.504	0.812	23	4666
13.383	14.883	0.750	23	4596	13.562	15.062	0.750	23	5659
13.386	14.645	0.630	59	0188	13.580	14.580	0.500	23	5640
13.386	14.882	0.750	23	5664	13.580	15.030	0.750	23	5683
13.386	14.886	0.750	23	8701	13.622	15.122	0.750	23	7019
13.386	14.960	0.688	59	0189	13.625	14.625	0.500	23	5383

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
13.625	14.875	0.687	59	2018	13.813	16.000	0.812	64	4108
13.625	14.875	0.750	23	5825	13.813	16.000	1.000	59	0205
13.625	14.875	0.750	25	5825	13.850	15.500	0.750	23	6515
13.625	15.031	0.750	23	0726	13.875	15.375	0.750	23	7379
13.625	15.500	0.687	64	4120	13.875	15.500	0.600	23	0690
13.625	15.500	1.000	59	0196	13.875	15.875	0.812	23	4137
13.625	15.625	0.812	23	9921	13.875	16.000	0.812	64	4110
13.625	16.125	1.250	59	0197	13.875	16.000	1.000	59	0206
13.750	14.750	0.500	21	7175	13.895	15.750	0.750	23	8999
13.750	14.750	0.500	23	7175	13.937	15.437	0.687	21	4130
13.750	14.750	0.750	142	8106	13.937	15.437	0.687	64	4130
13.750	15.000	0.750	23	0453	13.937	15.437	0.750	23	9783
13.750	15.000	0.750	59	0198	13.938	15.438	0.625	59	0207
13.750	15.250	0.500	23	2980	13.938	15.500	0.687	64	4111
13.750	15.250	0.625	59	0199	13.938	15.500	0.750	59	0208
13.750	15.250	0.687	53	4529	13.938	15.744	1.000	59	0210
13.750	15.250	0.687	64	4529	13.938	16.000	0.687	64	4112
13.750	15.250	0.750	23	4530	13.938	16.000	0.875	59	0211
13.750	15.250	0.750	26	4530	13.976	15.551	0.787	59	5441
13.750	15.250	0.750	53	4530	13.980	15.500	0.750	23	6518
13.750	15.375	0.750	23	1445	14.000	15.000	0.500	23	6560
13.750	15.500	0.750	53	4531	14.000	15.125	1.375	142	3099
13.750	15.500	0.750	59	0200	14.000	15.250	0.750	23	8850
13.750	15.500	0.750	64	4531	14.000	15.375	0.531	23	7704
13.750	15.508	0.750	59	0201	14.000	15.500	0.625	23	6303
13.750	15.750	0.625	59	0202	14.000	15.500	0.625	26	0212
13.750	15.750	0.750	23	4532	14.000	15.500	0.625	59	0212
13.750	15.750	0.750	53	4532	14.000	15.500	0.687	23	4131
13.750	15.750	0.812	23	4129	14.000	15.500	0.687	64	4131
13.750	15.750	0.812	62	4129	14.000	15.500	0.750	21	4132
13.750	15.750	0.812	64	4129	14.000	15.500	0.750	23	4132
13.750	15.750	0.969	53F1	5831	14.000	15.500	0.750	25	4132
13.750	15.750	1.000	53	3722	14.000	15.500	0.750	53	4132
13.750	15.750	1.437	53T2	5304	14.000	15.500	0.750	62	4132
13.750	16.000	0.813	64	4119	14.000	15.500	1.000	26R1	4129
13.750	16.000	0.875	59	0203	14.000	15.562	0.750	53	4133
13.779	15.276	0.500	23	5477	14.000	15.562	0.750	59	0213
13.779	15.279	0.750	23	9316	14.000	15.563	0.750	23	4133
13.779	15.354	0.630	23	8656	14.000	15.625	0.625	59	0214
13.779	15.354	0.709	59	0204	14.000	15.625	0.812	23	1913
13.779	15.709	0.787	23	5874	14.000	15.750	0.500	23	6324
13.779	15.748	0.669	59	3490	14.000	15.750	0.687	62	5991
13.780	14.961	0.394	23	0591	14.000	15.750	0.687	64	5991
13.780	14.961	0.630	59	3212	14.000	15.750	0.688	59	0215
13.780	14.961	0.787	59	4755	14.000	15.750	0.750	23	4134
13.780	15.512	0.500	23	2109	14.000	15.750	0.750	53	4134
13.780	15.512	0.748	59	5107	14.000	15.750	0.750	64	4134
13.780	15.512	0.787	26	5102	14.000	15.750	0.875	87	9927
13.780	15.512	0.787	59	5102	14.000	15.752	0.813	59	0216
13.780	15.748	0.984	59	3091	14.000	16.000	0.625	23	9763
13.780	16.142	0.787	59	1902	14.000	16.000	0.750	23	6877
13.780	16.142	0.984	59	5477	14.000	16.000	0.750	59	0217

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
14.000	16.000	0.812	21	4135	14.250	15.750	0.750	21	5062
14.000	16.000	0.812	23	4135	14.250	15.750	0.750	23	5062
14.000	16.000	0.812	64	4135	14.250	15.750	0.750	59	0227
14.000	16.000	1.000	53	3725	14.250	16.000	0.812	23	4691
14.000	16.000	1.375	53R1	4888	14.250	16.000	0.875	21	7573
14.000	16.000	1.375	53R2	4888	14.250	16.000	0.875	59	0228
14.000	16.250	0.812	62	5382	14.250	16.250	0.625	26	3891
14.000	16.250	0.812	64	5382	14.250	16.250	0.625	87	3891
14.000	16.250	1.000	26	3726	14.250	16.250	0.750	23	5117
14.000	16.250	1.000	53	3726	14.250	16.250	0.812	21	4140
14.000	16.250	1.000	59	3726	14.250	16.250	0.812	23	4140
14.000	16.500	0.812	64	7535	14.250	16.250	0.812	64	4140
14.000	16.500	0.813	59	0218	14.250	16.250	0.813	59	0229
14.000	16.500	1.000	53	3727	14.250	16.500	0.812	64	3855
14.000	16.625	0.625	59	0219	14.250	16.500	0.875	59	0230
14.013	15.513	0.750	23	9287	14.344	16.000	0.687	88	8664
14.016	15.000	0.688	26	8815	14.344	16.000	0.687	88NS	8664
14.028	15.428	0.750	23	1883	14.370	15.866	0.748	23	3250
14.041	15.541	0.625	23	1865	14.370	15.938	0.709	59	0231
14.063	16.062	0.812	23	6778	14.375	15.875	0.750	23	5946
14.094	15.500	0.750	23	0480	14.375	15.875	0.750	59	0232
14.100	15.600	0.750	23	9512	14.375	16.000	0.687	64	5481
14.125	15.625	0.750	23	9687	14.375	16.000	0.688	26	0233
14.125	15.625	0.750	59	3003	14.375	16.000	0.688	59	0233
14.125	16.745	0.875	59	0220	14.375	16.375	0.750	23	5134
14.140	15.640	0.625	23	1287	14.375	16.537	0.590	88	1924
14.166	15.750	0.625	23	5815	14.375	16.537	0.590	88NS	1924
14.172	16.734	0.844	59	0221	14.394	15.394	0.500	23	2700
14.173	15.354	0.709	23	2066	14.438	15.938	0.625	23	0785
14.173	15.354	0.709	26	0992	14.484	15.369	0.500	23	1632
14.173	15.354	0.709	59	0992	14.484	16.312	0.562	23	1631
14.173	15.590	0.630	23	0963	14.488	16.496	0.811	87	2134
14.173	15.673	0.750	23	5846	14.500	15.500	0.500	23	8741
14.173	15.748	0.630	53	7849	14.500	15.750	0.625	23	4699
14.173	15.748	0.709	26	4394	14.500	15.750	0.750	23	1018
14.173	15.748	0.709	59	4394	14.500	16.000	0.562	88	2676
14.173	15.748	0.748	23	9182	14.500	16.000	0.562	88NS	2676
14.173	15.748	0.787	59	1892	14.500	16.000	0.625	23	7149
14.173	15.906	0.788	87	1202	14.500	16.000	0.687	53	4142
14.177	15.500	0.750	23	0241	14.500	16.000	0.687	64	4142
14.187	16.187	0.812	21	4614	14.500	16.000	0.688	23	4142
14.187	16.732	0.812	64	9280	14.500	16.000	0.688	59	4142
14.188	15.500	0.625	53	4114	14.500	16.000	0.750	21	4143
14.188	15.500	0.688	59	0222	14.500	16.000	0.750	23	4143
14.188	15.750	0.625	53	4117	14.500	16.250	0.625	23	5455
14.188	15.750	0.750	59	0223	14.500	16.250	0.625	59	3866
14.188	16.000	0.875	59	0224	14.500	16.250	0.750	53	4144
14.188	16.188	0.813	59	0225	14.500	16.375	0.812	23	9495
14.188	16.750	0.875	59	0226	14.500	16.500	0.625	23	9116
14.190	15.690	0.625	23	4138	14.500	16.500	0.750	23	3728
14.214	16.214	0.812	23	7898	14.500	16.500	0.750	53	3728
14.250	15.750	0.687	64	4118	14.500	16.500	0.750	59	0234

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
14.500	16.500	0.750	62	3728	14.810	15.685	0.375	23	3262
14.500	16.500	0.812	23	4145	14.875	16.375	0.750	23	8281
14.500	16.500	0.812	62	4145	14.875	16.500	0.687	64	3858
14.500	16.500	0.812	64	4145	14.875	16.500	0.750	23	4414
14.500	16.500	0.812	88	4145	14.875	16.500	0.750	59	0241
14.500	16.500	0.812	88NS	4145	14.875	16.750	0.687	64	3859
14.562	16.000	0.625	26	5987	14.875	16.750	0.875	59	0242
14.562	16.000	0.625	53	5987	14.875	16.875	0.375	23	1454
14.563	16.000	0.625	59	5987	14.875	16.875	0.500	23	9163
14.566	16.141	0.787	26R1	8196	14.875	16.875	0.812	21	8271
14.566	16.181	0.629	23	9993	14.875	16.875	0.812	23	8271
14.567	15.551	0.500	23	5845	14.875	16.875	0.937	64	2622
14.567	16.299	0.787	59	3880	14.875	16.875	1.000	53	4150
14.567	16.535	0.787	23	1968	14.875	16.875	1.000	59	0243
14.580	16.200	0.625	23	2026	14.875	16.875	1.219	53F1	6846
14.625	16.000	0.625	59	4555	14.875	17.000	0.812	64	3860
14.625	16.125	0.750	23	9732	14.875	17.000	0.875	59	0244
14.625	16.125	0.750	59	0235	14.875	17.500	0.875	59	0245
14.625	16.250	0.687	64	3856	14.906	17.000	0.812	64	3861
14.625	16.250	0.750	23	0756	14.906	17.000	0.875	59	0246
14.625	16.250	0.750	59	0236	14.937	16.437	0.750	23	9896
14.625	16.750	0.812	64	3857	14.950	16.500	0.750	23	5475
14.625	16.750	1.000	59	0237	14.960	16.460	0.750	23	5801
14.687	16.187	0.625	23	6283	14.960	17.322	0.984	26R1	5466
14.687	16.187	0.750	23	9494	14.961	16.535	0.625	23	2328
14.687	16.687	0.812	23	4756	14.961	16.535	0.787	23	0614
14.688	16.188	0.625	59	0238	14.961	16.535	0.787	59	0247
14.750	16.125	0.687	21	8888	14.961	16.693	0.787	23	4601
14.750	16.125	0.687	23	8888	14.961	16.693	0.787	59	4674
14.750	16.125	0.750	23	2067	14.961	17.323	0.984	59	5466
14.750	16.250	0.375	23	9959	15.000	16.000	0.500	23	5508
14.750	16.250	0.625	23	8119	15.000	16.125	0.547	23	4970
14.750	16.250	0.625	59	0239	15.000	16.250	0.625	23	1175
14.750	16.250	0.668	21	9696	15.000	16.250	0.812	23	0662
14.750	16.250	0.687	21	4147	15.000	16.375	0.531	23	3091
14.750	16.250	0.687	64	4147	15.000	16.500	0.625	87	3326
14.750	16.250	0.688	23	4147	15.000	16.500	0.687	53	4151
14.750	16.250	0.688	59	4147	15.000	16.500	0.687	64	4151
14.750	16.250	0.750	23	4148	15.000	16.500	0.688	23	4151
14.750	16.500	0.687	23	5990	15.000	16.500	0.688	59	0248
14.750	16.500	0.687	64	5990	15.000	16.500	0.750	21	4152
14.750	16.500	0.688	59	0240	15.000	16.500	0.750	23	4152
14.750	16.500	0.750	23	4149	15.000	16.500	0.750	24	4152
14.750	16.500	0.750	62	4149	15.000	16.500	0.750	25	4152
14.750	16.500	0.812	23	1617	15.000	16.500	0.750	53	4152
14.750	16.500	0.875	88	8794	15.000	16.750	0.750	23	4153
14.750	16.500	0.875	88NS	8794	15.000	16.750	0.750	53	4153
14.750	16.625	0.812	23	3149	15.000	16.750	0.750	59	0249
14.750	16.750	0.750	23	9254	15.000	16.750	0.812	23	8123
14.750	16.750	0.812	23	9591	15.000	16.772	1.125	26R1	5146
14.760	16.339	0.630	23	6994	15.000	16.875	0.750	53	4154
14.764	16.535	0.787	59	4423	15.000	17.000	0.500	23	4949

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
15.000	17.000	0.625	23	9181	15.250	17.250	0.625	88NS	6618
15.000	17.000	0.750	21	4155	15.250	17.250	0.750	21	7539
15.000	17.000	0.750	23	4155	15.250	17.250	0.750	23	7539
15.000	17.000	0.750	25	4155	15.250	17.250	0.750	59	0254
15.000	17.000	0.750	26	4155	15.250	17.250	0.750	88	7539
15.000	17.000	0.750	53	4155	15.250	17.250	0.750	88NS	7539
15.000	17.000	0.750	26R1	4155	15.250	17.250	0.812	23	4476
15.000	17.000	0.750	59	4155	15.250	17.250	0.812	64	4476
15.000	17.000	0.812	21	4156	15.250	17.250	0.875	53	3734
15.000	17.000	0.812	23	4156	15.250	17.250	1.000	53	4157
15.000	17.000	0.812	64	4156	15.312	16.875	0.687	23	4158
15.000	17.000	0.875	53	3730	15.312	16.875	0.687	64	4158
15.000	17.000	1.000	53	3731	15.312	17.312	0.687	64	5992
15.000	17.000	1.187	53F1	8703	15.312	17.312	0.812	23	7708
15.000	17.000	1.250	26R1	6117	15.313	17.313	0.688	59	0255
15.000	17.000	1.250	53R2	6117	15.350	16.850	0.750	23	9796
15.000	17.000	1.312	53R2	4894	15.354	16.535	0.551	23	1608
15.000	17.000	1.312	53T2	4894	15.354	16.929	0.709	59	5172
15.000	17.000	1.375	53R1	6354	15.354	16.929	0.750	23	5290
15.000	17.000	1.375	53R2	6354	15.354	16.929	0.787	26	4941
15.000	17.250	0.812	64	8508	15.354	17.086	0.787	23	1767
15.000	17.250	0.875	53	5277	15.354	17.087	0.787	59	5281
15.000	17.500	0.812	64	9637	15.354	17.323	0.787	59	3950
15.000	17.500	0.875	59	0250	15.354	17.323	0.984	59	4936
15.000	17.500	0.938	26	3050	15.354	17.717	0.984	59	2049
15.000	17.500	0.938	26R1	3050	15.359	16.890	0.750	23	5718
15.000	17.500	1.250	26	1007	15.359	17.709	0.906	59	0256
15.000	17.500	1.250	26R1	1007	15.359	17.717	0.687	64	4166
15.000	17.750	0.812	64	3862	15.375	16.250	0.437	23	1293
15.000	17.750	0.875	59	0251	15.375	16.500	1.250	142	4753
15.108	16.750	0.750	23	3222	15.375	16.750	0.750	23	0450
15.125	16.125	0.375	23	9279	15.375	16.875	0.750	23	7239
15.125	16.750	0.750	59	0252	15.375	17.125	0.812	23	1013
15.125	16.750	0.812	64	4165	15.375	17.250	0.687	64	4167
15.125	17.125	0.625	23	6883	15.375	17.250	0.750	59	0257
15.125	17.125	0.750	23	9906	15.375	17.375	0.688	59	0258
15.156	17.156	0.812	23	6531	15.375	17.375	0.812	23	4159
15.161	16.885	0.812	23	1688	15.375	17.375	0.812	64	4159
15.187	17.187	0.750	23	7814	15.375	17.375	1.000	53	4160
15.191	16.191	0.500	23	0889	15.438	16.938	0.750	23	1449
15.236	16.417	0.591	59	5299	15.472	17.502	0.708	59	0259
15.250	16.250	0.500	23	1918	15.500	16.500	0.500	23	4625
15.250	16.375	1.250	142	2512	15.500	16.875	0.625	59	0260
15.250	16.625	0.531	23	8861	15.500	17.000	0.750	21	4162
15.250	16.750	0.687	62	4615	15.500	17.000	0.750	23	4162
15.250	16.750	0.687	64	4615	15.500	17.000	0.750	26	4162
15.250	16.750	0.688	23	4615	15.500	17.000	0.750	59	4162
15.250	16.750	0.688	59	0253	15.500	17.250	0.750	23	6562
15.250	16.750	0.750	23	7801	15.500	17.375	0.812	23	0432
15.250	16.750	0.750	26	7801	15.500	17.500	0.750	23	7431
15.250	17.250	0.625	23	6618	15.500	17.500	0.750	59	0261
15.250	17.250	0.625	88	6618	15.500	17.500	0.812	21	4163

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
15.500	17.500	0.812	23	4163	15.750	17.500	0.750	23	7442
15.500	17.500	0.812	59	5421	15.750	17.500	0.812	23	5865
15.500	17.500	0.812	64	4163	15.750	17.750	0.687	64	6874
15.500	17.500	0.812	88	4163	15.750	17.750	0.812	23	6769
15.500	17.500	0.812	88NS	4163	15.750	17.750	0.875	59	0273
15.500	17.750	0.812	64	6771	15.750	18.000	0.812	64	4172
15.500	17.750	1.000	59	0262	15.750	18.000	0.875	59	0274
15.500	18.000	0.812	64	4168	15.750	18.500	1.000	64	4175
15.500	18.000	1.000	59	0263	15.784	17.000	0.500	23	0800
15.512	16.535	0.500	23	2206	15.785	17.785	0.812	23	6353
15.551	17.283	0.741	26R1	0979	15.812	17.437	0.812	23	8847
15.551	17.283	0.886	26	3867	15.875	17.375	0.750	23	4664
15.565	16.565	0.500	23	7592	15.875	17.500	0.750	59	2493
15.604	16.974	0.625	59	0264	15.875	17.750	0.875	21	4795
15.625	17.125	0.750	23	6455	15.875	17.875	0.750	59	0275
15.625	17.125	0.750	59	0265	15.875	17.875	0.812	23	4176
15.625	17.250	0.750	23	4494	15.875	17.875	0.812	64	4176
15.625	17.625	0.875	59	0266	15.937	17.437	0.750	23	1439
15.740	17.250	0.688	59	0267	15.937	17.937	0.750	23	7425
15.748	17.244	0.750	23	5666	15.938	17.313	0.625	59	0276
15.748	17.322	0.787	26	4396	15.938	18.000	0.750	59	2022
15.748	17.322	0.787	59	4396	16.000	17.000	0.500	23	9077
15.748	17.323	0.630	59	5064	16.000	17.406	0.609	23	7601
15.748	17.480	0.662	23	8702	16.000	17.500	0.687	53	4177
15.748	17.480	0.787	23	4629	16.000	17.500	0.687	64	4177
15.748	17.480	0.787	59	1332	16.000	17.500	0.687	88	4177
15.748	17.480	0.787	87	4629	16.000	17.500	0.687	88NS	4177
15.748	17.716	0.687	64	4169	16.000	17.500	0.688	59	0277
15.748	17.716	0.689	59	0268	16.000	17.500	0.750	21	4178
15.748	17.716	0.709	23	2389	16.000	17.500	0.750	23	4178
15.748	17.716	0.748	59	2726	16.000	17.500	0.750	25	4178
15.748	17.717	0.787	23	2069	16.000	17.500	0.750	26	4178
15.748	17.717	0.812	23	2275	16.000	17.500	0.750	53	4178
15.748	17.748	0.750	23	8713	16.000	17.625	0.687	64	4173
15.748	18.110	0.984	26R1	5467	16.000	17.625	0.750	59	0278
15.750	16.750	0.500	23	6873	16.000	17.750	0.750	23	6821
15.750	16.875	0.625	23	7091	16.000	17.875	0.750	23	1032
15.750	16.875	1.250	142	6430	16.000	18.000	0.500	24	6693
15.750	16.948	0.750	23	1992	16.000	18.000	0.750	23	5116
15.750	17.000	0.625	59	0269	16.000	18.000	0.750	59	0279
15.750	17.250	0.562	23	7858	16.000	18.000	0.750	88	5116
15.750	17.250	0.578	23	5530	16.000	18.000	0.750	88NS	5116
15.750	17.250	0.687	64	4170	16.000	18.000	0.812	21	4180
15.750	17.250	0.687	87	4170	16.000	18.000	0.812	23	4180
15.750	17.250	0.687	88	4170	16.000	18.000	0.812	26	4180
15.750	17.250	0.687	88NS	4170	16.000	18.000	0.812	59	4180
15.750	17.250	0.688	59	0270	16.000	18.000	0.812	64	4180
15.750	17.250	0.750	23	9595	16.000	18.000	0.875	26	5077
15.750	17.250	0.750	62	9595	16.000	18.000	0.875	64	5077
15.750	17.312	0.687	64	9271	16.000	18.000	0.875	87	5077
15.750	17.500	0.687	64	4171	16.000	18.000	1.000	53	3736
15.750	17.500	0.688	59	0271	16.000	18.500	0.812	64	5995

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
16.000	18.500	0.813	59	0281	16.500	17.750	0.750	23	3868
16.062	17.062	0.500	23	5599	16.500	17.750	0.750	26	3868
16.094	17.500	0.750	23	0479	16.500	17.750	0.750	59	3868
16.125	17.125	0.500	23	5867	16.500	18.000	0.687	64	9863
16.125	18.125	0.750	23	6878	16.500	18.000	0.750	23	4185
16.125	18.125	0.812	23	5819	16.500	18.000	0.750	53	4185
16.141	18.141	0.812	23	5803	16.500	18.000	0.750	59	0289
16.142	17.142	0.750	142	9816	16.500	18.250	0.750	59	0290
16.142	17.717	0.787	59	4512	16.500	18.500	0.750	23	6697
16.142	18.110	0.866	26	4015	16.500	18.500	0.750	25	6697
16.187	17.437	0.750	23	2491	16.500	18.500	0.750	53	6697
16.187	18.187	0.812	23	9484	16.500	18.500	0.750	59	0291
16.225	17.725	0.750	23	9286	16.500	18.500	0.812	23	4186
16.250	17.250	0.500	23	5039	16.500	18.500	0.812	59	2565
16.250	17.250	0.750	142	8556	16.500	18.500	0.812	62	4186
16.250	17.750	0.625	59	0282	16.500	18.500	0.812	64	4186
16.250	17.750	0.680	26	5120	16.500	18.500	0.812	88	4186
16.250	17.750	0.687	23	4181	16.500	18.500	0.812	88NS	4186
16.250	17.750	0.687	53	4181	16.500	18.500	0.875	21	5038
16.250	17.750	0.687	59	1020	16.500	18.500	1.000	53	3738
16.250	17.750	0.687	64	4181	16.500	19.000	0.812	64	4183
16.250	17.750	0.687	88	4181	16.500	19.000	0.875	59	0293
16.250	17.750	0.687	88NS	4181	16.531	18.031	0.750	23	5725
16.250	17.750	0.750	23	4182	16.531	18.504	0.866	59	1331
16.250	17.750	0.750	53	4182	16.535	18.035	0.750	23	7127
16.250	17.750	1.281	53R2	4650	16.535	18.102	0.787	59	0294
16.250	17.750	1.281	53T2	4650	16.535	18.110	0.787	23	8504
16.250	18.000	0.625	59	0283	16.535	18.110	0.787	59	0295
16.250	18.000	0.687	64	8217	16.535	18.504	0.741	23	8705
16.250	18.000	0.750	23	4184	16.535	18.504	0.750	23	4521
16.250	18.000	0.750	53	4184	16.535	18.504	0.875	64	1929
16.250	18.000	0.750	64	4184	16.535	18.897	0.984	26R1	5468
16.250	18.000	0.812	23	9285	16.535	18.898	1.102	26R1	1038
16.250	18.000	1.000	53	3737	16.625	17.625	0.500	23	5827
16.250	18.250	0.687	64	9892	16.625	18.125	0.750	23	8981
16.250	18.250	0.750	23	6657	16.625	18.500	0.750	23	2944
16.250	18.250	0.812	21	6397	16.625	18.625	0.812	23	6601
16.250	18.250	0.812	23	6397	16.687	18.031	0.750	26	3635
16.250	18.250	1.000	59	0284	16.733	18.700	0.788	23	9529
16.250	18.500	0.812	59	3042	16.750	17.875	1.312	142	7886
16.250	18.500	0.812	64	4174	16.750	18.000	0.750	23	3223
16.250	18.500	1.250	59	0285	16.750	18.250	0.687	59	0296
16.299	18.268	0.812	23	1280	16.750	18.250	0.687	64	3744
16.339	18.307	0.787	59	4002	16.750	18.250	0.750	23	8295
16.350	17.350	0.500	23	9296	16.750	18.500	0.687	59	4534
16.375	17.375	0.500	23	6984	16.750	18.500	0.875	59	0297
16.375	17.875	0.687	64	4179	16.750	18.750	0.750	21	6398
16.375	17.875	0.750	23	5178	16.750	18.750	0.750	23	6398
16.375	17.875	0.750	59	0286	16.750	18.750	0.812	23	9752
16.375	18.375	0.812	23	9757	16.750	19.000	0.812	64	3748
16.375	18.375	1.000	59	0287	16.750	19.000	0.875	59	0298
16.500	17.500	0.500	23	5747	16.875	18.875	0.812	23	9303

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
16.929	17.929	0.500	23	6933	17.250	18.750	0.750	23	6967
16.929	18.429	0.750	23	5850	17.250	18.750	0.750	59	0305
16.929	18.504	0.787	23	4510	17.250	18.750	0.750	64	6967
16.929	18.504	0.787	59	4252	17.250	19.250	0.750	23	5877
16.929	18.897	0.787	23	5029	17.250	19.250	0.812	23	8191
16.929	18.898	0.866	59	3740	17.250	19.250	0.875	26	3055
16.929	18.903	0.969	59	0299	17.250	19.250	0.937	53	4192
16.937	19.291	0.812	64	9695	17.250	19.250	0.938	59	0306
17.000	17.906	0.500	23	1126	17.313	18.313	0.500	23	4374
17.000	18.000	0.500	23	1976	17.322	18.822	0.750	23	6812
17.000	18.125	0.547	21	4971	17.322	18.897	0.787	26	4393
17.000	18.125	0.547	23	4971	17.323	18.898	0.787	23	4393
17.000	18.125	0.562	23	9114	17.323	18.898	0.787	59	4393
17.000	18.250	0.500	23	3247	17.323	19.291	0.866	59	4673
17.000	18.250	0.562	21	8423	17.323	19.323	0.750	23	0620
17.000	18.250	0.625	23	8780	17.332	18.832	0.750	23	9315
17.000	18.250	0.625	26	3793	17.360	19.360	0.812	23	4351
17.000	18.250	0.625	59	3793	17.375	18.875	0.750	23	9338
17.000	18.250	0.750	23	1923	17.400	19.400	0.812	23	2499
17.000	18.500	0.625	59	0300	17.406	18.406	0.500	23	7043
17.000	18.500	0.687	23	4188	17.500	18.500	0.500	23	9261
17.000	18.500	0.687	59	4188	17.500	18.625	1.250	142	4716
17.000	18.500	0.687	64	4188	17.500	18.650	0.531	23	4376
17.000	18.500	0.687	88	4188	17.500	18.750	0.500	23	2021
17.000	18.500	0.687	88NS	4188	17.500	18.906	0.766	23	2018
17.000	18.500	0.720	23	1459	17.500	19.000	0.625	23	4403
17.000	18.500	0.750	21	4189	17.500	19.000	0.625	59	0307
17.000	18.500	0.750	23	4189	17.500	19.000	0.687	53	4194
17.000	18.500	0.750	25	4189	17.500	19.000	0.687	64	4194
17.000	18.750	0.750	59	3741	17.500	19.000	0.750	23	4195
17.000	19.000	0.625	26	4977	17.500	19.000	0.750	53	4195
17.000	19.000	0.750	23	5168	17.500	19.000	0.750	62	4195
17.000	19.000	0.750	59	0301	17.500	19.000	0.812	23	4589
17.000	19.000	0.750	87	5168	17.500	19.250	0.625	23	8476
17.000	19.000	0.812	23	4190	17.500	19.250	0.687	64	5054
17.000	19.000	0.812	59	1867	17.500	19.250	0.688	59	5054
17.000	19.000	0.812	62	4190	17.500	19.250	0.750	23	4196
17.000	19.000	0.812	64	4190	17.500	19.250	0.750	53	4196
17.000	19.000	0.875	21	4712	17.500	19.500	0.687	59	4198
17.000	19.000	1.000	59	0782	17.500	19.500	0.687	64	4198
17.000	19.250	0.812	64	4191	17.500	19.500	0.688	23	4198
17.000	19.250	1.000	59	0302	17.500	19.500	0.688	59	0309
17.000	19.500	0.812	64	3750	17.500	19.500	0.750	23	7625
17.000	19.500	0.875	59	0304	17.500	19.500	0.812	23	9601
17.125	18.125	0.500	23	9273	17.500	19.750	0.750	59	0310
17.125	18.625	0.750	23	6626	17.500	19.750	0.812	64	4197
17.125	19.125	0.812	23	5983	17.500	20.522	1.500	59	0311
17.126	19.094	0.787	87	1387	17.525	18.525	0.500	23	7589
17.190	19.190	0.812	23	4588	17.559	19.135	0.630	88	4704
17.250	18.500	0.625	23	1125	17.559	19.135	0.630	88NS	4704
17.250	18.750	0.625	23	4663	17.562	19.062	0.750	23	5534
17.250	18.750	0.687	64	3751	17.625	18.500	0.375	23	5172

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
17.625	19.125	0.750	59	0312	18.000	19.500	0.750	53	3741
17.625	19.250	0.687	64	4199	18.000	19.500	0.750	59	2691
17.625	19.250	0.688	59	0313	18.000	19.500	0.750	62	3741
17.625	19.375	0.750	23	1158	18.000	19.500	0.812	23	8691
17.625	19.375	0.750	59	0314	18.000	19.500	1.000	142	7615
17.625	19.625	0.687	64	6850	18.000	19.500	1.250	53R2	7404
17.625	19.625	0.688	59	0315	18.000	19.625	0.812	21	6938
17.625	19.625	0.812	23	9421	18.000	19.750	0.687	64	5728
17.687	19.187	1.000	142	2015	18.000	19.750	0.750	21	4207
17.716	19.291	0.787	59	3943	18.000	19.750	0.750	59	0323
17.716	19.685	0.812	23	1179	18.000	19.750	0.812	21	7413
17.716	19.716	0.812	23	9479	18.000	19.750	0.812	23	7413
17.717	18.898	0.500	23	0510	18.000	19.875	0.687	64	4203
17.717	19.409	0.787	23	9925	18.000	19.875	0.750	59	0324
17.717	19.685	0.811	21	3111	18.000	20.000	0.625	26	0983
17.717	20.079	0.984	59	5464	18.000	20.000	0.750	23	4209
17.719	18.901	0.578	23	5964	18.000	20.000	0.750	59	0325
17.719	19.219	0.750	23	5594	18.000	20.000	0.750	64	4209
17.750	18.750	0.500	23	9581	18.000	20.000	0.812	21	6399
17.750	19.000	0.750	23	4523	18.000	20.000	0.812	23	6399
17.750	19.250	0.750	23	6615	18.000	20.000	0.875	64	4210
17.750	19.373	0.750	23	0477	18.000	20.000	0.875	88	4210
17.750	19.750	0.750	59	0316	18.000	20.000	0.875	88NS	4210
17.750	19.750	0.812	23	4200	18.000	20.000	1.000	26	3742
17.750	19.750	0.812	64	4200	18.000	20.000	1.000	53	3742
17.750	19.750	1.000	25	4201	18.000	20.000	1.750	53R2	9423
17.750	19.750	1.000	53	4201	18.000	20.000	1.812	53T2	6793
17.750	20.078	0.875	64	9084	18.000	20.250	0.812	21	9083
17.750	20.089	1.000	53	4202	18.000	20.250	1.000	53	7664
17.750	20.089	1.000	59	0317	18.000	20.500	0.812	25	6974
17.795	19.795	0.812	23	4667	18.000	20.500	0.875	64	3752
17.818	19.750	0.750	59	0318	18.000	20.500	1.250	59	0326
17.818	20.500	1.000	59	0319	18.000	21.000	0.688	59	0327
17.874	19.874	0.843	59	4600	18.000	21.000	0.875	64	3753
17.875	18.875	0.500	23	4815	18.031	20.031	0.812	23	5432
17.875	19.500	0.625	59	0320	18.062	20.062	0.812	23	5769
17.875	19.875	0.750	59	0321	18.110	19.685	0.787	59	4508
17.875	19.875	0.812	23	4204	18.110	19.843	0.787	23	0518
17.875	19.875	0.812	64	4204	18.110	20.078	0.787	23	1237
17.900	19.400	0.750	23	5613	18.110	20.078	0.866	59	4486
17.938	19.313	0.812	23	0716	18.110	20.079	0.866	26	4486
17.992	20.000	0.748	26R1	2135	18.110	20.110	0.812	23	5431
18.000	19.000	0.500	23	7487	18.120	20.500	0.875	64	3754
18.000	19.125	1.250	142	5147	18.120	20.500	1.000	59	0328
18.000	19.438	0.500	23	2193	18.125	19.625	0.750	23	5680
18.000	19.500	0.687	53	4206	18.125	19.750	0.750	23	1115
18.000	19.500	0.687	64	4206	18.125	20.500	0.875	64	3756
18.000	19.500	0.688	23	4206	18.125	20.500	1.000	59	0329
18.000	19.500	0.688	59	0322	18.250	19.375	1.250	142	8440
18.000	19.500	0.750	23	2741	18.250	19.750	0.687	64	3757
18.000	19.500	0.750	23	3741	18.250	19.750	0.750	21	4211
18.000	19.500	0.750	25	3741	18.250	19.750	0.750	23	4211

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
18.250	19.750	0.750	59	0330	18.750	20.250	1.000	142	7607
18.250	19.867	1.000	59	0331	18.750	20.500	0.750	59	0341
18.250	19.875	0.687	64	3765	18.750	20.750	0.750	59	0343
18.250	19.875	0.750	21	4212	18.750	20.750	0.750	142	9561
18.250	19.875	0.750	23	4212	18.750	20.750	0.812	23	9940
18.250	19.875	1.000	59	0332	18.750	20.750	0.875	62	7225
18.250	20.250	0.812	23	7618	18.818	20.818	0.812	23	9492
18.250	20.250	0.812	26	7618	18.875	20.875	0.812	23	9742
18.375	19.875	0.687	23	4213	18.897	20.464	0.787	59	0344
18.375	19.875	0.687	64	4213	18.897	20.472	0.787	64	7281
18.375	19.875	0.688	59	0333	18.898	20.472	0.787	26	7281
18.375	19.875	0.750	23	6132	18.898	20.866	0.787	23	8299
18.375	19.937	0.687	64	7103	18.898	20.866	0.787	59	1247
18.375	19.938	0.625	59	0334	18.898	20.867	0.812	23	0639
18.375	20.000	0.750	59	0335	18.937	20.937	0.812	23	5099
18.375	20.000	0.750	64	4215	19.000	20.000	0.500	23	5158
18.375	20.375	0.812	23	6740	19.000	20.125	0.547	23	4673
18.375	20.375	0.812	64	6740	19.000	20.204	0.531	23	9644
18.375	20.375	0.875	59	0336	19.000	20.500	0.750	23	4218
18.375	20.500	0.750	64	3767	19.000	20.500	0.750	59	0345
18.375	20.500	0.875	59	0337	19.000	20.500	0.750	64	4218
18.437	20.500	0.812	21	2087	19.000	20.500	0.750	87	4218
18.449	19.449	0.500	23	2697	19.000	20.500	0.750	88	4218
18.500	19.500	0.500	23	5820	19.000	20.500	0.750	88NS	4218
18.500	19.625	1.250	142	6737	19.000	21.000	0.500	23	4741
18.500	19.875	0.750	23	7700	19.000	21.000	0.750	23	9115
18.500	20.000	0.687	64	3768	19.000	21.000	0.812	21	6508
18.500	20.000	0.750	23	9881	19.000	21.000	0.812	23	6508
18.500	20.000	0.750	59	0338	19.000	21.000	0.812	25	6508
18.500	20.250	0.687	64	3772	19.000	21.000	0.812	59	6508
18.500	20.250	0.750	59	0339	19.000	21.000	0.875	59	0346
18.500	20.500	0.750	23	7059	19.000	21.000	0.875	62	4219
18.500	20.500	0.750	26	7059	19.000	21.000	0.875	64	4219
18.500	20.500	0.750	26R1	7059	19.000	21.500	0.750	59	0347
18.500	20.500	0.750	59	7059	19.000	21.500	0.875	23	3773
18.500	20.500	0.812	23	6408	19.000	21.500	0.875	64	3773
18.500	20.500	0.812	25	6408	19.125	20.125	0.500	23	5271
18.500	20.500	0.875	59	4216	19.125	21.125	0.812	23	8719
18.500	20.500	0.875	62	4216	19.125	21.125	0.812	59	4879
18.500	20.500	0.875	64	4216	19.187	21.187	0.812	23	9349
18.500	20.500	1.000	25	3745	19.188	20.938	0.625	23	4493
18.504	20.472	0.741	23	8695	19.188	20.938	0.625	23	9943
18.504	20.866	0.984	59	4255	19.250	20.750	0.750	23	4617
18.562	19.562	0.500	23	5506	19.250	20.750	0.750	59	0348
18.625	19.875	0.750	23	6305	19.250	20.750	0.750	64	4617
18.625	20.625	0.812	23	5130	19.250	21.000	0.750	59	0349
18.750	19.750	0.500	23	9979	19.250	21.000	0.750	64	3777
18.750	20.250	0.500	23	2337	19.250	21.000	0.812	23	4225
18.750	20.250	0.750	23	4217	19.250	21.250	0.750	59	0350
18.750	20.250	0.750	59	0340	19.250	21.250	0.750	64	5485
18.750	20.250	0.812	21	9477	19.250	21.250	0.812	23	6079
18.750	20.250	0.812	23	9477	19.291	20.866	0.787	59	3133

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
19.291	21.260	0.787	23	1298	19.881	21.881	0.812	23	5849
19.291	21.260	0.866	26	4856	19.937	21.187	0.625	23	8848
19.375	20.375	0.500	23	4535	19.937	21.687	0.625	64	4233
19.375	21.000	0.750	59	5079	19.938	21.500	0.750	59	0360
19.375	21.000	0.813	59	0352	19.938	21.500	0.750	64	3789
19.375	21.375	0.812	23	9734	19.938	21.688	0.625	59	3220
19.500	20.500	0.500	23	5262	19.938	21.688	0.750	59	1989
19.500	21.000	0.750	23	3779	19.983	21.125	0.625	26	2511
19.500	21.000	0.750	59	0354	20.000	20.938	0.500	23	2322
19.500	21.000	0.750	64	3779	20.000	21.000	0.500	23	8421
19.500	21.250	0.813	23	5699	20.000	21.125	1.250	142	7706
19.500	21.500	0.500	23	4739	20.000	21.250	0.625	23	2505
19.500	21.500	0.625	23	1376	20.000	21.250	0.625	59	3539
19.500	21.500	0.750	59	0355	20.000	21.500	0.625	23	3057
19.500	21.500	0.750	87	6980	20.000	21.500	0.625	59	0362
19.500	21.500	0.750	88	6980	20.000	21.500	0.687	59	2229
19.500	21.500	0.750	88NS	6980	20.000	21.500	0.750	23	4235
19.500	21.500	0.812	21	8446	20.000	21.500	0.750	59	1013
19.500	21.500	0.812	23	8446	20.000	21.500	0.750	64	4235
19.500	21.500	0.875	26	4221	20.000	21.500	0.875	59	2126
19.500	21.500	0.875	64	4221	20.000	21.750	0.750	59	0363
19.500	21.688	0.750	59	0356	20.000	21.750	0.750	64	4236
19.500	21.688	0.875	64	3783	20.000	21.750	0.812	23	4230
19.500	21.750	0.875	59	4646	20.000	22.000	0.625	59	4231
19.606	21.575	0.812	23	6791	20.000	22.000	0.625	87	4231
19.625	21.079	0.531	23	0753	20.000	22.000	0.750	23	7212
19.625	21.125	0.500	23	1780	20.000	22.000	0.750	59	1977
19.625	21.375	0.750	23	1773	20.000	22.000	0.812	23	6400
19.625	21.625	0.812	23	4678	20.000	22.000	0.875	59	9477
19.625	21.625	0.812	59	2654	20.000	22.000	0.875	64	4237
19.674	21.674	0.812	23	1991	20.000	22.000	1.000	53	3749
19.685	20.866	0.590	26	2504	20.000	22.000	1.000	59	2981
19.685	21.260	0.787	59	4047	20.000	22.000	1.812	53T2	8597
19.685	21.457	0.787	23	2484	20.000	22.125	1.000	53	4238
19.685	21.654	0.787	87	1383	20.000	22.125	1.000	59	0364
19.685	21.654	0.866	59	1246	20.000	22.500	0.875	59	0365
19.685	21.685	0.812	23	8634	20.000	22.500	0.875	64	3790
19.687	21.187	0.750	23	5904	20.032	21.654	0.812	23	7446
19.687	21.673	0.812	23	1866	20.062	22.062	0.812	23	9801
19.688	21.688	0.812	23	2439	20.078	22.078	0.812	23	5802
19.750	20.750	0.500	23	4525	20.111	22.111	0.812	23	1181
19.750	21.250	0.750	23	1038	20.125	22.125	0.750	23	6718
19.750	21.750	0.812	21	6426	20.125	22.125	0.812	23	6710
19.750	21.750	0.812	23	6426	20.143	22.250	0.875	64	3792
19.750	21.750	0.875	59	0357	20.187	22.187	0.812	23	7195
19.750	21.750	0.875	64	4228	20.236	22.236	0.812	23	7822
19.750	22.125	0.875	64	7400	20.250	21.250	0.500	23	9478
19.750	22.250	0.875	59	0358	20.250	21.750	0.750	23	4239
19.750	22.250	0.875	64	3785	20.250	21.750	0.750	59	0366
19.875	21.875	0.812	23	5291	20.250	21.750	0.750	64	4239
19.875	22.000	0.875	59	0359	20.250	21.750	0.750	88	4239
19.875	22.000	0.875	64	3788	20.250	21.750	0.750	88NS	4239

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
20.250	22.245	0.875	64	8231	20.827	22.827	0.812	23	9392
20.250	22.250	0.812	23	4926	20.866	22.441	0.787	59	5438
20.250	22.250	0.875	59	0367	20.866	22.441	0.787	87	2388
20.250	22.250	0.875	64	4240	20.866	22.637	0.812	23	5761
20.250	22.375	0.750	64	4241	20.866	22.835	0.787	23	1911
20.250	22.375	1.000	59	0368	20.866	22.835	0.866	26	3667
20.250	22.500	0.875	59	0369	20.866	22.835	0.866	59	3667
20.250	22.500	0.875	64	8770	20.866	22.836	0.787	59	0375
20.276	21.850	0.787	26	5493	20.866	22.836	0.812	64	4244
20.437	22.062	0.812	23	7243	20.866	22.866	0.812	23	9744
20.438	22.500	0.750	59	0370	20.866	23.228	0.984	59	3535
20.438	22.500	0.812	64	4242	20.875	22.875	0.750	59	0377
20.458	21.458	0.375	23	9987	20.875	22.875	0.812	23	9276
20.469	21.969	0.750	23	5654	20.875	22.875	0.875	64	4250
20.470	22.470	0.812	23	0935	20.875	23.228	0.875	64	6417
20.472	21.972	0.750	23	6830	20.939	22.939	0.812	23	3088
20.472	22.205	0.787	59	4764	20.945	22.520	0.787	59	5440
20.472	22.205	0.866	59	4525	21.000	22.000	0.500	21	4940
20.472	22.244	0.812	23	7196	21.000	22.000	0.500	23	4940
20.477	21.477	0.375	23	9985	21.000	22.500	0.750	23	5259
20.495	21.495	0.375	23	9983	21.000	22.500	0.750	59	0380
20.500	21.500	0.469	23	9859	21.000	22.500	0.750	64	5259
20.500	21.500	0.469	26	2822	21.000	22.750	0.750	21	5312
20.500	21.500	0.500	23	8869	21.000	22.750	0.750	23	5312
20.500	22.000	0.750	23	4619	21.000	22.750	0.750	59	0381
20.500	22.000	0.750	59	0371	21.000	22.750	0.750	64	5312
20.500	22.000	0.750	64	4619	21.000	23.000	0.625	59	0382
20.500	22.250	0.812	64	4245	21.000	23.000	0.750	59	1991
20.500	22.500	0.625	59	0372	21.000	23.000	0.750	88	5619
20.500	22.500	0.750	59	1990	21.000	23.000	0.750	88NS	5619
20.500	22.500	0.812	21	5055	21.000	23.000	0.812	23	6535
20.500	22.500	0.812	23	5055	21.000	23.000	0.812	64	6535
20.500	22.500	0.875	59	4246	21.000	23.000	0.875	64	4253
20.500	22.500	0.875	64	4246	21.000	23.250	0.812	64	4251
20.500	22.500	0.875	88	4246	21.000	23.250	0.875	59	0384
20.500	22.500	0.875	88NS	4246	21.000	23.500	0.875	59	0385
20.500	22.750	0.875	64	6287	21.000	23.500	0.875	64	9772
20.516	22.516	0.812	23	5708	21.063	22.638	0.787	59	5452
20.625	22.625	0.812	21	9893	21.125	22.125	0.500	23	3760
20.625	22.625	0.812	23	9893	21.250	22.250	0.500	23	8946
20.625	22.625	0.812	64	9893	21.250	22.637	0.590	23	0483
20.750	22.250	0.750	23	0839	21.250	22.750	0.750	23	5795
20.750	22.750	0.750	59	0373	21.250	23.000	0.750	59	0386
20.750	22.750	0.812	23	7148	21.250	23.250	0.625	59	0387
20.750	22.750	0.875	59	3773	21.250	23.250	0.750	23	2058
20.750	22.750	0.875	64	4248	21.250	23.250	0.750	59	1992
20.750	22.750	0.875	88	4248	21.250	23.250	0.812	23	9391
20.750	22.750	0.875	88NS	4248	21.250	23.250	0.875	59	4254
20.750	22.750	1.000	53	4249	21.250	23.250	0.875	64	4254
20.750	22.750	1.750	53R2	4491	21.250	23.250	0.875	88	4254
20.750	23.000	0.812	64	4243	21.250	23.250	0.875	88NS	4254
20.750	23.000	0.875	59	0374	21.259	22.759	0.687	23	5740

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
21.260	23.228	0.812	23	9639	21.750	24.250	0.875	64	8675
21.260	23.228	0.866	59	4598	21.750	24.500	0.875	64	4260
21.260	23.228	0.984	64	7393	21.750	24.750	0.875	64	4262
21.260	23.260	0.812	23	9312	21.750	24.750	1.000	59	0400
21.375	23.375	0.812	23	5302	21.811	23.386	0.787	23	0429
21.437	23.437	0.812	23	6542	21.875	23.875	0.812	23	8658
21.438	23.188	0.750	59	0824	21.882	23.732	0.866	26	5491
21.456	23.456	0.812	23	5668	21.890	23.858	0.812	23	0606
21.500	22.625	1.250	142	9698	21.937	22.937	0.500	21	8381
21.500	22.688	0.750	59	1993	22.000	23.000	0.500	23	7131
21.500	22.750	0.750	23	6807	22.000	23.125	0.500	23	0676
21.500	23.000	0.625	23	6853	22.000	23.125	0.547	21	8208
21.500	23.000	0.750	23	5768	22.000	23.125	1.250	142	9872
21.500	23.000	1.000	142	9873	22.000	23.500	0.500	21	6296
21.500	23.250	0.750	59	0390	22.000	23.500	0.750	26	4269
21.500	23.250	0.750	64	4257	22.000	23.500	0.750	26R1	4269
21.500	23.250	0.812	23	5550	22.000	23.500	0.750	59	4269
21.500	23.500	0.500	24	9035	22.000	23.500	0.750	64	4269
21.500	23.500	0.750	23	9907	22.000	23.500	1.000	142	6796
21.500	23.500	0.750	59	0391	22.000	23.750	0.812	23	6291
21.500	23.500	0.812	21	7407	22.000	23.750	0.875	59	3256
21.500	23.500	0.812	23	7407	22.000	24.000	0.750	59	0401
21.500	23.500	0.812	64	7407	22.000	24.000	0.812	21	6401
21.500	23.500	0.875	64	4259	22.000	24.000	0.812	23	6401
21.500	23.625	0.875	64	6493	22.000	24.000	0.875	59	1135
21.500	23.750	0.875	64	0569	22.000	24.000	0.875	64	4270
21.500	24.000	0.875	59	0392	22.000	24.000	0.875	88	4270
21.500	24.000	0.875	64	6779	22.000	24.000	0.875	88NS	4270
21.625	23.375	0.750	59	0394	22.000	24.250	0.812	64	9082
21.625	23.375	0.750	64	4261	22.000	24.250	0.875	64	3763
21.625	23.625	0.812	23	5936	22.000	24.250	1.000	59	0402
21.625	23.625	0.875	59	0395	22.000	24.500	0.875	59	0403
21.625	23.625	0.875	64	4263	22.000	24.500	0.875	64	6295
21.625	23.625	1.000	53	4264	22.047	23.780	0.709	87	1382
21.653	23.153	0.750	23	5258	22.047	23.780	0.787	59	4066
21.654	23.622	0.866	59	2724	22.047	24.016	0.787	26	3461
21.654	23.622	0.925	26	5492	22.047	24.016	0.787	59	3461
21.654	24.016	0.984	59	4514	22.047	24.016	0.787	64	7266
21.687	23.187	0.750	23	5428	22.047	24.016	0.866	26	4019
21.691	23.691	0.812	23	9864	22.047	24.016	0.866	59	4019
21.750	23.250	0.750	23	4621	22.047	24.016	0.875	64	2394
21.750	23.250	0.750	59	1994	22.047	24.409	0.984	59	4243
21.750	23.250	0.750	64	4621	22.062	24.062	0.812	23	6191
21.750	23.250	1.000	142	4859	22.125	23.875	0.750	53	4609
21.750	23.750	0.750	59	0397	22.125	24.125	0.812	23	5254
21.750	23.750	0.812	23	6972	22.250	24.250	0.812	23	8512
21.750	23.750	0.875	64	4265	22.250	24.250	0.875	59	0404
21.750	23.750	0.875	88	4265	22.250	24.250	0.875	64	3764
21.750	23.750	0.875	88NS	4265	22.250	24.250	0.875	88	3764
21.750	24.000	0.875	59	0398	22.250	24.250	0.875	88NS	3764
21.750	24.000	0.875	64	5276	22.320	24.320	0.812	23	4863
21.750	24.250	0.875	59	0399	22.375	24.250	0.750	59	0405

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
22.375	24.250	0.750	64	4268	23.000	24.000	0.500	23	6202
22.375	24.368	0.875	59	0406	23.000	24.250	0.750	23	7593
22.375	24.375	0.875	59	0407	23.000	24.500	0.750	59	0418
22.375	24.375	0.875	64	2576	23.000	24.500	0.750	64	4283
22.375	25.250	0.875	59	3369	23.000	24.750	0.750	59	0419
22.375	25.250	1.125	59	5377	23.000	24.750	0.750	64	5421
22.438	24.250	0.750	59	0408	23.000	25.000	0.812	21	7838
22.438	24.438	0.875	59	0409	23.000	25.000	0.812	23	7838
22.441	24.016	0.787	59	3769	23.000	25.000	0.875	59	0420
22.441	24.409	0.866	59	4245	23.000	25.000	0.875	64	4284
22.441	24.409	0.984	59	4241	23.000	25.000	1.687	53R2	9474
22.500	23.375	0.375	23	1305	23.000	25.375	0.875	59	0421
22.500	23.500	0.500	23	1224	23.000	25.375	0.875	64	4277
22.500	23.688	0.750	59	1995	23.000	25.500	0.875	59	0422
22.500	24.000	0.750	64	4271	23.000	25.500	0.875	64	4285
22.500	24.250	0.750	59	0411	23.000	25.500	0.875	87	4285
22.500	24.250	0.750	64	4272	23.067	24.954	0.812	23	9334
22.500	24.495	0.875	59	0412	23.074	24.954	0.812	23	4980
22.500	24.500	0.750	59	0413	23.110	24.610	0.750	23	7714
22.500	24.500	0.812	21	7489	23.125	24.625	0.618	23	8285
22.500	24.500	0.812	23	7489	23.187	25.187	0.812	23	8468
22.500	24.500	0.875	23	4279	23.228	24.803	0.787	59	3134
22.500	24.500	0.875	64	4279	23.228	25.197	0.787	23	2674
22.500	24.750	0.875	59	0414	23.250	24.750	0.750	23	7162
22.500	24.750	0.875	64	4273	23.250	25.000	0.750	59	0423
22.500	25.000	0.875	64	4274	23.250	25.250	0.750	23	9371
22.598	23.779	0.590	26	2501	23.250	25.250	0.750	59	0424
22.625	24.125	0.500	23	0506	23.250	25.250	0.812	23	6910
22.625	24.625	0.812	23	7356	23.250	25.250	0.812	64	6910
22.673	24.173	0.750	23	5532	23.300	24.300	0.500	23	5595
22.687	24.562	0.750	23	6736	23.375	24.875	0.750	23	7414
22.750	23.875	1.375	142	7885	23.375	25.375	0.812	23	7139
22.750	24.500	0.750	59	0415	23.375	25.375	0.812	59	0986
22.750	24.750	0.812	23	8526	23.375	25.375	0.875	64	4287
22.750	24.750	0.875	53	4281	23.375	25.375	1.000	59	0425
22.750	24.750	0.875	59	0416	23.428	24.928	0.750	23	0582
22.750	24.750	0.875	64	4281	23.500	24.500	0.500	23	5756
22.750	24.750	0.875	87	4281	23.500	24.625	1.375	142	9909
22.750	25.000	0.875	59	0417	23.500	25.250	0.750	59	0426
22.750	25.000	0.875	64	6843	23.500	25.250	0.750	64	5547
22.750	25.500	0.875	59	1931	23.500	25.500	0.750	23	6772
22.750	25.500	0.875	87	1083	23.500	25.500	0.812	23	6879
22.812	24.312	0.750	23	7098	23.500	25.500	0.875	59	0427
22.812	24.812	0.812	23	6809	23.500	25.500	0.875	64	4288
22.834	24.334	0.750	23	7284	23.500	25.500	1.000	53	4289
22.834	24.834	0.812	23	9480	23.512	25.512	0.812	23	0464
22.835	25.197	0.984	59	4256	23.562	25.250	0.750	59	0428
22.875	23.750	0.375	23	1311	23.562	25.250	0.750	64	4290
22.875	24.000	1.312	142	9552	23.562	25.375	0.750	64	4291
22.875	24.875	0.812	23	9847	23.563	25.375	0.750	59	0429
22.937	24.937	0.812	23	9173	23.570	25.070	0.750	23	5614
22.958	24.958	0.812	23	3220	23.595	25.095	0.750	23	5615

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
23.622	25.197	0.787	59	5280	24.250	25.750	0.750	123	6880
23.622	25.197	0.787	64	8624	24.250	25.750	1.000	142	6458
23.622	25.590	0.866	59	4519	24.250	26.000	1.000	59	4494
23.622	25.591	0.984	59	5559	24.250	26.250	0.812	23	7352
23.622	25.984	0.984	59	4518	24.250	26.250	0.875	59	0438
23.625	25.125	0.750	23	5903	24.250	26.250	0.875	64	4301
23.625	25.625	0.812	23	6337	24.250	26.250	1.000	53	3770
23.625	25.750	0.875	59	0430	24.250	26.250	1.000	64	3770
23.625	26.000	0.875	59	0431	24.375	25.625	0.625	23	1977
23.625	26.000	0.875	64	4292	24.375	26.375	0.750	59	0439
23.750	24.875	1.250	142	9685	24.409	26.378	0.812	23	0864
23.750	25.250	0.750	23	7594	24.409	26.378	0.866	26	3678
23.750	25.250	0.875	59	3428	24.437	26.000	0.750	64	4302
23.750	25.250	1.000	64	6239	24.437	26.437	0.750	23	4304
23.750	25.750	0.812	23	5553	24.437	26.437	0.750	64	4304
23.750	26.750	1.500	59	0432	24.437	26.437	0.812	23	6335
23.812	24.937	1.250	142	7724	24.438	26.000	0.750	59	0440
23.875	24.875	0.500	23	8108	24.438	26.438	0.750	59	0441
23.875	26.000	0.875	59	0433	24.500	25.375	0.375	23	0822
23.875	26.000	0.875	64	4293	24.500	25.500	0.500	23	5818
23.900	25.100	0.750	23	1294	24.500	25.625	0.500	21	4675
24.000	25.000	0.500	21	3254	24.500	25.625	0.500	23	4675
24.000	25.000	0.750	142	9336	24.500	25.625	0.625	23	7469
24.000	25.125	0.500	21	5552	24.500	26.000	0.750	23	9282
24.000	25.125	0.500	23	5552	24.500	26.250	0.812	23	6987
24.000	25.125	1.250	142	5870	24.500	26.500	0.812	23	8689
24.000	25.500	0.700	23	4874	24.500	26.500	0.875	59	0442
24.000	25.500	0.750	23	4623	24.500	26.500	0.875	64	4305
24.000	25.500	0.750	59	0434	24.567	25.748	0.590	26	2505
24.000	25.500	0.750	64	4623	24.610	26.110	1.000	142	8648
24.000	25.500	1.000	142	5440	24.625	25.500	0.375	23	0626
24.000	25.625	0.812	21	8502	24.625	25.875	0.562	23	6965
24.000	26.000	0.750	59	0435	24.640	25.640	0.500	23	2196
24.000	26.000	0.812	21	5919	24.750	25.750	0.500	23	9313
24.000	26.000	0.812	23	5919	24.750	26.750	0.812	23	7200
24.000	26.000	0.875	26	4294	24.803	26.303	0.750	23	5720
24.000	26.000	0.875	59	4294	24.803	26.378	0.750	64	1451
24.000	26.000	0.875	64	4294	24.803	26.750	0.875	59	1070
24.000	26.250	0.875	64	6293	24.812	26.812	0.812	23	9383
24.000	26.250	1.000	59	0436	24.875	26.375	1.000	142	9393
24.000	26.500	0.875	64	4297	24.875	26.875	0.812	23	4839
24.000	26.500	1.000	59	0437	25.000	26.000	0.500	23	5798
24.000	27.000	0.875	64	5644	25.000	26.125	1.375	142	8566
24.015	25.748	0.787	23	1112	25.000	26.250	0.625	23	1098
24.015	25.984	0.812	23	7119	25.000	26.500	0.750	23	4308
24.093	26.093	0.812	23	5707	25.000	26.500	0.750	59	0443
24.125	25.125	0.500	23	6766	25.000	26.500	0.750	64	4308
24.125	26.000	0.812	23	5513	25.000	26.500	0.750	88	4308
24.213	25.213	0.750	142	7422	25.000	26.500	0.750	88NS	4308
24.250	25.250	0.500	23	8139	25.000	26.500	1.000	142	9699
24.250	25.250	0.750	142	4543	25.000	26.875	0.750	23	2509
24.250	25.375	1.250	142	9498	25.000	27.000	0.750	23	9154

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
25.000	27.000	0.812	23	6419	25.590	27.756	0.787	59	4244
25.000	27.000	0.875	59	0444	25.590	27.953	0.984	59	4517
25.000	27.000	0.875	64	3774	25.625	26.625	0.500	23	9382
25.000	27.000	0.906	87	2207	25.625	26.750	0.500	21	8773
25.000	27.000	1.000	64	4309	25.625	26.750	0.500	23	8773
25.000	27.250	0.875	64	6421	25.625	26.875	0.625	23	1997
25.000	27.375	0.875	59	0445	25.625	27.625	0.812	23	0663
25.000	27.500	0.875	59	0446	25.625	27.750	1.000	59	0455
25.000	27.500	0.875	64	5997	25.750	26.875	0.500	21	4676
25.000	27.500	0.875	88	5997	25.750	26.875	0.500	23	4676
25.000	27.500	0.875	88NS	5997	25.750	26.875	0.547	23	7899
25.000	27.500	1.000	59	0821	25.750	26.875	0.562	23	9025
25.006	26.006	0.375	23	9982	25.750	26.875	0.625	23	6321
25.125	26.125	0.500	23	5729	25.750	26.875	0.750	23	9305
25.125	26.250	1.250	142	7681	25.750	27.000	0.500	23	6539
25.125	26.250	1.375	142	8390	25.750	27.000	0.625	23	5894
25.125	26.750	0.750	59	0447	25.750	27.250	0.750	23	6998
25.187	26.875	0.750	64	4311	25.750	27.250	0.750	59	0456
25.187	26.937	0.750	64	5994	25.750	27.250	0.750	64	6998
25.187	27.187	0.812	23	5828	25.750	27.750	0.812	23	9569
25.188	26.875	0.750	59	0448	25.750	28.125	0.750	23	0671
25.196	26.696	0.750	23	6823	25.750	28.755	1.500	59	0457
25.196	27.196	0.812	23	7679	25.875	26.750	0.375	23	0696
25.197	27.165	0.807	23	1719	25.875	26.875	0.500	23	4698
25.203	27.171	0.812	23	2769	25.875	27.875	0.812	23	9266
25.219	27.219	0.812	23	5748	25.875	28.000	0.875	59	0458
25.250	26.750	0.500	23	5141	25.875	28.000	0.875	64	4303
25.250	26.750	0.750	23	7163	25.875	28.000	1.000	53	3776
25.250	27.250	0.750	64	4299	25.988	27.625	0.750	59	0459
25.250	27.250	0.812	23	7859	25.988	27.625	0.750	64	4306
25.250	27.250	0.875	59	0450	26.000	27.000	0.500	23	4714
25.250	28.000	0.875	59	0451	26.000	27.125	0.500	23	6940
25.375	28.500	1.500	59	0452	26.000	27.125	0.562	23	1919
25.437	27.187	0.750	23	7646	26.000	27.125	1.375	142	9318
25.437	27.187	0.750	59	4360	26.000	27.250	0.625	23	0959
25.500	26.500	0.500	23	9988	26.000	27.500	0.750	23	0455
25.500	27.000	0.750	23	4317	26.000	27.500	1.000	142	9183
25.500	27.000	0.750	59	0453	26.000	27.625	0.750	59	0460
25.500	27.000	0.875	64	4300	26.000	27.625	0.750	64	5921
25.500	27.000	1.000	142	8547	26.000	27.625	0.750	88	5921
25.500	27.500	0.750	23	6918	26.000	27.625	0.750	88NS	5921
25.500	27.500	0.750	59	0454	26.000	28.000	0.750	21	7710
25.500	27.500	0.812	23	9090	26.000	28.000	0.750	23	7710
25.500	27.500	0.875	53	4318	26.000	28.000	0.750	59	0461
25.500	27.500	0.875	59	5162	26.000	28.000	0.812	23	6483
25.500	27.500	0.875	64	4318	26.000	28.000	0.875	64	4325
25.500	27.500	0.875	88	4318	26.000	28.125	0.875	64	9402
25.500	27.500	0.875	88NS	4318	26.000	28.500	0.875	59	0462
25.530	27.030	0.750	23	5743	26.000	28.500	0.875	64	4794
25.590	26.590	0.500	23	5779	26.125	28.125	0.812	23	7699
25.590	27.090	0.750	23	9325	26.125	28.125	0.813	59	0463
25.590	27.165	0.787	59	1044	26.125	28.125	0.875	64	4330

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
26.125	28.125	0.875	88	4330	27.125	29.625	0.750	23	5879
26.125	28.125	0.875	88NS	4330	27.165	28.740	0.787	59	3489
26.220	27.220	0.500	23	3141	27.250	28.375	1.375	142	9319
26.250	28.250	0.812	23	9759	27.250	29.250	0.812	23	8103
26.299	27.795	1.000	142	7685	27.250	29.250	0.813	59	0473
26.375	28.188	0.750	59	0464	27.250	29.250	0.875	59	4626
26.375	28.188	0.875	59	4097	27.250	29.250	0.875	64	4626
26.375	28.188	0.875	64	4307	27.375	29.375	0.812	23	9375
26.375	28.250	0.875	59	0465	27.500	29.000	0.750	23	4315
26.375	28.250	0.875	64	4312	27.500	29.000	0.750	59	0474
26.375	28.375	0.812	23	5017	27.500	29.000	0.750	64	4315
26.375	28.375	1.000	59	0466	27.500	29.500	0.750	23	2313
26.378	27.874	0.748	23	2248	27.500	29.500	0.812	23	7251
26.378	27.953	0.787	59	3945	27.500	29.500	0.875	59	0475
26.378	28.898	0.984	59	4672	27.500	29.500	0.875	64	4339
26.437	27.437	0.750	142	2593	27.500	29.500	1.000	88	3784
26.437	28.437	0.812	23	6886	27.500	29.500	1.000	88NS	3784
26.500	27.500	0.750	142	2594	27.559	29.055	0.748	23	4481
26.500	28.000	0.750	23	4533	27.562	29.562	0.812	23	7881
26.500	28.000	0.750	59	0467	27.625	29.125	0.750	59	0476
26.500	28.000	0.750	64	4533	27.625	29.625	0.750	59	0477
26.500	28.000	0.875	59	3279	27.625	29.625	0.750	64	5001
26.500	28.500	0.812	23	6332	27.750	28.875	0.562	23	9420
26.500	28.500	0.875	59	0468	27.750	29.750	0.812	23	8190
26.500	28.500	0.875	64	4313	27.875	29.812	0.875	59	0478
26.500	29.500	1.500	59	0469	27.875	29.812	0.875	64	4341
26.687	28.687	0.812	23	9626	27.875	29.815	0.875	59	0479
26.750	27.750	0.750	142	2591	27.875	29.875	0.812	23	9690
26.750	28.562	0.812	23	2628	27.952	29.952	0.812	23	5860
26.750	28.750	0.812	23	9647	27.969	29.969	0.812	23	5895
26.771	27.771	0.500	23	5799	27.992	29.119	0.500	23	9890
26.781	28.781	0.812	23	5278	28.000	29.125	0.500	23	5504
26.815	28.815	0.812	23	6819	28.000	29.125	1.250	142	9832
26.875	27.750	0.375	23	1312	28.000	29.125	1.375	142	8561
26.875	28.125	0.500	23	0755	28.000	29.500	0.750	23	4343
26.875	28.875	0.812	23	5102	28.000	29.500	0.750	59	0480
26.968	27.953	0.500	23	1169	28.000	29.500	0.750	64	4343
27.000	28.000	0.500	23	8043	28.000	29.500	1.000	142	9730
27.000	28.000	0.750	142	2592	28.000	29.625	0.750	59	0481
27.000	28.125	1.375	142	8277	28.000	29.625	0.750	64	7828
27.000	28.500	0.625	23	5050	28.000	29.625	0.750	88	7828
27.000	28.500	0.750	26	1952	28.000	29.625	0.750	88NS	7828
27.000	29.000	0.750	59	0470	28.000	29.813	0.750	59	0482
27.000	29.000	0.812	23	7340	28.000	29.813	0.750	64	4316
27.000	29.000	0.875	64	4333	28.000	30.000	0.812	23	6786
27.000	29.000	0.875	88	4333	28.000	30.000	0.822	23	9603
27.000	29.000	0.875	88NS	4333	28.000	30.000	0.875	59	0483
27.000	29.000	1.000	59	1971	28.000	30.000	0.875	64	4344
27.000	29.500	0.875	64	8031	28.000	30.000	1.500	142	8214
27.000	29.500	1.000	59	0471	28.000	30.250	0.812	64	4320
27.000	30.000	0.875	59	0472	28.000	30.250	1.250	59	0484
27.000	30.000	0.875	64	9984	28.000	30.500	0.875	59	0485

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
28.000	30.500	0.875	64	3878	29.000	32.000	0.875	59	0495
28.000	30.500	0.875	88	3878	29.000	32.000	0.875	64	4537
28.000	30.500	0.875	88NS	3878	29.125	32.000	1.500	59	0496
28.000	30.500	1.000	59	0820	29.133	31.133	0.812	21	7107
28.000	30.535	0.875	59	0486	29.134	30.709	0.750	59	1998
28.000	31.000	0.875	59	0487	29.134	31.102	0.984	59	5609
28.000	31.000	0.875	64	5998	29.134	31.134	0.812	23	7107
28.000	32.000	0.875	59	0488	29.250	30.250	0.500	23	5263
28.125	29.250	0.500	23	6068	29.250	30.250	0.750	142	4696
28.125	29.250	0.562	23	9482	29.250	30.750	1.000	142	5871
28.125	29.250	0.750	59	1996	29.250	31.250	0.812	23	6577
28.250	29.500	0.625	23	0896	29.375	31.375	0.812	23	7039
28.250	29.750	1.000	142	5272	29.500	30.500	0.500	23	4526
28.250	30.250	0.812	23	9575	29.500	31.000	1.000	142	4918
28.346	30.315	0.984	23	0786	29.500	31.500	0.750	59	0498
28.375	29.500	0.500	23	7900	29.500	31.500	0.812	23	6403
28.486	29.860	0.687	23	0458	29.500	31.500	0.875	64	4352
28.500	29.500	0.500	23	5266	29.500	31.500	1.000	64	3791
28.500	30.500	0.625	59	0490	29.500	32.000	0.750	88	7788
28.500	30.500	0.750	59	1997	29.500	32.000	0.750	88NS	7788
28.500	30.500	0.812	23	7655	29.500	32.000	0.875	59	0499
28.500	30.500	0.875	23	4346	29.500	32.000	0.875	64	4538
28.500	30.500	0.875	59	4454	29.500	32.250	0.875	64	4322
28.500	30.500	0.875	64	4346	29.500	32.250	1.000	59	0500
28.500	30.500	0.875	88	4346	29.500	32.500	0.875	64	4539
28.500	30.500	0.875	88NS	4346	29.500	32.500	0.938	59	0501
28.500	31.000	0.875	53	4534	29.527	30.527	0.500	23	5780
28.500	31.000	0.875	59	0491	29.527	31.125	0.750	23	9225
28.500	31.000	0.875	64	4534	29.527	31.496	0.787	23	3165
28.625	30.625	0.812	23	2158	29.527	31.496	0.905	23	3169
28.740	31.102	0.984	59	4516	29.528	32.047	0.750	23	2079
28.740	31.259	1.007	59	4487	29.562	31.562	0.812	23	6583
28.740	31.260	0.984	59	2543	29.625	31.625	0.812	23	5281
28.750	29.750	0.500	23	5863	29.687	31.687	0.812	23	5821
28.750	30.750	0.812	23	6803	29.875	31.000	1.250	142	9814
28.750	30.750	0.875	59	0492	29.875	31.875	0.812	23	4857
28.750	30.750	0.875	64	4628	29.906	30.906	0.500	23	7325
28.875	29.750	0.500	21	5612	29.906	31.906	0.812	23	6907
28.875	29.750	0.500	23	5612	29.918	31.418	0.750	23	4897
28.875	30.875	0.812	23	9797	29.921	31.496	0.787	59	4917
28.938	30.512	0.787	59	5442	29.921	31.890	0.984	59	3132
29.000	30.125	0.500	23	9852	29.921	32.008	0.866	59	3837
29.000	30.500	0.750	23	4347	29.950	30.950	0.750	142	4928
29.000	30.500	0.750	59	0493	29.968	31.968	0.812	23	1974
29.000	30.500	0.750	64	4347	29.973	31.973	0.687	23	7768
29.000	30.500	0.750	113	4347	30.000	31.000	0.500	23	9339
29.000	31.000	0.812	23	7331	30.000	31.000	0.750	142	9570
29.000	31.000	0.875	59	0494	30.000	31.125	0.500	23	6404
29.000	31.000	0.875	64	4348	30.000	31.125	0.562	23	8588
29.000	31.000	0.875	88	4348	30.000	31.250	0.500	23	8980
29.000	31.000	0.875	88NS	4348	30.000	31.500	0.750	23	4356
29.000	31.500	1.000	64	8793	30.000	31.500	0.750	64	4356

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
30.000	31.600	0.770	88	8487	30.750	32.750	1.250	142	5275
30.000	31.600	0.770	88NS	8487	30.800	31.800	0.500	23	7866
30.000	31.616	0.750	59	0502	31.000	32.000	0.500	23	5611
30.000	31.616	0.750	64	5000	31.000	32.125	0.500	23	9853
30.000	31.625	0.625	59	0503	31.000	32.500	0.562	23	9288
30.000	31.625	0.750	59	1999	31.000	32.500	0.750	21	5739
30.000	31.625	0.750	64	7870	31.000	32.500	0.750	23	5739
30.000	31.625	0.750	88	7870	31.000	32.500	0.750	64	5739
30.000	31.625	0.750	88NS	7870	31.000	32.500	1.000	59	0511
30.000	32.000	0.750	59	0504	31.000	33.000	0.812	21	7412
30.000	32.000	0.812	23	6849	31.000	33.000	0.812	23	7412
30.000	32.000	0.875	59	1006	31.000	33.000	0.875	59	0512
30.000	32.000	0.875	64	4357	31.000	33.000	0.875	64	4367
30.000	32.000	1.000	23	3796	31.000	33.000	1.250	142	5588
30.000	32.000	1.000	53	3796	31.000	33.500	0.875	64	4540
30.000	32.000	1.250	142	7265	31.000	34.000	0.875	59	0513
30.000	32.250	0.875	64	4323	31.000	34.000	0.875	64	4541
30.000	32.250	1.156	59	0505	31.250	32.750	0.750	64	4631
30.000	32.500	0.875	59	0506	31.250	33.250	0.750	23	5033
30.000	32.500	0.875	64	4358	31.250	33.250	0.750	59	0514
30.000	32.500	1.000	64	3797	31.250	33.250	0.750	64	5033
30.000	32.750	0.875	64	4359	31.406	32.992	0.750	23	7658
30.000	33.000	0.875	64	4360	31.496	34.015	0.984	59	5560
30.065	31.065	0.500	23	0779	31.500	32.500	0.500	23	9493
30.125	31.125	0.500	23	5514	31.500	33.000	0.750	23	9736
30.250	32.250	0.812	23	7773	31.500	33.000	0.750	123	9736
30.250	32.500	0.875	59	0507	31.500	33.500	0.812	23	7644
30.250	32.500	0.875	64	4906	31.500	33.500	1.250	142	9550
30.312	32.375	0.875	64	4361	31.750	32.750	0.500	23	7206
30.313	31.813	0.750	23	1985	31.750	33.250	1.000	142	5566
30.315	33.268	1.063	59	4875	31.750	33.750	0.750	21	9156
30.375	32.375	0.812	23	6297	31.750	33.750	0.750	23	9156
30.500	32.500	0.750	23	7161	31.750	33.750	0.812	23	7355
30.500	32.500	0.750	59	0508	31.750	33.750	0.875	59	0515
30.500	32.500	0.812	23	8934	31.750	33.750	0.875	64	5016
30.500	32.500	0.875	59	3876	31.750	33.750	1.250	142	9220
30.500	32.500	0.875	64	4365	31.750	33.750	1.500	142	8651
30.500	32.500	0.875	88	4365	31.750	35.750	1.500	59	0521
30.500	32.500	0.875	88NS	4365	31.890	33.890	0.812	23	5847
30.500	32.500	1.000	23	0501	31.890	34.409	0.984	59	4671
30.500	33.000	0.750	59	0509	32.000	33.000	0.500	23	0884
30.500	33.000	0.875	64	8577	32.000	33.125	0.500	23	6609
30.500	33.000	1.000	59	4376	32.000	34.000	0.812	23	7441
30.500	33.000	1.000	87	2027	32.000	34.000	0.875	59	0516
30.500	33.500	0.875	59	0510	32.000	34.000	0.875	64	4632
30.500	33.500	0.875	64	8230	32.000	34.000	1.250	142	8113
30.562	32.562	0.812	23	5647	32.000	34.500	0.875	59	0517
30.615	33.268	1.094	59	4578	32.000	34.500	0.875	64	8407
30.688	31.750	0.500	23	0208	32.125	33.625	0.625	23	8549
30.709	32.283	0.709	23	1959	32.125	34.125	0.812	23	5435
30.709	33.228	0.984	59	1933	32.125	34.125	0.875	59	0518
30.750	31.750	0.500	23	6677	32.125	34.125	0.875	64	4371

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
32.125	34.625	0.875	64	7537	33.000	35.250	0.875	64	4326
32.125	34.687	0.750	23	0375	33.000	35.500	0.750	59	0530
32.187	34.187	0.812	23	9348	33.000	35.500	0.750	88	7790
32.205	34.205	1.250	142	8754	33.000	35.500	0.750	88NS	7790
32.250	33.625	0.625	23	8550	33.000	35.500	0.875	64	4544
32.250	34.250	0.812	23	9205	33.250	35.250	0.750	21	7154
32.312	34.500	0.875	59	0519	33.250	35.250	0.812	23	6944
32.312	34.500	0.875	64	4373	33.464	35.236	0.787	23	6894
32.375	33.625	0.500	23	9212	33.500	35.000	0.875	64	9504
32.375	33.625	0.625	23	5361	33.500	35.500	0.812	23	6107
32.375	34.375	1.000	23	9968	33.500	35.500	0.875	59	0531
32.500	33.625	0.500	23	6405	33.500	35.500	0.875	64	4389
32.500	33.625	0.562	23	4743	33.500	35.500	0.875	88	4389
32.500	34.500	0.812	23	7387	33.500	35.500	0.875	88NS	4389
32.500	34.500	0.875	59	0520	33.500	35.625	0.875	64	4548
32.500	34.500	0.875	64	4377	33.500	35.750	0.875	64	4549
32.500	34.500	0.875	88	4377	33.500	36.000	0.875	26	0532
32.500	34.500	0.875	88NS	4377	33.500	36.000	0.875	59	0532
32.500	34.500	1.000	23	3813	33.500	36.000	0.875	64	4550
32.500	34.500	1.250	142	5218	33.500	36.000	0.875	88	4550
32.500	34.500	1.500	142	4547	33.500	36.000	0.875	88NS	4550
32.687	33.937	0.500	23	1695	33.500	36.002	0.938	59	0533
32.687	34.687	0.812	23	8122	33.500	36.250	0.875	59	0534
32.750	34.250	0.750	64	4542	33.500	36.250	0.875	64	4327
32.750	34.500	0.875	59	3250	33.500	36.417	0.875	64	4552
32.750	34.750	0.812	23	6805	33.625	35.593	0.937	23	1289
32.750	35.000	0.875	64	8289	33.625	35.625	0.875	59	0535
32.835	33.937	0.500	23	1701	33.625	35.625	0.875	64	4328
32.969	34.625	0.750	26	5454	33.750	35.750	0.812	23	6143
32.986	33.986	0.500	23	6863	33.858	35.433	0.787	59	1043
33.000	34.000	0.500	23	5159	33.875	35.000	1.250	142	9813
33.000	34.125	0.500	23	6947	33.937	35.468	0.812	23	9248
33.000	34.500	0.625	23	5698	34.000	35.000	0.500	23	5730
33.000	34.500	0.750	23	4381	34.000	35.500	0.750	23	5602
33.000	34.500	0.750	59	0522	34.000	36.000	0.812	21	7138
33.000	34.500	0.750	64	4381	34.000	36.000	0.812	23	7138
33.000	34.609	0.750	59	0523	34.000	36.000	0.875	59	0536
33.000	34.613	0.750	59	0524	34.000	36.000	0.875	64	4399
33.000	34.625	0.750	59	0525	34.000	36.250	1.250	59	0537
33.000	34.625	0.750	64	6787	34.000	36.500	0.750	23	1730
33.000	34.625	0.750	87	6787	34.000	36.500	0.875	59	0538
33.000	34.630	0.750	59	0526	34.000	37.000	0.875	59	4583
33.000	34.687	0.750	64	6152	34.000	37.000	1.000	59	0539
33.000	34.688	0.750	59	0527	34.250	36.250	0.875	59	0540
33.000	34.937	0.812	23	6958	34.250	36.250	0.875	64	4401
33.000	35.000	0.750	23	3083	34.250	36.750	0.875	59	0541
33.000	35.000	0.750	59	0528	34.250	36.750	0.875	64	4335
33.000	35.000	0.812	23	7244	34.252	36.252	0.812	23	5830
33.000	35.000	0.875	64	4382	34.500	36.000	0.750	23	6908
33.000	35.000	0.875	88	4382	34.500	36.000	0.750	59	0542
33.000	35.000	0.875	88NS	4382	34.500	36.000	0.750	64	6908
33.000	35.250	0.875	59	0529	34.500	36.500	0.812	23	6420

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
34.500	36.500	0.875	26	4405	36.000	38.000	1.000	53	3843
34.500	36.500	0.875	59	4405	36.000	38.000	1.250	142	6722
34.500	36.500	0.875	64	4405	36.000	38.000	1.500	142	4829
34.500	36.500	1.000	23	3830	36.000	38.500	0.875	59	0552
34.500	36.500	1.000	53	3830	36.000	38.500	1.000	53	3844
34.500	36.500	1.250	142	8406	36.000	39.500	1.500	59	0553
34.500	37.500	0.875	64	4338	36.031	38.031	0.812	23	5013
34.750	36.625	0.750	59	0543	36.220	37.717	0.750	64	7770
34.750	36.750	0.875	59	0544	36.460	38.460	0.812	23	8172
34.750	36.750	0.875	64	3831	36.500	38.000	0.750	64	4429
34.750	36.750	0.875	87	3831	36.500	38.250	0.812	23	8684
34.804	35.804	0.750	142	7579	36.500	38.438	0.812	23	7875
34.812	35.812	0.750	142	7584	36.500	38.438	1.000	23	0880
35.000	36.000	0.500	23	5519	36.500	38.500	0.812	23	7813
35.000	36.500	0.625	23	5765	36.500	38.500	0.875	59	0554
35.000	36.500	0.750	23	5425	36.500	38.500	0.875	64	4430
35.000	37.000	0.812	23	5935	36.500	39.000	0.750	23	1728
35.000	37.000	0.813	59	0545	36.500	39.000	0.750	59	2000
35.000	37.000	0.875	64	3835	36.535	38.535	1.375	142	7222
35.000	37.000	0.875	123	3835	36.625	38.625	0.812	23	9219
35.000	37.500	0.875	59	0546	36.750	38.750	0.812	23	6822
35.000	37.500	0.875	64	3836	36.750	38.750	0.875	64	4432
35.000	38.000	0.875	64	3837	36.750	38.750	1.000	59	0557
35.250	37.250	0.875	64	4416	36.750	39.250	0.875	59	0558
35.250	38.250	0.750	59	0547	36.750	39.250	0.875	64	7328
35.250	38.250	0.812	64	4647	36.750	39.250	0.875	64	7428
35.375	37.375	0.812	23	9335	37.000	38.000	0.500	23	9314
35.375	37.375	0.875	64	4417	37.000	38.500	1.000	142	5583
35.375	37.375	1.000	53	3838	37.000	39.000	0.812	23	9324
35.375	37.375	1.000	59	0548	37.000	39.000	0.875	59	0559
35.433	36.933	0.750	23	5824	37.000	39.000	0.875	64	4434
35.433	37.402	0.787	23	4872	37.000	39.000	1.000	23	4435
35.437	37.437	0.812	23	8200	37.000	39.000	1.250	142	5515
35.437	38.583	0.875	64	9079	37.000	39.250	0.875	26	0831
35.500	37.500	0.812	23	9645	37.125	39.125	1.250	142	6996
35.500	37.500	0.875	26	0549	37.250	38.375	1.250	142	9683
35.500	37.500	0.875	59	0549	37.250	39.250	0.812	23	5202
35.500	37.500	0.875	64	4553	37.250	39.250	0.875	59	0560
35.500	37.500	1.000	23	7695	37.250	39.250	0.875	64	4436
35.500	37.500	1.500	142	7819	37.375	38.625	0.500	76	8961
35.500	38.000	1.000	59	5595	37.375	39.375	0.812	23	5709
35.750	37.750	0.812	23	5658	37.402	38.902	0.750	23	7641
35.795	37.795	1.500	142	7918	37.402	39.921	0.984	59	4824
36.000	36.125	1.250	142	9337	37.437	39.500	0.875	64	3847
36.000	37.000	0.500	23	5885	37.438	39.500	0.875	59	0561
36.000	37.500	0.750	23	5714	37.500	39.000	0.750	64	9411
36.000	37.998	0.875	59	0550	37.500	39.000	0.875	59	0562
36.000	38.000	0.750	23	5662	37.500	39.500	0.750	59	0563
36.000	38.000	0.812	23	6406	37.500	39.500	0.750	88	7810
36.000	38.000	0.875	59	0551	37.500	39.500	0.750	88NS	7810
36.000	38.000	0.875	64	4421	37.500	39.500	0.812	21	9554
36.000	38.000	0.875	87	4421	37.500	39.500	0.812	23	9554

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
37.500	39.500	0.875	23	4438	39.000	42.250	0.875	64	4577
37.500	39.500	0.875	53	4438	39.250	40.750	0.750	23	5326
37.500	39.500	0.875	59	3699	39.250	41.250	0.812	23	9200
37.500	39.500	0.875	64	4438	39.370	41.338	0.875	59	3080
37.500	40.250	1.000	59	0564	39.370	41.338	0.875	64	1073
37.795	40.157	0.875	59	2991	39.370	41.339	0.906	59	2873
37.812	39.812	0.812	23	5622	39.500	40.500	0.500	23	7470
37.812	40.945	0.875	88	4685	39.500	41.500	0.812	23	5204
37.812	40.945	0.875	88NS	4685	39.500	41.500	1.250	142	9638
37.875	39.875	1.250	142	4896	39.750	41.750	0.812	23	8509
38.000	39.000	0.500	23	7751	39.750	42.250	0.875	59	0581
38.000	39.500	0.750	23	7548	39.750	42.250	0.875	64	7538
38.000	40.000	0.625	59	4584	39.979	41.500	1.000	59	0582
38.000	40.000	0.812	23	7863	40.000	41.500	0.750	23	5625
38.000	40.000	0.875	59	0568	40.000	42.000	0.812	23	6059
38.000	40.000	0.875	64	4448	40.000	42.000	0.875	59	0583
38.000	40.000	1.000	23	1877	40.000	42.000	0.875	64	4467
38.000	40.000	1.250	142	4453	40.000	42.000	1.000	87	4498
38.000	41.000	0.875	64	4340	40.000	42.000	1.000	111	4498
38.250	40.250	0.812	23	5601	40.000	42.500	0.875	64	8791
38.250	40.250	0.875	59	0569	40.000	42.500	1.000	64	8599
38.250	40.250	0.875	64	4454	40.125	42.125	1.500	142	4964
38.250	40.750	0.750	59	0570	40.157	41.339	0.750	23	4386
38.250	40.750	0.875	64	4567	40.250	41.250	0.500	23	7752
38.250	40.750	0.875	88	4567	40.250	41.750	0.750	23	7550
38.250	40.750	0.875	88NS	4567	40.265	41.765	0.750	23	2265
38.250	41.250	0.875	64	4569	40.500	41.500	0.500	23	9735
38.258	40.750	0.875	59	0571	40.500	42.000	0.750	23	5174
38.358	40.750	0.875	64	4342	40.500	42.500	0.812	23	5219
38.500	40.500	0.812	21	6473	40.500	42.500	0.875	59	0584
38.500	40.500	0.812	23	6473	40.500	42.500	0.875	64	4468
38.500	40.750	0.750	23	9904	40.500	42.500	1.000	53	4469
38.500	41.000	0.875	64	4349	40.500	42.500	1.500	142	7605
38.500	41.000	1.000	59	0577	40.500	43.000	0.875	59	0585
38.750	40.687	0.812	21	5376	40.500	43.000	0.875	64	7300
38.750	40.687	0.812	23	5376	40.500	43.020	0.875	64	1964
38.750	40.750	0.812	23	9641	40.533	42.283	0.875	23	1622
38.750	40.750	0.875	59	0578	40.750	42.000	0.687	23	9913
38.750	40.750	0.875	64	4456	40.750	42.000	0.750	23	9900
38.750	41.000	0.875	64	4570	41.000	42.500	0.750	23	5873
38.937	41.000	0.875	64	4462	41.000	43.000	0.812	23	9568
38.976	40.945	0.866	59	4100	41.000	43.000	1.250	142	9745
39.000	40.000	0.500	23	9602	41.000	43.000	1.500	142	6514
39.000	40.747	0.787	23	6891	41.125	43.125	1.000	23	1983
39.000	40.938	1.000	23	0881	41.250	42.750	0.750	23	4471
39.000	41.000	0.750	59	0579	41.250	43.250	0.750	23	9777
39.000	41.000	0.812	23	6237	41.432	43.307	0.787	59	4137
39.000	41.000	0.875	64	4465	41.500	43.000	1.000	142	9650
39.000	41.000	1.250	142	5762	41.500	43.500	0.875	59	0586
39.000	41.500	0.750	23	1957	41.500	43.500	0.875	64	4635
39.000	41.500	0.875	59	0580	41.500	43.500	0.875	87	4635
39.000	41.500	0.875	64	4350	41.500	43.500	1.250	142	6997

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
41.500	43.500	1.500	142	7479	44.000	47.000	0.875	59	3470
41.625	43.625	0.812	23	9549	44.000	47.000	1.250	59	0595
41.625	44.000	0.875	59	2521	44.094	46.063	0.812	23	2477
41.812	45.000	1.000	59	0587	44.185	46.188	0.812	23	0460
41.875	43.500	1.000	64	8628	44.290	45.790	0.750	23	9908
41.929	43.929	0.813	23	5267	44.337	45.837	0.750	23	9918
41.938	43.750	0.875	59	0588	44.500	46.000	0.750	64	4563
42.000	43.500	1.000	142	9946	44.500	46.000	0.875	59	0596
42.000	44.000	0.812	21	6407	44.500	46.500	0.812	23	5727
42.000	44.000	0.812	23	6407	45.000	46.500	0.750	23	5579
42.062	44.062	0.812	23	9878	45.000	46.625	1.000	64	8903
42.250	44.250	0.812	23	5804	45.000	46.750	0.875	23	1275
42.250	44.250	1.000	59	0589	45.000	46.750	0.875	59	0597
42.375	44.375	0.750	23	9238	45.000	47.000	0.812	23	6348
42.500	43.500	0.500	23	6268	45.000	47.000	0.875	59	0598
42.500	44.250	0.875	64	5555	45.125	47.125	0.812	23	6512
42.500	44.500	0.750	23	7199	45.250	47.125	0.812	23	8210
42.500	44.500	0.812	23	9686	45.500	47.500	1.500	142	5113
42.500	45.000	0.750	59	3171	45.747	47.516	0.787	23	6889
42.500	45.000	0.875	64	4473	45.750	47.750	0.750	23	5409
42.500	45.500	0.875	64	6269	45.750	47.768	0.875	59	0599
42.520	45.039	0.984	59	3949	46.000	48.000	0.812	23	5107
42.750	43.750	0.375	23	9625	46.000	48.000	0.875	59	0600
42.750	43.750	0.500	23	5081	46.250	47.750	0.750	23	4572
42.750	44.250	0.750	23	4556	46.250	48.250	0.812	23	5823
42.913	44.913	0.812	23	5829	46.500	48.500	0.875	59	0601
42.992	44.492	0.750	23	1634	46.500	48.500	0.875	64	4578
43.000	45.000	0.812	23	7827	46.500	48.500	1.250	142	9886
43.000	45.000	0.875	59	0590	46.850	48.819	0.875	64	8317
43.000	45.500	0.875	64	7189	47.000	49.000	0.812	23	5744
43.125	44.625	0.750	23	9188	47.000	49.000	0.875	59	0602
43.500	45.000	0.750	23	6885	47.000	49.000	1.500	142	9794
43.500	45.500	0.750	59	0591	47.250	49.250	0.812	23	5905
43.500	45.500	0.875	59	1959	47.375	48.875	0.750	23	7543
43.500	45.500	0.875	64	4637	47.500	49.500	0.875	59	5447
43.500	45.500	0.875	88	4637	47.500	49.500	1.250	142	9579
43.500	45.500	0.875	88NS	4637	47.500	49.500	1.375	142	5924
43.500	45.500	1.500	142	8395	47.500	49.500	1.500	142	9343
43.504	45.669	0.984	64	0586	47.625	49.625	1.500	142	5521
43.543	45.543	0.812	23	5287	47.750	49.750	0.812	23	8228
43.562	45.562	1.000	23	7820	47.750	49.750	1.500	142	7993
43.750	45.750	0.875	59	0592	47.750	50.500	1.125	59	0603
43.750	45.750	0.875	64	4638	47.875	49.875	0.812	23	9894
44.000	45.500	0.750	23	5766	48.000	49.500	0.750	23	9403
44.000	46.000	0.812	23	5386	48.000	50.000	0.750	23	1118
44.000	46.000	0.875	59	0593	48.000	50.000	0.812	23	6671
44.000	46.000	0.875	64	7087	48.000	50.000	0.875	64	8579
44.000	46.000	1.250	142	9865	48.000	50.000	1.000	23	4608
44.000	46.000	1.375	142	7552	48.000	50.000	1.000	59	3172
44.000	46.000	1.500	142	6617	48.000	50.000	1.250	142	8568
44.000	46.500	0.875	59	0594	48.250	50.250	0.875	59	0604
44.000	46.500	0.875	64	4475	48.250	50.250	0.875	64	4639

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
48.865	50.865	1.500	142	9850	53.543	55.543	0.812	23	7106
48.875	50.875	0.812	23	7018	53.625	54.625	0.500	23	5634
49.000	50.500	0.562	23	6315	54.000	56.000	0.812	23	9912
49.000	50.500	1.000	142	5243	54.000	56.000	1.000	59	0611
49.000	50.750	1.000	59	0605	54.000	56.000	1.250	142	8659
49.000	51.000	0.812	23	9848	54.331	56.299	0.984	23	9919
49.000	51.000	1.250	142	9229	54.331	56.693	0.984	64	8594
49.213	51.732	0.984	59	4599	54.500	56.500	0.812	23	5510
49.250	50.750	0.750	23	9545	54.750	56.375	0.875	59	0612
49.250	51.125	0.812	23	7825	55.000	56.000	0.500	23	5274
49.250	51.250	0.812	23	7102	55.000	56.500	0.750	23	9394
49.498	51.375	0.812	23	5061	55.000	57.000	0.812	23	9427
49.500	50.750	0.750	23	0948	55.000	57.000	1.250	142	9923
49.500	51.250	0.812	23	7830	55.125	58.000	0.750	23	1453
49.500	51.325	0.850	23	1907	55.500	57.500	0.750	59	0613
49.500	51.500	0.812	23	6565	55.500	57.500	0.812	23	5385
49.500	52.250	1.000	59	0606	55.750	56.750	0.750	142	5471
49.625	50.875	0.562	23	7817	55.750	57.750	1.250	142	5648
50.000	51.000	0.500	23	7227	56.102	58.346	0.750	23	9917
50.000	51.500	0.750	23	5618	56.250	58.125	0.812	23	7785
50.000	52.000	0.812	23	9820	57.000	59.000	0.812	23	1872
50.000	52.000	0.875	23	8198	57.000	59.000	0.827	23	1733
50.000	52.000	0.875	59	0607	57.086	59.086	0.812	23	5264
50.000	52.000	0.875	64	8198	57.375	58.875	0.750	23	9327
50.500	52.500	0.812	23	7755	57.500	59.500	0.812	23	4440
51.000	52.000	0.500	23	5245	57.875	58.875	0.500	23	5735
51.000	52.875	0.812	23	5577	57.875	60.000	0.938	59	0614
51.000	53.000	0.750	23	1121	58.000	60.000	0.750	23	6989
51.000	53.000	0.812	23	6775	58.000	60.000	0.812	23	9781
51.250	53.250	0.875	64	6747	58.500	60.500	0.812	23	5902
51.250	53.300	0.875	64	1914	58.550	60.550	1.250	142	9605
51.500	53.500	1.250	142	9235	59.000	61.000	0.875	59	0615
51.500	53.500	1.500	142	8672	59.000	61.000	0.875	64	5482
51.575	53.575	0.812	23	9938	59.250	61.250	0.812	23	9843
52.000	53.000	0.500	23	5273	59.370	6.875	0.500	23	0741
52.000	54.000	0.750	23	9779	59.500	61.500	1.250	142	9332
52.000	54.000	0.812	23	4761	59.750	60.750	0.500	23	6653
52.000	54.000	1.500	142	9233	60.000	61.500	0.750	23	7544
52.186	54.186	0.812	23	0459	60.000	62.000	0.750	23	9236
52.250	54.125	0.812	23	9202	60.000	62.000	0.812	23	7911
52.500	54.500	0.812	23	5433	61.000	63.000	0.812	23	5689
52.500	55.000	0.750	23	0417	61.024	63.386	0.984	64	8622
52.500	55.000	0.875	59	0608	61.250	62.250	0.500	23	9310
52.875	53.875	0.500	23	9899	61.250	63.250	1.000	59	0616
53.000	54.875	0.812	23	6582	61.417	63.417	0.812	23	2475
53.000	54.875	0.813	59	0610	61.810	63.810	0.812	23	5587
53.000	54.882	0.881	23	3140	62.000	64.000	0.812	23	4856
53.000	55.000	0.812	23	8058	62.500	64.000	0.875	59	0617
53.150	55.669	0.866	64	7065	62.500	64.500	0.875	59	0618
53.185	54.190	0.812	23	2308	63.000	65.000	0.812	23	9599
53.250	54.250	0.500	23	5596	63.327	65.748	0.787	64	8557
53.500	55.000	0.750	23	9395	63.500	65.500	0.812	23	7015

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
63.500	65.500	1.250	142	9292	80.000	82.000	0.812	23	6905
63.650	65.650	1.250	142	9627	80.500	82.437	0.812	23	5806
63.780	65.551	0.787	59	3961	80.500	82.500	0.812	23	5757
64.000	65.375	0.875	59	3903	81.000	83.000	0.812	23	7871
64.000	66.000	0.812	23	8324	82.283	84.252	0.812	23	4912
64.409	66.929	0.866	64	4979	82.677	84.645	0.812	23	8802
64.488	66.488	0.812	23	5586	84.000	85.000	0.500	23	5663
64.500	66.500	0.812	23	9289	84.000	86.000	0.812	23	5279
65.000	67.000	0.812	23	6915	85.000	87.000	0.812	23	5297
65.250	67.250	0.812	23	9344	86.000	88.000	0.812	23	5816
65.354	67.354	0.812	23	9806	86.417	88.417	0.812	23	7696
66.000	68.000	0.812	23	8563	87.000	89.000	0.812	23	7624
66.500	68.000	0.750	23	5811	88.031	90.031	0.812	23	4919
66.500	68.500	0.812	23	8618	88.100	89.600	1.000	142	9513
66.500	69.000	0.812	23	8872	88.583	90.583	0.812	23	9953
66.875	68.000	0.562	23	1091	89.000	91.000	0.812	23	9322
67.000	68.500	0.750	23	7424	89.340	92.840	0.750	23	9710
67.000	69.000	0.812	23	8750	93.000	95.000	0.812	23	9269
67.750	69.750	1.250	142	5422	93.600	95.100	1.000	142	9514
68.000	70.000	0.750	23	9290	94.000	96.000	0.812	23	7291
68.000	70.000	0.812	23	8748	95.875	97.875	0.812	23	5787
68.000	70.000	1.000	23	2205	96.620	98.620	0.812	23	7137
68.500	70.500	0.812	23	9800	98.000	99.500	0.750	23	5805
68.968	70.957	0.787	23	9897	98.750	100.750	0.812	23	7334
69.000	71.000	0.812	23	7643	101.250	103.250	0.812	23	7134
69.125	71.125	0.812	23	3138	102.000	104.000	0.812	23	5788
69.375	71.375	0.812	23	5533	105.039	107.039	0.812	23	5809
70.000	71.000	0.500	23	9920	108.000	110.000	0.812	23	9902
70.000	72.000	0.812	23	6424	110.500	112.500	0.812	23	9323
70.000	72.000	0.875	59	3573	112.000	113.937	0.812	23	5807
70.500	72.500	0.812	23	5760	120.062	122.062	0.812	23	6789
70.688	72.688	0.875	23	4658					
71.000	73.000	0.812	23	9945					
71.000	73.000	1.250	142	9291					
71.250	73.250	0.812	23	7756					
72.500	74.000	0.750	23	2144					
73.000	75.000	0.812	23	6276					
74.000	76.000	0.812	23	8865					
74.409	76.929	0.984	64	9010					
74.500	76.000	0.750	23	5624					
74.500	76.500	0.812	23	0952					
75.000	76.000	0.375	23	4702					
75.000	76.500	0.750	23	1697					
75.000	77.000	0.812	23	9869					
75.000	77.000	1.000	23	3147					
75.188	77.188	0.812	23	0720					
75.750	77.750	1.250	142	5529					
76.000	78.000	0.812	23	7583					
76.250	78.250	0.812	23	8279					
76.500	78.500	0.812	23	6130					
77.500	79.500	0.812	23	5236					
79.500	81.500	0.812	23	5796					

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.



Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
3	28003-0060	0.500	0.999	0.250	3	28003-3104	3.125	4.125	0.375
3	28003-0072	0.500	1.124	0.250	3	28003-3221	3.250	4.249	0.375
3	28003-0081	0.500	1.250	0.250	3	28003-3254	3.250	4.500	0.375
3	28003-0201	0.625	1.124	0.250	3	28003-3460	3.500	4.376	0.375
3	28003-0213	0.625	1.250	0.250	3	28003-3478	3.500	4.500	0.375
3	28003-0225	0.625	1.375	0.250	3	28003-3568	3.625	4.626	0.375
3	28003-0427	0.750	1.250	0.250	3	28003-3721	3.875	4.876	0.375
3	28003-0446	0.750	1.375	0.250	3	28003-4010	4.000	4.999	0.375
3	28003-0458	0.750	1.499	0.250	3	28003-4255	4.250	5.251	0.375
3	28003-0488	0.750	1.624	0.250	3	28003-4455	4.500	5.501	0.375
3	28003-0678	0.875	1.375	0.250	3	28003-5680	5.500	6.750	0.437
3	28003-0687	0.875	1.499	0.250	21	25001-1380	4.500	6.500	0.500
3	28003-0715	0.875	1.624	0.250	21	25001-2087	18.437	20.500	0.812
3	28003-1004	1.000	1.499	0.250	21	25001-2663	4.250	5.500	0.500
3	28003-1020	1.000	1.624	0.250	21	25001-2813	4.625	6.250	0.500
3	28003-1028	1.000	1.752	0.250	21	25001-2915	5.000	6.000	0.500
3	28003-1113	1.125	1.624	0.250	21	25001-3023	5.125	7.500	0.500
3	28003-1128	1.125	1.874	0.250	21	25001-3056	5.187	7.500	0.500
3	28003-1224	1.250	1.752	0.250	21	25001-3111	17.717	19.685	0.811
3	28003-1232	1.250	1.874	0.250	21	25001-3122	5.375	6.375	0.500
3	28003-1246	1.250	2.000	0.250	21	25001-3151	5.375	7.500	0.625
3	28003-1262	1.250	2.125	0.250	21	25001-3174	5.437	7.500	0.500
3	28003-1348	1.375	2.000	0.312	21	25001-3254	24.000	25.000	0.500
3	28003-1360	1.375	2.125	0.312	21	25001-3288	5.750	7.500	0.562
3	28003-1368	1.375	2.250	0.312	21	25001-3334	5.875	7.500	0.750
3	28003-1378	1.375	2.374	0.312	21	25001-3355	6.000	7.000	0.500
3	28003-1454	1.500	2.125	0.312	21	25001-3370	6.000	7.500	0.750
3	28003-1462	1.500	2.250	0.312	21	25001-3468	6.750	8.500	0.625
3	28003-1472	1.500	2.374	0.312	21	25001-3523	7.250	8.500	0.750
3	28003-1492	1.500	2.502	0.312	21	25001-3555	7.500	9.125	0.750
3	28003-1576	1.625	2.374	0.312	21	25001-3557	7.500	9.250	0.750
3	28003-1590	1.625	2.502	0.312	21	25001-3606	8.250	9.500	0.625
3	28003-1598	1.625	2.623	0.312	21	25001-3623	9.000	11.000	0.750
3	28003-1704	1.750	2.502	0.312	21	25001-3642	9.500	11.000	0.625
3	28003-1714	1.750	2.623	0.312	21	25001-3672	10.000	11.500	0.750
3	28003-1726	1.750	2.750	0.312	21	25001-3925	8.000	10.000	0.750
3	28003-1802	1.875	2.623	0.312	21	25001-3926	8.000	10.000	0.812
3	28003-1814	1.875	2.750	0.312	21	25001-3932	8.125	10.125	0.750
3	28003-1826	1.875	2.875	0.312	21	25001-3937	8.500	10.000	0.750
3	28003-2023	2.000	2.750	0.312	21	25001-3943	8.625	10.500	0.750
3	28003-2035	2.000	2.875	0.312	21	25001-3951	8.750	10.750	0.750
3	28003-2171	2.125	2.875	0.375	21	25001-3979	9.500	11.000	0.750
3	28003-2186	2.125	3.000	0.375	21	25001-3983	9.500	11.500	0.750
3	28003-2303	2.250	3.000	0.375	21	25001-3984	9.500	11.500	0.812
3	28003-2317	2.250	3.125	0.375	21	25001-3989	9.750	11.750	0.750
3	28003-2329	2.250	3.251	0.375	21	25001-4012	10.500	12.000	0.750
3	28003-2536	2.500	3.251	0.375	21	25001-4047	11.250	13.250	0.812
3	28003-2683	2.750	3.500	0.375	21	25001-4058	11.500	13.000	0.750
3	28003-2710	2.750	3.751	0.375	21	25001-4072	12.000	14.000	0.812
3	28003-2719	2.750	3.875	0.375	21	25001-4094	13.000	14.500	0.750
3	28003-2782	2.875	3.751	0.375	21	25001-4099	13.000	15.000	0.812
3	28003-2791	2.875	3.875	0.375	21	25001-4128	13.500	15.500	0.812

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
21	25001-4130	13.937	15.437	0.687	21	25001-6383	8.500	9.500	0.500
21	25001-4132	14.000	15.500	0.750	21	25001-6384	8.500	9.750	0.625
21	25001-4135	14.000	16.000	0.812	21	25001-6387	9.000	10.000	0.500
21	25001-4140	14.250	16.250	0.812	21	25001-6389	9.625	11.625	0.750
21	25001-4143	14.500	16.000	0.750	21	25001-6396	12.750	14.750	0.750
21	25001-4147	14.750	16.250	0.687	21	25001-6397	16.250	18.250	0.812
21	25001-4152	15.000	16.500	0.750	21	25001-6398	16.750	18.750	0.750
21	25001-4155	15.000	17.000	0.750	21	25001-6399	18.000	20.000	0.812
21	25001-4156	15.000	17.000	0.812	21	25001-6401	22.000	24.000	0.812
21	25001-4162	15.500	17.000	0.750	21	25001-6407	42.000	44.000	0.812
21	25001-4163	15.500	17.500	0.812	21	25001-6426	19.750	21.750	0.812
21	25001-4178	16.000	17.500	0.750	21	25001-6473	38.500	40.500	0.812
21	25001-4180	16.000	18.000	0.812	21	25001-6508	19.000	21.000	0.812
21	25001-4189	17.000	18.500	0.750	21	25001-6559	3.500	4.390	0.336
21	25001-4207	18.000	19.750	0.750	21	25001-6938	18.000	19.625	0.812
21	25001-4211	18.250	19.750	0.750	21	25001-6963	5.625	8.000	0.500
21	25001-4212	18.250	19.875	0.750	21	25001-6973	7.874	9.875	0.625
21	25001-4441	12.063	13.625	0.750	21	25001-7101	8.500	10.500	0.750
21	25001-4614	14.187	16.187	0.812	21	25001-7107	29.133	31.133	0.812
21	25001-4633	6.299	7.874	0.630	21	25001-7138	34.000	36.000	0.812
21	25001-4651	4.000	5.000	0.500	21	25001-7154	33.250	35.250	0.750
21	25001-4675	24.500	25.625	0.500	21	25001-7175	13.750	14.750	0.500
21	25001-4676	25.750	26.875	0.500	21	25001-7213	3.125	3.875	0.375
21	25001-4712	17.000	19.000	0.875	21	25001-7322	9.062	10.062	0.500
21	25001-4779	13.250	15.250	0.812	21	25001-7407	21.500	23.500	0.812
21	25001-4780	6.000	8.250	0.750	21	25001-7412	31.000	33.000	0.812
21	25001-4795	15.875	17.750	0.875	21	25001-7413	18.000	19.750	0.812
21	25001-4929	9.000	10.500	0.812	21	25001-7489	22.500	24.500	0.812
21	25001-4940	21.000	22.000	0.500	21	25001-7539	15.250	17.250	0.750
21	25001-4971	17.000	18.125	0.547	21	25001-7573	14.250	16.000	0.875
21	25001-5023	3.000	4.000	0.375	21	25001-7622	6.750	9.062	0.750
21	25001-5038	16.500	18.500	0.875	21	25001-7710	26.000	28.000	0.750
21	25001-5055	20.500	22.500	0.812	21	25001-7838	23.000	25.000	0.812
21	25001-5062	14.250	15.750	0.750	21	25001-7912	7.725	9.375	0.750
21	25001-5312	21.000	22.750	0.750	21	25001-8208	22.000	23.125	0.547
21	25001-5373	8.267	9.842	0.618	21	25001-8271	14.875	16.875	0.812
21	25001-5376	38.750	40.687	0.812	21	25001-8381	21.937	22.937	0.500
21	25001-5410	6.500	8.500	0.585	21	25001-8423	17.000	18.250	0.562
21	25001-5552	24.000	25.125	0.500	21	25001-8446	19.500	21.500	0.812
21	25001-5612	28.875	29.750	0.500	21	25001-8502	24.000	25.625	0.812
21	25001-5739	31.000	32.500	0.750	21	25001-8560	8.500	10.500	0.500
21	25001-5906	10.000	12.000	0.687	21	25001-8564	9.000	10.910	0.838
21	25001-5919	24.000	26.000	0.812	21	25001-8589	12.500	14.062	0.750
21	25001-5934	10.500	11.750	0.625	21	25001-8606	8.661	10.236	0.630
21	25001-6092	9.062	11.062	0.750	21	25001-8742	10.000	11.910	0.838
21	25001-6293	4.250	5.750	0.500	21	25001-8773	25.625	26.750	0.500
21	25001-6296	22.000	23.500	0.500	21	25001-8888	14.750	16.125	0.687
21	25001-6356	3.250	4.250	0.375	21	25001-8967	8.250	10.250	0.750
21	25001-6360	4.000	5.000	0.375	21	25001-9083	18.000	20.250	0.812
21	25001-6363	4.500	5.500	0.375	21	25001-9156	31.750	33.750	0.750
21	25001-6372	6.750	7.750	0.500	21	25001-9267	8.375	10.375	0.750
21	25001-6378	7.500	8.500	0.500	21	25001-9418	8.000	9.875	0.812

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
21	25001-9477	18.750	20.250	0.812	23	25003-0587	4.330	5.393	0.500
21	25001-9521	8.267	9.842	0.630	23	25003-0590	12.992	14.173	0.394
21	25001-9554	37.500	39.500	0.812	23	25003-0591	13.780	14.961	0.394
21	25001-9696	14.750	16.250	0.668	23	25003-0599	12.250	13.500	0.750
21	25001-9756	8.000	9.910	0.750	23	25003-0606	21.890	23.858	0.812
21	25001-9835	7.875	9.500	0.750	23	25003-0614	14.961	16.535	0.787
21	25001-9893	20.625	22.625	0.812	23	25003-0617	12.750	14.687	0.812
23	25003-0128	2.857	3.857	0.375	23	25003-0620	17.323	19.323	0.750
23	25003-0202	4.062	5.256	0.469	23	25003-0623	12.000	13.875	0.437
23	25003-0203	12.938	14.250	0.625	23	25003-0626	24.625	25.500	0.375
23	25003-0205	10.688	11.742	0.625	23	25003-0627	5.437	6.375	0.500
23	25003-0208	30.688	31.750	0.500	23	25003-0637	6.693	7.677	0.492
23	25003-0241	14.177	15.500	0.750	23	25003-0639	18.898	20.867	0.812
23	25003-0375	32.125	34.687	0.750	23	25003-0641	10.375	12.000	0.750
23	25003-0408	4.449	5.472	0.375	23	25003-0662	15.000	16.250	0.812
23	25003-0416	11.418	12.992	0.709	23	25003-0663	25.625	27.625	0.812
23	25003-0417	52.500	55.000	0.750	23	25003-0671	25.750	28.125	0.750
23	25003-0419	5.060	5.934	0.375	23	25003-0674	5.515	6.497	0.500
23	25003-0420	11.250	13.250	0.625	23	25003-0676	22.000	23.125	0.500
23	25003-0422	3.847	5.063	0.375	23	25003-0677	12.318	13.694	0.500
23	25003-0429	21.811	23.386	0.787	23	25003-0678	11.150	12.526	0.500
23	25003-0432	15.500	17.375	0.812	23	25003-0688	4.562	6.062	0.500
23	25003-0450	15.375	16.750	0.750	23	25003-0690	13.875	15.500	0.600
23	25003-0453	13.750	15.000	0.750	23	25003-0691	12.188	14.000	0.750
23	25003-0455	26.000	27.500	0.750	23	25003-0692	3.625	4.750	0.375
23	25003-0458	28.486	29.860	0.687	23	25003-0695	10.158	11.417	0.630
23	25003-0459	52.186	54.186	0.812	23	25003-0696	25.875	26.750	0.375
23	25003-0460	44.185	46.188	0.812	23	25003-0697	11.813	13.813	0.813
23	25003-0464	23.512	25.512	0.812	23	25003-0710	2.559	3.346	0.394
23	25003-0466	9.125	10.799	0.703	23	25003-0716	17.938	19.313	0.812
23	25003-0476	9.409	10.909	0.625	23	25003-0720	75.188	77.188	0.812
23	25003-0477	17.750	19.373	0.750	23	25003-0726	13.625	15.031	0.750
23	25003-0479	16.094	17.500	0.750	23	25003-0736	4.312	5.437	0.500
23	25003-0480	14.094	15.500	0.750	23	25003-0738	5.437	6.500	0.500
23	25003-0483	21.250	22.637	0.590	23	25003-0740	11.181	12.992	0.622
23	25003-0489	13.250	14.250	0.500	23	25003-0741	59.370	6.875	0.500
23	25003-0500	5.523	6.500	0.500	23	25003-0743	5.500	6.563	0.500
23	25003-0501	30.500	32.500	1.000	23	25003-0746	8.465	9.845	0.645
23	25003-0503	3.907	5.118	0.500	23	25003-0753	19.625	21.079	0.531
23	25003-0504	7.480	8.661	0.472	23	25003-0755	26.875	28.125	0.500
23	25003-0506	22.625	24.125	0.500	23	25003-0756	14.625	16.250	0.750
23	25003-0510	17.717	18.898	0.500	23	25003-0779	30.065	31.065	0.500
23	25003-0518	18.110	19.843	0.787	23	25003-0785	14.438	15.938	0.625
23	25003-0519	5.748	7.087	0.591	23	25003-0786	28.346	30.315	0.984
23	25003-0521	3.187	4.437	0.375	23	25003-0793	2.441	3.346	0.394
23	25003-0527	6.250	7.250	0.375	23	25003-0795	6.495	7.525	0.500
23	25003-0528	9.437	10.750	0.625	23	25003-0800	15.784	17.000	0.500
23	25003-0530	6.000	7.000	0.375	23	25003-0801	7.283	8.268	0.500
23	25003-0570	8.560	9.810	0.625	23	25003-0802	3.750	5.000	0.437
23	25003-0579	9.000	10.032	0.500	23	25003-0803	6.002	7.002	0.500
23	25003-0581	5.098	6.598	0.500	23	25003-0806	2.812	3.560	0.375
23	25003-0582	23.428	24.928	0.750	23	25003-0811	3.938	4.921	0.394

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-0815	5.118	5.993	0.500	23	25003-0996	3.437	4.500	0.375
23	25003-0818	13.000	14.500	0.812	23	25003-0999	8.438	9.563	0.500
23	25003-0821	10.229	11.729	0.750	23	25003-1000	3.938	5.040	0.400
23	25003-0822	24.500	25.375	0.375	23	25003-1002	5.118	6.260	0.488
23	25003-0823	3.438	4.562	0.375	23	25003-1004	6.221	7.250	0.500
23	25003-0839	20.750	22.250	0.750	23	25003-1007	4.866	5.875	0.500
23	25003-0856	7.090	8.334	0.500	23	25003-1010	3.740	4.921	0.472
23	25003-0858	11.100	12.150	0.625	23	25003-1013	15.375	17.125	0.812
23	25003-0864	24.409	26.378	0.812	23	25003-1014	8.661	9.370	0.748
23	25003-0866	4.134	5.512	0.472	23	25003-1016	12.812	14.812	0.750
23	25003-0872	10.236	12.205	0.630	23	25003-1017	7.000	7.875	0.375
23	25003-0880	36.500	38.438	1.000	23	25003-1018	14.500	15.750	0.750
23	25003-0881	39.000	40.938	1.000	23	25003-1019	9.000	10.062	0.500
23	25003-0884	32.000	33.000	0.500	23	25003-1020	4.477	6.256	0.625
23	25003-0889	15.191	16.191	0.500	23	25003-1022	3.625	4.625	0.437
23	25003-0890	11.024	12.205	0.787	23	25003-1024	4.724	6.000	0.500
23	25003-0891	8.661	10.236	0.591	23	25003-1025	4.960	5.885	0.500
23	25003-0893	13.386	14.961	0.708	23	25003-1026	10.236	12.000	0.812
23	25003-0895	2.938	4.000	0.500	23	25003-1027	10.630	12.362	0.787
23	25003-0896	28.250	29.500	0.625	23	25003-1029	3.563	4.500	0.469
23	25003-0897	11.024	12.992	0.610	23	25003-1030	10.000	10.875	0.375
23	25003-0904	1.750	2.500	0.375	23	25003-1031	11.417	12.992	0.787
23	25003-0917	2.937	4.000	0.500	23	25003-1032	16.000	17.875	0.750
23	25003-0926	5.115	6.118	0.375	23	25003-1033	3.150	3.937	0.394
23	25003-0929	4.279	5.500	0.375	23	25003-1034	3.500	4.812	0.500
23	25003-0932	11.417	13.417	0.812	23	25003-1035	11.500	13.250	0.812
23	25003-0935	20.470	22.470	0.812	23	25003-1036	9.449	10.827	0.709
23	25003-0944	13.375	14.625	0.500	23	25003-1037	10.300	11.550	0.625
23	25003-0947	11.811	13.385	0.812	23	25003-1038	19.750	21.250	0.750
23	25003-0948	49.500	50.750	0.750	23	25003-1039	2.835	3.740	0.375
23	25003-0949	12.000	13.875	0.500	23	25003-1041	3.720	4.720	0.500
23	25003-0950	12.250	13.821	0.719	23	25003-1042	1.875	2.625	0.375
23	25003-0952	74.500	76.500	0.812	23	25003-1049	10.710	12.511	0.625
23	25003-0953	7.375	8.250	0.438	23	25003-1061	7.937	9.000	0.500
23	25003-0954	12.000	13.250	0.750	23	25003-1064	9.947	11.875	0.500
23	25003-0956	5.118	6.614	0.630	23	25003-1070	10.250	11.687	0.625
23	25003-0957	8.611	10.236	0.750	23	25003-1072	9.750	10.625	0.500
23	25003-0959	26.000	27.250	0.625	23	25003-1079	9.947	10.875	0.500
23	25003-0960	8.750	10.750	0.625	23	25003-1082	8.750	10.500	0.812
23	25003-0961	8.465	9.764	0.590	23	25003-1086	2.750	3.983	0.500
23	25003-0963	14.173	15.590	0.630	23	25003-1087	3.430	4.625	0.458
23	25003-0977	4.331	5.331	0.500	23	25003-1089	5.415	6.815	0.500
23	25003-0980	7.716	8.661	0.472	23	25003-1090	8.562	9.500	0.500
23	25003-0981	9.375	10.375	0.500	23	25003-1091	66.875	68.000	0.562
23	25003-0983	7.000	8.450	0.562	23	25003-1095	8.625	9.812	0.625
23	25003-0985	9.000	10.125	0.500	23	25003-1097	9.448	11.023	0.500
23	25003-0986	13.500	14.500	0.500	23	25003-1098	25.000	26.250	0.625
23	25003-0990	12.147	13.688	0.625	23	25003-1099	9.843	11.220	0.630
23	25003-0992	4.295	5.295	0.375	23	25003-1103	12.598	14.173	0.787
23	25003-0993	2.883	3.633	0.375	23	25003-1107	7.875	9.500	0.625
23	25003-0994	13.070	14.570	0.750	23	25003-1108	12.401	14.173	0.787
23	25003-0995	4.375	5.812	0.500	23	25003-1109	9.055	10.180	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-1110	3.740	4.740	0.375	23	25003-1292	10.236	12.125	0.787
23	25003-1111	5.905	7.087	0.512	23	25003-1293	15.375	16.250	0.437
23	25003-1112	24.015	25.748	0.787	23	25003-1294	23.900	25.100	0.750
23	25003-1113	12.598	14.173	0.708	23	25003-1295	8.062	9.000	0.500
23	25003-1115	18.125	19.750	0.750	23	25003-1296	3.500	4.437	0.500
23	25003-1118	48.000	50.000	0.750	23	25003-1298	19.291	21.260	0.787
23	25003-1121	51.000	53.000	0.750	23	25003-1300	6.030	7.324	0.615
23	25003-1124	11.125	13.000	0.750	23	25003-1303	4.724	6.101	0.500
23	25003-1125	17.250	18.500	0.625	23	25003-1304	12.500	14.375	0.750
23	25003-1126	17.000	17.906	0.500	23	25003-1305	22.500	23.375	0.375
23	25003-1127	6.875	7.875	0.375	23	25003-1308	7.375	8.500	0.500
23	25003-1145	3.937	5.256	0.468	23	25003-1310	12.000	12.875	0.375
23	25003-1146	10.375	11.633	0.812	23	25003-1311	22.875	23.750	0.375
23	25003-1152	7.800	8.800	0.500	23	25003-1312	26.875	27.750	0.375
23	25003-1158	17.625	19.375	0.750	23	25003-1314	9.842	11.842	0.750
23	25003-1160	4.687	5.625	0.500	23	25003-1316	7.480	8.980	0.750
23	25003-1165	9.000	10.910	0.812	23	25003-1317	3.900	5.200	0.500
23	25003-1169	26.968	27.953	0.500	23	25003-1374	5.906	7.906	0.500
23	25003-1172	6.000	7.500	0.375	23	25003-1376	19.500	21.500	0.625
23	25003-1173	12.438	14.375	0.812	23	25003-1379	7.480	8.661	0.630
23	25003-1175	15.000	16.250	0.625	23	25003-1388	6.890	8.465	0.625
23	25003-1176	12.438	14.438	0.812	23	25003-1391	6.298	7.500	0.375
23	25003-1179	17.716	19.685	0.812	23	25003-1392	8.661	10.236	0.787
23	25003-1181	20.111	22.111	0.812	23	25003-1393	6.062	7.500	0.750
23	25003-1182	12.598	14.252	0.812	23	25003-1394	6.299	7.244	0.551
23	25003-1204	2.000	3.000	0.375	23	25003-1395	6.693	7.638	0.551
23	25003-1206	2.000	3.000	0.500	23	25003-1397	4.921	6.299	0.709
23	25003-1214	7.480	9.055	0.630	23	25003-1430	9.250	10.170	0.500
23	25003-1224	22.500	23.500	0.500	23	25003-1433	7.087	7.961	0.472
23	25003-1229	5.094	6.586	0.484	23	25003-1439	15.937	17.437	0.750
23	25003-1235	8.937	10.500	0.750	23	25003-1440	3.437	4.500	0.437
23	25003-1237	18.110	20.078	0.787	23	25003-1441	9.875	11.375	0.625
23	25003-1239	3.950	4.950	0.500	23	25003-1444	3.500	4.475	0.500
23	25003-1241	4.875	6.325	0.500	23	25003-1445	13.750	15.375	0.750
23	25003-1242	13.000	14.606	0.703	23	25003-1448	3.938	5.000	0.400
23	25003-1246	10.984	12.165	0.591	23	25003-1449	15.438	16.938	0.750
23	25003-1248	4.813	6.007	0.375	23	25003-1453	55.125	58.000	0.750
23	25003-1250	5.438	6.720	0.625	23	25003-1454	14.875	16.875	0.375
23	25003-1255	2.062	2.997	0.375	23	25003-1457	6.250	7.375	0.625
23	25003-1256	2.938	3.905	0.484	23	25003-1459	17.000	18.500	0.720
23	25003-1259	4.921	5.906	0.591	23	25003-1461	10.125	11.625	0.500
23	25003-1262	11.220	12.402	0.787	23	25003-1463	8.437	9.937	0.500
23	25003-1269	6.102	7.087	0.500	23	25003-1464	7.125	8.625	0.437
23	25003-1275	45.000	46.750	0.875	23	25003-1465	11.031	12.031	0.500
23	25003-1277	4.500	5.687	0.500	23	25003-1480	2.250	3.125	0.375
23	25003-1280	16.299	18.268	0.812	23	25003-1482	2.250	3.125	0.500
23	25003-1283	9.750	11.375	0.750	23	25003-1492	2.250	3.250	0.375
23	25003-1286	6.247	7.188	0.375	23	25003-1493	2.250	3.250	0.438
23	25003-1287	14.140	15.640	0.625	23	25003-1494	2.250	3.250	0.500
23	25003-1288	7.812	9.000	0.625	23	25003-1515	3.625	4.609	0.492
23	25003-1289	33.625	35.593	0.937	23	25003-1586	3.250	4.225	0.375
23	25003-1290	7.480	8.425	0.472	23	25003-1589	3.250	4.312	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-1590	3.228	4.488	0.500	23	25003-1769	13.125	15.000	0.750
23	25003-1592	8.437	9.937	0.750	23	25003-1770	8.000	9.450	0.625
23	25003-1608	15.354	16.535	0.551	23	25003-1772	3.464	4.331	0.500
23	25003-1609	6.250	7.375	0.562	23	25003-1773	19.625	21.375	0.750
23	25003-1610	3.906	5.000	0.500	23	25003-1777	5.438	6.750	0.750
23	25003-1616	7.087	8.071	0.512	23	25003-1778	3.250	4.543	0.500
23	25003-1617	14.750	16.500	0.812	23	25003-1779	5.161	6.475	0.500
23	25003-1619	12.875	14.000	0.750	23	25003-1780	19.625	21.125	0.500
23	25003-1622	40.533	42.283	0.875	23	25003-1781	12.125	13.125	0.500
23	25003-1623	10.750	12.687	0.578	23	25003-1782	11.188	13.000	0.750
23	25003-1625	4.500	5.688	0.625	23	25003-1804	2.500	3.246	0.375
23	25003-1628	3.312	4.250	0.500	23	25003-1807	2.500	3.250	0.375
23	25003-1631	14.484	16.312	0.562	23	25003-1819	2.500	3.500	0.375
23	25003-1632	14.484	15.369	0.500	23	25003-1820	2.500	3.500	0.437
23	25003-1634	42.992	44.492	0.750	23	25003-1821	2.500	3.500	0.500
23	25003-1635	5.250	6.313	0.500	23	25003-1832	6.500	7.500	0.375
23	25003-1642	2.375	3.125	0.375	23	25003-1844	2.625	3.625	0.500
23	25003-1657	2.375	3.350	0.375	23	25003-1865	14.041	15.541	0.625
23	25003-1664	4.500	5.750	0.438	23	25003-1866	19.687	21.673	0.812
23	25003-1688	15.161	16.885	0.812	23	25003-1868	7.250	8.702	0.609
23	25003-1689	6.000	7.187	0.750	23	25003-1869	6.889	7.889	0.500
23	25003-1690	7.480	8.729	0.625	23	25003-1872	57.000	59.000	0.812
23	25003-1691	12.500	14.062	0.625	23	25003-1875	3.937	4.921	0.492
23	25003-1694	8.750	9.764	0.375	23	25003-1876	9.125	10.500	0.625
23	25003-1695	32.687	33.937	0.500	23	25003-1877	38.000	40.000	1.000
23	25003-1697	75.000	76.500	0.750	23	25003-1881	10.000	11.875	0.812
23	25003-1698	13.000	14.375	0.375	23	25003-1883	14.028	15.428	0.750
23	25003-1699	8.376	9.565	0.750	23	25003-1885	2.562	3.500	0.375
23	25003-1701	32.835	33.937	0.500	23	25003-1889	13.000	14.608	0.750
23	25003-1702	6.440	7.969	0.750	23	25003-1894	2.562	3.751	0.375
23	25003-1703	9.843	11.342	0.748	23	25003-1895	3.062	4.125	0.437
23	25003-1706	6.063	7.087	0.413	23	25003-1901	3.681	4.681	0.500
23	25003-1707	4.882	6.299	0.413	23	25003-1905	11.000	13.000	0.500
23	25003-1709	6.889	7.874	0.472	23	25003-1906	3.438	4.600	0.500
23	25003-1710	12.250	14.125	0.750	23	25003-1907	49.500	51.325	0.850
23	25003-1712	12.598	14.173	0.748	23	25003-1908	10.125	11.500	0.625
23	25003-1713	3.750	4.732	0.405	23	25003-1910	9.500	11.500	0.500
23	25003-1717	6.299	7.874	0.472	23	25003-1911	20.866	22.835	0.787
23	25003-1718	5.511	6.693	0.472	23	25003-1913	14.000	15.625	0.812
23	25003-1719	25.197	27.165	0.807	23	25003-1918	15.250	16.250	0.500
23	25003-1721	8.375	9.500	0.750	23	25003-1919	26.000	27.125	0.562
23	25003-1728	36.500	39.000	0.750	23	25003-1923	17.000	18.250	0.750
23	25003-1730	34.000	36.500	0.750	23	25003-1925	12.000	13.000	0.625
23	25003-1733	57.000	59.000	0.827	23	25003-1928	4.062	5.000	0.375
23	25003-1734	7.187	8.437	0.500	23	25003-1939	2.625	3.500	0.375
23	25003-1735	2.438	3.250	0.375	23	25003-1941	2.625	3.500	0.500
23	25003-1736	2.437	3.312	0.375	23	25003-1942	2.625	3.543	0.375
23	25003-1746	3.938	4.906	0.484	23	25003-1949	7.874	8.858	0.591
23	25003-1749	2.438	3.500	0.500	23	25003-1953	8.464	9.646	0.492
23	25003-1766	3.938	4.906	0.484	23	25003-1957	39.000	41.500	0.750
23	25003-1767	15.354	17.086	0.787	23	25003-1958	2.625	3.625	0.375
23	25003-1768	3.465	4.729	0.500	23	25003-1959	30.709	32.283	0.709

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-1960	12.875	13.875	0.500	23	25003-2108	3.062	4.000	0.500
23	25003-1961	5.500	6.875	0.562	23	25003-2109	13.780	15.512	0.500
23	25003-1962	11.024	12.520	0.709	23	25003-2110	2.875	3.625	0.375
23	25003-1963	9.000	10.500	0.562	23	25003-2111	2.875	3.625	0.438
23	25003-1965	7.438	8.500	0.500	23	25003-2115	2.875	3.623	0.375
23	25003-1968	14.567	16.535	0.787	23	25003-2118	2.875	3.750	0.375
23	25003-1970	6.496	7.874	0.591	23	25003-2121	2.875	3.875	0.375
23	25003-1971	10.500	12.500	0.500	23	25003-2137	3.346	4.331	0.492
23	25003-1973	12.375	13.705	0.375	23	25003-2140	2.937	3.937	0.500
23	25003-1974	29.968	31.968	0.812	23	25003-2144	72.500	74.000	0.750
23	25003-1976	17.000	18.000	0.500	23	25003-2146	2.938	3.750	0.375
23	25003-1977	24.375	25.625	0.625	23	25003-2149	2.937	3.876	0.375
23	25003-1979	3.937	5.118	0.472	23	25003-2152	2.938	4.003	0.375
23	25003-1980	10.500	11.906	0.766	23	25003-2153	2.937	4.003	0.437
23	25003-1982	10.875	12.875	0.500	23	25003-2156	7.812	9.250	0.500
23	25003-1983	41.125	43.125	1.000	23	25003-2158	28.625	30.625	0.812
23	25003-1984	12.500	13.375	0.500	23	25003-2159	5.500	6.750	0.687
23	25003-1985	30.313	31.813	0.750	23	25003-2168	3.000	3.751	0.375
23	25003-1986	3.228	4.102	0.375	23	25003-2171	3.000	3.876	0.375
23	25003-1988	3.562	4.562	0.375	23	25003-2173	3.000	3.875	0.500
23	25003-1989	12.579	14.000	0.750	23	25003-2174	3.000	4.003	0.375
23	25003-1991	19.674	21.674	0.812	23	25003-2176	3.000	4.003	0.500
23	25003-1992	15.750	16.948	0.750	23	25003-2177	3.000	4.125	0.500
23	25003-1997	25.625	26.875	0.625	23	25003-2183	3.000	4.375	0.500
23	25003-1998	3.150	4.331	0.500	23	25003-2185	12.750	14.250	0.812
23	25003-2000	4.134	5.118	0.500	23	25003-2186	3.000	4.500	0.500
23	25003-2013	2.687	3.881	0.468	23	25003-2193	18.000	19.438	0.500
23	25003-2016	3.750	5.062	0.375	23	25003-2196	24.640	25.640	0.500
23	25003-2018	17.500	18.906	0.766	23	25003-2200	3.063	4.063	0.500
23	25003-2019	5.512	6.496	0.492	23	25003-2201	3.063	4.125	0.500
23	25003-2021	17.500	18.750	0.500	23	25003-2205	68.000	70.000	1.000
23	25003-2022	5.305	6.305	0.500	23	25003-2206	15.512	16.535	0.500
23	25003-2024	4.910	5.910	0.500	23	25003-2214	3.346	4.331	0.472
23	25003-2026	14.580	16.200	0.625	23	25003-2225	3.125	4.125	0.500
23	25003-2030	2.750	4.000	0.500	23	25003-2228	3.125	4.249	0.500
23	25003-2035	2.750	3.500	0.375	23	25003-2231	3.125	4.375	0.500
23	25003-2044	2.750	3.751	0.375	23	25003-2233	5.906	7.480	0.591
23	25003-2054	2.750	3.625	0.438	23	25003-2234	3.125	4.500	0.500
23	25003-2057	2.750	3.750	0.375	23	25003-2244	8.875	10.250	0.750
23	25003-2058	21.250	23.250	0.750	23	25003-2245	13.386	15.118	0.787
23	25003-2064	7.010	8.510	0.500	23	25003-2247	8.858	10.433	0.630
23	25003-2065	7.256	8.756	0.500	23	25003-2248	26.378	27.874	0.748
23	25003-2066	14.173	15.354	0.709	23	25003-2249	3.187	4.249	0.500
23	25003-2067	14.750	16.125	0.750	23	25003-2252	3.187	4.375	0.500
23	25003-2068	10.000	11.000	0.375	23	25003-2255	3.188	4.500	0.500
23	25003-2069	15.748	17.717	0.787	23	25003-2256	9.646	11.142	0.812
23	25003-2079	29.528	32.047	0.750	23	25003-2259	3.897	4.876	0.500
23	25003-2081	7.283	8.283	0.500	23	25003-2265	40.265	41.765	0.750
23	25003-2090	2.812	3.876	0.437	23	25003-2269	6.375	7.250	0.500
23	25003-2095	3.681	5.000	0.500	23	25003-2270	3.250	4.249	0.500
23	25003-2105	2.953	4.213	0.492	23	25003-2272	3.250	4.250	0.625
23	25003-2106	7.625	8.500	0.500	23	25003-2273	3.250	4.375	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-2274	5.125	6.000	0.500	23	25003-2439	19.688	21.688	0.812
23	25003-2275	15.748	17.717	0.812	23	25003-2441	3.687	4.750	0.500
23	25003-2276	3.250	4.500	0.500	23	25003-2444	3.687	4.875	0.500
23	25003-2279	3.250	4.625	0.500	23	25003-2447	3.687	4.999	0.500
23	25003-2282	3.250	4.750	0.500	23	25003-2450	3.687	5.125	0.500
23	25003-2286	13.386	15.157	0.787	23	25003-2454	12.205	13.937	0.787
23	25003-2293	4.921	6.299	0.512	23	25003-2457	6.890	8.071	0.591
23	25003-2294	3.916	5.234	0.500	23	25003-2458	10.357	11.500	0.625
23	25003-2297	3.312	4.375	0.500	23	25003-2462	3.750	4.750	0.500
23	25003-2300	3.313	4.500	0.500	23	25003-2465	3.750	4.875	0.500
23	25003-2301	3.312	4.500	0.468	23	25003-2468	3.750	4.999	0.500
23	25003-2308	53.185	54.190	0.812	23	25003-2471	3.750	5.125	0.500
23	25003-2313	27.500	29.500	0.750	23	25003-2472	12.250	14.000	0.625
23	25003-2314	10.236	12.244	0.748	23	25003-2474	3.750	5.250	0.500
23	25003-2319	12.750	14.482	0.787	23	25003-2475	61.417	63.417	0.812
23	25003-2321	3.375	4.375	0.500	23	25003-2477	44.094	46.063	0.812
23	25003-2322	20.000	20.938	0.500	23	25003-2483	3.812	4.875	0.500
23	25003-2324	3.375	4.500	0.500	23	25003-2484	19.685	21.457	0.787
23	25003-2327	3.375	4.625	0.500	23	25003-2485	9.055	10.180	0.494
23	25003-2328	14.961	16.535	0.625	23	25003-2486	3.812	4.999	0.500
23	25003-2330	3.375	4.750	0.500	23	25003-2491	16.187	17.437	0.750
23	25003-2331	2.953	4.213	0.500	23	25003-2493	3.938	4.999	0.438
23	25003-2333	3.375	4.875	0.500	23	25003-2495	3.812	5.375	0.500
23	25003-2337	18.750	20.250	0.500	23	25003-2496	4.803	5.906	0.500
23	25003-2341	5.905	7.087	0.630	23	25003-2497	12.750	14.750	0.812
23	25003-2343	9.625	11.000	0.750	23	25003-2499	17.400	19.400	0.812
23	25003-2344	10.000	11.640	0.750	23	25003-2500	7.874	9.374	0.752
23	25003-2345	3.438	4.500	0.500	23	25003-2501	3.875	4.875	0.500
23	25003-2348	3.437	4.625	0.500	23	25003-2505	20.000	21.250	0.625
23	25003-2350	10.827	12.205	0.591	23	25003-2507	3.875	5.125	0.500
23	25003-2352	10.000	11.375	0.500	23	25003-2509	25.000	26.875	0.750
23	25003-2355	4.187	5.312	0.500	23	25003-2510	3.875	5.250	0.500
23	25003-2358	3.125	4.500	0.438	23	25003-2513	3.875	5.375	0.500
23	25003-2364	3.500	4.375	0.375	23	25003-2518	4.987	6.000	0.500
23	25003-2366	3.500	4.500	0.500	23	25003-2519	3.937	4.999	0.500
23	25003-2372	3.500	4.750	0.500	23	25003-2523	3.938	4.938	0.438
23	25003-2376	10.500	11.500	0.375	23	25003-2525	3.937	5.250	0.500
23	25003-2383	13.500	14.919	0.700	23	25003-2525	3.937	5.250	0.500
23	25003-2385	3.238	4.180	0.500	23	25003-2530	9.500	10.937	0.750
23	25003-2389	15.748	17.716	0.709	23	25003-2533	4.016	5.438	0.500
23	25003-2391	7.750	9.000	0.750	23	25003-2537	4.000	4.999	0.500
23	25003-2393	3.562	4.625	0.500	23	25003-2540	4.000	5.125	0.500
23	25003-2395	12.125	13.375	0.750	23	25003-2543	4.000	5.250	0.500
23	25003-2396	3.562	4.750	0.500	23	25003-2546	4.000	5.375	0.500
23	25003-2406	3.562	4.438	0.438	23	25003-2548	3.938	5.125	0.468
23	25003-2409	5.500	6.750	0.575	23	25003-2549	4.000	5.500	0.500
23	25003-2415	3.625	5.000	0.500	23	25003-2553	4.000	5.500	0.438
23	25003-2417	3.625	4.625	0.500	23	25003-2554	4.000	4.875	0.500
23	25003-2420	3.625	4.750	0.500	23	25003-2557	4.000	4.937	0.500
23	25003-2423	3.625	4.875	0.500	23	25003-2560	6.062	7.062	0.375
23	25003-2426	3.625	4.999	0.500	23	25003-2565	3.000	4.000	0.406
23	25003-2429	3.625	5.125	0.500	23	25003-2570	4.062	5.125	0.500
					23	25003-2572	5.315	6.693	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-2573	4.062	5.250	0.500	23	25003-2735	4.438	5.625	0.500
23	25003-2575	7.937	9.250	0.625	23	25003-2738	4.437	5.750	0.500
23	25003-2578	4.250	5.062	0.375	23	25003-2741	18.000	19.500	0.750
23	25003-2579	4.062	5.500	0.500	23	25003-2744	4.438	6.000	0.500
23	25003-2580	9.375	11.250	0.750	23	25003-2745	4.437	6.000	0.562
23	25003-2581	7.480	8.465	0.500	23	25003-2750	4.438	6.250	0.500
23	25003-2582	11.024	12.205	0.630	23	25003-2753	4.500	5.500	0.500
23	25003-2597	8.465	9.843	0.591	23	25003-2756	4.500	5.625	0.500
23	25003-2600	4.125	5.125	0.500	23	25003-2759	4.500	5.750	0.500
23	25003-2603	4.125	5.250	0.500	23	25003-2762	4.500	5.875	0.500
23	25003-2606	4.125	5.375	0.500	23	25003-2763	4.500	5.750	0.375
23	25003-2608	4.125	5.375	0.625	23	25003-2765	4.500	6.000	0.500
23	25003-2609	4.125	5.500	0.500	23	25003-2769	25.203	27.171	0.812
23	25003-2612	4.125	5.625	0.500	23	25003-2774	4.500	6.375	0.500
23	25003-2617	2.562	3.439	0.375	23	25003-2777	4.562	5.625	0.500
23	25003-2621	4.125	6.000	0.500	23	25003-2780	4.563	5.750	0.500
23	25003-2624	5.500	6.375	0.437	23	25003-2786	4.562	6.000	0.500
23	25003-2626	4.331	5.315	0.500	23	25003-2792	4.562	6.250	0.500
23	25003-2628	26.750	28.562	0.812	23	25003-2798	4.625	5.625	0.500
23	25003-2630	4.187	5.250	0.500	23	25003-2801	4.625	5.750	0.500
23	25003-2633	4.187	5.375	0.500	23	25003-2804	4.625	5.875	0.500
23	25003-2634	4.724	5.708	0.500	23	25003-2807	4.625	6.000	0.500
23	25003-2636	4.188	5.500	0.500	23	25003-2810	4.625	6.125	0.500
23	25003-2641	4.188	5.188	0.500	23	25003-2813	4.625	6.250	0.500
23	25003-2642	4.187	5.750	0.500	23	25003-2819	4.687	5.750	0.500
23	25003-2644	4.188	5.250	0.469	23	25003-2822	4.687	5.875	0.500
23	25003-2657	4.250	5.250	0.500	23	25003-2826	6.693	7.874	0.472
23	25003-2658	4.250	5.250	0.562	23	25003-2828	7.087	8.268	0.472
23	25003-2660	4.250	5.375	0.500	23	25003-2829	8.661	9.843	0.472
23	25003-2663	4.250	5.500	0.500	23	25003-2833	8.268	9.449	0.472
23	25003-2666	4.250	5.625	0.500	23	25003-2837	4.750	5.750	0.500
23	25003-2669	4.250	5.750	0.500	23	25003-2840	4.750	5.875	0.500
23	25003-2674	23.228	25.197	0.787	23	25003-2843	4.750	6.000	0.500
23	25003-2679	7.480	8.480	0.500	23	25003-2846	4.750	6.125	0.500
23	25003-2680	6.000	7.125	0.437	23	25003-2849	4.750	6.250	0.500
23	25003-2684	4.312	5.375	0.500	23	25003-2855	4.812	5.875	0.500
23	25003-2687	4.313	5.500	0.500	23	25003-2858	4.812	6.000	0.500
23	25003-2689	4.312	5.500	0.625	23	25003-2861	4.812	6.125	0.500
23	25003-2690	4.312	5.625	0.500	23	25003-2866	7.480	8.677	0.500
23	25003-2691	4.313	5.501	0.438	23	25003-2870	4.875	5.875	0.500
23	25003-2693	4.312	5.750	0.500	23	25003-2873	4.875	6.000	0.500
23	25003-2696	4.313	5.313	0.438	23	25003-2875	4.875	6.000	0.625
23	25003-2697	18.449	19.449	0.500	23	25003-2876	4.875	6.125	0.500
23	25003-2700	14.394	15.394	0.500	23	25003-2878	4.875	6.125	0.625
23	25003-2708	4.375	5.375	0.500	23	25003-2879	4.875	6.250	0.500
23	25003-2711	4.375	5.500	0.500	23	25003-2880	4.875	6.250	0.562
23	25003-2714	4.375	5.625	0.500	23	25003-2882	4.875	6.375	0.500
23	25003-2717	4.375	5.750	0.500	23	25003-2887	4.921	5.906	0.472
23	25003-2719	4.375	5.750	0.625	23	25003-2893	4.938	5.938	0.438
23	25003-2720	4.375	5.875	0.500	23	25003-2894	4.937	6.000	0.500
23	25003-2724	4.375	6.000	0.562	23	25003-2896	4.937	6.000	0.625
23	25003-2732	4.438	5.500	0.500	23	25003-2897	4.938	6.125	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-2900	4.938	6.250	0.500	23	25003-3073	5.250	6.750	0.625
23	25003-2903	4.938	6.375	0.500	23	25003-3083	33.000	35.000	0.750
23	25003-2904	4.937	6.375	0.562	23	25003-3088	20.939	22.939	0.812
23	25003-2910	4.938	5.875	0.500	23	25003-3090	5.302	6.302	0.500
23	25003-2911	12.598	14.330	0.787	23	25003-3091	15.000	16.375	0.531
23	25003-2915	5.000	6.000	0.500	23	25003-3092	5.313	6.375	0.500
23	25003-2918	5.000	6.125	0.500	23	25003-3093	12.205	13.780	0.709
23	25003-2919	5.000	6.125	0.563	23	25003-3094	7.000	8.187	0.625
23	25003-2921	5.000	6.250	0.500	23	25003-3095	5.312	6.500	0.500
23	25003-2923	5.000	6.250	0.625	23	25003-3096	3.820	5.042	0.375
23	25003-2924	5.000	6.375	0.500	23	25003-3098	5.312	6.625	0.500
23	25003-2926	5.000	6.375	0.625	23	25003-3105	9.500	10.875	0.750
23	25003-2927	5.000	6.500	0.500	23	25003-3109	7.059	8.249	0.625
23	25003-2928	5.000	6.500	0.562	23	25003-3110	9.945	11.560	0.750
23	25003-2943	3.437	4.875	0.437	23	25003-3112	8.464	9.339	0.437
23	25003-2944	16.625	18.500	0.750	23	25003-3114	13.469	14.680	0.500
23	25003-2946	2.938	4.064	0.500	23	25003-3117	8.500	10.062	0.750
23	25003-2949	4.291	5.394	0.500	23	25003-3118	5.315	6.693	0.591
23	25003-2954	5.062	6.125	0.500	23	25003-3122	5.375	6.375	0.500
23	25003-2965	3.438	4.460	0.500	23	25003-3125	5.375	6.500	0.500
23	25003-2966	2.953	3.937	0.375	23	25003-3126	5.375	6.500	0.562
23	25003-2968	11.250	12.530	0.625	23	25003-3127	5.375	6.500	0.625
23	25003-2970	8.250	9.312	0.437	23	25003-3128	5.375	6.625	0.500
23	25003-2973	5.000	6.437	0.500	23	25003-3129	5.375	6.625	0.562
23	25003-2974	5.000	5.875	0.500	23	25003-3130	5.375	6.625	0.625
23	25003-2976	8.471	9.850	0.630	23	25003-3131	5.375	6.750	0.500
23	25003-2977	4.938	5.750	0.500	23	25003-3132	9.448	11.417	0.630
23	25003-2980	13.750	15.250	0.500	23	25003-3134	5.375	6.875	0.500
23	25003-2983	6.750	8.000	0.375	23	25003-3137	12.250	13.875	0.625
23	25003-2984	4.435	5.594	0.500	23	25003-3138	69.125	71.125	0.812
23	25003-2985	4.000	5.625	0.375	23	25003-3140	53.000	54.882	0.881
23	25003-2988	5.118	6.299	0.591	23	25003-3141	26.220	27.220	0.500
23	25003-2990	5.125	6.125	0.500	23	25003-3143	4.875	6.062	0.500
23	25003-2993	5.125	6.250	0.500	23	25003-3144	5.438	6.875	0.750
23	25003-2994	5.125	6.250	0.562	23	25003-3146	10.000	11.250	0.687
23	25003-2996	5.125	6.375	0.500	23	25003-3147	75.000	77.000	1.000
23	25003-2997	5.125	6.375	0.562	23	25003-3148	5.512	7.087	0.625
23	25003-2998	5.125	6.375	0.625	23	25003-3149	14.750	16.625	0.812
23	25003-2999	5.125	6.500	0.500	23	25003-3150	10.438	11.688	0.812
23	25003-3001	5.125	6.500	0.625	23	25003-3152	5.438	6.625	0.500
23	25003-3007	8.375	9.750	0.625	23	25003-3154	11.150	12.375	0.625
23	25003-3012	4.309	5.348	0.375	23	25003-3155	5.437	6.750	0.500
23	25003-3026	5.187	6.250	0.500	23	25003-3157	5.437	6.750	0.625
23	25003-3029	5.188	6.375	0.500	23	25003-3159	4.375	5.250	0.375
23	25003-3032	5.187	6.500	0.500	23	25003-3160	9.000	10.672	0.750
23	25003-3057	20.000	21.500	0.625	23	25003-3163	5.225	6.513	0.625
23	25003-3059	5.250	6.250	0.500	23	25003-3165	29.527	31.496	0.787
23	25003-3062	5.250	6.375	0.500	23	25003-3168	6.500	7.375	0.500
23	25003-3065	5.250	6.500	0.500	23	25003-3169	29.527	31.496	0.905
23	25003-3067	5.250	6.500	0.625	23	25003-3170	12.992	14.724	0.748
23	25003-3068	5.250	6.625	0.500	23	25003-3171	5.897	7.147	0.625
23	25003-3071	5.250	6.750	0.500	23	25003-3172	3.125	4.008	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-3176	5.500	6.500	0.500	23	25003-3283	5.750	7.000	0.625
23	25003-3179	5.500	6.625	0.500	23	25003-3284	5.750	7.125	0.500
23	25003-3180	5.500	6.625	0.562	23	25003-3287	5.750	7.250	0.500
23	25003-3182	5.500	6.750	0.500	23	25003-3288	5.750	7.500	0.562
23	25003-3184	5.500	6.750	0.625	23	25003-3293	5.750	7.500	0.500
23	25003-3185	5.500	6.875	0.500	23	25003-3298	8.125	9.250	0.625
23	25003-3188	5.500	7.000	0.500	23	25003-3303	5.875	6.750	0.625
23	25003-3190	5.500	7.000	0.625	23	25003-3308	5.813	7.250	0.625
23	25003-3195	9.125	10.125	0.375	23	25003-3316	5.875	6.875	0.500
23	25003-3196	6.000	7.406	0.588	23	25003-3319	5.875	7.000	0.500
23	25003-3197	5.708	7.086	0.630	23	25003-3324	5.875	7.125	0.625
23	25003-3198	10.250	11.500	0.500	23	25003-3325	5.875	7.250	0.500
23	25003-3199	8.000	9.250	0.437	23	25003-3327	5.906	7.087	0.591
23	25003-3203	5.562	6.625	0.500	23	25003-3328	5.875	7.375	0.500
23	25003-3204	5.512	6.890	0.709	23	25003-3330	5.875	7.375	0.625
23	25003-3207	2.431	3.400	0.500	23	25003-3332	5.875	7.500	0.563
23	25003-3209	12.795	14.370	0.630	23	25003-3335	5.937	7.000	0.500
23	25003-3212	5.500	6.625	0.406	23	25003-3343	5.938	7.250	0.625
23	25003-3216	6.875	8.062	0.563	23	25003-3344	5.938	7.375	0.500
23	25003-3217	7.750	8.812	0.500	23	25003-3351	5.938	7.625	0.500
23	25003-3220	22.958	24.958	0.812	23	25003-3355	6.000	7.000	0.500
23	25003-3222	15.108	16.750	0.750	23	25003-3357	6.000	7.000	0.625
23	25003-3223	16.750	18.000	0.750	23	25003-3359	6.000	7.125	0.562
23	25003-3224	12.750	14.000	0.500	23	25003-3360	6.000	7.125	0.625
23	25003-3228	5.625	6.625	0.500	23	25003-3361	6.000	7.250	0.500
23	25003-3229	3.938	5.118	0.375	23	25003-3363	6.000	7.250	0.625
23	25003-3231	5.625	6.750	0.500	23	25003-3364	6.000	7.375	0.500
23	25003-3233	5.625	6.750	0.625	23	25003-3367	6.000	7.500	0.500
23	25003-3234	5.625	6.875	0.500	23	25003-3369	6.000	7.500	0.625
23	25003-3236	5.625	6.875	0.625	23	25003-3370	6.000	7.500	0.750
23	25003-3239	11.750	13.000	0.813	23	25003-3375	6.125	7.125	0.500
23	25003-3240	5.625	7.125	0.500	23	25003-3376	6.063	7.063	0.438
23	25003-3241	6.750	8.500	0.500	23	25003-3378	6.125	7.250	0.500
23	25003-3247	17.000	18.250	0.500	23	25003-3380	6.125	7.250	0.625
23	25003-3248	3.937	4.921	0.500	23	25003-3381	6.125	7.375	0.500
23	25003-3250	14.370	15.866	0.748	23	25003-3383	6.125	7.375	0.625
23	25003-3251	6.889	7.874	0.500	23	25003-3388	6.250	7.250	0.500
23	25003-3253	5.687	6.750	0.500	23	25003-3390	6.250	7.250	0.625
23	25003-3255	9.250	10.375	0.625	23	25003-3391	6.250	7.375	0.500
23	25003-3256	3.750	5.250	0.438	23	25003-3394	6.250	7.500	0.500
23	25003-3257	7.000	8.000	0.375	23	25003-3395	6.250	7.500	0.562
23	25003-3258	5.688	6.750	0.625	23	25003-3396	6.250	7.500	0.625
23	25003-3261	11.063	12.313	0.625	23	25003-3398	6.250	7.625	0.500
23	25003-3262	14.810	15.685	0.375	23	25003-3402	6.250	7.750	0.500
23	25003-3269	6.299	7.274	0.750	23	25003-3404	6.250	7.750	0.625
23	25003-3275	5.750	6.750	0.500	23	25003-3405	6.250	7.750	0.750
23	25003-3276	5.750	6.750	0.438	23	25003-3406	6.375	7.375	0.500
23	25003-3278	5.750	6.875	0.500	23	25003-3409	6.375	7.500	0.500
23	25003-3279	5.750	6.875	0.562	23	25003-3413	6.375	7.625	0.500
23	25003-3280	5.750	6.875	0.625	23	25003-3415	6.375	7.625	0.625
23	25003-3281	5.750	7.000	0.500	23	25003-3417	6.375	7.750	0.500
23	25003-3282	5.750	7.000	0.562	23	25003-3419	6.375	7.500	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-3421	6.375	7.875	0.500	23	25003-3524	7.250	8.625	0.625
23	25003-3423	6.375	7.875	0.625	23	25003-3525	7.250	8.625	0.750
23	25003-3424	6.375	7.875	0.750	23	25003-3526	7.250	8.750	0.625
23	25003-3425	6.438	7.750	0.750	23	25003-3527	7.250	8.750	0.750
23	25003-3426	6.500	7.500	0.625	23	25003-3528	7.375	8.375	0.625
23	25003-3428	6.500	7.625	0.625	23	25003-3530	7.375	8.500	0.625
23	25003-3430	6.500	7.750	0.625	23	25003-3532	7.375	8.625	0.625
23	25003-3431	6.500	7.750	0.750	23	25003-3533	7.375	8.625	0.750
23	25003-3432	6.500	7.875	0.625	23	25003-3536	7.375	8.875	0.625
23	25003-3434	6.500	8.000	0.625	23	25003-3537	7.375	8.875	0.750
23	25003-3435	6.500	8.000	0.750	23	25003-3544	7.500	8.500	0.625
23	25003-3436	6.625	7.625	0.625	23	25003-3546	7.500	8.625	0.625
23	25003-3438	6.625	7.750	0.625	23	25003-3548	7.500	8.750	0.625
23	25003-3440	6.625	7.875	0.625	23	25003-3552	7.500	9.000	0.625
23	25003-3442	6.625	8.000	0.625	23	25003-3553	7.500	9.000	0.750
23	25003-3444	6.625	8.125	0.625	23	25003-3554	7.500	9.125	0.625
23	25003-3445	6.625	8.125	0.750	23	25003-3558	7.625	8.625	0.625
23	25003-3455	6.750	7.750	0.438	23	25003-3562	7.625	8.875	0.625
23	25003-3456	6.750	7.750	0.625	23	25003-3564	7.625	9.000	0.625
23	25003-3458	6.750	7.875	0.625	23	25003-3566	7.625	9.125	0.625
23	25003-3459	6.750	7.875	0.375	23	25003-3567	7.625	9.125	0.750
23	25003-3460	6.750	8.000	0.625	23	25003-3570	7.750	8.750	0.625
23	25003-3462	6.750	8.125	0.625	23	25003-3573	7.750	8.875	0.750
23	25003-3464	6.750	8.250	0.625	23	25003-3574	7.750	9.000	0.625
23	25003-3465	6.750	8.250	0.750	23	25003-3576	7.750	9.125	0.625
23	25003-3476	6.875	8.000	0.625	23	25003-3578	7.750	9.250	0.625
23	25003-3477	6.875	7.875	0.438	23	25003-3579	7.750	9.250	0.750
23	25003-3478	6.875	8.125	0.625	23	25003-3580	7.875	8.875	0.625
23	25003-3480	6.875	8.250	0.625	23	25003-3581	7.812	8.812	0.438
23	25003-3481	6.875	8.250	0.750	23	25003-3584	7.875	9.125	0.625
23	25003-3482	6.875	8.375	0.625	23	25003-3586	7.875	9.250	0.625
23	25003-3483	6.875	8.375	0.750	23	25003-3587	7.875	9.250	0.750
23	25003-3490	6.937	8.125	0.750	23	25003-3588	7.875	9.375	0.625
23	25003-3492	7.000	8.000	0.625	23	25003-3589	7.875	9.375	0.750
23	25003-3494	7.000	8.125	0.625	23	25003-3590	7.937	9.125	0.625
23	25003-3495	7.000	8.125	0.750	23	25003-3592	8.000	9.000	0.625
23	25003-3496	7.000	8.250	0.625	23	25003-3594	8.000	9.125	0.625
23	25003-3497	7.000	8.250	0.750	23	25003-3595	8.000	9.125	0.750
23	25003-3498	7.000	8.375	0.625	23	25003-3596	8.000	9.250	0.625
23	25003-3499	7.000	8.375	0.750	23	25003-3597	8.000	9.250	0.750
23	25003-3500	7.000	8.500	0.625	23	25003-3598	8.000	9.375	0.625
23	25003-3501	7.000	8.500	0.750	23	25003-3600	8.000	9.500	0.625
23	25003-3502	7.000	8.000	0.438	23	25003-3601	8.000	9.500	0.750
23	25003-3506	7.125	8.125	0.625	23	25003-3604	8.250	9.250	0.625
23	25003-3508	7.125	8.250	0.625	23	25003-3606	8.250	9.500	0.625
23	25003-3510	7.125	8.375	0.625	23	25003-3608	8.375	9.750	0.750
23	25003-3512	7.125	8.500	0.625	23	25003-3611	8.625	10.625	0.750
23	25003-3515	7.125	8.625	0.750	23	25003-3616	9.000	10.125	0.750
23	25003-3518	7.250	8.250	0.625	23	25003-3619	9.000	10.500	0.750
23	25003-3521	7.188	8.437	0.625	23	25003-3620	9.000	10.625	0.750
23	25003-3522	7.250	8.500	0.625	23	25003-3621	9.000	10.750	0.750
23	25003-3523	7.250	8.500	0.750	23	25003-3622	9.000	10.875	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-3623	9.000	11.000	0.750	23	25003-3940	8.625	10.125	0.750
23	25003-3632	9.250	10.750	0.750	23	25003-3941	8.625	10.250	0.750
23	25003-3636	9.437	10.625	0.750	23	25003-3942	8.661	9.842	0.630
23	25003-3638	9.500	10.500	0.625	23	25003-3947	8.750	10.250	0.750
23	25003-3640	9.500	10.750	0.625	23	25003-3948	8.750	10.375	0.750
23	25003-3642	9.500	11.000	0.625	23	25003-3949	8.750	10.500	0.750
23	25003-3645	9.500	11.375	0.625	23	25003-3951	8.750	10.750	0.750
23	25003-3646	9.500	11.500	0.625	23	25003-3952	8.750	10.750	0.812
23	25003-3652	9.750	11.000	0.750	23	25003-3953	8.875	10.875	0.812
23	25003-3654	9.750	11.250	0.750	23	25003-3955	9.000	11.000	0.812
23	25003-3660	10.000	11.000	0.562	23	25003-3958	9.125	10.625	0.750
23	25003-3661	10.000	11.125	0.563	23	25003-3959	9.125	10.750	0.750
23	25003-3662	10.000	11.250	0.562	23	25003-3965	9.250	11.000	0.750
23	25003-3666	10.000	11.750	0.562	23	25003-3966	7.985	9.000	0.375
23	25003-3672	10.000	11.500	0.750	23	25003-3967	9.250	11.250	0.750
23	25003-3676	10.250	12.250	0.750	23	25003-3971	9.375	10.875	0.750
23	25003-3682	10.750	11.750	0.562	23	25003-3972	9.375	11.000	0.750
23	25003-3685	10.750	12.250	0.562	23	25003-3973	9.449	11.024	0.748
23	25003-3686	10.750	12.500	0.562	23	25003-3977	9.437	10.500	0.625
23	25003-3687	10.750	12.750	0.562	23	25003-3979	9.500	11.000	0.750
23	25003-3691	11.000	12.000	0.625	23	25003-3981	9.500	11.250	0.750
23	25003-3692	11.000	12.250	0.625	23	25003-3983	9.500	11.500	0.750
23	25003-3693	11.000	12.500	0.625	23	25003-3984	9.500	11.500	0.812
23	25003-3695	11.062	12.250	0.750	23	25003-3985	9.750	11.250	0.688
23	25003-3696	11.063	12.500	0.750	23	25003-3989	9.750	11.750	0.750
23	25003-3701	12.000	13.750	0.688	23	25003-3990	9.875	11.375	0.750
23	25003-3712	12.500	13.500	0.625	23	25003-3991	9.875	11.500	0.750
23	25003-3728	14.500	16.500	0.750	23	25003-3992	10.000	11.500	0.688
23	25003-3741	18.000	19.500	0.750	23	25003-3993	10.000	11.625	0.750
23	25003-3760	21.125	22.125	0.500	23	25003-3994	10.000	11.750	0.750
23	25003-3773	19.000	21.500	0.875	23	25003-3995	10.000	12.000	0.625
23	25003-3779	19.500	21.000	0.750	23	25003-3996	10.000	12.000	0.750
23	25003-3796	30.000	32.000	1.000	23	25003-3997	10.000	12.000	0.812
23	25003-3813	32.500	34.500	1.000	23	25003-4000	10.125	11.625	0.750
23	25003-3818	8.250	9.500	0.750	23	25003-4003	10.125	12.000	0.750
23	25003-3830	34.500	36.500	1.000	23	25003-4005	10.250	11.750	0.750
23	25003-3832	8.875	10.125	0.625	23	25003-4007	10.250	12.000	0.750
23	25003-3853	12.000	14.000	0.625	23	25003-4009	10.250	12.250	0.812
23	25003-3868	16.500	17.750	0.750	23	25003-4011	10.500	12.000	0.688
23	25003-3885	1.750	3.189	0.500	23	25003-4012	10.500	12.000	0.750
23	25003-3911	7.480	8.858	0.629	23	25003-4013	10.500	12.125	0.750
23	25003-3913	6.299	7.480	0.629	23	25003-4014	10.500	12.250	0.750
23	25003-3914	7.874	9.055	0.551	23	25003-4016	10.500	12.500	0.750
23	25003-3917	6.438	7.500	0.500	23	25003-4017	10.500	12.500	0.812
23	25003-3921	8.000	9.500	0.687	23	25003-4018	10.625	12.125	0.750
23	25003-3928	8.125	9.625	0.750	23	25003-4019	10.625	12.250	0.750
23	25003-3930	7.971	9.000	0.375	23	25003-4020	10.625	12.375	0.750
23	25003-3933	8.375	9.875	0.687	23	25003-4024	10.750	12.250	0.750
23	25003-3934	8.375	9.875	0.750	23	25003-4030	10.750	12.750	0.750
23	25003-3935	8.500	9.500	0.625	23	25003-4031	10.750	12.750	0.812
23	25003-3937	8.500	10.000	0.750	23	25003-4032	10.875	12.375	0.750
23	25003-3938	8.500	10.500	0.812	23	25003-4036	11.000	13.000	0.812

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-4046	11.250	12.750	0.750	23	25003-4149	14.750	16.500	0.750
23	25003-4047	11.250	13.250	0.812	23	25003-4151	15.000	16.500	0.688
23	25003-4049	11.125	13.125	0.812	23	25003-4152	15.000	16.500	0.750
23	25003-4050	11.375	12.875	0.750	23	25003-4153	15.000	16.750	0.750
23	25003-4051	11.375	13.000	0.750	23	25003-4155	15.000	17.000	0.750
23	25003-4057	11.500	13.000	0.688	23	25003-4156	15.000	17.000	0.812
23	25003-4058	11.500	13.000	0.750	23	25003-4158	15.312	16.875	0.687
23	25003-4060	11.500	13.250	0.750	23	25003-4159	15.375	17.375	0.812
23	25003-4061	11.500	13.375	0.750	23	25003-4162	15.500	17.000	0.750
23	25003-4062	11.500	13.500	0.750	23	25003-4163	15.500	17.500	0.812
23	25003-4063	11.500	13.500	0.812	23	25003-4176	15.875	17.875	0.812
23	25003-4064	11.750	13.250	0.688	23	25003-4178	16.000	17.500	0.750
23	25003-4065	11.750	13.250	0.750	23	25003-4180	16.000	18.000	0.812
23	25003-4067	12.000	13.500	0.750	23	25003-4181	16.250	17.750	0.687
23	25003-4068	12.000	13.625	0.750	23	25003-4182	16.250	17.750	0.750
23	25003-4071	12.000	14.000	0.750	23	25003-4184	16.250	18.000	0.750
23	25003-4072	12.000	14.000	0.812	23	25003-4185	16.500	18.000	0.750
23	25003-4074	12.250	13.750	0.750	23	25003-4186	16.500	18.500	0.812
23	25003-4075	12.250	14.250	0.812	23	25003-4188	17.000	18.500	0.687
23	25003-4077	12.375	13.875	0.750	23	25003-4189	17.000	18.500	0.750
23	25003-4079	12.500	14.000	0.688	23	25003-4190	17.000	19.000	0.812
23	25003-4080	12.500	14.000	0.750	23	25003-4195	17.500	19.000	0.750
23	25003-4082	12.500	14.500	0.750	23	25003-4196	17.500	19.250	0.750
23	25003-4083	12.500	14.500	0.812	23	25003-4198	17.500	19.500	0.688
23	25003-4086	12.625	14.125	0.750	23	25003-4200	17.750	19.750	0.812
23	25003-4088	12.750	14.250	0.625	23	25003-4204	17.875	19.875	0.812
23	25003-4089	12.750	14.250	0.688	23	25003-4206	18.000	19.500	0.688
23	25003-4093	13.000	14.500	0.687	23	25003-4209	18.000	20.000	0.750
23	25003-4094	13.000	14.500	0.750	23	25003-4211	18.250	19.750	0.750
23	25003-4095	13.000	14.625	0.750	23	25003-4212	18.250	19.875	0.750
23	25003-4098	13.000	15.000	0.750	23	25003-4213	18.375	19.875	0.687
23	25003-4099	13.000	15.000	0.812	23	25003-4217	18.750	20.250	0.750
23	25003-4102	13.250	14.750	0.750	23	25003-4218	19.000	20.500	0.750
23	25003-4103	13.250	14.875	0.750	23	25003-4225	19.250	21.000	0.812
23	25003-4121	13.500	15.000	0.687	23	25003-4230	20.000	21.750	0.812
23	25003-4122	13.500	15.000	0.750	23	25003-4235	20.000	21.500	0.750
23	25003-4127	13.500	15.500	0.750	23	25003-4239	20.250	21.750	0.750
23	25003-4128	13.500	15.500	0.812	23	25003-4279	22.500	24.500	0.875
23	25003-4129	13.750	15.750	0.812	23	25003-4304	24.437	26.437	0.750
23	25003-4131	14.000	15.500	0.687	23	25003-4308	25.000	26.500	0.750
23	25003-4132	14.000	15.500	0.750	23	25003-4315	27.500	29.000	0.750
23	25003-4133	14.000	15.563	0.750	23	25003-4317	25.500	27.000	0.750
23	25003-4134	14.000	15.750	0.750	23	25003-4343	28.000	29.500	0.750
23	25003-4135	14.000	16.000	0.812	23	25003-4346	28.500	30.500	0.875
23	25003-4137	13.875	15.875	0.812	23	25003-4347	29.000	30.500	0.750
23	25003-4138	14.190	15.690	0.625	23	25003-4351	17.360	19.360	0.812
23	25003-4140	14.250	16.250	0.812	23	25003-4356	30.000	31.500	0.750
23	25003-4142	14.500	16.000	0.688	23	25003-4374	17.313	18.313	0.500
23	25003-4143	14.500	16.000	0.750	23	25003-4376	17.500	18.650	0.531
23	25003-4145	14.500	16.500	0.812	23	25003-4381	33.000	34.500	0.750
23	25003-4147	14.750	16.250	0.688	23	25003-4386	40.157	41.339	0.750
23	25003-4148	14.750	16.250	0.750	23	25003-4393	17.323	18.898	0.787

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-4403	17.500	19.000	0.625	23	25003-4516	9.750	11.125	0.625
23	25003-4413	8.688	9.938	0.500	23	25003-4517	9.750	11.250	0.625
23	25003-4414	14.875	16.500	0.750	23	25003-4518	8.688	10.625	0.750
23	25003-4415	5.709	7.087	0.591	23	25003-4520	10.750	12.000	0.625
23	25003-4420	5.500	6.687	0.625	23	25003-4521	16.535	18.504	0.750
23	25003-4424	6.125	7.187	0.500	23	25003-4522	10.750	12.250	0.625
23	25003-4425	5.312	6.687	0.625	23	25003-4523	17.750	19.000	0.750
23	25003-4426	3.875	5.062	0.375	23	25003-4525	19.750	20.750	0.500
23	25003-4435	37.000	39.000	1.000	23	25003-4526	29.500	30.500	0.500
23	25003-4438	37.500	39.500	0.875	23	25003-4527	11.250	12.750	0.687
23	25003-4440	57.500	59.500	0.812	23	25003-4530	13.750	15.250	0.750
23	25003-4441	12.063	13.625	0.750	23	25003-4532	13.750	15.750	0.750
23	25003-4442	2.977	3.959	0.500	23	25003-4533	26.500	28.000	0.750
23	25003-4444	8.625	10.125	0.609	23	25003-4535	19.375	20.375	0.500
23	25003-4445	6.438	7.708	0.625	23	25003-4536	4.813	6.313	0.500
23	25003-4447	4.664	5.875	0.500	23	25003-4551	6.250	7.185	0.500
23	25003-4449	7.086	8.500	0.625	23	25003-4556	42.750	44.250	0.750
23	25003-4450	11.000	12.375	0.750	23	25003-4557	3.000	4.000	0.500
23	25003-4451	5.375	6.500	0.750	23	25003-4560	6.500	7.500	0.500
23	25003-4452	11.938	13.760	0.750	23	25003-4561	7.125	8.125	0.500
23	25003-4455	3.750	4.750	0.438	23	25003-4572	46.250	47.750	0.750
23	25003-4459	4.563	5.437	0.500	23	25003-4575	5.344	6.312	0.500
23	25003-4460	9.563	10.653	0.500	23	25003-4576	5.375	6.312	0.500
23	25003-4461	5.500	6.756	0.500	23	25003-4585	5.875	7.375	0.563
23	25003-4471	41.250	42.750	0.750	23	25003-4588	17.190	19.190	0.812
23	25003-4476	15.250	17.250	0.812	23	25003-4589	17.500	19.000	0.812
23	25003-4477	6.938	8.125	0.625	23	25003-4591	12.500	14.000	0.812
23	25003-4478	6.938	8.375	0.625	23	25003-4595	6.438	7.500	0.625
23	25003-4479	6.937	8.500	0.625	23	25003-4596	13.383	14.883	0.750
23	25003-4480	12.625	14.000	0.750	23	25003-4599	2.500	3.194	0.375
23	25003-4481	27.559	29.055	0.748	23	25003-4601	14.961	16.693	0.787
23	25003-4482	9.859	10.859	0.500	23	25003-4602	11.811	13.543	0.787
23	25003-4489	5.512	6.387	0.375	23	25003-4604	11.938	13.438	0.625
23	25003-4490	6.063	7.500	0.500	23	25003-4607	3.000	4.070	0.500
23	25003-4493	19.188	20.938	0.625	23	25003-4608	48.000	50.000	1.000
23	25003-4494	15.625	17.250	0.750	23	25003-4610	9.375	11.375	0.812
23	25003-4495	10.500	12.000	0.625	23	25003-4612	12.000	13.500	0.688
23	25003-4496	12.500	14.000	0.625	23	25003-4615	15.250	16.750	0.688
23	25003-4497	9.842	11.417	0.590	23	25003-4617	19.250	20.750	0.750
23	25003-4502	8.500	10.000	0.625	23	25003-4618	9.938	11.938	0.625
23	25003-4503	9.000	10.000	0.625	23	25003-4619	20.500	22.000	0.750
23	25003-4504	9.000	10.125	0.625	23	25003-4621	21.750	23.250	0.750
23	25003-4505	9.000	10.250	0.625	23	25003-4623	24.000	25.500	0.750
23	25003-4506	9.000	10.375	0.625	23	25003-4624	6.889	7.874	0.591
23	25003-4507	9.000	10.500	0.625	23	25003-4625	15.500	16.500	0.500
23	25003-4508	9.000	10.625	0.625	23	25003-4629	15.748	17.480	0.787
23	25003-4509	9.250	10.250	0.625	23	25003-4630	12.992	14.724	0.787
23	25003-4510	16.929	18.504	0.787	23	25003-4634	6.299	7.480	0.500
23	25003-4511	9.250	10.500	0.625	23	25003-4640	3.500	4.500	0.468
23	25003-4512	9.625	10.875	0.750	23	25003-4651	4.000	5.000	0.500
23	25003-4513	9.750	10.750	0.625	23	25003-4655	11.811	13.386	0.787
23	25003-4515	9.750	11.000	0.625	23	25003-4656	5.118	6.299	0.472

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-4658	70.688	72.688	0.875	23	25003-4776	3.937	5.187	0.500
23	25003-4660	5.187	6.187	0.500	23	25003-4778	10.313	11.938	0.813
23	25003-4663	17.250	18.750	0.625	23	25003-4779	13.250	15.250	0.812
23	25003-4664	15.875	17.375	0.750	23	25003-4785	11.962	12.687	0.500
23	25003-4666	13.504	15.504	0.812	23	25003-4786	5.312	6.578	0.500
23	25003-4667	17.795	19.795	0.812	23	25003-4788	12.750	14.000	0.750
23	25003-4673	19.000	20.125	0.547	23	25003-4789	6.000	7.085	0.438
23	25003-4675	24.500	25.625	0.500	23	25003-4791	12.909	13.872	0.675
23	25003-4676	25.750	26.875	0.500	23	25003-4796	4.562	5.687	0.500
23	25003-4678	19.625	21.625	0.812	23	25003-4797	3.375	4.437	0.375
23	25003-4684	10.000	11.910	0.812	23	25003-4799	8.375	9.875	0.625
23	25003-4686	3.475	4.500	0.375	23	25003-4803	9.125	10.375	0.625
23	25003-4688	3.375	4.375	0.438	23	25003-4804	3.000	4.250	0.500
23	25003-4691	14.250	16.000	0.812	23	25003-4805	10.236	11.968	0.787
23	25003-4694	6.375	7.750	0.625	23	25003-4810	8.062	9.312	0.500
23	25003-4698	25.875	26.875	0.500	23	25003-4812	10.438	12.000	0.750
23	25003-4699	14.500	15.750	0.625	23	25003-4815	17.875	18.875	0.500
23	25003-4702	75.000	76.000	0.375	23	25003-4817	3.937	4.937	0.500
23	25003-4705	4.437	5.437	0.375	23	25003-4820	4.437	5.562	0.500
23	25003-4710	3.437	5.000	0.500	23	25003-4822	8.000	9.000	0.437
23	25003-4713	5.438	6.500	0.525	23	25003-4823	9.563	10.563	0.500
23	25003-4714	26.000	27.000	0.500	23	25003-4826	7.086	8.086	0.500
23	25003-4724	9.250	10.500	0.500	23	25003-4831	5.511	6.511	0.500
23	25003-4726	6.000	7.203	0.750	23	25003-4833	7.760	8.875	0.500
23	25003-4727	8.500	10.250	0.750	23	25003-4839	24.875	26.875	0.812
23	25003-4729	6.125	7.625	0.750	23	25003-4841	5.420	6.625	0.500
23	25003-4730	6.950	8.125	0.750	23	25003-4842	4.438	5.375	0.375
23	25003-4733	5.250	6.562	0.750	23	25003-4846	3.543	4.527	0.500
23	25003-4738	4.000	4.897	0.500	23	25003-4847	4.133	5.110	0.472
23	25003-4739	19.500	21.500	0.500	23	25003-4850	9.892	11.338	0.750
23	25003-4741	19.000	21.000	0.500	23	25003-4854	10.687	12.687	0.750
23	25003-4742	3.719	5.094	0.500	23	25003-4856	62.000	64.000	0.812
23	25003-4743	32.500	33.625	0.562	23	25003-4857	29.875	31.875	0.812
23	25003-4745	3.500	4.999	0.375	23	25003-4860	7.874	8.816	0.500
23	25003-4747	3.933	4.933	0.500	23	25003-4862	5.906	7.283	0.708
23	25003-4750	5.437	6.437	0.500	23	25003-4863	22.320	24.320	0.812
23	25003-4756	14.687	16.687	0.812	23	25003-4864	3.625	4.875	0.375
23	25003-4757	8.661	9.842	0.512	23	25003-4865	9.055	11.024	0.630
23	25003-4758	4.187	5.187	0.375	23	25003-4867	11.000	12.750	0.750
23	25003-4759	4.812	5.750	0.500	23	25003-4872	35.433	37.402	0.787
23	25003-4760	8.250	9.375	0.500	23	25003-4873	4.500	5.500	0.437
23	25003-4761	52.000	54.000	0.812	23	25003-4874	24.000	25.500	0.700
23	25003-4762	5.625	7.000	0.750	23	25003-4879	3.312	4.125	0.500
23	25003-4763	7.938	8.875	0.500	23	25003-4880	4.166	5.506	0.500
23	25003-4764	10.063	11.688	0.750	23	25003-4881	11.811	13.779	0.750
23	25003-4765	2.755	3.543	0.375	23	25003-4882	2.500	3.418	0.438
23	25003-4768	3.150	4.249	0.438	23	25003-4885	9.055	10.630	0.630
23	25003-4769	3.070	3.937	0.437	23	25003-4886	7.187	8.562	0.625
23	25003-4770	13.000	14.250	0.625	23	25003-4889	7.500	8.875	0.500
23	25003-4771	4.500	5.750	0.375	23	25003-4893	8.375	9.625	0.625
23	25003-4772	3.875	5.000	0.500	23	25003-4895	12.250	13.821	0.750
23	25003-4774	7.000	8.375	0.688	23	25003-4897	29.918	31.418	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-4900	6.812	8.312	0.750	23	25003-5081	42.750	43.750	0.500
23	25003-4911	12.000	13.750	0.750	23	25003-5082	9.875	11.875	0.750
23	25003-4912	82.283	84.252	0.812	23	25003-5092	5.312	6.562	0.625
23	25003-4913	13.250	15.125	0.500	23	25003-5093	9.375	10.375	0.437
23	25003-4919	88.031	90.031	0.812	23	25003-5097	3.688	5.000	0.500
23	25003-4921	7.375	8.375	0.500	23	25003-5099	18.937	20.937	0.812
23	25003-4922	8.500	9.750	0.500	23	25003-5100	3.542	4.542	0.375
23	25003-4923	10.000	11.250	0.500	23	25003-5102	26.875	28.875	0.812
23	25003-4924	7.000	8.250	0.500	23	25003-5107	46.000	48.000	0.812
23	25003-4926	20.250	22.250	0.812	23	25003-5114	12.500	13.500	0.500
23	25003-4934	4.750	6.250	0.750	23	25003-5116	16.000	18.000	0.750
23	25003-4939	4.562	5.562	0.375	23	25003-5117	14.250	16.250	0.750
23	25003-4940	21.000	22.000	0.500	23	25003-5118	4.724	5.905	0.500
23	25003-4948	3.187	4.187	0.500	23	25003-5119	6.062	7.562	0.750
23	25003-4949	15.000	17.000	0.500	23	25003-5122	3.500	4.625	0.375
23	25003-4950	10.000	11.500	0.625	23	25003-5126	9.156	10.656	0.750
23	25003-4954	3.071	4.571	0.500	23	25003-5127	2.875	4.125	0.500
23	25003-4963	10.562	12.562	0.750	23	25003-5130	18.625	20.625	0.812
23	25003-4969	13.000	14.125	0.546	23	25003-5132	3.187	4.132	0.500
23	25003-4970	15.000	16.125	0.547	23	25003-5134	14.375	16.375	0.750
23	25003-4971	17.000	18.125	0.547	23	25003-5138	4.937	6.187	0.500
23	25003-4980	23.074	24.954	0.812	23	25003-5139	6.625	8.125	0.500
23	25003-4981	8.750	10.000	0.515	23	25003-5141	25.250	26.750	0.500
23	25003-4989	9.724	10.724	0.500	23	25003-5153	8.875	10.125	0.625
23	25003-4990	7.854	8.854	0.500	23	25003-5158	19.000	20.000	0.500
23	25003-4992	8.858	9.858	0.500	23	25003-5159	33.000	34.000	0.500
23	25003-4994	10.728	11.728	0.500	23	25003-5160	3.250	4.750	0.437
23	25003-5003	4.475	5.500	0.500	23	25003-5161	8.313	9.313	0.500
23	25003-5006	11.000	12.625	0.625	23	25003-5163	8.406	9.406	0.500
23	25003-5009	8.062	9.562	0.750	23	25003-5166	4.875	5.875	0.375
23	25003-5010	5.500	7.000	0.750	23	25003-5168	17.000	19.000	0.750
23	25003-5012	11.500	12.875	0.750	23	25003-5172	17.625	18.500	0.375
23	25003-5013	36.031	38.031	0.812	23	25003-5174	40.500	42.000	0.750
23	25003-5014	11.344	12.593	0.625	23	25003-5176	11.688	13.750	0.750
23	25003-5017	26.375	28.375	0.812	23	25003-5178	16.375	17.875	0.750
23	25003-5023	3.000	4.000	0.375	23	25003-5186	10.236	11.736	0.750
23	25003-5025	3.125	4.250	0.500	23	25003-5189	5.125	6.125	0.375
23	25003-5029	16.929	18.897	0.787	23	25003-5190	4.187	5.687	0.375
23	25003-5032	6.687	7.937	0.500	23	25003-5195	6.375	7.687	0.625
23	25003-5033	31.250	33.250	0.750	23	25003-5202	37.250	39.250	0.812
23	25003-5039	16.250	17.250	0.500	23	25003-5204	39.500	41.500	0.812
23	25003-5050	27.000	28.500	0.625	23	25003-5209	3.125	4.000	0.500
23	25003-5051	3.563	4.563	0.500	23	25003-5213	8.875	10.500	0.750
23	25003-5052	4.937	6.437	0.562	23	25003-5219	40.500	42.500	0.812
23	25003-5055	20.500	22.500	0.812	23	25003-5222	5.000	6.062	0.500
23	25003-5057	6.062	7.125	0.500	23	25003-5236	77.500	79.500	0.812
23	25003-5058	4.687	5.937	0.500	23	25003-5241	7.562	9.062	0.750
23	25003-5061	49.498	51.375	0.812	23	25003-5245	51.000	52.000	0.500
23	25003-5062	14.250	15.750	0.750	23	25003-5254	22.125	24.125	0.812
23	25003-5067	10.625	11.625	0.625	23	25003-5258	21.653	23.153	0.750
23	25003-5075	4.310	5.300	0.475	23	25003-5259	21.000	22.500	0.750
23	25003-5079	3.750	5.000	0.500	23	25003-5261	11.375	13.000	0.687

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-5262	19.500	20.500	0.500	23	25003-5364	4.331	5.315	0.433
23	25003-5263	29.250	30.250	0.500	23	25003-5365	4.527	5.511	0.433
23	25003-5264	57.086	59.086	0.812	23	25003-5366	4.724	5.708	0.433
23	25003-5266	28.500	29.500	0.500	23	25003-5367	5.118	6.259	0.472
23	25003-5267	41.929	43.929	0.813	23	25003-5368	5.511	6.811	0.547
23	25003-5271	19.125	20.125	0.500	23	25003-5369	5.906	7.204	0.547
23	25003-5273	52.000	53.000	0.500	23	25003-5370	6.693	7.992	0.547
23	25003-5274	55.000	56.000	0.500	23	25003-5371	7.086	8.385	0.547
23	25003-5278	26.781	28.781	0.812	23	25003-5372	7.874	9.448	0.618
23	25003-5279	84.000	86.000	0.812	23	25003-5374	9.055	10.866	0.684
23	25003-5281	29.625	31.625	0.812	23	25003-5375	9.842	11.653	0.684
23	25003-5284	6.000	7.531	0.588	23	25003-5376	38.750	40.687	0.812
23	25003-5287	43.543	45.543	0.812	23	25003-5377	4.922	6.063	0.487
23	25003-5290	15.354	16.929	0.750	23	25003-5378	5.315	6.456	0.487
23	25003-5291	19.875	21.875	0.812	23	25003-5379	5.906	7.590	0.539
23	25003-5294	10.625	11.625	0.415	23	25003-5380	9.448	11.259	0.684
23	25003-5297	85.000	87.000	0.812	23	25003-5381	10.236	12.047	0.684
23	25003-5298	11.625	13.625	0.812	23	25003-5383	13.625	14.625	0.500
23	25003-5302	21.375	23.375	0.812	23	25003-5384	8.125	9.125	0.437
23	25003-5303	11.027	12.500	0.625	23	25003-5385	55.500	57.500	0.812
23	25003-5307	11.575	12.575	0.500	23	25003-5386	44.000	46.000	0.812
23	25003-5308	8.394	9.394	0.500	23	25003-5388	5.118	6.118	0.500
23	25003-5312	21.000	22.750	0.750	23	25003-5395	11.125	12.500	0.750
23	25003-5313	3.625	4.500	0.500	23	25003-5397	11.375	12.625	0.625
23	25003-5320	9.250	10.250	0.437	23	25003-5402	8.464	9.448	0.500
23	25003-5326	39.250	40.750	0.750	23	25003-5403	9.055	10.039	0.500
23	25003-5331	4.250	5.687	0.500	23	25003-5409	45.750	47.750	0.750
23	25003-5333	7.480	8.661	0.492	23	25003-5425	35.000	36.500	0.750
23	25003-5334	9.055	10.230	0.590	23	25003-5426	3.250	4.125	0.500
23	25003-5335	5.906	7.086	0.551	23	25003-5428	21.687	23.187	0.750
23	25003-5336	7.086	8.267	0.492	23	25003-5431	18.110	20.110	0.812
23	25003-5337	7.874	9.055	0.492	23	25003-5432	18.031	20.031	0.812
23	25003-5338	8.267	9.448	0.590	23	25003-5433	52.500	54.500	0.812
23	25003-5339	9.842	11.023	0.590	23	25003-5435	32.125	34.125	0.812
23	25003-5340	12.204	13.385	0.590	23	25003-5443	4.750	5.625	0.500
23	25003-5341	12.922	14.173	0.590	23	25003-5444	3.937	5.187	0.375
23	25003-5346	4.331	5.512	0.551	23	25003-5446	11.811	13.189	0.709
23	25003-5347	4.527	5.708	0.551	23	25003-5449	4.437	5.250	0.375
23	25003-5348	4.724	5.905	0.551	23	25003-5455	14.500	16.250	0.625
23	25003-5349	5.708	6.889	0.551	23	25003-5459	4.922	5.922	0.500
23	25003-5350	10.629	11.811	0.590	23	25003-5460	3.250	4.500	0.438
23	25003-5351	10.236	11.417	0.590	23	25003-5461	8.470	9.500	0.500
23	25003-5352	11.811	12.992	0.590	23	25003-5462	11.000	12.812	0.625
23	25003-5353	4.133	5.314	0.551	23	25003-5463	9.500	11.437	0.625
23	25003-5354	4.921	6.102	0.551	23	25003-5472	9.937	11.937	0.750
23	25003-5355	5.314	6.496	0.551	23	25003-5475	14.950	16.500	0.750
23	25003-5356	6.693	7.874	0.492	23	25003-5477	13.779	15.276	0.500
23	25003-5357	8.661	9.842	0.590	23	25003-5480	8.750	9.875	0.750
23	25003-5358	8.464	9.645	0.590	23	25003-5490	5.115	6.115	0.500
23	25003-5359	9.448	10.629	0.590	23	25003-5495	4.750	5.625	0.625
23	25003-5361	32.375	33.625	0.625	23	25003-5504	28.000	29.125	0.500
23	25003-5363	3.937	4.921	0.433	23	25003-5506	18.562	19.562	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-5508	15.000	16.000	0.500	23	25003-5637	6.281	7.530	0.625
23	25003-5510	54.500	56.500	0.812	23	25003-5638	7.530	8.780	0.625
23	25003-5511	5.315	6.299	0.500	23	25003-5639	10.530	12.030	0.625
23	25003-5513	24.125	26.000	0.812	23	25003-5640	13.580	14.580	0.500
23	25003-5514	30.125	31.125	0.500	23	25003-5642	11.500	12.625	0.625
23	25003-5516	5.203	6.312	0.500	23	25003-5647	30.562	32.562	0.812
23	25003-5519	35.000	36.000	0.500	23	25003-5650	3.346	4.331	0.500
23	25003-5523	10.250	11.750	0.625	23	25003-5654	20.469	21.969	0.750
23	25003-5525	8.780	10.780	0.750	23	25003-5658	35.750	37.750	0.812
23	25003-5530	15.750	17.250	0.578	23	25003-5659	13.562	15.062	0.750
23	25003-5532	22.673	24.173	0.750	23	25003-5661	6.062	7.375	0.500
23	25003-5533	69.375	71.375	0.812	23	25003-5662	36.000	38.000	0.750
23	25003-5534	17.562	19.062	0.750	23	25003-5663	84.000	85.000	0.500
23	25003-5536	12.205	13.189	0.500	23	25003-5664	13.386	14.882	0.750
23	25003-5550	21.500	23.250	0.812	23	25003-5665	10.236	11.732	0.750
23	25003-5552	24.000	25.125	0.500	23	25003-5666	15.748	17.244	0.750
23	25003-5553	23.750	25.750	0.812	23	25003-5667	12.598	14.095	0.750
23	25003-5558	12.312	13.937	0.750	23	25003-5668	21.456	23.456	0.812
23	25003-5559	8.875	10.625	0.812	23	25003-5669	12.687	14.687	0.812
23	25003-5563	6.187	7.250	0.500	23	25003-5680	18.125	19.625	0.750
23	25003-5575	9.062	10.062	0.375	23	25003-5682	3.280	4.280	0.375
23	25003-5576	12.598	13.583	0.500	23	25003-5683	13.580	15.030	0.750
23	25003-5577	51.000	52.875	0.812	23	25003-5684	8.530	9.780	0.625
23	25003-5578	7.562	9.065	0.750	23	25003-5685	7.960	9.460	0.625
23	25003-5579	45.000	46.500	0.750	23	25003-5689	61.000	63.000	0.812
23	25003-5585	5.000	6.000	0.687	23	25003-5691	6.625	8.375	0.500
23	25003-5586	64.488	66.488	0.812	23	25003-5696	5.250	6.437	0.500
23	25003-5587	61.810	63.810	0.812	23	25003-5697	5.250	6.437	0.375
23	25003-5594	17.719	19.219	0.750	23	25003-5698	33.000	34.500	0.625
23	25003-5595	23.300	24.300	0.500	23	25003-5699	19.500	21.250	0.813
23	25003-5596	53.250	54.250	0.500	23	25003-5707	24.093	26.093	0.812
23	25003-5597	5.875	7.140	0.562	23	25003-5708	20.516	22.516	0.812
23	25003-5598	8.661	9.661	0.500	23	25003-5709	37.375	39.375	0.812
23	25003-5599	16.062	17.062	0.500	23	25003-5712	11.219	12.953	0.787
23	25003-5601	38.250	40.250	0.812	23	25003-5714	36.000	37.500	0.750
23	25003-5602	34.000	35.500	0.750	23	25003-5716	4.343	5.342	0.375
23	25003-5605	7.875	8.875	0.375	23	25003-5717	5.280	6.280	0.500
23	25003-5606	4.312	5.794	0.500	23	25003-5718	15.359	16.890	0.750
23	25003-5611	31.000	32.000	0.500	23	25003-5719	11.422	12.921	0.750
23	25003-5612	28.875	29.750	0.500	23	25003-5720	24.803	26.303	0.750
23	25003-5613	17.900	19.400	0.750	23	25003-5724	11.031	12.031	0.625
23	25003-5614	23.570	25.070	0.750	23	25003-5725	16.531	18.031	0.750
23	25003-5615	23.595	25.095	0.750	23	25003-5726	5.625	6.625	0.453
23	25003-5618	50.000	51.500	0.750	23	25003-5727	44.500	46.500	0.812
23	25003-5622	37.812	39.812	0.812	23	25003-5729	25.125	26.125	0.500
23	25003-5624	74.500	76.000	0.750	23	25003-5730	34.000	35.000	0.500
23	25003-5625	40.000	41.500	0.750	23	25003-5731	6.937	8.000	0.625
23	25003-5628	6.300	7.781	0.500	23	25003-5735	57.875	58.875	0.500
23	25003-5629	7.078	8.562	0.500	23	25003-5739	31.000	32.500	0.750
23	25003-5634	53.625	54.625	0.500	23	25003-5740	21.259	22.759	0.687
23	25003-5635	4.217	5.280	0.500	23	25003-5743	25.530	27.030	0.750
23	25003-5636	5.780	7.030	0.625	23	25003-5744	47.000	49.000	0.812

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-5745	9.125	11.125	0.750	23	25003-5845	14.567	15.551	0.500
23	25003-5747	16.500	17.500	0.500	23	25003-5846	14.173	15.673	0.750
23	25003-5748	25.219	27.219	0.812	23	25003-5847	31.890	33.890	0.812
23	25003-5749	3.687	4.750	0.375	23	25003-5849	19.881	21.881	0.812
23	25003-5756	23.500	24.500	0.500	23	25003-5850	16.929	18.429	0.750
23	25003-5757	80.500	82.500	0.812	23	25003-5851	11.471	13.471	0.750
23	25003-5760	70.500	72.500	0.812	23	25003-5852	9.448	10.948	0.750
23	25003-5761	20.866	22.637	0.812	23	25003-5860	27.952	29.952	0.812
23	25003-5763	4.134	5.315	0.500	23	25003-5861	5.511	6.692	0.625
23	25003-5765	35.000	36.500	0.625	23	25003-5862	10.629	12.251	0.625
23	25003-5766	44.000	45.500	0.750	23	25003-5863	28.750	29.750	0.500
23	25003-5768	21.500	23.000	0.750	23	25003-5865	15.750	17.500	0.812
23	25003-5769	18.062	20.062	0.812	23	25003-5867	16.125	17.125	0.500
23	25003-5776	11.687	13.187	0.625	23	25003-5872	3.937	4.875	0.500
23	25003-5777	3.346	4.437	0.500	23	25003-5873	41.000	42.500	0.750
23	25003-5779	25.590	26.590	0.500	23	25003-5874	13.779	15.709	0.787
23	25003-5780	29.527	30.527	0.500	23	25003-5877	17.250	19.250	0.750
23	25003-5783	13.125	15.125	0.812	23	25003-5878	11.614	13.114	0.750
23	25003-5784	9.055	10.551	0.750	23	25003-5879	27.125	29.625	0.750
23	25003-5787	95.875	97.875	0.812	23	25003-5880	4.875	5.938	0.500
23	25003-5788	102.000	104.000	0.812	23	25003-5881	10.629	12.119	0.750
23	25003-5789	7.875	8.937	0.500	23	25003-5882	11.417	13.417	0.750
23	25003-5792	6.500	7.937	0.625	23	25003-5885	36.000	37.000	0.500
23	25003-5795	21.250	22.750	0.750	23	25003-5890	8.750	9.875	0.625
23	25003-5796	79.500	81.500	0.812	23	25003-5894	25.750	27.000	0.625
23	25003-5797	5.118	5.992	0.375	23	25003-5895	27.969	29.969	0.812
23	25003-5798	25.000	26.000	0.500	23	25003-5900	5.250	6.250	0.437
23	25003-5799	26.771	27.771	0.500	23	25003-5901	9.937	10.937	0.500
23	25003-5801	14.960	16.460	0.750	23	25003-5902	58.500	60.500	0.812
23	25003-5802	20.078	22.078	0.812	23	25003-5903	23.625	25.125	0.750
23	25003-5803	16.141	18.141	0.812	23	25003-5904	19.687	21.187	0.750
23	25003-5804	42.250	44.250	0.812	23	25003-5905	47.250	49.250	0.812
23	25003-5805	98.000	99.500	0.750	23	25003-5906	10.000	12.000	0.687
23	25003-5806	80.500	82.437	0.812	23	25003-5910	8.859	10.359	0.750
23	25003-5807	112.000	113.937	0.812	23	25003-5913	3.937	5.000	0.500
23	25003-5808	10.827	11.827	0.590	23	25003-5916	8.500	10.500	0.625
23	25003-5809	105.039	107.039	0.812	23	25003-5917	12.750	14.500	0.750
23	25003-5811	66.500	68.000	0.750	23	25003-5919	24.000	26.000	0.812
23	25003-5815	14.166	15.750	0.625	23	25003-5931	5.312	6.812	0.500
23	25003-5816	86.000	88.000	0.812	23	25003-5933	3.562	4.812	0.500
23	25003-5818	24.500	25.500	0.500	23	25003-5934	10.500	11.750	0.625
23	25003-5819	16.125	18.125	0.812	23	25003-5935	35.000	37.000	0.812
23	25003-5820	18.500	19.500	0.500	23	25003-5936	21.625	23.625	0.812
23	25003-5821	29.687	31.687	0.812	23	25003-5939	12.875	14.375	0.750
23	25003-5823	46.250	48.250	0.812	23	25003-5942	12.750	14.250	0.750
23	25003-5824	35.433	36.933	0.750	23	25003-5946	14.375	15.875	0.750
23	25003-5825	13.625	14.875	0.750	23	25003-5952	9.000	10.500	0.500
23	25003-5827	16.625	17.625	0.500	23	25003-5953	12.406	13.906	0.750
23	25003-5828	25.187	27.187	0.812	23	25003-5957	10.236	11.486	0.625
23	25003-5829	42.913	44.913	0.812	23	25003-5958	11.023	12.023	0.625
23	25003-5830	34.252	36.252	0.812	23	25003-5959	3.875	4.843	0.484
23	25003-5835	11.811	12.811	0.500	23	25003-5960	9.500	11.500	0.687

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-5961	9.842	11.467	0.750	23	25003-6237	39.000	41.000	0.812
23	25003-5964	17.719	18.901	0.578	23	25003-6238	11.187	12.188	0.500
23	25003-5983	17.125	19.125	0.812	23	25003-6247	8.250	9.750	0.500
23	25003-5984	13.469	14.468	0.500	23	25003-6250	3.741	5.240	0.500
23	25003-5990	14.750	16.500	0.687	23	25003-6251	7.250	8.750	0.500
23	25003-6000	7.875	9.056	0.375	23	25003-6253	12.187	13.688	0.625
23	25003-6015	4.500	5.375	0.500	23	25003-6258	6.937	8.062	0.500
23	25003-6016	7.812	9.312	0.750	23	25003-6263	13.250	14.750	0.625
23	25003-6052	4.134	5.118	0.512	23	25003-6264	13.250	15.250	0.750
23	25003-6059	40.000	42.000	0.812	23	25003-6268	42.500	43.500	0.500
23	25003-6067	9.750	10.750	0.500	23	25003-6273	8.937	9.968	0.500
23	25003-6068	28.125	29.250	0.500	23	25003-6276	73.000	75.000	0.812
23	25003-6079	19.250	21.250	0.812	23	25003-6283	14.687	16.187	0.625
23	25003-6084	4.656	6.031	0.500	23	25003-6285	3.500	4.375	0.500
23	25003-6087	10.937	12.437	0.625	23	25003-6291	22.000	23.750	0.812
23	25003-6092	9.062	11.062	0.750	23	25003-6297	30.375	32.375	0.812
23	25003-6102	3.125	4.125	0.437	23	25003-6298	4.062	5.125	0.469
23	25003-6107	33.500	35.500	0.812	23	25003-6303	14.000	15.500	0.625
23	25003-6111	3.937	5.062	0.500	23	25003-6305	18.625	19.875	0.750
23	25003-6121	3.250	4.125	0.437	23	25003-6315	49.000	50.500	0.562
23	25003-6128	3.312	4.250	0.437	23	25003-6321	25.750	26.875	0.625
23	25003-6129	3.937	5.000	0.469	23	25003-6324	14.000	15.750	0.500
23	25003-6130	76.500	78.500	0.812	23	25003-6328	11.875	13.375	0.750
23	25003-6132	18.375	19.875	0.750	23	25003-6332	26.500	28.500	0.812
23	25003-6136	5.187	6.437	0.625	23	25003-6334	8.812	10.312	0.500
23	25003-6142	4.125	5.500	0.438	23	25003-6335	24.437	26.437	0.812
23	25003-6143	33.750	35.750	0.812	23	25003-6337	23.625	25.625	0.812
23	25003-6147	5.062	6.375	0.562	23	25003-6348	45.000	47.000	0.812
23	25003-6150	5.562	6.750	0.500	23	25003-6351	2.937	3.937	0.500
23	25003-6163	7.000	8.375	0.500	23	25003-6353	15.785	17.785	0.812
23	25003-6164	5.875	6.875	0.437	23	25003-6355	3.437	4.437	0.500
23	25003-6165	6.000	7.000	0.437	23	25003-6356	3.250	4.250	0.375
23	25003-6168	13.000	14.825	0.812	23	25003-6357	3.437	4.687	0.500
23	25003-6172	6.625	8.125	0.687	23	25003-6358	3.500	4.500	0.375
23	25003-6175	7.250	8.250	0.437	23	25003-6359	3.625	4.625	0.375
23	25003-6178	4.937	6.437	0.750	23	25003-6360	4.000	5.000	0.375
23	25003-6182	7.375	8.375	0.437	23	25003-6361	4.250	5.375	0.406
23	25003-6185	7.750	8.750	0.437	23	25003-6362	4.437	5.437	0.500
23	25003-6190	8.937	10.187	0.625	23	25003-6363	4.500	5.500	0.375
23	25003-6191	22.062	24.062	0.812	23	25003-6364	4.687	5.812	0.500
23	25003-6198	5.125	6.125	0.437	23	25003-6365	5.000	6.000	0.375
23	25003-6199	6.875	8.000	0.437	23	25003-6366	5.250	6.750	0.750
23	25003-6201	9.750	11.160	0.588	23	25003-6367	5.437	6.687	0.625
23	25003-6202	23.000	24.000	0.500	23	25003-6368	5.625	7.125	0.750
23	25003-6204	8.250	9.250	0.437	23	25003-6370	6.500	8.000	0.500
23	25003-6205	3.937	5.312	0.500	23	25003-6371	6.562	7.562	0.500
23	25003-6210	8.687	9.938	0.750	23	25003-6372	6.750	7.750	0.500
23	25003-6213	4.750	5.750	0.375	23	25003-6373	6.937	7.937	0.500
23	25003-6214	9.500	10.500	0.437	23	25003-6374	7.000	8.000	0.500
23	25003-6216	10.187	11.188	0.500	23	25003-6375	7.000	8.500	0.500
23	25003-6219	10.125	11.375	0.625	23	25003-6376	7.250	8.250	0.500
23	25003-6229	6.687	7.687	0.500	23	25003-6377	7.250	8.500	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-6378	7.500	8.500	0.500	23	25003-6492	7.875	8.875	0.500
23	25003-6379	7.750	8.750	0.500	23	25003-6504	10.937	12.937	0.750
23	25003-6380	8.000	9.000	0.500	23	25003-6508	19.000	21.000	0.812
23	25003-6382	8.250	9.250	0.500	23	25003-6510	8.000	9.250	0.500
23	25003-6383	8.500	9.500	0.500	23	25003-6512	45.125	47.125	0.812
23	25003-6384	8.500	9.750	0.625	23	25003-6515	13.850	15.500	0.750
23	25003-6386	8.750	10.000	0.625	23	25003-6518	13.980	15.500	0.750
23	25003-6387	9.000	10.000	0.500	23	25003-6525	4.687	5.687	0.500
23	25003-6388	9.500	10.500	0.500	23	25003-6531	15.156	17.156	0.812
23	25003-6389	9.625	11.625	0.750	23	25003-6532	5.437	6.656	0.463
23	25003-6390	9.750	11.000	0.500	23	25003-6533	9.844	11.343	0.812
23	25003-6391	10.000	11.000	0.500	23	25003-6535	21.000	23.000	0.812
23	25003-6392	5.125	6.125	0.422	23	25003-6539	25.750	27.000	0.500
23	25003-6393	11.000	12.125	0.547	23	25003-6540	5.500	6.765	0.500
23	25003-6394	11.000	12.500	0.750	23	25003-6542	21.437	23.437	0.812
23	25003-6395	11.000	13.000	0.750	23	25003-6544	4.625	5.625	0.375
23	25003-6396	12.750	14.750	0.750	23	25003-6549	11.375	12.375	0.500
23	25003-6397	16.250	18.250	0.812	23	25003-6556	7.250	8.437	0.590
23	25003-6398	16.750	18.750	0.750	23	25003-6560	14.000	15.000	0.500
23	25003-6399	18.000	20.000	0.812	23	25003-6561	4.937	5.937	0.500
23	25003-6400	20.000	22.000	0.812	23	25003-6562	15.500	17.250	0.750
23	25003-6401	22.000	24.000	0.812	23	25003-6565	49.500	51.500	0.812
23	25003-6402	7.125	8.250	0.469	23	25003-6568	10.441	11.441	0.375
23	25003-6403	29.500	31.500	0.812	23	25003-6570	8.625	9.875	0.625
23	25003-6404	30.000	31.125	0.500	23	25003-6574	5.500	6.750	0.750
23	25003-6405	32.500	33.625	0.500	23	25003-6577	29.250	31.250	0.812
23	25003-6406	36.000	38.000	0.812	23	25003-6578	4.125	5.187	0.500
23	25003-6407	42.000	44.000	0.812	23	25003-6579	5.225	6.225	0.500
23	25003-6408	18.500	20.500	0.812	23	25003-6582	53.000	54.875	0.812
23	25003-6409	4.000	5.265	0.500	23	25003-6583	29.562	31.562	0.812
23	25003-6410	4.437	5.687	0.500	23	25003-6587	4.500	5.512	0.375
23	25003-6416	10.875	12.875	0.812	23	25003-6595	9.250	10.750	0.625
23	25003-6419	25.000	27.000	0.812	23	25003-6597	6.906	8.156	0.625
23	25003-6420	34.500	36.500	0.812	23	25003-6601	16.625	18.625	0.812
23	25003-6423	9.000	10.125	0.547	23	25003-6602	6.125	7.625	0.625
23	25003-6424	70.000	72.000	0.812	23	25003-6609	32.000	33.125	0.500
23	25003-6426	19.750	21.750	0.812	23	25003-6615	17.750	19.250	0.750
23	25003-6428	10.625	12.625	0.812	23	25003-6616	4.063	5.312	0.500
23	25003-6431	4.750	5.875	0.562	23	25003-6618	15.250	17.250	0.625
23	25003-6441	12.208	13.703	0.750	23	25003-6619	3.750	4.875	0.375
23	25003-6449	12.500	13.875	0.437	23	25003-6621	11.500	12.750	0.500
23	25003-6450	6.250	7.250	0.437	23	25003-6622	5.375	6.375	0.375
23	25003-6453	5.000	6.500	0.375	23	25003-6625	4.125	5.125	0.375
23	25003-6455	15.625	17.125	0.750	23	25003-6626	17.125	18.625	0.750
23	25003-6464	3.812	4.812	0.500	23	25003-6638	4.920	6.125	0.437
23	25003-6471	2.750	3.750	0.500	23	25003-6646	8.875	10.875	0.750
23	25003-6473	38.500	40.500	0.812	23	25003-6647	7.875	9.125	0.500
23	25003-6474	5.750	6.968	0.500	23	25003-6648	9.375	10.625	0.625
23	25003-6483	26.000	28.000	0.812	23	25003-6653	59.750	60.750	0.500
23	25003-6484	12.125	14.125	0.750	23	25003-6657	16.250	18.250	0.750
23	25003-6485	5.062	6.062	0.500	23	25003-6664	9.625	10.875	0.500
23	25003-6491	4.812	5.812	0.500	23	25003-6669	9.500	10.625	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-6671	48.000	50.000	0.812	23	25003-6823	25.196	26.696	0.750
23	25003-6672	11.250	12.500	0.625	23	25003-6826	11.750	13.500	0.750
23	25003-6676	9.250	10.250	0.500	23	25003-6827	8.750	9.750	0.500
23	25003-6677	30.750	31.750	0.500	23	25003-6829	12.250	14.250	0.750
23	25003-6682	9.625	11.125	0.500	23	25003-6830	20.472	21.972	0.750
23	25003-6683	10.500	12.000	0.500	23	25003-6836	11.750	13.750	0.750
23	25003-6684	8.250	9.750	0.625	23	25003-6839	3.250	4.250	0.437
23	25003-6687	11.500	13.000	0.625	23	25003-6840	11.687	13.250	0.625
23	25003-6697	16.500	18.500	0.750	23	25003-6841	7.078	8.578	0.625
23	25003-6698	10.250	11.500	0.625	23	25003-6844	7.875	9.000	0.500
23	25003-6704	10.625	12.625	0.750	23	25003-6845	8.750	10.250	0.500
23	25003-6705	11.875	12.875	0.500	23	25003-6849	30.000	32.000	0.812
23	25003-6709	3.937	4.937	0.375	23	25003-6851	4.312	5.187	0.375
23	25003-6710	20.125	22.125	0.812	23	25003-6853	21.500	23.000	0.625
23	25003-6718	20.125	22.125	0.750	23	25003-6861	7.250	8.250	0.375
23	25003-6719	11.906	13.156	0.625	23	25003-6862	3.125	4.250	0.375
23	25003-6728	5.750	6.937	0.500	23	25003-6863	32.986	33.986	0.500
23	25003-6736	22.687	24.562	0.750	23	25003-6867	6.299	7.549	0.625
23	25003-6740	18.375	20.375	0.812	23	25003-6868	3.000	4.125	0.375
23	25003-6748	4.531	5.531	0.500	23	25003-6870	4.125	5.000	0.500
23	25003-6752	3.343	4.343	0.500	23	25003-6873	15.750	16.750	0.500
23	25003-6754	4.937	5.937	0.375	23	25003-6877	14.000	16.000	0.750
23	25003-6756	9.125	10.125	0.500	23	25003-6878	16.125	18.125	0.750
23	25003-6759	7.750	9.000	0.500	23	25003-6879	23.500	25.500	0.812
23	25003-6766	24.125	25.125	0.500	23	25003-6882	10.375	11.875	0.500
23	25003-6769	15.750	17.750	0.812	23	25003-6883	15.125	17.125	0.625
23	25003-6772	23.500	25.500	0.750	23	25003-6885	43.500	45.000	0.750
23	25003-6773	7.500	9.000	0.500	23	25003-6886	26.437	28.437	0.812
23	25003-6775	51.000	53.000	0.812	23	25003-6889	45.747	47.516	0.787
23	25003-6778	14.063	16.062	0.812	23	25003-6890	6.750	7.875	0.500
23	25003-6781	10.500	11.500	0.500	23	25003-6891	39.000	40.747	0.787
23	25003-6782	12.875	14.750	0.812	23	25003-6894	33.464	35.236	0.787
23	25003-6783	4.187	5.437	0.500	23	25003-6896	3.740	4.740	0.500
23	25003-6786	28.000	30.000	0.812	23	25003-6897	6.625	7.625	0.500
23	25003-6789	120.062	122.062	0.812	23	25003-6905	80.000	82.000	0.812
23	25003-6791	19.606	21.575	0.812	23	25003-6907	29.906	31.906	0.812
23	25003-6797	8.937	10.000	0.500	23	25003-6908	34.500	36.000	0.750
23	25003-6801	4.500	5.937	0.500	23	25003-6910	23.250	25.250	0.812
23	25003-6803	28.750	30.750	0.812	23	25003-6915	65.000	67.000	0.812
23	25003-6805	32.750	34.750	0.812	23	25003-6918	25.500	27.500	0.750
23	25003-6807	21.500	22.750	0.750	23	25003-6919	4.375	5.875	0.375
23	25003-6808	10.000	11.250	0.625	23	25003-6922	6.281	7.281	0.375
23	25003-6809	22.812	24.812	0.812	23	25003-6923	3.562	4.625	0.375
23	25003-6812	17.322	18.822	0.750	23	25003-6924	5.750	7.000	0.375
23	25003-6813	8.875	9.875	0.500	23	25003-6926	7.875	9.281	0.750
23	25003-6815	12.562	14.062	0.750	23	25003-6932	11.811	13.311	0.750
23	25003-6817	6.500	7.750	0.500	23	25003-6933	16.929	17.929	0.500
23	25003-6818	6.690	7.940	0.625	23	25003-6935	10.625	12.000	0.750
23	25003-6819	26.815	28.815	0.812	23	25003-6939	5.000	6.500	0.750
23	25003-6820	4.331	5.831	0.500	23	25003-6940	26.000	27.125	0.500
23	25003-6821	16.000	17.750	0.750	23	25003-6943	8.812	9.812	0.500
23	25003-6822	36.750	38.750	0.812	23	25003-6944	33.250	35.250	0.812

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-6947	33.000	34.125	0.500	23	25003-7147	10.125	11.500	0.750
23	25003-6951	6.875	8.000	0.500	23	25003-7148	20.750	22.750	0.812
23	25003-6957	4.328	5.203	0.375	23	25003-7149	14.500	16.000	0.625
23	25003-6958	33.000	34.937	0.812	23	25003-7157	8.250	9.750	0.750
23	25003-6960	3.750	4.812	0.500	23	25003-7161	30.500	32.500	0.750
23	25003-6964	11.023	12.023	0.500	23	25003-7162	23.250	24.750	0.750
23	25003-6965	24.625	25.875	0.562	23	25003-7163	25.250	26.750	0.750
23	25003-6967	17.250	18.750	0.750	23	25003-7172	5.750	6.750	0.437
23	25003-6972	21.750	23.750	0.812	23	25003-7175	13.750	14.750	0.500
23	25003-6973	7.874	9.875	0.625	23	25003-7180	7.500	8.750	0.500
23	25003-6982	6.102	7.102	0.500	23	25003-7195	20.187	22.187	0.812
23	25003-6984	16.375	17.375	0.500	23	25003-7196	20.472	22.244	0.812
23	25003-6987	24.500	26.250	0.812	23	25003-7199	42.500	44.500	0.750
23	25003-6989	58.000	60.000	0.750	23	25003-7200	24.750	26.750	0.812
23	25003-6991	9.448	10.448	0.500	23	25003-7204	11.000	12.625	0.750
23	25003-6992	4.331	5.905	0.625	23	25003-7205	4.500	5.625	0.375
23	25003-6994	14.760	16.339	0.630	23	25003-7206	31.750	32.750	0.500
23	25003-6998	25.750	27.250	0.750	23	25003-7212	20.000	22.000	0.750
23	25003-7010	10.236	11.811	0.630	23	25003-7213	3.125	3.875	0.375
23	25003-7015	63.500	65.500	0.812	23	25003-7214	5.937	7.437	0.750
23	25003-7018	48.875	50.875	0.812	23	25003-7219	11.500	13.000	0.500
23	25003-7019	13.622	15.122	0.750	23	25003-7221	5.118	6.299	0.511
23	25003-7036	3.937	4.812	0.375	23	25003-7227	50.000	51.000	0.500
23	25003-7039	29.375	31.375	0.812	23	25003-7239	15.375	16.875	0.750
23	25003-7043	17.406	18.406	0.500	23	25003-7243	20.437	22.062	0.812
23	25003-7053	11.625	12.625	0.500	23	25003-7244	33.000	35.000	0.812
23	25003-7059	18.500	20.500	0.750	23	25003-7250	12.062	13.562	0.750
23	25003-7063	6.781	8.031	0.625	23	25003-7251	27.500	29.500	0.812
23	25003-7075	3.437	4.437	0.375	23	25003-7253	3.500	5.000	0.500
23	25003-7091	15.750	16.875	0.625	23	25003-7263	11.500	12.750	0.625
23	25003-7098	22.812	24.312	0.750	23	25003-7264	6.250	7.687	0.625
23	25003-7101	8.500	10.500	0.750	23	25003-7267	5.512	6.693	0.591
23	25003-7102	49.250	51.250	0.812	23	25003-7268	6.693	7.874	0.591
23	25003-7105	11.937	13.938	0.812	23	25003-7271	4.528	5.512	0.472
23	25003-7106	53.543	55.543	0.812	23	25003-7274	6.875	8.125	0.500
23	25003-7107	29.134	31.134	0.812	23	25003-7275	5.812	6.937	0.500
23	25003-7108	7.875	9.125	0.375	23	25003-7276	6.299	7.480	0.591
23	25003-7117	5.906	7.410	0.625	23	25003-7279	12.625	14.625	0.750
23	25003-7119	24.015	25.984	0.812	23	25003-7284	22.834	24.334	0.750
23	25003-7123	4.063	5.062	0.500	23	25003-7288	10.433	11.683	0.625
23	25003-7124	5.375	6.875	0.750	23	25003-7291	94.000	96.000	0.812
23	25003-7127	16.535	18.035	0.750	23	25003-7298	5.937	6.937	0.500
23	25003-7129	4.187	5.375	0.470	23	25003-7306	12.000	13.250	0.625
23	25003-7131	22.000	23.000	0.500	23	25003-7320	7.667	9.055	0.591
23	25003-7132	5.312	6.312	0.500	23	25003-7321	6.437	7.437	0.500
23	25003-7133	7.937	9.437	0.750	23	25003-7322	9.062	10.062	0.500
23	25003-7134	101.250	103.250	0.812	23	25003-7323	13.375	14.875	0.750
23	25003-7135	12.625	13.875	0.625	23	25003-7325	29.906	30.906	0.500
23	25003-7137	96.620	98.620	0.812	23	25003-7331	29.000	31.000	0.812
23	25003-7138	34.000	36.000	0.812	23	25003-7334	98.750	100.750	0.812
23	25003-7139	23.375	25.375	0.812	23	25003-7336	8.875	10.375	0.750
23	25003-7144	3.071	4.071	0.500	23	25003-7340	27.000	29.000	0.812

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-7344	8.375	9.500	0.625	23	25003-7577	8.000	9.125	0.500
23	25003-7352	24.250	26.250	0.812	23	25003-7578	3.500	4.750	0.375
23	25003-7355	31.750	33.750	0.812	23	25003-7583	76.000	78.000	0.812
23	25003-7356	22.625	24.625	0.812	23	25003-7587	4.734	5.984	0.500
23	25003-7362	5.687	6.937	0.500	23	25003-7588	10.187	11.437	0.625
23	25003-7367	7.625	8.625	0.500	23	25003-7589	17.525	18.525	0.500
23	25003-7374	3.250	4.250	0.500	23	25003-7590	4.250	5.250	0.375
23	25003-7376	4.724	5.910	0.472	23	25003-7591	3.312	4.312	0.375
23	25003-7378	6.937	8.437	0.500	23	25003-7592	15.565	16.565	0.500
23	25003-7379	13.875	15.375	0.750	23	25003-7593	23.000	24.250	0.750
23	25003-7383	5.512	6.693	0.551	23	25003-7594	23.750	25.250	0.750
23	25003-7387	32.500	34.500	0.812	23	25003-7595	4.311	5.331	0.500
23	25003-7388	7.874	9.055	0.591	23	25003-7596	2.937	3.937	0.375
23	25003-7389	3.750	4.750	0.375	23	25003-7597	6.312	7.312	0.625
23	25003-7391	11.024	12.598	0.787	23	25003-7598	10.750	11.750	0.500
23	25003-7394	3.346	4.724	0.472	23	25003-7600	12.750	13.750	0.500
23	25003-7396	4.331	5.512	0.472	23	25003-7601	16.000	17.406	0.609
23	25003-7407	21.500	23.500	0.812	23	25003-7602	13.125	15.125	0.750
23	25003-7412	31.000	33.000	0.812	23	25003-7606	11.000	12.500	0.375
23	25003-7413	18.000	19.750	0.812	23	25003-7617	8.812	10.312	0.750
23	25003-7414	23.375	24.875	0.750	23	25003-7618	18.250	20.250	0.812
23	25003-7416	3.937	5.437	0.500	23	25003-7621	9.875	10.875	0.500
23	25003-7424	67.000	68.500	0.750	23	25003-7624	87.000	89.000	0.812
23	25003-7425	15.937	17.937	0.750	23	25003-7625	17.500	19.500	0.750
23	25003-7426	3.150	4.331	0.472	23	25003-7634	6.109	7.094	0.492
23	25003-7431	15.500	17.500	0.750	23	25003-7637	9.448	10.433	0.492
23	25003-7432	10.625	11.875	0.625	23	25003-7639	11.500	12.375	0.375
23	25003-7437	11.365	12.625	0.625	23	25003-7640	9.250	10.125	0.375
23	25003-7438	3.437	4.437	0.437	23	25003-7641	37.402	38.902	0.750
23	25003-7441	32.000	34.000	0.812	23	25003-7642	3.375	4.250	0.500
23	25003-7442	15.750	17.500	0.750	23	25003-7643	69.000	71.000	0.812
23	25003-7443	7.437	8.500	0.625	23	25003-7644	31.500	33.500	0.812
23	25003-7444	5.687	7.000	0.625	23	25003-7646	25.437	27.187	0.750
23	25003-7446	20.032	21.654	0.812	23	25003-7647	5.937	7.187	0.500
23	25003-7449	4.331	5.541	0.500	23	25003-7655	28.500	30.500	0.812
23	25003-7464	3.740	4.990	0.500	23	25003-7656	3.187	4.187	0.375
23	25003-7468	3.469	4.500	0.625	23	25003-7658	31.406	32.992	0.750
23	25003-7469	24.500	25.625	0.625	23	25003-7661	7.937	8.937	0.500
23	25003-7470	39.500	40.500	0.500	23	25003-7674	7.062	8.062	0.500
23	25003-7472	6.188	7.500	0.625	23	25003-7679	25.196	27.196	0.812
23	25003-7481	5.937	7.187	0.625	23	25003-7682	3.125	4.250	0.625
23	25003-7482	4.331	5.250	0.375	23	25003-7695	35.500	37.500	1.000
23	25003-7487	18.000	19.000	0.500	23	25003-7696	86.417	88.417	0.812
23	25003-7489	22.500	24.500	0.812	23	25003-7699	26.125	28.125	0.812
23	25003-7507	5.800	6.800	0.500	23	25003-7700	18.500	19.875	0.750
23	25003-7539	15.250	17.250	0.750	23	25003-7704	14.000	15.375	0.531
23	25003-7543	47.375	48.875	0.750	23	25003-7708	15.312	17.312	0.812
23	25003-7544	60.000	61.500	0.750	23	25003-7709	10.629	11.629	0.409
23	25003-7547	13.000	14.750	0.750	23	25003-7710	26.000	28.000	0.750
23	25003-7548	38.000	39.500	0.750	23	25003-7714	23.110	24.610	0.750
23	25003-7550	40.250	41.750	0.750	23	25003-7716	11.000	12.500	0.500
23	25003-7570	12.125	13.625	0.750	23	25003-7719	6.187	7.437	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-7726	6.063	7.062	0.500	23	25003-7874	11.732	12.606	0.375
23	25003-7735	12.205	13.205	0.500	23	25003-7875	36.500	38.438	0.812
23	25003-7736	10.000	11.125	0.547	23	25003-7878	11.029	12.029	0.375
23	25003-7740	7.125	8.250	0.500	23	25003-7881	27.562	29.562	0.812
23	25003-7744	7.750	8.938	0.625	23	25003-7882	6.688	7.937	0.625
23	25003-7746	3.875	4.750	0.375	23	25003-7889	9.625	10.625	0.500
23	25003-7751	38.000	39.000	0.500	23	25003-7891	9.448	11.023	0.629
23	25003-7752	40.250	41.250	0.500	23	25003-7893	11.811	13.386	0.630
23	25003-7755	50.500	52.500	0.812	23	25003-7898	14.214	16.214	0.812
23	25003-7756	71.250	73.250	0.812	23	25003-7899	25.750	26.875	0.547
23	25003-7758	8.000	9.500	0.500	23	25003-7900	28.375	29.500	0.500
23	25003-7764	9.642	10.642	0.500	23	25003-7911	60.000	62.000	0.812
23	25003-7768	29.973	31.973	0.687	23	25003-7924	6.437	7.687	0.625
23	25003-7771	6.500	7.687	0.625	23	25003-7941	3.000	3.937	0.375
23	25003-7773	30.250	32.250	0.812	23	25003-7969	13.312	15.312	0.812
23	25003-7785	56.250	58.125	0.812	23	25003-7979	3.937	5.118	0.500
23	25003-7789	6.187	7.187	0.500	23	25003-8043	27.000	28.000	0.500
23	25003-7795	4.750	6.000	0.375	23	25003-8049	7.480	8.661	0.591
23	25003-7801	15.250	16.750	0.750	23	25003-8058	53.000	55.000	0.812
23	25003-7804	8.687	9.937	0.625	23	25003-8103	27.250	29.250	0.812
23	25003-7805	13.000	14.500	0.625	23	25003-8108	23.875	24.875	0.500
23	25003-7807	7.086	8.267	0.591	23	25003-8115	12.875	14.875	0.750
23	25003-7811	7.187	8.686	0.625	23	25003-8119	14.750	16.250	0.625
23	25003-7812	7.187	8.187	0.500	23	25003-8122	32.687	34.687	0.812
23	25003-7813	36.500	38.500	0.812	23	25003-8123	15.000	16.750	0.812
23	25003-7814	15.187	17.187	0.750	23	25003-8134	6.875	8.125	0.562
23	25003-7816	6.229	7.480	0.511	23	25003-8137	5.125	6.625	0.750
23	25003-7817	49.625	50.875	0.562	23	25003-8139	24.250	25.250	0.500
23	25003-7820	43.562	45.562	1.000	23	25003-8140	9.960	10.834	0.375
23	25003-7821	4.437	5.812	0.500	23	25003-8142	8.750	10.250	0.625
23	25003-7822	20.236	22.236	0.812	23	25003-8159	3.687	4.937	0.500
23	25003-7825	49.250	51.125	0.812	23	25003-8171	6.500	7.874	0.472
23	25003-7827	43.000	45.000	0.812	23	25003-8172	36.460	38.460	0.812
23	25003-7830	49.500	51.250	0.812	23	25003-8175	8.125	9.125	0.500
23	25003-7831	9.250	10.625	0.750	23	25003-8177	8.875	10.375	0.500
23	25003-7832	11.250	12.750	0.625	23	25003-8179	9.250	10.750	0.500
23	25003-7833	2.937	3.687	0.375	23	25003-8189	8.469	9.968	0.750
23	25003-7834	8.437	9.687	0.625	23	25003-8190	27.750	29.750	0.812
23	25003-7835	9.625	10.500	0.500	23	25003-8191	17.250	19.250	0.812
23	25003-7836	4.724	6.299	0.472	23	25003-8194	6.312	7.312	0.500
23	25003-7838	23.000	25.000	0.812	23	25003-8198	50.000	52.000	0.875
23	25003-7839	3.543	4.724	0.472	23	25003-8200	35.437	37.437	0.812
23	25003-7841	3.312	4.312	0.500	23	25003-8210	45.250	47.125	0.812
23	25003-7847	7.437	8.437	0.500	23	25003-8215	5.187	6.437	0.500
23	25003-7857	4.812	5.937	0.375	23	25003-8223	8.500	10.375	0.625
23	25003-7858	15.750	17.250	0.562	23	25003-8228	47.750	49.750	0.812
23	25003-7859	25.250	27.250	0.812	23	25003-8229	12.500	13.750	0.625
23	25003-7863	38.000	40.000	0.812	23	25003-8233	3.250	4.249	0.375
23	25003-7866	30.800	31.800	0.500	23	25003-8234	8.187	9.312	0.500
23	25003-7867	4.937	6.437	0.500	23	25003-8242	4.724	5.905	0.433
23	25003-7869	8.125	9.187	0.500	23	25003-8252	7.500	8.375	0.500
23	25003-7871	81.000	83.000	0.812	23	25003-8261	12.795	13.669	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-8265	8.260	9.142	0.375	23	25003-8575	5.437	6.937	0.625
23	25003-8271	14.875	16.875	0.812	23	25003-8576	13.000	14.000	0.500
23	25003-8276	2.344	3.219	0.625	23	25003-8578	7.812	8.812	0.500
23	25003-8279	76.250	78.250	0.812	23	25003-8580	7.187	8.639	0.625
23	25003-8281	14.875	16.375	0.750	23	25003-8583	8.500	9.375	0.500
23	25003-8285	23.125	24.625	0.618	23	25003-8586	3.206	4.250	0.500
23	25003-8287	11.625	13.125	0.750	23	25003-8588	30.000	31.125	0.562
23	25003-8295	16.750	18.250	0.750	23	25003-8589	12.500	14.062	0.750
23	25003-8299	18.898	20.866	0.787	23	25003-8592	3.875	4.875	0.437
23	25003-8313	9.625	10.875	0.625	23	25003-8606	8.661	10.236	0.630
23	25003-8315	11.750	13.750	0.812	23	25003-8607	9.843	11.417	0.630
23	25003-8324	64.000	66.000	0.812	23	25003-8614	4.625	6.077	0.484
23	25003-8332	13.187	14.187	0.500	23	25003-8618	66.500	68.500	0.812
23	25003-8334	10.500	11.750	0.500	23	25003-8620	13.500	15.000	0.625
23	25003-8385	2.937	4.000	0.375	23	25003-8623	8.469	9.968	0.500
23	25003-8388	9.500	11.000	0.500	23	25003-8629	4.937	6.000	0.375
23	25003-8402	4.812	5.812	0.375	23	25003-8634	19.685	21.685	0.812
23	25003-8418	8.187	9.187	0.500	23	25003-8639	3.687	4.687	0.375
23	25003-8420	7.874	9.448	0.629	23	25003-8654	6.187	7.437	0.625
23	25003-8421	20.000	21.000	0.500	23	25003-8655	10.630	12.205	0.630
23	25003-8429	3.543	4.724	0.500	23	25003-8656	13.779	15.354	0.630
23	25003-8433	6.875	7.875	0.500	23	25003-8657	5.250	6.250	0.750
23	25003-8434	7.000	8.406	0.588	23	25003-8658	21.875	23.875	0.812
23	25003-8444	4.437	5.687	0.625	23	25003-8665	8.500	10.000	0.500
23	25003-8445	6.692	8.192	0.750	23	25003-8684	36.500	38.250	0.812
23	25003-8446	19.500	21.500	0.812	23	25003-8689	24.500	26.500	0.812
23	25003-8447	9.437	10.687	0.625	23	25003-8691	18.000	19.500	0.812
23	25003-8451	8.250	9.500	0.500	23	25003-8693	3.343	4.343	0.375
23	25003-8452	8.375	9.875	0.500	23	25003-8695	18.504	20.472	0.741
23	25003-8455	4.562	5.812	0.500	23	25003-8699	6.693	7.943	0.625
23	25003-8468	23.187	25.187	0.812	23	25003-8701	13.386	14.886	0.750
23	25003-8476	17.500	19.250	0.625	23	25003-8702	15.748	17.480	0.662
23	25003-8481	8.858	9.842	0.492	23	25003-8705	16.535	18.504	0.741
23	25003-8483	3.937	4.906	0.484	23	25003-8709	8.500	9.875	0.750
23	25003-8488	2.937	3.906	0.484	23	25003-8713	15.748	17.748	0.750
23	25003-8490	4.437	5.890	0.484	23	25003-8719	19.125	21.125	0.812
23	25003-8494	9.000	10.500	0.609	23	25003-8721	1.750	2.656	0.625
23	25003-8504	16.535	18.110	0.787	23	25003-8741	14.500	15.500	0.500
23	25003-8509	39.750	41.750	0.812	23	25003-8748	68.000	70.000	0.812
23	25003-8511	12.906	14.906	0.750	23	25003-8750	67.000	69.000	0.812
23	25003-8512	22.250	24.250	0.812	23	25003-8753	9.437	10.437	0.500
23	25003-8525	11.811	13.543	0.807	23	25003-8761	11.000	12.000	0.375
23	25003-8526	22.750	24.750	0.812	23	25003-8768	4.133	5.118	0.472
23	25003-8534	4.437	5.875	0.375	23	25003-8773	25.625	26.750	0.500
23	25003-8543	4.438	5.875	0.375	23	25003-8776	8.375	9.625	0.500
23	25003-8549	32.125	33.625	0.625	23	25003-8780	17.000	18.250	0.625
23	25003-8550	32.250	33.625	0.625	23	25003-8783	9.500	10.750	0.500
23	25003-8559	11.562	13.062	0.750	23	25003-8790	3.938	4.906	0.500
23	25003-8560	8.500	10.500	0.500	23	25003-8802	82.677	84.645	0.812
23	25003-8563	66.000	68.000	0.812	23	25003-8803	3.543	4.527	0.491
23	25003-8565	10.500	11.750	0.750	23	25003-8804	12.000	13.000	0.500
23	25003-8567	6.625	8.000	0.500	23	25003-8805	8.062	9.062	0.463

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-8838	9.062	10.500	0.750	23	25003-9154	25.000	27.000	0.750
23	25003-8841	10.000	11.437	0.750	23	25003-9156	31.750	33.750	0.750
23	25003-8846	9.562	11.062	0.625	23	25003-9158	5.512	6.692	0.500
23	25003-8847	15.812	17.437	0.812	23	25003-9162	2.559	3.543	0.375
23	25003-8848	19.937	21.187	0.625	23	25003-9163	14.875	16.875	0.500
23	25003-8850	14.000	15.250	0.750	23	25003-9172	9.250	11.250	0.625
23	25003-8861	15.250	16.625	0.531	23	25003-9173	22.937	24.937	0.812
23	25003-8865	74.000	76.000	0.812	23	25003-9174	3.750	4.625	0.375
23	25003-8869	20.500	21.500	0.500	23	25003-9175	5.315	6.693	0.472
23	25003-8872	66.500	69.000	0.812	23	25003-9181	15.000	17.000	0.625
23	25003-8874	10.937	12.500	0.625	23	25003-9182	14.173	15.748	0.748
23	25003-8888	14.750	16.125	0.687	23	25003-9184	8.000	9.438	0.500
23	25003-8905	2.362	3.112	0.375	23	25003-9185	6.437	7.375	0.500
23	25003-8934	30.500	32.500	0.812	23	25003-9188	43.125	44.625	0.750
23	25003-8946	21.250	22.250	0.500	23	25003-9190	3.740	4.724	0.472
23	25003-8957	4.000	5.125	0.375	23	25003-9197	5.812	6.812	0.500
23	25003-8962	11.500	12.500	0.375	23	25003-9200	39.250	41.250	0.812
23	25003-8980	30.000	31.250	0.500	23	25003-9201	9.000	10.000	0.437
23	25003-8981	16.625	18.125	0.750	23	25003-9202	52.250	54.125	0.812
23	25003-8998	12.500	13.906	0.750	23	25003-9203	8.625	10.625	0.812
23	25003-8999	13.895	15.750	0.750	23	25003-9204	4.375	5.375	0.375
23	25003-9015	3.469	4.500	0.500	23	25003-9205	32.250	34.250	0.812
23	25003-9017	5.750	7.250	0.750	23	25003-9207	8.500	9.750	0.750
23	25003-9021	6.437	7.937	0.750	23	25003-9210	8.625	9.875	0.500
23	25003-9022	8.562	10.062	0.750	23	25003-9212	32.375	33.625	0.500
23	25003-9023	6.000	7.125	0.719	23	25003-9217	6.500	7.875	0.750
23	25003-9025	25.750	26.875	0.562	23	25003-9219	36.625	38.625	0.812
23	25003-9031	5.937	7.687	0.625	23	25003-9225	29.527	31.125	0.750
23	25003-9056	3.375	4.375	0.375	23	25003-9230	3.000	4.062	0.375
23	25003-9057	9.937	11.500	0.750	23	25003-9232	6.125	7.000	0.500
23	25003-9060	4.125	5.250	0.375	23	25003-9236	60.000	62.000	0.750
23	25003-9065	7.519	9.019	0.750	23	25003-9238	42.375	44.375	0.750
23	25003-9077	16.000	17.000	0.500	23	25003-9242	8.661	9.911	0.500
23	25003-9085	4.437	5.937	0.500	23	25003-9243	8.661	9.911	0.625
23	25003-9089	3.750	5.000	0.375	23	25003-9244	7.062	8.562	0.500
23	25003-9090	25.500	27.500	0.812	23	25003-9245	6.032	7.312	0.500
23	25003-9094	11.500	12.500	0.500	23	25003-9248	33.937	35.468	0.812
23	25003-9099	6.062	7.312	0.625	23	25003-9251	5.312	6.937	0.500
23	25003-9104	3.687	4.687	0.500	23	25003-9253	9.687	11.187	0.750
23	25003-9114	17.000	18.125	0.562	23	25003-9254	14.750	16.750	0.750
23	25003-9115	19.000	21.000	0.750	23	25003-9255	13.000	14.750	0.500
23	25003-9116	14.500	16.500	0.625	23	25003-9256	13.375	15.375	0.812
23	25003-9132	4.500	6.000	0.375	23	25003-9258	13.125	14.625	0.750
23	25003-9133	10.375	11.625	0.625	23	25003-9260	9.625	11.125	0.750
23	25003-9142	5.875	7.375	0.750	23	25003-9261	17.500	18.500	0.500
23	25003-9143	4.312	5.312	0.500	23	25003-9262	7.062	8.062	0.625
23	25003-9144	4.331	5.500	0.437	23	25003-9266	25.875	27.875	0.812
23	25003-9145	9.937	11.437	0.750	23	25003-9267	8.375	10.375	0.750
23	25003-9146	8.688	9.687	0.500	23	25003-9268	4.984	6.234	0.500
23	25003-9148	12.000	13.937	0.812	23	25003-9269	93.000	95.000	0.812
23	25003-9149	11.000	12.875	0.812	23	25003-9272	9.937	11.187	0.625
23	25003-9151	8.937	9.937	0.500	23	25003-9273	17.125	18.125	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-9275	5.196	6.299	0.500	23	25003-9403	48.000	49.500	0.750
23	25003-9276	20.875	22.875	0.812	23	25003-9404	6.750	8.250	0.500
23	25003-9279	15.125	16.125	0.375	23	25003-9420	27.750	28.875	0.562
23	25003-9282	24.500	26.000	0.750	23	25003-9421	17.625	19.625	0.812
23	25003-9284	3.937	4.724	0.500	23	25003-9427	55.000	57.000	0.812
23	25003-9285	16.250	18.000	0.812	23	25003-9435	9.448	11.024	0.787
23	25003-9286	16.225	17.725	0.750	23	25003-9440	5.750	7.202	0.734
23	25003-9287	14.013	15.513	0.750	23	25003-9458	6.000	7.452	0.734
23	25003-9288	31.000	32.500	0.562	23	25003-9473	8.187	9.687	0.500
23	25003-9289	64.500	66.500	0.812	23	25003-9476	10.250	11.250	0.500
23	25003-9290	68.000	70.000	0.750	23	25003-9477	18.750	20.250	0.812
23	25003-9295	9.187	10.687	0.750	23	25003-9478	20.250	21.250	0.500
23	25003-9296	16.350	17.350	0.500	23	25003-9479	17.716	19.716	0.812
23	25003-9298	3.875	5.000	0.375	23	25003-9480	22.834	24.834	0.812
23	25003-9300	9.625	11.125	0.625	23	25003-9482	28.125	29.250	0.562
23	25003-9301	12.375	13.875	0.625	23	25003-9483	5.000	6.375	0.750
23	25003-9303	16.875	18.875	0.812	23	25003-9484	16.187	18.187	0.812
23	25003-9305	25.750	26.875	0.750	23	25003-9487	3.922	4.922	0.500
23	25003-9310	61.250	62.250	0.500	23	25003-9491	11.812	13.312	0.750
23	25003-9312	21.260	23.260	0.812	23	25003-9492	18.818	20.818	0.812
23	25003-9313	24.750	25.750	0.500	23	25003-9493	31.500	32.500	0.500
23	25003-9314	37.000	38.000	0.500	23	25003-9494	14.687	16.187	0.750
23	25003-9315	17.332	18.832	0.750	23	25003-9495	14.500	16.375	0.812
23	25003-9316	13.779	15.279	0.750	23	25003-9510	2.687	3.687	0.375
23	25003-9317	9.774	11.024	0.500	23	25003-9512	14.100	15.600	0.750
23	25003-9322	89.000	91.000	0.812	23	25003-9519	1.937	2.750	0.406
23	25003-9323	110.500	112.500	0.812	23	25003-9520	8.000	9.592	0.609
23	25003-9324	37.000	39.000	0.812	23	25003-9529	16.733	18.700	0.788
23	25003-9325	25.590	27.090	0.750	23	25003-9535	10.875	12.875	0.578
23	25003-9327	57.375	58.875	0.750	23	25003-9536	9.500	11.500	0.578
23	25003-9331	13.375	14.375	0.500	23	25003-9539	3.312	4.125	0.438
23	25003-9334	23.067	24.954	0.812	23	25003-9541	5.125	6.625	0.484
23	25003-9335	35.375	37.375	0.812	23	25003-9542	10.875	12.625	0.750
23	25003-9338	17.375	18.875	0.750	23	25003-9544	9.375	10.625	0.500
23	25003-9339	30.000	31.000	0.500	23	25003-9545	49.250	50.750	0.750
23	25003-9340	7.687	9.187	0.750	23	25003-9547	3.712	4.712	0.500
23	25003-9344	65.250	67.250	0.812	23	25003-9548	8.375	9.375	0.500
23	25003-9348	32.187	34.187	0.812	23	25003-9549	41.625	43.625	0.812
23	25003-9349	19.187	21.187	0.812	23	25003-9553	9.062	10.562	0.750
23	25003-9371	23.250	25.250	0.750	23	25003-9554	37.500	39.500	0.812
23	25003-9372	4.969	6.375	0.500	23	25003-9559	8.750	9.875	0.687
23	25003-9374	6.500	7.500	0.437	23	25003-9567	4.331	5.512	0.500
23	25003-9375	27.375	29.375	0.812	23	25003-9568	41.000	43.000	0.812
23	25003-9382	25.625	26.625	0.500	23	25003-9569	25.750	27.750	0.812
23	25003-9383	24.812	26.812	0.812	23	25003-9575	28.250	30.250	0.812
23	25003-9384	10.250	11.250	0.625	23	25003-9578	8.000	8.875	0.437
23	25003-9389	5.000	6.000	0.437	23	25003-9581	17.750	18.750	0.500
23	25003-9391	21.250	23.250	0.812	23	25003-9591	14.750	16.750	0.812
23	25003-9392	20.827	22.827	0.812	23	25003-9594	9.625	11.625	0.812
23	25003-9394	55.000	56.500	0.750	23	25003-9595	15.750	17.250	0.750
23	25003-9395	53.500	55.000	0.750	23	25003-9598	13.000	15.000	0.625
23	25003-9396	12.437	14.000	0.750	23	25003-9599	63.000	65.000	0.812

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-9600	4.437	6.000	0.594	23	25003-9776	10.437	11.937	0.750
23	25003-9601	17.500	19.500	0.812	23	25003-9777	41.250	43.250	0.750
23	25003-9602	39.000	40.000	0.500	23	25003-9779	52.000	54.000	0.750
23	25003-9603	28.000	30.000	0.822	23	25003-9780	6.500	7.500	0.562
23	25003-9614	3.375	4.500	0.375	23	25003-9781	58.000	60.000	0.812
23	25003-9625	42.750	43.750	0.375	23	25003-9783	13.937	15.437	0.750
23	25003-9626	26.687	28.687	0.812	23	25003-9785	4.375	5.827	0.484
23	25003-9630	6.281	7.299	0.375	23	25003-9789	6.299	7.299	0.500
23	25003-9639	21.260	23.228	0.812	23	25003-9791	4.937	6.062	0.500
23	25003-9640	4.250	5.702	0.484	23	25003-9792	7.437	8.937	0.750
23	25003-9641	38.750	40.750	0.812	23	25003-9793	11.808	13.308	0.750
23	25003-9642	5.250	6.750	0.687	23	25003-9796	15.350	16.850	0.750
23	25003-9644	19.000	20.204	0.531	23	25003-9797	28.875	30.875	0.812
23	25003-9645	35.500	37.500	0.812	23	25003-9800	68.500	70.500	0.812
23	25003-9646	3.937	5.062	0.375	23	25003-9801	20.062	22.062	0.812
23	25003-9647	26.750	28.750	0.812	23	25003-9805	7.062	8.562	0.750
23	25003-9648	4.000	5.131	0.375	23	25003-9806	65.354	67.354	0.812
23	25003-9649	3.000	4.375	0.375	23	25003-9817	3.812	5.312	0.500
23	25003-9662	4.000	5.000	0.437	23	25003-9820	50.000	52.000	0.812
23	25003-9663	5.687	7.187	0.500	23	25003-9823	6.437	7.937	0.625
23	25003-9672	4.450	5.692	0.500	23	25003-9824	4.000	5.031	0.500
23	25003-9676	9.844	11.020	0.500	23	25003-9828	6.687	8.007	0.625
23	25003-9679	10.500	11.625	0.547	23	25003-9829	11.250	12.250	0.625
23	25003-9686	42.500	44.500	0.812	23	25003-9830	3.218	4.468	0.500
23	25003-9687	14.125	15.625	0.750	23	25003-9839	4.750	5.937	0.500
23	25003-9690	27.875	29.875	0.812	23	25003-9842	4.562	5.437	0.375
23	25003-9691	2.500	3.375	0.375	23	25003-9843	59.250	61.250	0.812
23	25003-9693	11.000	12.000	0.500	23	25003-9846	7.437	8.687	0.625
23	25003-9697	13.000	14.734	0.703	23	25003-9847	22.875	24.875	0.812
23	25003-9702	5.000	5.875	0.375	23	25003-9848	49.000	51.000	0.812
23	25003-9703	6.062	7.687	0.500	23	25003-9851	4.000	4.937	0.375
23	25003-9704	3.167	4.167	0.500	23	25003-9852	29.000	30.125	0.500
23	25003-9710	91.340	92.840	0.750	23	25003-9853	31.000	32.125	0.500
23	25003-9718	8.500	10.410	0.812	23	25003-9858	7.086	8.586	0.750
23	25003-9721	11.750	13.750	0.625	23	25003-9859	20.500	21.500	0.469
23	25003-9724	3.000	4.250	0.625	23	25003-9861	7.812	9.062	0.625
23	25003-9726	11.750	13.750	0.625	23	25003-9862	4.312	5.312	0.375
23	25003-9732	14.625	16.125	0.750	23	25003-9864	21.691	23.691	0.812
23	25003-9734	19.375	21.375	0.812	23	25003-9869	75.000	77.000	0.812
23	25003-9735	40.500	41.500	0.500	23	25003-9874	8.062	9.312	0.625
23	25003-9736	31.500	33.000	0.750	23	25003-9875	9.250	11.250	0.812
23	25003-9741	4.000	5.031	0.375	23	25003-9877	4.125	5.250	0.407
23	25003-9742	18.875	20.875	0.812	23	25003-9878	42.062	44.062	0.812
23	25003-9744	20.866	22.866	0.812	23	25003-9880	5.875	7.125	0.455
23	25003-9749	11.875	13.875	0.750	23	25003-9881	18.500	20.000	0.750
23	25003-9751	5.906	6.906	0.500	23	25003-9888	9.562	10.812	0.625
23	25003-9752	16.750	18.750	0.812	23	25003-9889	8.312	9.562	0.625
23	25003-9757	16.375	18.375	0.812	23	25003-9890	27.992	29.119	0.500
23	25003-9759	26.250	28.250	0.812	23	25003-9893	20.625	22.625	0.812
23	25003-9760	5.562	6.562	0.500	23	25003-9894	47.875	49.875	0.812
23	25003-9761	4.321	5.195	0.500	23	25003-9895	7.620	9.120	0.750
23	25003-9763	14.000	16.000	0.625	23	25003-9896	14.937	16.437	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
23	25003-9897	68.968	70.957	0.787	23	25003-9988	25.500	26.500	0.500
23	25003-9899	52.875	53.875	0.500	23	25003-9993	14.566	16.181	0.629
23	25003-9900	40.750	42.000	0.750	23	25003-9994	7.087	8.661	0.625
23	25003-9902	108.000	110.000	0.812	23	25003-9995	9.868	11.368	0.750
23	25003-9904	38.500	40.750	0.750	23	25003-9996	12.992	14.566	0.708
23	25003-9906	15.125	17.125	0.750	23	25003-9997	10.375	12.250	0.750
23	25003-9907	21.500	23.500	0.750	24	25005-2549	4.000	5.500	0.500
23	25003-9908	44.290	45.790	0.750	24	25005-2608	4.125	5.375	0.625
23	25003-9912	54.000	56.000	0.812	24	25005-2612	4.125	5.625	0.500
23	25003-9913	40.750	42.000	0.687	24	25005-2669	4.250	5.750	0.500
23	25003-9914	5.687	6.937	0.625	24	25005-2762	4.500	5.875	0.500
23	25003-9915	3.000	4.000	0.437	24	25005-2765	4.500	6.000	0.500
23	25003-9916	9.437	10.937	0.750	24	25005-2810	4.625	6.125	0.500
23	25003-9917	56.102	58.346	0.750	24	25005-2879	4.875	6.250	0.500
23	25003-9918	44.337	45.837	0.750	24	25005-2882	4.875	6.375	0.500
23	25003-9919	54.331	56.299	0.984	24	25005-3071	5.250	6.750	0.500
23	25003-9920	70.000	71.000	0.500	24	25005-3188	5.500	7.000	0.500
23	25003-9921	13.625	15.625	0.812	24	25005-3240	5.625	7.125	0.500
23	25003-9925	17.717	19.409	0.787	24	25005-3287	5.750	7.250	0.500
23	25003-9928	12.380	14.380	0.812	24	25005-3367	6.000	7.500	0.500
23	25003-9932	10.937	12.187	0.625	24	25005-3996	10.000	12.000	0.750
23	25003-9938	51.575	53.575	0.812	24	25005-4071	12.000	14.000	0.750
23	25003-9939	6.375	7.375	0.375	24	25005-4098	13.000	15.000	0.750
23	25003-9940	18.750	20.750	0.812	24	25005-4152	15.000	16.500	0.750
23	25003-9941	9.445	10.633	0.500	24	25005-4963	10.562	12.562	0.750
23	25003-9942	11.335	12.520	0.500	24	25005-5139	6.625	8.125	0.500
23	25003-9943	19.188	20.938	0.625	24	25005-5526	5.511	7.011	0.500
23	25003-9944	3.437	4.937	0.500	24	25005-5630	7.625	9.125	0.500
23	25003-9945	71.000	73.000	0.812	24	25005-5741	3.740	4.990	0.375
23	25003-9947	9.750	11.750	0.625	24	25005-5933	3.562	4.812	0.500
23	25003-9948	9.000	11.000	0.625	24	25005-6247	8.250	9.750	0.500
23	25003-9949	13.125	14.875	0.625	24	25005-6250	3.741	5.240	0.500
23	25003-9950	4.156	5.406	0.500	24	25005-6370	6.500	8.000	0.500
23	25003-9953	88.583	90.583	0.812	24	25005-6375	7.000	8.500	0.500
23	25003-9954	3.375	4.625	0.375	24	25005-6380	8.000	9.000	0.500
23	25003-9955	7.937	9.187	0.625	24	25005-6395	11.000	13.000	0.750
23	25003-9956	7.207	8.225	0.500	24	25005-6693	16.000	18.000	0.500
23	25003-9957	10.000	11.500	0.375	24	25005-6758	10.437	12.437	0.750
23	25003-9958	6.670	7.750	0.500	24	25005-6773	7.500	9.000	0.500
23	25003-9959	14.750	16.250	0.375	24	25005-6845	8.750	10.250	0.500
23	25003-9960	4.250	5.250	0.437	24	25005-7578	3.500	4.750	0.375
23	25003-9963	3.543	4.528	0.472	24	25005-7758	8.000	9.500	0.500
23	25003-9968	32.375	34.375	1.000	24	25005-7861	8.125	9.625	0.500
23	25003-9969	9.844	10.844	0.500	24	25005-7867	4.937	6.437	0.500
23	25003-9974	10.937	12.500	0.625	24	25005-7876	11.937	13.937	0.750
23	25003-9976	11.750	13.500	0.812	24	25005-8169	6.125	7.625	0.500
23	25003-9979	18.750	19.750	0.500	24	25005-8171	6.500	7.874	0.472
23	25003-9980	11.750	13.250	0.625	24	25005-8173	7.125	8.625	0.500
23	25003-9982	25.006	26.006	0.375	24	25005-8245	3.000	4.250	0.375
23	25003-9983	20.495	21.495	0.375	24	25005-8452	8.375	9.875	0.500
23	25003-9985	20.477	21.477	0.375	24	25005-8623	8.469	9.968	0.500
23	25003-9987	20.458	21.458	0.375	24	25005-8665	8.500	10.000	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
24	25005-9035	21.500	23.500	0.500	25	25058-2915	5.000	6.000	0.500
24	25005-9085	4.437	5.937	0.500	25	25058-2918	5.000	6.125	0.500
24	25005-9108	9.000	10.375	0.500	25	25058-2921	5.000	6.250	0.500
24	25005-9132	4.500	6.000	0.375	25	25058-2923	5.000	6.250	0.625
24	25005-9206	5.314	6.814	0.500	25	25058-2973	5.000	6.437	0.500
24	25005-9244	7.062	8.562	0.500	25	25058-2990	5.125	6.125	0.500
24	25005-9663	5.687	7.187	0.500	25	25058-3059	5.250	6.250	0.500
24	25005-9798	7.750	9.250	0.500	25	25058-3065	5.250	6.500	0.500
24	25005-9926	4.000	5.250	0.375	25	25058-3122	5.375	6.375	0.500
24	25005-9930	5.000	6.563	0.500	25	25058-3176	5.500	6.500	0.500
24	25005-9933	6.375	7.750	0.472	25	25058-3188	5.500	7.000	0.500
24	25005-9934	7.875	9.375	0.500	25	25058-3275	5.750	6.750	0.500
24	25005-9935	8.375	10.000	0.500	25	25058-3278	5.750	6.875	0.500
24	25005-9937	12.875	15.000	0.750	25	25058-3316	5.875	6.875	0.500
24	25005-9951	6.693	8.193	0.500	25	25058-3355	6.000	7.000	0.500
24	25005-9952	5.906	7.405	0.500	25	25058-3363	6.000	7.250	0.625
25	25058-0049	0.500	1.000	0.312	25	25058-3367	6.000	7.500	0.500
25	25058-0353	1.125	1.750	0.375	25	25058-3369	6.000	7.500	0.625
25	25058-0427	1.250	2.000	0.375	25	25058-3370	6.000	7.500	0.750
25	25058-0439	1.250	2.250	0.375	25	25058-3375	6.125	7.125	0.500
25	25058-0544	1.375	2.250	0.375	25	25058-3380	6.125	7.250	0.625
25	25058-0546	1.375	2.250	0.500	25	25058-3405	6.250	7.750	0.750
25	25058-0655	1.500	2.500	0.375	25	25058-3430	6.500	7.750	0.625
25	25058-1189	2.000	2.750	0.375	25	25058-3438	6.625	7.750	0.625
25	25058-1204	2.000	3.000	0.375	25	25058-3464	6.750	8.250	0.625
25	25058-1205	2.000	3.000	0.437	25	25058-3480	6.875	8.250	0.625
25	25058-1321	2.125	2.875	0.375	25	25058-3485	6.875	8.500	0.750
25	25058-1404	2.187	3.000	0.500	25	25058-3496	7.000	8.250	0.625
25	25058-1494	2.250	3.250	0.500	25	25058-3497	7.000	8.250	0.750
25	25058-1575	2.312	3.250	0.500	25	25058-3500	7.000	8.500	0.625
25	25058-1637	2.375	3.375	0.468	25	25058-3501	7.000	8.500	0.750
25	25058-1807	2.500	3.250	0.375	25	25058-3515	7.125	8.625	0.750
25	25058-1809	2.500	3.250	0.500	25	25058-3522	7.250	8.500	0.625
25	25058-1939	2.625	3.500	0.375	25	25058-3526	7.125	8.750	0.750
25	25058-1945	2.625	3.623	0.375	25	25058-3552	7.500	9.000	0.625
25	25058-2152	2.937	4.003	0.375	25	25058-3566	7.625	9.125	0.625
25	25058-2154	2.937	4.003	0.500	25	25058-3578	7.750	9.250	0.625
25	25058-2168	3.000	3.751	0.375	25	25058-3584	7.875	9.125	0.625
25	25058-2176	3.000	4.003	0.500	25	25058-3596	8.000	9.250	0.625
25	25058-2188	3.000	4.500	0.625	25	25058-3619	9.000	10.500	0.750
25	25058-2192	3.000	4.750	0.500	25	25058-3630	9.250	10.500	0.750
25	25058-2324	3.375	4.500	0.500	25	25058-3652	9.750	11.000	0.750
25	25058-2366	3.500	4.500	0.500	25	25058-3672	10.000	11.500	0.750
25	25058-2372	3.500	4.750	0.500	25	25058-3673	10.000	12.000	1.000
25	25058-2462	3.750	4.750	0.500	25	25058-3689	10.750	12.750	1.000
25	25058-2543	4.000	5.250	0.500	25	25058-3692	11.000	12.250	0.625
25	25058-2549	4.000	5.500	0.500	25	25058-3693	11.000	12.500	0.625
25	25058-2657	4.250	5.250	0.500	25	25058-3741	18.000	19.500	0.750
25	25058-2708	4.375	5.375	0.500	25	25058-3745	18.500	20.500	1.000
25	25058-2753	4.500	5.500	0.500	25	25058-3965	9.250	11.000	0.750
25	25058-2765	4.500	6.000	0.500	25	25058-3967	9.250	11.250	0.750
25	25058-2798	4.625	5.625	0.500	25	25058-3979	9.500	11.000	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
25	25058-3989	9.750	11.750	0.750	25	25058-6525	4.687	5.687	0.500
25	25058-4012	10.500	12.000	0.750	25	25058-6672	11.250	12.500	0.625
25	25058-4032	10.875	12.375	0.750	25	25058-6676	9.250	10.250	0.500
25	25058-4046	11.250	12.750	0.750	25	25058-6697	16.500	18.500	0.750
25	25058-4050	11.375	12.875	0.750	25	25058-6808	10.000	11.250	0.625
25	25058-4058	11.500	13.000	0.750	25	25058-6919	4.375	5.875	0.375
25	25058-4072	12.000	14.000	0.812	25	25058-6974	18.000	20.500	0.812
25	25058-4080	12.500	14.000	0.750	25	25058-7033	0.750	1.250	0.250
25	25058-4082	12.500	14.500	0.750	25	25058-7293	1.000	1.500	0.281
25	25058-4132	14.000	15.500	0.750	25	25058-7389	3.750	4.750	0.375
25	25058-4152	15.000	16.500	0.750	25	25058-7432	10.625	11.875	0.625
25	25058-4155	15.000	17.000	0.750	25	25058-7621	9.875	10.875	0.500
25	25058-4178	16.000	17.500	0.750	25	25058-8782	5.437	6.937	0.750
25	25058-4189	17.000	18.500	0.750	25	25058-9104	3.687	4.687	0.500
25	25058-4201	17.750	19.750	1.000	25	25058-9207	8.500	9.750	0.750
25	25058-4495	10.500	12.000	0.625	25	25058-9665	4.000	5.500	0.750
25	25058-4502	8.500	10.000	0.625	25	25058-9915	3.000	4.000	0.437
25	25058-4505	9.000	10.250	0.625	26	24600-0041	9.250	10.500	0.625
25	25058-4517	9.750	11.250	0.625	26	24600-0044	9.250	11.250	0.750
25	25058-4557	3.000	4.000	0.500	26	24600-0055	9.500	11.500	0.625
25	25058-4560	6.500	7.500	0.500	26	24600-0126	11.500	13.000	0.625
25	25058-4651	4.000	5.000	0.500	26	24600-0131	11.750	13.250	0.625
25	25058-4707	12.000	13.500	0.625	26	24600-0212	14.000	15.500	0.625
25	25058-4710	3.437	5.000	0.500	26	24600-0233	14.375	16.000	0.688
25	25058-4729	6.125	7.625	0.750	26	24600-0287	1.000	1.500	0.313
25	25058-4799	8.375	9.875	0.625	26	24600-0303	1.000	2.062	0.375
25	25058-4804	3.000	4.250	0.500	26	24600-0351	1.125	1.625	0.313
25	25058-4921	7.375	8.375	0.500	26	24600-0353	1.125	1.750	0.375
25	25058-4923	10.000	11.250	0.500	26	24600-0378	1.181	1.968	0.276
25	25058-5023	3.000	4.000	0.375	26	24600-0383	1.188	1.875	0.375
25	25058-5189	5.125	6.125	0.375	26	24600-0393	1.181	2.500	0.375
25	25058-5240	2.375	4.000	0.500	26	24600-0449	1.260	1.693	0.394
25	25058-5825	13.625	14.875	0.750	26	24600-0532	33.500	36.000	0.875
25	25058-5916	8.500	10.500	0.625	26	24600-0547	1.375	2.375	0.375
25	25058-5934	10.500	11.750	0.625	26	24600-0549	35.500	37.500	0.875
25	25058-6050	0.625	1.375	0.250	26	24600-0556	1.375	2.500	0.375
25	25058-6147	5.062	6.375	0.562	26	24600-0575	1.378	2.244	0.394
25	25058-6285	3.500	4.375	0.500	26	24600-0598	1.438	2.375	0.375
25	25058-6356	3.250	4.250	0.375	26	24600-0609	1.438	2.500	0.500
25	25058-6360	4.000	5.000	0.375	26	24600-0622	1.875	2.875	0.312
25	25058-6363	4.500	5.500	0.375	26	24600-0631	1.250	2.250	0.500
25	25058-6372	6.750	7.750	0.500	26	24600-0634	1.438	2.438	0.500
25	25058-6374	7.000	8.000	0.500	26	24600-0635	1.500	2.500	0.500
25	25058-6375	7.000	8.500	0.500	26	24600-0639	1.750	2.750	0.500
25	25058-6376	7.250	8.250	0.500	26	24600-0643	1.500	2.250	0.375
25	25058-6377	7.250	8.500	0.500	26	24600-0644	1.500	2.250	0.438
25	25058-6380	8.000	9.000	0.500	26	24600-0672	5.750	6.750	0.500
25	25058-6387	9.000	10.000	0.500	26	24600-0674	5.875	6.875	0.500
25	25058-6408	18.500	20.500	0.812	26	24600-0698	1.562	2.188	0.312
25	25058-6471	2.750	3.750	0.500	26	24600-0705	1.375	2.064	0.500
25	25058-6502	1.250	2.500	0.375	26	24600-0708	1.375	2.439	0.500
25	25058-6508	19.000	21.000	0.812	26	24600-0733	1.575	2.362	0.354

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
26	24600-0737	1.438	2.125	0.375	26	24600-1104	1.969	2.756	0.394
26	24600-0741	1.438	2.250	0.500	26	24600-1111	1.938	2.500	0.375
26	24600-0754	1.375	2.500	0.625	26	24600-1114	1.937	2.625	0.375
26	24600-0758	1.625	2.188	0.375	26	24600-1120	1.937	2.750	0.375
26	24600-0759	1.653	2.165	0.354	26	24600-1124	1.938	2.996	0.438
26	24600-0760	1.625	2.375	0.375	26	24600-1125	1.938	3.000	0.437
26	24600-0778	1.625	2.750	0.375	26	24600-1126	1.938	3.188	0.469
26	24600-0784	0.875	1.500	0.375	26	24600-1130	1.938	2.875	0.437
26	24600-0785	0.938	1.500	0.375	26	24600-1137	1.937	3.000	0.500
26	24600-0791	1.653	2.165	0.393	26	24600-1139	1.378	2.047	0.276
26	24600-0795	2.750	3.500	0.250	26	24600-1149	1.938	3.188	0.500
26	24600-0800	10.000	12.000	1.000	26	24600-1155	1.962	3.188	0.469
26	24600-0809	9.000	10.500	0.500	26	24600-1157	1.963	3.544	0.500
26	24600-0814	1.125	2.062	0.375	26	24600-1173	2.000	2.715	0.438
26	24600-0817	1.125	3.192	0.500	26	24600-1182	2.000	3.375	0.375
26	24600-0827	2.953	3.937	0.512	26	24600-1190	2.000	2.750	0.438
26	24600-0828	9.448	12.598	0.984	26	24600-1191	2.000	2.750	0.500
26	24600-0829	2.519	3.464	0.472	26	24600-1195	2.000	2.783	0.375
26	24600-0831	37.000	39.250	0.875	26	24600-1198	2.000	2.875	0.375
26	24600-0833	1.687	2.561	0.500	26	24600-1204	2.000	3.000	0.375
26	24600-0834	1.688	2.502	0.375	26	24600-1206	2.000	3.000	0.500
26	24600-0835	1.688	2.500	0.375	26	24600-1217	2.000	3.188	0.438
26	24600-0839	3.375	4.250	0.375	26	24600-1224	2.062	2.875	0.468
26	24600-0840	1.688	2.625	0.500	26	24600-1228	1.575	2.559	0.276
26	24600-0841	4.527	5.708	0.551	26	24600-1234	1.562	2.250	0.375
26	24600-0842	1.125	2.001	0.375	26	24600-1258	2.062	3.000	0.375
26	24600-0845	2.781	3.500	0.375	26	24600-1259	5.935	6.963	0.517
26	24600-0874	1.500	3.000	0.500	26	24600-1260	2.062	3.000	0.500
26	24600-0876	1.625	2.875	0.500	26	24600-1261	2.062	3.062	0.375
26	24600-0898	1.750	2.438	0.375	26	24600-1275	0.875	1.375	0.375
26	24600-0904	1.750	2.500	0.375	26	24600-1276	0.875	1.828	0.438
26	24600-0913	1.378	3.465	0.500	26	24600-1277	0.875	1.625	0.375
26	24600-0914	3.125	4.250	0.500	26	24600-1282	0.969	2.000	0.375
26	24600-0933	4.250	5.375	0.500	26	24600-1283	1.000	1.750	0.375
26	24600-0973	1.812	2.500	0.375	26	24600-1285	1.062	1.625	0.375
26	24600-0976	1.812	2.625	0.375	26	24600-1288	1.125	1.828	0.375
26	24600-0978	4.000	5.000	0.375	26	24600-1289	1.125	1.984	0.438
26	24600-0983	18.000	20.000	0.625	26	24600-1290	1.125	2.844	0.500
26	24600-0985	12.000	13.750	0.688	26	24600-1295	1.250	2.125	0.375
26	24600-0992	14.173	15.354	0.709	26	24600-1296	1.250	2.438	0.438
26	24600-0994	4.724	5.708	0.433	26	24600-1297	1.312	2.062	0.375
26	24600-1002	1.812	3.544	0.500	26	24600-1298	1.375	2.688	0.500
26	24600-1007	15.000	17.500	1.250	26	24600-1301	1.625	2.438	0.375
26	24600-1039	1.875	2.750	0.500	26	24600-1302	1.625	2.687	0.500
26	24600-1040	10.826	12.008	0.591	26	24600-1305	1.687	2.750	0.437
26	24600-1060	6.494	7.525	0.517	26	24600-1319	2.125	2.833	0.438
26	24600-1063	1.875	3.000	0.375	26	24600-1320	2.125	2.875	0.437
26	24600-1067	1.875	3.543	0.375	26	24600-1321	2.125	2.875	0.375
26	24600-1068	8.250	10.250	0.750	26	24600-1325	2.125	3.000	0.500
26	24600-1096	1.653	2.441	0.315	26	24600-1333	2.125	3.125	0.375
26	24600-1097	1.772	2.441	0.394	26	24600-1334	2.125	3.125	0.438
26	24600-1103	1.969	3.150	0.315	26	24600-1345	2.125	3.250	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
26	24600-1355	2.125	3.545	0.438	26	24600-1829	1.375	2.125	0.375
26	24600-1375	3.375	4.355	0.375	26	24600-1838	2.625	3.375	0.437
26	24600-1394	1.125	1.875	0.375	26	24600-1842	2.625	3.625	0.438
26	24600-1404	2.188	3.000	0.500	26	24600-1848	2.688	3.875	0.468
26	24600-1408	2.188	3.125	0.375	26	24600-1855	4.724	5.512	0.512
26	24600-1427	2.188	3.350	0.469	26	24600-1907	3.937	4.921	0.256
26	24600-1431	1.187	2.250	0.500	26	24600-1913	8.500	9.750	0.750
26	24600-1454	1.375	2.000	0.312	26	24600-1914	8.875	10.125	0.750
26	24600-1465	1.438	2.000	0.313	26	24600-1922	9.750	11.125	0.750
26	24600-1466	1.438	2.063	0.313	26	24600-1939	2.625	3.500	0.375
26	24600-1469	2.250	2.875	0.312	26	24600-1950	2.625	3.750	0.500
26	24600-1470	2.250	3.062	0.437	26	24600-1952	27.000	28.500	0.750
26	24600-1474	2.250	3.000	0.375	26	24600-1968	3.537	4.500	0.500
26	24600-1482	2.250	3.125	0.500	26	24600-1972	2.000	2.750	0.375
26	24600-1492	2.250	3.250	0.375	26	24600-1987	2.688	3.372	0.375
26	24600-1504	2.250	3.500	0.375	26	24600-2004	2.687	3.751	0.500
26	24600-1508	2.250	3.353	0.375	26	24600-2007	12.375	13.375	0.500
26	24600-1509	2.250	3.375	0.500	26	24600-2020	2.750	3.375	0.312
26	24600-1511	2.250	3.750	0.500	26	24600-2021	2.750	4.625	0.625
26	24600-1561	2.312	3.125	0.375	26	24600-2033	2.750	3.751	0.687
26	24600-1565	2.362	3.071	0.394	26	24600-2035	2.750	3.500	0.375
26	24600-1568	2.363	3.127	0.375	26	24600-2037	2.750	3.500	0.500
26	24600-1572	2.375	3.188	0.438	26	24600-2039	2.750	3.543	0.437
26	24600-1579	1.772	2.622	0.500	26	24600-2041	9.449	11.024	0.591
26	24600-1580	2.375	3.250	0.328	26	24600-2047	5.315	6.614	0.709
26	24600-1602	2.344	3.125	0.500	26	24600-2054	2.750	3.625	0.438
26	24600-1621	2.437	3.547	0.500	26	24600-2058	2.750	3.750	0.438
26	24600-1623	2.499	3.542	0.500	26	24600-2065	2.750	4.003	0.469
26	24600-1627	2.563	3.500	0.375	26	24600-2068	2.750	4.125	0.438
26	24600-1639	2.375	3.062	0.500	26	24600-2070	2.756	3.543	0.394
26	24600-1642	2.375	3.125	0.375	26	24600-2071	2.756	3.543	0.237
26	24600-1652	2.375	3.375	0.500	26	24600-2077	2.795	3.465	0.472
26	24600-1665	3.500	6.375	0.375	26	24600-2081	2.938	4.008	0.468
26	24600-1668	2.375	3.500	0.500	26	24600-2098	5.512	7.087	0.630
26	24600-1685	2.440	3.250	0.500	26	24600-2105	2.953	4.213	0.492
26	24600-1686	2.500	3.125	0.312	26	24600-2111	3.225	3.975	0.375
26	24600-1697	4.438	5.750	0.563	26	24600-2113	2.875	4.000	0.468
26	24600-1705	5.250	7.250	0.625	26	24600-2114	2.875	3.500	0.312
26	24600-1714	7.313	8.438	0.563	26	24600-2120	2.875	3.751	0.500
26	24600-1716	7.441	9.875	0.512	26	24600-2121	2.875	3.875	0.375
26	24600-1746	2.438	3.481	0.500	26	24600-2128	1.250	2.000	0.375
26	24600-1749	2.438	3.500	0.500	26	24600-2137	2.901	3.601	0.232
26	24600-1757	2.489	3.250	0.312	26	24600-2144	2.937	3.625	0.375
26	24600-1767	1.750	2.750	0.375	26	24600-2145	7.402	8.583	0.591
26	24600-1775	8.000	8.875	0.437	26	24600-2146	2.938	3.750	0.375
26	24600-1787	2.500	3.350	0.250	26	24600-2147	8.189	9.370	0.591
26	24600-1794	2.500	4.000	0.500	26	24600-2148	10.787	11.969	0.591
26	24600-1801	2.500	3.188	0.375	26	24600-2149	9.528	10.709	0.591
26	24600-1820	2.500	3.500	0.437	26	24600-2151	2.937	3.875	0.500
26	24600-1821	2.500	3.500	0.500	26	24600-2168	3.000	3.751	0.375
26	24600-1826	2.500	3.623	0.437	26	24600-2171	3.000	3.876	0.375
26	24600-1828	2.500	3.750	0.375	26	24600-2174	3.000	4.003	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
26	24600-2180	3.000	4.250	0.500	26	24600-2590	4.000	4.875	0.563
26	24600-2186	3.000	4.500	0.500	26	24600-2591	4.000	4.875	0.625
26	24600-2187	3.000	4.125	0.437	26	24600-2592	4.000	5.000	0.468
26	24600-2198	3.000	5.000	0.500	26	24600-2593	4.000	5.000	0.625
26	24600-2214	3.346	4.331	0.472	26	24600-2595	4.000	5.250	0.468
26	24600-2215	3.150	4.134	0.512	26	24600-2600	4.125	5.125	0.500
26	24600-2218	3.188	4.340	0.305	26	24600-2601	4.063	5.500	0.563
26	24600-2225	3.125	4.125	0.500	26	24600-2603	4.125	5.250	0.500
26	24600-2237	3.125	4.625	0.500	26	24600-2612	4.125	5.625	0.500
26	24600-2238	3.150	3.937	0.512	26	24600-2621	1.969	4.331	0.375
26	24600-2243	3.150	4.330	0.237	26	24600-2644	4.188	5.250	0.468
26	24600-2262	3.250	4.000	0.250	26	24600-2646	4.188	5.250	0.625
26	24600-2265	3.250	4.000	0.438	26	24600-2653	4.250	5.000	0.438
26	24600-2267	3.187	5.000	0.500	26	24600-2657	4.250	5.250	0.500
26	24600-2269	3.250	4.125	0.562	26	24600-2664	4.250	5.500	0.562
26	24600-2274	2.756	4.331	0.500	26	24600-2686	4.331	5.118	0.512
26	24600-2297	3.312	4.375	0.500	26	24600-2712	4.375	5.500	0.562
26	24600-2305	3.312	5.000	0.468	26	24600-2731	4.331	5.512	0.512
26	24600-2310	3.346	4.134	0.500	26	24600-2732	4.438	5.500	0.500
26	24600-2318	3.375	4.626	0.563	26	24600-2753	4.500	5.500	0.500
26	24600-2319	3.375	5.000	0.469	26	24600-2759	4.500	5.750	0.500
26	24600-2321	3.375	4.375	0.500	26	24600-2761	4.500	5.750	0.625
26	24600-2324	3.375	4.500	0.500	26	24600-2763	4.500	5.250	0.375
26	24600-2345	3.437	4.500	0.500	26	24600-2765	4.500	6.000	0.500
26	24600-2348	3.438	4.625	0.500	26	24600-2788	4.562	5.750	0.562
26	24600-2356	3.438	4.875	0.625	26	24600-2798	4.625	5.625	0.500
26	24600-2364	3.500	4.375	0.375	26	24600-2802	4.625	5.750	0.562
26	24600-2366	3.500	4.500	0.500	26	24600-2820	4.688	5.750	0.500
26	24600-2368	3.500	4.500	0.625	26	24600-2822	20.500	21.500	0.469
26	24600-2377	3.500	4.500	0.437	26	24600-2837	4.750	5.750	0.500
26	24600-2412	3.625	4.750	0.625	26	24600-2840	4.750	5.875	0.500
26	24600-2417	3.625	4.625	0.500	26	24600-2841	4.750	5.500	0.375
26	24600-2432	3.625	5.250	0.500	26	24600-2845	4.750	6.000	0.625
26	24600-2441	3.687	4.750	0.500	26	24600-2851	4.750	6.250	0.625
26	24600-2447	3.688	4.999	0.500	26	24600-2853	4.750	6.500	0.625
26	24600-2456	1.750	2.625	0.312	26	24600-2875	4.875	6.000	0.625
26	24600-2457	3.543	4.724	0.511	26	24600-2879	4.875	6.250	0.500
26	24600-2462	3.750	4.750	0.500	26	24600-2881	4.875	6.250	0.625
26	24600-2477	3.750	5.000	0.438	26	24600-2886	4.875	6.250	0.858
26	24600-2478	3.750	5.000	0.500	26	24600-2889	4.921	6.299	0.590
26	24600-2498	3.812	5.500	0.500	26	24600-2900	4.928	6.250	0.500
26	24600-2501	22.598	23.779	0.590	26	24600-2913	4.987	6.000	0.500
26	24600-2504	19.685	20.866	0.590	26	24600-2915	5.000	6.000	0.500
26	24600-2505	24.567	25.748	0.590	26	24600-2921	5.000	6.250	0.500
26	24600-2511	19.983	21.125	0.625	26	24600-2922	5.000	6.250	0.562
26	24600-2513	3.875	5.375	0.500	26	24600-2923	5.000	6.250	0.625
26	24600-2514	3.875	5.000	0.468	26	24600-2928	5.000	6.500	0.562
26	24600-2525	3.937	5.250	0.500	26	24600-2932	5.000	5.750	0.437
26	24600-2546	4.000	5.375	0.500	26	24600-2940	6.679	7.405	0.250
26	24600-2555	4.000	5.750	0.500	26	24600-2988	5.118	6.299	0.590
26	24600-2562	3.307	4.331	0.551	26	24600-2990	5.125	6.125	0.500
26	24600-2580	13.250	14.750	0.688	26	24600-2998	5.125	6.375	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
26	24600-3019	5.500	6.375	0.563	26	24600-3460	6.750	8.000	0.625
26	24600-3026	5.188	6.250	0.500	26	24600-3461	22.047	24.016	0.787
26	24600-3037	3.688	4.750	0.438	26	24600-3486	6.875	8.384	0.625
26	24600-3050	15.000	17.500	0.938	26	24600-3492	7.000	8.000	0.625
26	24600-3055	17.250	19.250	0.875	26	24600-3494	7.000	8.125	0.625
26	24600-3059	5.250	6.250	0.500	26	24600-3500	7.000	8.500	0.625
26	24600-3067	5.250	6.500	0.625	26	24600-3511	6.938	8.000	0.625
26	24600-3122	5.375	6.375	0.500	26	24600-3512	7.125	8.500	0.625
26	24600-3124	5.375	6.750	0.625	26	24600-3522	7.250	8.500	0.625
26	24600-3135	6.625	8.750	0.500	26	24600-3544	7.500	8.500	0.625
26	24600-3136	7.750	10.250	0.500	26	24600-3552	7.500	9.000	0.625
26	24600-3173	5.438	6.625	0.500	26	24600-3553	7.500	9.000	0.750
26	24600-3176	5.500	6.500	0.500	26	24600-3566	7.625	9.125	0.625
26	24600-3177	5.500	6.250	0.438	26	24600-3578	7.750	9.250	0.625
26	24600-3182	5.500	6.750	0.500	26	24600-3583	5.063	6.125	0.500
26	24600-3183	5.500	6.750	0.562	26	24600-3587	2.165	3.150	0.394
26	24600-3184	5.500	6.750	0.625	26	24600-3589	7.875	9.375	0.750
26	24600-3189	5.500	7.000	0.750	26	24600-3592	8.000	9.000	0.625
26	24600-3194	5.500	7.250	0.500	26	24600-3594	8.000	9.125	0.625
26	24600-3203	5.512	6.693	0.295	26	24600-3598	8.000	9.375	0.625
26	24600-3204	5.512	6.890	0.709	26	24600-3606	8.250	9.500	0.625
26	24600-3216	2.500	3.228	0.315	26	24600-3611	8.625	10.625	0.750
26	24600-3236	5.625	6.875	0.625	26	24600-3619	9.000	10.500	0.750
26	24600-3260	4.331	5.118	0.354	26	24600-3623	9.000	11.000	0.750
26	24600-3277	5.750	6.750	0.625	26	24600-3633	9.250	11.250	1.000
26	24600-3281	5.750	7.000	0.500	26	24600-3635	16.687	18.031	0.750
26	24600-3283	5.750	7.000	0.625	26	24600-3640	9.500	10.750	0.625
26	24600-3287	5.750	6.950	0.305	26	24600-3644	9.500	11.250	0.625
26	24600-3300	2.312	3.062	0.375	26	24600-3648	9.500	11.500	1.000
26	24600-3308	1.937	3.250	0.375	26	24600-3654	9.750	11.250	0.750
26	24600-3326	6.102	6.850	0.472	26	24600-3655	9.750	11.750	1.000
26	24600-3329	6.693	8.268	0.630	26	24600-3663	2.953	3.740	0.511
26	24600-3330	5.875	7.375	0.625	26	24600-3665	10.500	11.750	0.625
26	24600-3354	6.000	7.000	0.438	26	24600-3667	20.866	22.835	0.866
26	24600-3361	6.000	7.250	0.500	26	24600-3677	10.250	12.250	1.000
26	24600-3362	6.000	7.000	0.750	26	24600-3678	24.409	26.378	0.866
26	24600-3373	6.000	7.625	0.625	26	24600-3680	10.500	12.500	1.000
26	24600-3377	6.125	7.125	0.625	26	24600-3682	10.750	11.750	0.562
26	24600-3379	6.000	7.500	0.375	26	24600-3685	10.750	12.250	0.562
26	24600-3389	6.000	7.500	0.625	26	24600-3686	10.750	12.500	0.562
26	24600-3390	6.188	7.688	0.750	26	24600-3687	10.750	12.750	0.562
26	24600-3404	6.300	7.480	0.295	26	24600-3691	11.000	12.000	0.625
26	24600-3415	3.187	4.500	0.500	26	24600-3695	11.024	12.598	0.787
26	24600-3418	6.125	7.625	0.625	26	24600-3720	11.000	12.250	0.688
26	24600-3422	6.125	9.000	1.438	26	24600-3721	12.598	14.331	0.787
26	24600-3423	6.375	7.875	0.625	26	24600-3722	10.827	12.205	0.591
26	24600-3424	6.437	7.687	0.625	26	24600-3726	14.000	16.250	1.000
26	24600-3430	6.500	7.750	0.625	26	24600-3742	18.000	20.000	1.000
26	24600-3435	6.500	8.000	0.750	26	24600-3758	7.480	9.250	0.630
26	24600-3438	6.625	7.725	0.305	26	24600-3793	17.000	18.250	0.625
26	24600-3451	6.693	7.874	0.295	26	24600-3811	7.875	9.000	0.438
26	24600-3452	7.000	8.000	0.437	26	24600-3817	8.250	9.250	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
26	24600-3825	8.625	9.625	0.500	26	24600-4221	19.500	21.500	0.875
26	24600-3828	8.625	10.500	0.500	26	24600-4224	3.425	4.685	0.492
26	24600-3829	8.750	9.750	0.562	26	24600-4225	3.976	5.551	0.630
26	24600-3832	8.875	10.125	0.625	26	24600-4226	5.433	7.008	0.630
26	24600-3833	8.875	10.875	1.000	26	24600-4227	7.007	8.582	0.629
26	24600-3834	9.000	10.000	0.468	26	24600-4232	12.250	14.000	0.750
26	24600-3840	9.250	10.750	0.656	26	24600-4269	22.000	23.500	0.750
26	24600-3841	9.500	10.500	0.438	26	24600-4294	24.000	26.000	0.875
26	24600-3842	9.500	11.000	0.688	26	24600-4345	9.843	11.024	0.650
26	24600-3850	11.500	12.500	0.500	26	24600-4380	10.250	13.750	0.750
26	24600-3853	12.000	14.000	0.625	26	24600-4388	6.187	7.508	0.250
26	24600-3867	15.551	17.283	0.886	26	24600-4393	17.322	18.897	0.787
26	24600-3868	16.500	17.750	0.750	26	24600-4394	14.173	15.748	0.709
26	24600-3882	13.386	14.961	0.709	26	24600-4395	5.905	7.480	0.590
26	24600-3891	14.250	16.250	0.625	26	24600-4396	15.748	17.322	0.787
26	24600-3908	7.874	9.252	0.625	26	24600-4397	12.598	14.173	0.787
26	24600-3910	9.449	10.827	0.630	26	24600-4405	34.500	36.500	0.875
26	24600-3913	6.299	7.480	0.630	26	24600-4406	4.500	5.750	0.438
26	24600-3914	7.874	9.055	0.551	26	24600-4486	18.110	20.079	0.866
26	24600-3916	7.874	9.449	0.787	26	24600-4496	12.500	14.000	0.625
26	24600-3919	6.693	7.874	0.630	26	24600-4515	9.750	11.000	0.625
26	24600-3920	7.087	8.268	0.630	26	24600-4530	13.750	15.250	0.750
26	24600-3933	8.375	9.875	0.688	26	24600-4557	3.000	4.000	0.500
26	24600-3935	8.500	9.500	0.625	26	24600-4582	2.000	2.625	0.312
26	24600-3937	8.500	10.000	0.750	26	24600-4611	8.070	9.258	0.591
26	24600-3942	8.661	9.843	0.630	26	24600-4612	12.000	13.500	0.688
26	24600-3944	8.661	10.236	0.866	26	24600-4614	4.500	5.500	0.375
26	24600-3951	8.750	10.750	0.750	26	24600-4632	1.574	2.448	0.314
26	24600-3955	9.055	10.236	0.590	26	24600-4633	1.771	2.568	0.398
26	24600-3956	9.055	10.591	0.866	26	24600-4634	3.937	4.734	0.511
26	24600-3973	9.449	11.024	0.748	26	24600-4635	4.330	5.127	0.511
26	24600-3981	3.500	4.437	0.312	26	24600-4645	4.000	5.250	0.312
26	24600-3988	2.500	4.003	0.375	26	24600-4651	4.000	5.000	0.500
26	24600-3993	1.531	2.500	0.438	26	24600-4657	0.875	1.875	0.312
26	24600-3994	10.000	11.750	0.750	26	24600-4710	3.435	5.000	0.500
26	24600-4003	10.125	12.000	0.750	26	24600-4803	9.125	10.375	0.625
26	24600-4005	10.250	11.750	0.750	26	24600-4817	3.937	4.937	0.500
26	24600-4015	16.142	18.110	0.866	26	24600-4856	19.291	21.260	0.866
26	24600-4019	22.047	24.016	0.866	26	24600-4873	4.500	5.500	0.437
26	24600-4041	12.250	13.750	0.625	26	24600-4927	10.000	11.000	0.375
26	24600-4044	1.772	2.559	0.394	26	24600-4941	15.354	16.929	0.787
26	24600-4068	12.000	13.625	0.750	26	24600-4977	17.000	19.000	0.625
26	24600-4074	12.250	13.750	0.750	26	24600-4997	7.480	8.464	0.629
26	24600-4082	12.500	14.500	0.750	26	24600-5002	3.543	4.330	0.511
26	24600-4093	13.000	14.500	0.688	26	24600-5077	16.000	18.000	0.875
26	24600-4095	13.000	14.625	0.750	26	24600-5102	13.780	15.512	0.787
26	24600-4098	13.000	15.000	0.750	26	24600-5111	10.236	11.417	0.630
26	24600-4127	13.500	15.500	0.750	26	24600-5114	12.500	13.500	0.500
26	24600-4155	15.000	17.000	0.750	26	24600-5120	16.250	17.750	0.680
26	24600-4162	15.500	17.000	0.750	26	24600-5192	8.062	9.562	0.500
26	24600-4178	16.000	17.500	0.750	26	24600-5231	8.268	9.803	0.866
26	24600-4180	16.000	18.000	0.812	26	24600-5233	11.024	12.441	0.709

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
26	24600-5239	1.250	1.750	0.250	26	24600-7374	3.250	4.250	0.500
26	24600-5273	7.188	8.640	0.625	26	24600-7618	18.250	20.250	0.812
26	24600-5335	5.906	7.087	0.551	26	24600-7682	3.125	4.250	0.625
26	24600-5338	8.267	9.448	0.590	26	24600-7801	15.250	16.750	0.750
26	24600-5341	12.992	14.173	0.590	26	24600-7832	11.250	12.750	0.625
26	24600-5343	3.346	4.331	0.512	26	24600-7836	4.724	6.299	0.472
26	24600-5344	3.543	4.528	0.512	26	24600-8233	3.250	4.249	0.375
26	24600-5345	3.937	4.922	0.512	26	24600-8313	9.625	10.875	0.625
26	24600-5348	4.725	5.906	0.551	26	24600-8592	3.875	4.875	0.437
26	24600-5351	10.236	11.417	0.590	26	24600-8814	12.283	13.750	0.688
26	24600-5353	4.134	5.315	0.550	26	24600-8815	14.016	15.000	0.688
26	24600-5359	9.449	10.630	0.591	26	24600-8830	10.787	12.250	0.688
26	24600-5429	10.236	11.811	0.787	26	24600-9175	5.314	6.692	0.512
26	24600-5439	4.750	5.625	0.437	26	24600-9535	0.750	1.625	0.312
26	24600-5445	10.629	11.811	0.630	26	24600-9538	1.770	2.834	0.375
26	24600-5454	32.969	34.625	0.750	26	24600-9646	3.937	5.062	0.375
26	24600-5456	13.500	15.000	0.653	26	24600-9662	4.000	5.000	0.437
26	24600-5457	5.250	6.000	0.375	26	24600-9722	1.500	2.250	0.250
26	24600-5491	21.882	23.732	0.866	26	24600-9780	6.500	7.500	0.562
26	24600-5492	21.654	23.622	0.925	26	24600-9960	4.250	5.250	0.437
26	24600-5493	20.276	21.850	0.787	26R1	24620-0041	9.250	10.500	0.625
26	24600-5495	4.750	5.625	0.625	26R1	24620-0044	9.250	11.250	0.750
26	24600-5598	2.756	4.015	0.500	26R1	24620-0209	0.866	1.378	0.276
26	24600-5844	1.875	2.625	0.312	26R1	24620-0280	0.984	1.496	0.276
26	24600-5913	3.938	5.000	0.500	26R1	24620-0379	1.181	1.968	0.434
26	24600-5942	12.750	14.250	0.750	26R1	24620-0572	1.378	1.969	0.315
26	24600-5987	14.562	16.000	0.625	26R1	24620-0573	1.378	2.165	0.434
26	24600-6042	6.000	7.125	0.625	26R1	24620-0574	1.337	2.165	0.315
26	24600-6175	7.250	8.250	0.438	26R1	24620-0664	4.875	5.875	0.500
26	24600-6182	7.375	8.375	0.437	26R1	24620-0678	6.250	7.250	0.500
26	24600-6185	7.750	8.750	0.437	26R1	24620-0729	1.574	2.440	0.433
26	24600-6207	1.375	1.875	0.250	26R1	24620-0760	1.625	2.375	0.375
26	24600-6372	6.750	7.750	0.500	26R1	24620-0846	3.465	4.331	0.591
26	24600-6384	8.500	9.750	0.625	26R1	24620-0895	1.732	2.362	0.354
26	24600-6386	8.750	10.000	0.625	26R1	24620-0896	1.750	2.750	0.312
26	24600-6395	11.000	13.000	0.750	26R1	24620-0909	1.750	2.625	0.500
26	24600-6450	6.250	7.250	0.438	26R1	24620-0935	1.772	2.441	0.312
26	24600-6471	2.750	3.750	0.500	26R1	24620-0963	5.500	7.000	0.500
26	24600-6570	8.625	9.875	0.625	26R1	24620-0979	15.551	17.283	0.741
26	24600-6808	10.000	11.250	0.625	26R1	24620-1007	15.000	17.500	1.250
26	24600-6839	3.250	4.250	0.437	26R1	24620-1030	1.575	2.559	0.472
26	24600-6867	6.229	7.549	0.625	26R1	24620-1031	2.362	3.543	0.551
26	24600-7033	0.750	1.250	0.250	26R1	24620-1032	2.756	3.543	0.472
26	24600-7059	18.500	20.500	0.750	26R1	24620-1033	3.150	3.937	0.394
26	24600-7101	8.500	10.500	0.750	26R1	24620-1034	4.134	5.315	0.551
26	24600-7209	2.165	3.937	0.375	26R1	24620-1035	6.299	7.677	0.709
26	24600-7213	3.125	3.875	0.375	26R1	24620-1036	7.480	8.858	0.630
26	24600-7263	11.500	12.750	0.625	26R1	24620-1037	11.811	13.583	0.866
26	24600-7267	5.511	6.692	0.590	26R1	24620-1038	16.535	18.898	1.102
26	24600-7276	6.299	7.480	0.591	26R1	24620-1079	1.890	2.750	0.470
26	24600-7281	18.898	20.472	0.787	26R1	24620-1106	1.969	2.441	0.276
26	24600-7288	10.433	11.683	0.625	26R1	24620-1107	1.968	2.834	0.472

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
26R1	24620-1108	1.969	2.677	0.354	26R1	24620-2890	4.921	6.692	0.472
26R1	24620-1109	1.937	3.548	0.375	26R1	24620-2908	2.953	4.528	0.472
26R1	24620-1189	2.000	2.750	0.375	26R1	24620-2915	5.000	6.000	0.500
26R1	24620-1201	2.000	2.997	0.375	26R1	24620-2921	5.000	6.250	0.500
26R1	24620-1258	2.062	3.000	0.375	26R1	24620-2923	5.000	6.250	0.625
26R1	24620-1321	2.125	2.878	0.375	26R1	24620-2965	10.630	12.205	0.787
26R1	24620-1355	2.125	3.545	0.438	26R1	24620-2976	9.250	10.250	0.625
26R1	24620-1369	2.165	2.835	0.315	26R1	24620-2989	5.118	6.299	0.551
26R1	24620-1370	2.165	3.070	0.472	26R1	24620-3026	5.187	6.250	0.500
26R1	24620-1371	2.165	3.070	0.354	26R1	24620-3050	15.000	17.500	0.938
26R1	24620-1575	2.312	3.250	0.500	26R1	24620-3065	5.250	6.500	0.500
26R1	24620-1605	2.362	2.953	0.315	26R1	24620-3118	5.314	6.692	0.590
26R1	24620-1606	2.362	3.228	0.472	26R1	24620-3122	5.375	6.375	0.500
26R1	24620-1642	2.375	3.125	0.375	26R1	24620-3186	5.500	6.632	0.500
26R1	24620-1686	2.500	3.125	0.312	26R1	24620-3193	5.500	7.000	0.828
26R1	24620-1726	2.437	3.147	0.375	26R1	24620-3201	5.511	6.299	0.511
26R1	24620-1735	2.437	3.250	0.375	26R1	24620-3232	5.625	6.625	0.375
26R1	24620-1819	2.500	3.500	0.375	26R1	24620-3235	12.992	14.567	0.482
26R1	24620-1837	9.645	12.007	0.984	26R1	24620-3308	1.937	3.250	0.375
26R1	24620-1859	2.559	3.464	0.472	26R1	24620-3348	6.500	8.000	0.563
26R1	24620-1953	1.969	3.543	0.394	26R1	24620-3352	6.102	7.086	0.590
26R1	24620-2026	2.756	3.346	0.315	26R1	24620-3354	6.000	7.000	0.437
26R1	24620-2027	2.755	3.622	0.472	26R1	24620-3377	6.125	7.125	0.625
26R1	24620-2034	4.331	5.118	0.472	26R1	24620-3419	4.527	5.709	0.787
26R1	24620-2035	2.750	3.500	0.375	26R1	24620-3434	6.500	8.000	0.625
26R1	24620-2037	2.750	3.500	0.500	26R1	24620-3459	2.531	4.725	0.375
26R1	24620-2054	2.750	3.625	0.438	26R1	24620-3515	7.125	8.625	0.750
26R1	24620-2058	2.750	3.750	0.438	26R1	24620-3518	7.250	8.250	0.625
26R1	24620-2122	2.156	4.725	0.375	26R1	24620-3542	4.500	7.000	0.531
26R1	24620-2135	17.992	20.000	0.748	26R1	24620-3665	10.500	11.750	0.625
26R1	24620-2177	3.000	4.125	0.500	26R1	24620-3693	11.000	12.500	0.625
26R1	24620-2187	3.000	4.125	0.438	26R1	24620-3712	0.945	1.929	0.472
26R1	24620-2215	3.150	4.134	0.512	26R1	24620-3715	1.949	3.031	0.709
26R1	24620-2216	3.125	4.249	0.438	26R1	24620-3886	11.417	12.992	0.787
26R1	24620-2217	3.125	4.506	0.500	26R1	24620-3914	7.874	9.055	0.551
26R1	24620-2279	4.528	5.512	0.472	26R1	24620-3916	7.874	9.448	0.787
26R1	24620-2420	3.625	4.751	0.500	26R1	24620-3919	6.693	7.874	0.590
26R1	24620-2432	3.625	5.250	0.500	26R1	24620-3920	7.086	8.267	0.590
26R1	24620-2437	3.543	4.330	0.472	26R1	24620-3923	7.440	8.858	0.629
26R1	24620-2494	3.938	4.881	0.625	26R1	24620-3944	8.661	10.236	0.866
26R1	24620-2554	4.000	4.875	0.500	26R1	24620-3956	9.055	10.590	0.866
26R1	24620-2621	1.969	4.331	0.375	26R1	24620-3973	9.448	11.024	0.748
26R1	24620-2669	3.188	4.999	0.438	26R1	24620-3974	9.448	11.417	0.748
26R1	24620-2703	4.331	5.512	0.551	26R1	24620-3987	2.500	3.750	0.687
26R1	24620-2731	4.331	5.511	0.511	26R1	24620-4006	10.500	12.500	0.625
26R1	24620-2753	4.500	5.500	0.500	26R1	24620-4008	10.250	12.250	0.625
26R1	24620-2798	4.625	5.625	0.500	26R1	24620-4020	2.375	3.543	0.438
26R1	24620-2809	4.625	6.000	0.625	26R1	24620-4021	2.875	3.751	0.250
26R1	24620-2827	4.410	5.375	0.625	26R1	24620-4071	12.000	14.000	0.750
26R1	24620-2841	4.750	5.500	0.375	26R1	24620-4129	14.000	15.500	1.000
26R1	24620-2862	3.500	4.721	0.375	26R1	24620-4155	15.000	17.000	0.750
26R1	24620-2863	4.724	5.906	0.512	26R1	24620-4228	1.500	3.250	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
26R1	24620-4269	22.000	23.500	0.750	53	21086-2184	3.000	4.375	0.562
26R1	24620-4549	1.187	2.835	0.375	53	21086-2186	3.000	4.500	0.500
26R1	24620-4620	1.187	2.441	0.375	53	21086-2188	3.000	4.500	0.625
26R1	24620-4654	3.750	4.999	0.500	53	21086-2189	3.000	4.625	0.500
26R1	24620-4946	3.000	3.880	0.594	53	21086-2192	3.000	4.750	0.500
26R1	24620-5010	5.500	7.000	0.750	53	21086-2195	3.000	4.875	0.500
26R1	24620-5018	11.000	12.250	0.609	53	21086-2198	3.000	4.999	0.500
26R1	24620-5146	15.000	16.772	1.125	53	21086-2201	3.062	4.125	0.500
26R1	24620-5335	5.905	7.086	0.551	53	21086-2202	3.062	4.125	0.562
26R1	24620-5338	8.267	9.448	0.590	53	21086-2204	3.062	4.249	0.500
26R1	24620-5339	9.842	11.023	0.590	53	21086-2210	3.062	4.500	0.500
26R1	24620-5344	3.543	4.527	0.512	53	21086-2213	3.062	4.625	0.500
26R1	24620-5345	3.937	4.921	0.512	53	21086-2219	3.062	4.875	0.500
26R1	24620-5349	5.708	6.889	0.551	53	21086-2221	3.062	4.875	0.625
26R1	24620-5354	4.921	6.102	0.551	53	21086-2222	3.062	4.999	0.500
26R1	24620-5357	8.661	9.842	0.590	53	21086-2225	3.125	4.125	0.500
26R1	24620-5359	9.448	10.629	0.590	53	21086-2226	3.125	4.125	0.562
26R1	24620-5451	1.885	2.700	0.500	53	21086-2228	3.125	4.249	.500
26R1	24620-5456	13.500	15.000	0.653	53	21086-2229	3.125	4.249	0.562
26R1	24620-5465	10.750	12.750	0.625	53	21086-2230	3.125	4.249	0.625
26R1	24620-5466	14.960	17.322	0.984	53	21086-2231	3.125	4.375	0.500
26R1	24620-5467	15.748	18.110	0.984	53	21086-2234	3.125	4.500	0.500
26R1	24620-5468	16.535	18.897	0.984	53	21086-2236	3.125	4.500	0.625
26R1	24620-5844	1.875	2.625	0.313	53	21086-2237	3.125	4.625	0.500
26R1	24620-6061	3.740	4.724	0.511	53	21086-2240	3.125	4.750	0.500
26R1	24620-6117	15.000	17.000	1.250	53	21086-2243	3.125	4.875	0.500
26R1	24620-6370	6.500	8.000	0.500	53	21086-2246	3.125	4.999	0.500
26R1	24620-6374	7.000	8.000	0.500	53	21086-2249	3.187	4.249	0.500
26R1	24620-6709	3.937	4.937	0.375	53	21086-2250	3.187	4.249	0.562
26R1	24620-7059	18.500	20.500	0.750	53	21086-2251	3.187	4.249	0.625
26R1	24620-7164	1.875	2.835	0.375	53	21086-2252	3.187	4.375	0.500
26R1	24620-7276	6.299	7.480	0.591	53	21086-2253	3.187	4.375	0.562
26R1	24620-7277	4.724	5.941	0.591	53	21086-2254	3.187	4.375	0.625
26R1	24620-7383	5.512	6.693	0.551	53	21086-2255	3.187	4.500	0.500
26R1	24620-7388	7.874	9.055	0.590	53	21086-2257	3.187	4.500	0.562
26R1	24620-7394	3.346	4.724	0.472	53	21086-2260	3.187	4.625	0.625
26R1	24620-7396	4.331	5.511	0.472	53	21086-2261	3.187	4.750	0.500
26R1	24620-7654	1.969	2.559	0.354	53	21086-2264	3.187	4.875	0.500
26R1	24620-8196	14.566	16.141	0.787	53	21086-2267	3.187	4.999	0.500
26R1	24620-8881	0.750	1.375	0.250	53	21086-2270	3.250	4.249	0.500
26R1	24620-9030	3.937	4.724	0.512	53	21086-2271	3.250	4.249	0.562
26R1	24620-9094	2.750	3.881	0.750	53	21086-2272	3.250	4.249	0.625
26R1	24620-9190	3.740	4.725	0.472	53	21086-2273	3.250	4.375	0.500
26R1	24620-9388	9.250	11.250	0.625	53	21086-2276	3.250	4.500	0.500
26R1	24620-9708	4.375	5.375	0.687	53	21086-2277	3.250	4.500	0.562
52R1	22537-5094	3.250	5.125	0.844	53	21086-2278	3.250	4.500	0.625
53	21086-0989	3.312	5.250	0.500	53	21086-2279	3.250	4.625	0.500
53	21086-2177	3.000	4.125	0.500	53	21086-2282	3.250	4.750	0.500
53	21086-2178	3.000	4.125	0.563	53	21086-2283	3.250	4.750	0.562
53	21086-2180	3.000	4.249	0.500	53	21086-2284	3.250	4.750	0.625
53	21086-2182	3.000	4.249	0.625	53	21086-2285	3.250	4.875	0.500
53	21086-2183	3.000	4.375	0.500	53	21086-2287	3.250	4.875	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-2288	3.250	4.999	0.500	53	21086-2393	3.562	4.625	0.500
53	21086-2291	3.250	5.125	0.500	53	21086-2396	3.562	4.750	0.500
53	21086-2297	3.312	4.375	0.500	53	21086-2397	3.562	4.750	0.562
53	21086-2299	3.312	4.375	0.625	53	21086-2398	3.562	4.750	0.625
53	21086-2300	3.312	4.500	0.500	53	21086-2399	3.562	4.875	0.500
53	21086-2302	3.312	4.500	0.625	53	21086-2402	3.562	4.999	0.500
53	21086-2303	3.312	4.625	0.500	53	21086-2405	3.562	5.125	0.500
53	21086-2306	3.312	4.750	0.500	53	21086-2408	3.562	5.250	0.500
53	21086-2309	3.312	4.875	0.500	53	21086-2414	3.562	5.500	0.500
53	21086-2312	3.312	4.999	0.500	53	21086-2417	3.625	4.625	0.500
53	21086-2315	3.312	5.125	0.500	53	21086-2418	3.625	4.625	0.562
53	21086-2321	3.375	4.375	0.500	53	21086-2419	3.625	4.625	0.625
53	21086-2323	3.375	4.375	0.625	53	21086-2420	3.625	4.750	0.500
53	21086-2324	3.375	4.500	0.500	53	21086-2421	3.625	4.750	0.562
53	21086-2325	3.375	4.500	0.562	53	21086-2423	3.625	4.875	0.500
53	21086-2326	3.375	4.500	0.625	53	21086-2424	3.625	4.875	0.562
53	21086-2327	3.375	4.625	0.500	53	21086-2425	3.625	4.875	0.625
53	21086-2329	3.375	4.625	0.625	53	21086-2426	3.625	4.999	0.500
53	21086-2330	3.375	4.750	0.500	53	21086-2428	3.625	4.999	0.625
53	21086-2333	3.375	4.875	0.500	53	21086-2429	3.625	5.125	0.500
53	21086-2336	3.375	4.999	0.500	53	21086-2432	3.625	5.250	0.500
53	21086-2339	3.375	5.125	0.500	53	21086-2435	3.625	5.375	0.500
53	21086-2342	3.375	5.250	0.500	53	21086-2438	3.625	5.500	0.500
53	21086-2345	3.437	4.500	0.500	53	21086-2441	3.687	4.750	0.500
53	21086-2348	3.437	4.625	0.500	53	21086-2442	3.687	4.750	0.562
53	21086-2351	3.437	4.750	0.500	53	21086-2444	3.687	4.875	0.500
53	21086-2353	3.437	4.750	0.625	53	21086-2447	3.687	4.999	0.500
53	21086-2354	3.437	4.875	0.500	53	21086-2450	3.687	5.125	0.500
53	21086-2356	3.437	4.875	0.625	53	21086-2453	3.687	5.250	0.500
53	21086-2357	3.437	4.999	0.500	53	21086-2456	3.687	5.375	0.500
53	21086-2360	3.437	5.125	0.500	53	21086-2459	3.687	5.500	0.500
53	21086-2362	3.437	5.125	0.625	53	21086-2462	3.750	4.750	0.500
53	21086-2363	3.437	5.250	0.500	53	21086-2463	3.750	4.750	0.562
53	21086-2365	3.437	5.250	0.625	53	21086-2464	3.750	4.750	0.625
53	21086-2366	3.500	4.500	0.500	53	21086-2465	3.750	4.875	0.500
53	21086-2367	3.500	4.500	0.562	53	21086-2466	3.750	4.875	0.562
53	21086-2368	3.500	4.500	0.625	53	21086-2468	3.750	4.999	0.500
53	21086-2369	3.500	4.625	0.500	53	21086-2469	3.750	4.999	0.562
53	21086-2370	3.500	4.625	0.562	53	21086-2470	3.750	4.999	0.625
53	21086-2371	3.500	4.625	0.625	53	21086-2471	3.750	5.125	0.500
53	21086-2372	3.500	4.750	0.500	53	21086-2474	3.750	5.250	0.500
53	21086-2373	3.500	4.750	0.562	53	21086-2476	3.750	5.250	0.625
53	21086-2374	3.500	4.750	0.625	53	21086-2480	3.750	5.500	0.500
53	21086-2375	3.500	4.875	0.500	53	21086-2483	3.812	4.875	0.500
53	21086-2378	3.500	4.999	0.500	53	21086-2486	3.812	4.999	0.500
53	21086-2380	3.500	4.999	0.625	53	21086-2489	3.812	5.125	0.500
53	21086-2381	3.500	5.125	0.500	53	21086-2492	3.812	5.250	0.500
53	21086-2384	3.500	5.250	0.500	53	21086-2495	3.812	5.375	0.500
53	21086-2386	3.500	5.250	0.625	53	21086-2498	3.812	5.500	0.500
53	21086-2387	3.500	5.375	0.500	53	21086-2501	3.875	4.875	0.500
53	21086-2390	3.500	5.500	0.500	53	21086-2504	3.875	4.999	0.500
53	21086-2392	3.500	5.500	0.625	53	21086-2506	3.875	4.999	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-2507	3.875	5.125	0.500	53	21086-2627	4.125	6.250	0.500
53	21086-2510	3.875	5.250	0.500	53	21086-2630	4.187	5.250	0.500
53	21086-2511	3.875	5.250	0.562	53	21086-2633	4.187	5.375	0.500
53	21086-2513	3.875	5.375	0.500	53	21086-2635	4.187	5.375	0.625
53	21086-2516	3.875	5.500	0.500	53	21086-2636	4.187	5.500	0.500
53	21086-2519	3.937	4.999	0.500	53	21086-2637	4.187	5.500	0.562
53	21086-2520	3.937	4.999	0.562	53	21086-2639	4.187	5.625	0.500
53	21086-2521	3.937	4.999	0.625	53	21086-2642	4.187	5.750	0.500
53	21086-2522	3.937	5.125	0.500	53	21086-2645	4.187	5.875	0.500
53	21086-2524	3.937	5.125	0.625	53	21086-2648	4.187	6.000	0.500
53	21086-2525	3.937	5.250	0.500	53	21086-2651	4.187	6.125	0.500
53	21086-2527	3.937	5.250	0.625	53	21086-2654	4.187	6.250	0.500
53	21086-2528	3.937	5.375	0.500	53	21086-2657	4.250	5.250	0.500
53	21086-2531	3.937	5.500	0.500	53	21086-2659	4.250	5.250	0.625
53	21086-2534	3.937	5.625	0.500	53	21086-2660	4.250	5.375	0.500
53	21086-2537	4.000	4.999	0.500	53	21086-2662	4.250	5.375	0.625
53	21086-2539	4.000	4.999	0.625	53	21086-2663	4.250	5.500	0.500
53	21086-2540	4.000	5.125	0.500	53	21086-2664	4.250	5.500	0.562
53	21086-2541	4.000	5.125	0.563	53	21086-2665	4.250	5.500	0.625
53	21086-2542	4.000	5.125	0.625	53	21086-2666	4.250	5.625	0.500
53	21086-2543	4.000	5.250	0.500	53	21086-2669	4.250	5.750	0.500
53	21086-2544	4.000	5.250	0.563	53	21086-2670	4.250	5.750	0.562
53	21086-2545	4.000	5.250	0.625	53	21086-2671	4.250	5.750	0.625
53	21086-2546	4.000	5.375	0.500	53	21086-2675	4.250	6.000	0.500
53	21086-2549	4.000	5.500	0.500	53	21086-2678	4.250	6.125	0.500
53	21086-2550	4.000	5.500	0.563	53	21086-2681	4.250	6.250	0.500
53	21086-2551	4.000	5.500	0.625	53	21086-2682	4.250	6.250	0.562
53	21086-2552	4.000	5.625	0.500	53	21086-2684	4.312	5.375	0.500
53	21086-2555	4.000	5.750	0.500	53	21086-2687	4.312	5.500	0.500
53	21086-2556	4.000	5.750	0.563	53	21086-2689	4.312	5.500	0.625
53	21086-2558	4.000	5.875	0.500	53	21086-2690	4.312	5.625	0.500
53	21086-2561	4.000	6.000	0.500	53	21086-2693	4.312	5.750	0.500
53	21086-2564	4.000	6.125	0.500	53	21086-2694	4.312	5.750	0.562
53	21086-2566	4.000	6.125	0.625	53	21086-2699	4.312	6.000	0.500
53	21086-2567	4.000	6.250	0.500	53	21086-2705	4.312	6.250	0.500
53	21086-2568	4.000	6.250	0.563	53	21086-2708	4.375	5.375	0.500
53	21086-2569	4.000	6.250	0.625	53	21086-2711	4.375	5.500	0.500
53	21086-2570	4.063	5.125	0.500	53	21086-2712	4.375	5.500	0.562
53	21086-2573	4.063	5.250	0.500	53	21086-2714	4.375	5.625	0.500
53	21086-2579	4.063	5.500	0.500	53	21086-2717	4.375	5.750	0.500
53	21086-2588	4.063	5.875	0.500	53	21086-2720	4.375	5.875	0.500
53	21086-2600	4.125	5.125	0.500	53	21086-2723	4.375	6.000	0.500
53	21086-2603	4.125	5.250	0.500	53	21086-2726	4.375	6.125	0.500
53	21086-2604	4.125	5.250	0.562	53	21086-2729	4.375	6.250	0.500
53	21086-2605	4.125	5.250	0.625	53	21086-2730	4.375	6.250	0.562
53	21086-2606	4.125	5.375	0.500	53	21086-2732	4.437	5.500	0.500
53	21086-2608	4.125	5.375	0.625	53	21086-2733	4.437	5.500	0.562
53	21086-2609	4.125	5.500	0.500	53	21086-2735	4.437	5.625	0.500
53	21086-2610	4.125	5.500	0.563	53	21086-2738	4.437	5.750	0.500
53	21086-2612	4.125	5.625	0.500	53	21086-2739	4.437	5.750	0.562
53	21086-2618	4.125	5.875	0.500	53	21086-2740	4.437	5.750	0.625
53	21086-2621	4.125	6.000	0.500	53	21086-2744	4.437	6.000	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-2747	4.437	6.125	0.500	53	21086-2851	4.750	6.250	0.625
53	21086-2750	4.437	6.250	0.500	53	21086-2852	4.750	6.375	0.500
53	21086-2751	4.437	6.250	0.562	53	21086-2855	4.812	5.875	0.500
53	21086-2753	4.500	5.500	0.500	53	21086-2857	4.812	5.875	0.625
53	21086-2754	4.500	5.500	0.562	53	21086-2858	4.812	6.000	0.500
53	21086-2755	4.500	5.500	0.625	53	21086-2864	4.812	6.250	0.500
53	21086-2756	4.500	5.625	0.500	53	21086-2869	4.812	6.375	0.625
53	21086-2757	4.500	5.625	0.562	53	21086-2870	4.875	5.875	0.500
53	21086-2758	4.500	5.625	0.625	53	21086-2872	4.875	5.875	0.625
53	21086-2759	4.500	5.750	0.500	53	21086-2873	4.875	6.000	0.500
53	21086-2760	4.500	5.750	0.562	53	21086-2875	4.875	6.000	0.625
53	21086-2761	4.500	5.750	0.625	53	21086-2876	4.875	6.125	0.500
53	21086-2762	4.500	5.875	0.500	53	21086-2878	4.875	6.125	0.625
53	21086-2765	4.500	6.000	0.500	53	21086-2879	4.875	6.250	0.500
53	21086-2766	4.500	6.000	0.562	53	21086-2881	4.875	6.250	0.625
53	21086-2767	4.500	6.000	0.625	53	21086-2882	4.875	6.375	0.509
53	21086-2768	4.500	6.125	0.500	53	21086-2885	4.875	6.500	0.500
53	21086-2771	4.500	6.250	0.500	53	21086-2888	4.875	6.625	0.500
53	21086-2774	4.500	6.375	0.500	53	21086-2891	4.875	6.750	0.500
53	21086-2776	4.500	6.375	0.625	53	21086-2894	4.937	6.000	0.500
53	21086-2777	4.562	5.625	0.500	53	21086-2896	4.937	6.000	0.625
53	21086-2780	4.562	5.750	0.500	53	21086-2897	4.937	6.125	0.500
53	21086-2782	4.562	5.750	0.625	53	21086-2900	4.937	6.250	0.500
53	21086-2783	4.562	5.875	0.500	53	21086-2901	4.937	6.250	0.562
53	21086-2786	4.562	6.000	0.500	53	21086-2903	4.937	6.375	0.500
53	21086-2789	4.562	6.125	0.500	53	21086-2906	4.937	6.500	0.500
53	21086-2792	4.562	6.250	0.500	53	21086-2908	4.937	6.500	0.625
53	21086-2795	4.562	6.375	0.500	53	21086-2912	4.937	6.750	0.500
53	21086-2798	4.625	5.625	0.500	53	21086-2915	5.000	6.000	0.500
53	21086-2799	4.625	5.625	0.562	53	21086-2916	5.000	6.000	0.562
53	21086-2801	4.625	5.750	0.500	53	21086-2917	5.000	6.000	0.625
53	21086-2802	4.625	5.750	0.562	53	21086-2918	5.000	6.125	0.500
53	21086-2804	4.625	5.875	0.500	53	21086-2921	5.000	6.250	0.500
53	21086-2807	4.625	6.000	0.500	53	21086-2922	5.000	6.250	0.562
53	21086-2809	4.625	6.000	0.625	53	21086-2923	5.000	6.250	0.625
53	21086-2810	4.625	6.125	0.500	53	21086-2924	5.000	6.375	0.500
53	21086-2813	4.625	6.250	0.500	53	21086-2926	5.000	6.375	0.625
53	21086-2819	4.687	5.750	0.500	53	21086-2927	5.000	6.500	0.500
53	21086-2820	4.687	5.750	0.562	53	21086-2929	5.000	6.500	0.625
53	21086-2822	4.687	5.875	0.500	53	21086-2930	5.000	6.625	0.500
53	21086-2825	4.687	6.000	0.500	53	21086-2933	5.000	6.750	0.500
53	21086-2831	4.687	6.250	0.500	53	21086-2935	5.000	6.750	0.625
53	21086-2834	4.687	6.375	0.500	53	21086-2936	5.000	6.875	0.500
53	21086-2837	4.750	5.750	0.500	53	21086-2939	5.000	7.000	0.500
53	21086-2838	4.750	5.750	0.562	53	21086-2941	5.000	7.000	0.625
53	21086-2839	4.750	5.750	0.625	53	21086-2942	5.000	7.125	0.500
53	21086-2840	4.750	5.875	0.500	53	21086-2945	5.000	7.250	0.500
53	21086-2842	4.750	5.875	0.625	53	21086-2948	5.000	7.375	0.500
53	21086-2843	4.750	6.000	0.500	53	21086-2951	5.000	7.500	0.500
53	21086-2845	4.750	6.000	0.625	53	21086-2954	5.062	6.125	0.500
53	21086-2846	4.750	6.125	0.500	53	21086-2957	5.062	6.250	0.500
53	21086-2849	4.750	6.250	0.500	53	21086-2990	5.125	6.125	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-2992	5.125	6.125	0.625	53	21086-3155	5.437	6.750	0.500
53	21086-2993	5.125	6.250	0.500	53	21086-3156	5.437	6.750	0.562
53	21086-2994	5.125	6.250	0.562	53	21086-3158	5.437	6.875	0.500
53	21086-2996	5.125	6.375	0.500	53	21086-3161	5.437	7.000	0.500
53	21086-2997	5.125	6.375	0.562	53	21086-3164	5.437	7.125	0.500
53	21086-2998	5.125	6.375	0.625	53	21086-3167	5.437	7.250	0.500
53	21086-2999	5.125	6.500	0.500	53	21086-3176	5.500	6.500	0.500
53	21086-3001	5.125	6.500	0.625	53	21086-3178	5.500	6.500	0.625
53	21086-3002	5.125	6.625	0.500	53	21086-3179	5.500	6.625	0.500
53	21086-3005	5.125	6.750	0.500	53	21086-3180	5.500	6.625	0.562
53	21086-3011	5.125	7.000	0.500	53	21086-3181	5.500	6.625	0.625
53	21086-3013	5.125	7.000	0.625	53	21086-3182	5.500	6.750	0.500
53	21086-3017	5.125	7.250	0.500	53	21086-3183	5.500	6.750	0.562
53	21086-3023	5.125	7.500	0.500	53	21086-3184	5.500	6.750	0.625
53	21086-3025	5.125	7.500	0.625	53	21086-3185	5.500	6.875	0.500
53	21086-3026	5.187	6.250	0.500	53	21086-3188	5.500	7.000	0.500
53	21086-3029	5.187	6.375	0.500	53	21086-3190	5.500	7.000	0.625
53	21086-3032	5.187	6.500	0.500	53	21086-3191	5.500	7.125	0.500
53	21086-3034	5.187	6.500	0.625	53	21086-3194	5.500	7.250	0.500
53	21086-3035	5.187	6.625	0.500	53	21086-3200	5.500	7.500	0.500
53	21086-3038	5.187	6.750	0.500	53	21086-3203	5.562	6.625	0.500
53	21086-3044	5.187	7.000	0.500	53	21086-3208	5.562	6.750	0.625
53	21086-3056	5.187	7.500	0.500	53	21086-3218	5.562	7.250	0.500
53	21086-3059	5.250	6.250	0.500	53	21086-3221	5.562	7.375	0.500
53	21086-3062	5.250	6.375	0.500	53	21086-3226	5.562	7.500	0.625
53	21086-3065	5.250	6.500	0.500	53	21086-3228	5.625	6.625	0.500
53	21086-3067	5.250	6.500	0.625	53	21086-3230	5.625	6.625	0.625
53	21086-3068	5.250	6.625	0.500	53	21086-3231	5.625	6.750	0.500
53	21086-3070	5.250	6.625	0.625	53	21086-3234	5.625	6.875	0.500
53	21086-3071	5.250	6.750	0.500	53	21086-3235	5.625	6.875	0.562
53	21086-3077	5.250	7.000	0.500	53	21086-3236	5.625	6.875	0.625
53	21086-3080	5.250	7.125	0.500	53	21086-3237	5.625	7.000	0.500
53	21086-3092	5.312	6.375	0.500	53	21086-3240	5.625	7.125	0.500
53	21086-3095	5.312	6.500	0.500	53	21086-3243	5.625	7.250	0.500
53	21086-3098	5.312	6.625	0.500	53	21086-3245	5.625	7.250	0.625
53	21086-3101	5.312	6.750	0.500	53	21086-3246	5.625	7.375	0.500
53	21086-3104	5.312	6.875	0.500	53	21086-3249	5.625	7.500	0.500
53	21086-3113	5.312	7.250	0.500	53	21086-3253	5.687	6.750	0.500
53	21086-3122	5.375	6.375	0.500	53	21086-3258	5.687	6.875	0.625
53	21086-3125	5.375	6.500	0.500	53	21086-3259	5.687	7.000	0.500
53	21086-3126	5.375	6.500	0.562	53	21086-3268	5.687	7.375	0.500
53	21086-3127	5.375	6.500	0.625	53	21086-3270	5.687	7.375	0.625
53	21086-3128	5.375	6.625	0.500	53	21086-3271	5.687	7.500	0.500
53	21086-3129	5.375	6.625	0.562	53	21086-3275	5.750	6.750	0.500
53	21086-3130	5.375	6.625	0.625	53	21086-3276	5.750	6.750	0.562
53	21086-3131	5.375	6.750	0.500	53	21086-3278	5.750	6.875	0.500
53	21086-3134	5.375	6.875	0.500	53	21086-3281	5.750	7.000	0.500
53	21086-3136	5.375	6.875	0.625	53	21086-3282	5.750	7.000	0.562
53	21086-3139	5.375	7.000	0.625	53	21086-3283	5.750	7.000	0.625
53	21086-3142	5.375	7.125	0.625	53	21086-3284	5.750	7.125	0.500
53	21086-3151	5.375	7.500	0.625	53	21086-3287	5.750	7.250	0.500
53	21086-3152	5.437	6.625	0.500	53	21086-3289	5.750	7.250	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-3290	5.750	7.375	0.500	53	21086-3395	6.250	7.500	0.562
53	21086-3292	5.750	7.375	0.625	53	21086-3396	6.250	7.500	0.625
53	21086-3293	5.750	7.500	0.500	53	21086-3397	6.250	7.500	0.750
53	21086-3296	5.750	7.500	0.750	53	21086-3398	6.250	7.625	0.500
53	21086-3297	5.812	6.875	0.500	53	21086-3402	6.250	7.750	0.500
53	21086-3300	5.812	7.000	0.500	53	21086-3405	6.250	7.750	0.750
53	21086-3305	5.812	7.125	0.500	53	21086-3406	6.375	7.375	0.500
53	21086-3306	5.812	7.250	0.500	53	21086-3409	6.375	7.500	0.500
53	21086-3309	5.812	7.375	0.500	53	21086-3413	6.375	7.625	0.500
53	21086-3312	5.812	7.500	0.500	53	21086-3415	6.375	7.625	0.625
53	21086-3316	5.875	6.875	0.500	53	21086-3417	6.375	7.750	0.500
53	21086-3319	5.875	7.000	0.500	53	21086-3421	6.375	7.875	0.500
53	21086-3322	5.875	7.125	0.500	53	21086-3423	6.375	7.875	0.625
53	21086-3323	5.875	7.125	0.562	53	21086-3424	6.375	7.875	0.750
53	21086-3324	5.875	7.125	0.625	53	21086-3425	6.437	7.750	0.750
53	21086-3325	5.875	7.250	0.500	53	21086-3426	6.500	7.500	0.625
53	21086-3328	5.875	7.375	0.500	53	21086-3428	6.500	7.625	0.625
53	21086-3331	5.875	7.500	0.500	53	21086-3430	6.500	7.750	0.625
53	21086-3335	5.937	7.000	0.500	53	21086-3432	6.500	7.875	0.625
53	21086-3337	5.937	7.000	0.625	53	21086-3434	6.500	8.000	0.625
53	21086-3338	5.937	7.125	0.500	53	21086-3435	6.500	8.000	0.750
53	21086-3341	5.937	7.250	0.500	53	21086-3436	6.625	7.625	0.625
53	21086-3343	5.937	7.250	0.625	53	21086-3438	6.625	7.750	0.625
53	21086-3344	5.937	7.375	0.500	53	21086-3440	6.625	7.875	0.625
53	21086-3347	5.937	7.500	0.500	53	21086-3442	6.625	8.000	0.625
53	21086-3351	5.937	7.625	0.500	53	21086-3444	6.625	8.125	0.625
53	21086-3355	6.000	7.000	0.500	53	21086-3445	6.625	8.125	0.750
53	21086-3356	6.000	7.000	0.562	53	21086-3446	6.625	8.250	0.625
53	21086-3357	6.000	7.000	0.625	53	21086-3447	6.625	8.250	0.750
53	21086-3358	6.000	7.125	0.500	53	21086-3448	6.625	8.375	0.625
53	21086-3359	6.000	7.125	0.562	53	21086-3450	6.625	8.500	0.625
53	21086-3360	6.000	7.125	0.625	53	21086-3454	6.625	8.750	0.625
53	21086-3361	6.000	7.250	0.500	53	21086-3456	6.750	7.750	0.625
53	21086-3363	6.000	7.250	0.625	53	21086-3458	6.750	7.875	0.625
53	21086-3364	6.000	7.375	0.500	53	21086-3460	6.750	8.000	0.625
53	21086-3367	6.000	7.500	0.500	53	21086-3462	6.750	8.125	0.625
53	21086-3369	6.000	7.500	0.625	53	21086-3464	6.750	8.250	0.625
53	21086-3370	6.000	7.500	0.750	53	21086-3465	6.750	8.250	0.750
53	21086-3371	6.000	7.625	0.500	53	21086-3466	6.750	8.375	0.625
53	21086-3372	6.000	7.625	0.562	53	21086-3468	6.750	8.500	0.625
53	21086-3374	6.000	7.625	0.750	53	21086-3470	6.750	8.625	0.625
53	21086-3375	6.125	7.125	0.500	53	21086-3472	6.750	8.750	0.625
53	21086-3377	6.125	7.125	0.625	53	21086-3474	6.875	7.875	0.625
53	21086-3378	6.125	7.250	0.500	53	21086-3476	6.875	8.000	0.625
53	21086-3380	6.125	7.250	0.625	53	21086-3478	6.875	8.125	0.625
53	21086-3381	6.125	7.375	0.500	53	21086-3480	6.875	8.250	0.625
53	21086-3383	6.125	7.375	0.625	53	21086-3482	6.875	8.375	0.625
53	21086-3384	6.125	7.500	0.500	53	21086-3483	6.875	8.375	0.750
53	21086-3387	6.125	7.500	0.750	53	21086-3484	6.875	8.500	0.625
53	21086-3388	6.250	7.250	0.500	53	21086-3485	6.875	8.500	0.750
53	21086-3391	6.250	7.375	0.500	53	21086-3488	6.875	8.750	0.625
53	21086-3394	6.250	7.500	0.500	53	21086-3492	7.000	8.000	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-3494	7.000	8.125	0.625	53	21086-3578	7.750	9.250	0.625
53	21086-3495	7.000	8.125	0.750	53	21086-3579	7.750	9.250	0.750
53	21086-3496	7.000	8.250	0.625	53	21086-3580	7.875	8.875	0.625
53	21086-3498	7.000	8.375	0.625	53	21086-3582	7.875	9.000	0.625
53	21086-3500	7.000	8.500	0.625	53	21086-3584	7.875	9.125	0.625
53	21086-3501	7.000	8.500	0.750	53	21086-3586	7.875	9.250	0.625
53	21086-3504	7.000	8.750	0.625	53	21086-3588	7.875	9.375	0.625
53	21086-3506	7.125	8.125	0.625	53	21086-3589	7.875	9.375	0.750
53	21086-3508	7.125	8.250	0.625	53	21086-3590	7.937	9.125	0.625
53	21086-3510	7.125	8.375	0.625	53	21086-3592	8.000	9.000	0.625
53	21086-3512	7.125	8.500	0.625	53	21086-3593	8.000	9.000	0.750
53	21086-3514	7.125	8.625	0.625	53	21086-3594	8.000	9.125	0.625
53	21086-3515	7.125	8.625	0.750	53	21086-3596	8.000	9.250	0.625
53	21086-3516	7.125	8.750	0.625	53	21086-3597	8.000	9.250	0.750
53	21086-3518	7.250	8.250	0.625	53	21086-3598	8.000	9.375	0.625
53	21086-3519	7.250	8.250	0.750	53	21086-3600	8.000	9.500	0.625
53	21086-3520	7.250	8.375	0.625	53	21086-3601	8.000	9.500	0.750
53	21086-3522	7.250	8.500	0.625	53	21086-3602	8.000	10.000	1.000
53	21086-3523	7.250	8.500	0.750	53	21086-3603	8.125	10.000	1.000
53	21086-3524	7.250	8.625	0.625	53	21086-3604	8.250	9.250	0.625
53	21086-3526	7.250	8.750	0.625	53	21086-3605	8.250	9.375	0.625
53	21086-3527	7.250	8.750	0.750	53	21086-3606	8.250	9.500	0.625
53	21086-3528	7.375	8.375	0.625	53	21086-3607	8.250	10.250	1.000
53	21086-3529	7.375	8.375	0.750	53	21086-3608	8.375	9.750	0.750
53	21086-3530	7.375	8.500	0.625	53	21086-3609	8.375	10.375	1.000
53	21086-3532	7.375	8.625	0.625	53	21086-3610	8.500	10.500	1.000
53	21086-3534	7.375	8.750	0.625	53	21086-3611	8.625	10.625	0.750
53	21086-3536	7.375	8.875	0.625	53	21086-3612	8.625	10.750	1.000
53	21086-3538	7.375	9.000	0.625	53	21086-3613	8.750	10.750	1.000
53	21086-3540	7.375	9.125	0.625	53	21086-3615	9.000	10.000	0.750
53	21086-3542	7.375	9.250	0.625	53	21086-3616	9.000	10.125	0.750
53	21086-3544	7.500	8.500	0.625	53	21086-3617	9.000	10.250	0.750
53	21086-3546	7.500	8.625	0.625	53	21086-3618	9.000	10.375	0.750
53	21086-3548	7.500	8.750	0.625	53	21086-3619	9.000	10.500	0.750
53	21086-3550	7.500	8.875	0.625	53	21086-3621	9.000	10.750	0.750
53	21086-3552	7.500	9.000	0.625	53	21086-3622	9.000	10.875	0.750
53	21086-3553	7.500	9.000	0.750	53	21086-3623	9.000	11.000	0.750
53	21086-3554	7.500	9.125	0.625	53	21086-3624	9.000	11.000	1.000
53	21086-3555	7.500	9.125	0.750	53	21086-3628	9.250	10.250	0.750
53	21086-3556	7.500	9.250	0.625	53	21086-3629	9.250	10.375	0.750
53	21086-3558	7.625	8.625	0.625	53	21086-3630	9.250	10.500	0.750
53	21086-3560	7.625	8.750	0.625	53	21086-3632	9.250	10.750	0.750
53	21086-3562	7.625	8.875	0.625	53	21086-3633	9.250	11.250	1.000
53	21086-3564	7.625	9.000	0.625	53	21086-3634	9.375	11.375	1.000
53	21086-3565	7.625	9.000	0.750	53	21086-3635	9.437	10.500	0.750
53	21086-3566	7.625	9.125	0.625	53	21086-3636	9.437	10.625	0.750
53	21086-3567	7.625	9.125	0.750	53	21086-3637	9.437	11.500	1.000
53	21086-3568	7.625	9.250	0.625	53	21086-3638	9.500	10.500	0.625
53	21086-3570	7.750	8.750	0.625	53	21086-3639	9.500	10.625	0.625
53	21086-3572	7.750	8.875	0.625	53	21086-3640	9.500	10.750	0.625
53	21086-3574	7.750	9.000	0.625	53	21086-3642	9.500	11.000	0.625
53	21086-3576	7.750	9.125	0.625	53	21086-3643	9.500	11.125	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-3644	9.500	11.250	0.625	53	21086-3709	12.000	14.000	1.000
53	21086-3645	9.500	11.375	0.625	53	21086-3710	12.000	14.250	1.000
53	21086-3646	9.500	11.500	0.625	53	21086-3713	12.250	14.250	1.000
53	21086-3648	9.500	11.500	1.000	53	21086-3714	12.500	14.500	1.000
53	21086-3649	9.625	11.625	1.000	53	21086-3715	12.625	14.625	1.000
53	21086-3650	9.750	10.750	0.750	53	21086-3717	12.687	14.750	1.000
53	21086-3652	9.750	11.000	0.750	53	21086-3718	12.875	14.750	1.000
53	21086-3653	9.750	11.125	0.750	53	21086-3719	13.000	15.000	1.000
53	21086-3654	9.750	11.250	0.750	53	21086-3721	13.500	15.500	1.000
53	21086-3655	9.750	11.750	1.000	53	21086-3722	13.750	15.750	1.000
53	21086-3658	9.937	12.000	1.000	53	21086-3725	14.000	16.000	1.000
53	21086-3659	9.937	12.125	1.000	53	21086-3726	14.000	16.250	1.000
53	21086-3660	10.000	11.000	0.562	53	21086-3727	14.000	16.500	1.000
53	21086-3661	10.000	11.125	0.562	53	21086-3728	14.500	16.500	0.750
53	21086-3662	10.000	11.250	0.562	53	21086-3730	15.000	17.000	0.875
53	21086-3663	10.000	11.375	0.562	53	21086-3731	15.000	17.000	1.000
53	21086-3664	10.000	11.500	0.562	53	21086-3734	15.250	17.250	0.875
53	21086-3666	10.000	11.750	0.562	53	21086-3736	16.000	18.000	1.000
53	21086-3667	10.000	11.875	0.562	53	21086-3737	16.250	18.000	1.000
53	21086-3668	10.000	11.000	0.750	53	21086-3738	16.500	18.500	1.000
53	21086-3670	10.000	11.250	0.750	53	21086-3741	18.000	19.500	0.750
53	21086-3671	10.000	11.375	0.750	53	21086-3742	18.000	20.000	1.000
53	21086-3672	10.000	11.500	0.750	53	21086-3749	20.000	22.000	1.000
53	21086-3673	10.000	12.000	1.000	53	21086-3770	24.250	26.250	1.000
53	21086-3674	10.125	12.000	1.000	53	21086-3776	25.875	28.000	1.000
53	21086-3675	10.187	12.250	1.000	53	21086-3796	30.000	32.000	1.000
53	21086-3676	10.250	12.250	0.750	53	21086-3830	34.500	36.500	1.000
53	21086-3677	10.250	12.250	1.000	53	21086-3838	35.375	37.375	1.000
53	21086-3678	10.437	12.500	1.000	53	21086-3843	36.000	38.000	1.000
53	21086-3680	10.500	12.500	1.000	53	21086-3844	36.000	38.500	1.000
53	21086-3681	10.500	12.625	1.000	53	21086-3917	6.437	7.500	0.500
53	21086-3682	10.750	11.750	0.562	53	21086-3918	6.687	7.750	0.625
53	21086-3683	10.750	11.875	0.562	53	21086-3922	8.000	9.750	0.750
53	21086-3684	10.750	12.000	0.562	53	21086-3924	8.000	10.000	0.687
53	21086-3685	10.750	12.250	0.562	53	21086-3925	8.000	10.000	0.750
53	21086-3686	10.750	12.500	0.562	53	21086-3928	8.125	9.625	0.750
53	21086-3687	10.750	12.750	0.562	53	21086-3932	8.125	10.125	0.750
53	21086-3688	10.750	12.750	0.875	53	21086-3933	8.375	9.875	0.687
53	21086-3689	10.750	12.750	1.000	53	21086-3934	8.375	9.875	0.750
53	21086-3691	11.000	12.000	0.625	53	21086-3935	8.500	9.500	0.625
53	21086-3692	11.000	12.250	0.625	53	21086-3937	8.500	10.000	0.750
53	21086-3693	11.000	12.500	0.625	53	21086-3939	8.625	10.125	0.687
53	21086-3694	11.000	13.000	1.000	53	21086-3940	8.625	10.125	0.750
53	21086-3695	11.062	12.250	0.750	53	21086-3941	8.625	10.250	0.750
53	21086-3696	11.062	12.500	0.750	53	21086-3943	8.625	10.500	0.750
53	21086-3697	11.062	12.750	0.750	53	21086-3945	8.625	10.625	1.000
53	21086-3698	11.062	13.000	0.750	53	21086-3946	8.750	10.250	0.687
53	21086-3703	11.250	13.250	1.000	53	21086-3947	8.750	10.250	0.750
53	21086-3704	11.375	13.500	1.000	53	21086-3948	8.750	10.375	0.750
53	21086-3705	11.500	13.500	1.000	53	21086-3949	8.750	10.500	0.750
53	21086-3706	11.750	13.750	1.000	53	21086-3950	8.750	10.625	0.750
53	21086-3707	11.750	14.000	1.000	53	21086-3951	8.750	10.750	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-3954	9.000	10.500	0.687	53	21086-4062	11.500	13.500	0.750
53	21086-3957	9.125	10.625	0.687	53	21086-4064	11.750	13.250	0.687
53	21086-3958	9.125	10.625	0.750	53	21086-4065	11.750	13.250	0.750
53	21086-3959	9.125	10.750	0.750	53	21086-4067	12.000	13.500	0.750
53	21086-3961	9.125	11.000	0.750	53	21086-4068	12.000	13.625	0.750
53	21086-3963	9.250	10.750	0.687	53	21086-4071	12.000	14.000	0.750
53	21086-3964	9.250	10.875	0.750	53	21086-4073	12.125	14.000	1.000
53	21086-3965	9.250	11.000	0.750	53	21086-4074	12.250	13.750	0.750
53	21086-3967	9.250	11.250	0.750	53	21086-4077	12.375	13.875	0.750
53	21086-3972	9.375	11.000	0.750	53	21086-4079	12.500	14.000	0.687
53	21086-3975	9.375	11.375	0.750	53	21086-4080	12.500	14.000	0.750
53	21086-3977	9.437	10.500	0.625	53	21086-4085	12.500	14.750	1.000
53	21086-3981	9.500	11.250	0.750	53	21086-4085	12.500	14.750	1.000
53	21086-3989	9.750	11.750	0.750	53	21086-4093	13.000	14.500	0.687
53	21086-3990	9.875	11.375	0.750	53	21086-4094	13.000	14.500	0.750
53	21086-3991	9.875	11.500	0.750	53	21086-4095	13.000	14.625	0.750
53	21086-3992	10.000	11.500	0.687	53	21086-4098	13.000	15.000	0.750
53	21086-3993	10.000	11.625	0.750	53	21086-4101	13.250	14.750	0.687
53	21086-3994	10.000	11.750	0.750	53	21086-4102	13.250	14.750	0.750
53	21086-3996	10.000	12.000	0.750	53	21086-4103	13.250	14.875	0.750
53	21086-3998	10.000	12.000	0.875	53	21086-4107	13.250	15.250	1.000
53	21086-3999	10.125	11.625	0.687	53	21086-4109	13.250	15.375	1.000
53	21086-4000	10.125	11.625	0.750	53	21086-4113	13.250	15.500	1.000
53	21086-4003	10.125	12.000	0.750	53	21086-4114	14.188	15.500	0.625
53	21086-4004	10.250	11.750	0.687	53	21086-4116	13.375	14.875	0.625
53	21086-4005	10.250	11.750	0.750	53	21086-4117	14.188	15.750	0.625
53	21086-4007	10.250	12.000	0.750	53	21086-4121	13.500	15.000	0.687
53	21086-4010	10.375	12.197	1.000	53	21086-4122	13.500	15.000	0.750
53	21086-4011	10.500	12.000	0.687	53	21086-4124	13.500	15.250	0.750
53	21086-4012	10.500	12.000	0.750	53	21086-4125	13.500	15.375	0.750
53	21086-4013	10.500	12.125	0.750	53	21086-4127	13.500	15.500	0.750
53	21086-4014	10.500	12.250	0.750	53	21086-4132	14.000	15.500	0.750
53	21086-4016	10.500	12.500	0.750	53	21086-4133	14.000	15.562	0.750
53	21086-4018	10.625	12.125	0.750	53	21086-4134	14.000	15.750	0.750
53	21086-4019	10.625	12.250	0.750	53	21086-4142	14.500	16.000	0.687
53	21086-4020	10.625	12.375	0.750	53	21086-4144	14.500	16.250	0.750
53	21086-4021	10.625	12.500	0.750	53	21086-4150	14.875	16.875	1.000
53	21086-4024	10.750	12.250	0.750	53	21086-4151	15.000	16.500	0.687
53	21086-4025	10.750	12.375	0.562	53	21086-4152	15.000	16.500	0.750
53	21086-4029	10.750	12.625	0.750	53	21086-4153	15.000	16.750	0.750
53	21086-4030	10.750	12.750	0.750	53	21086-4154	15.000	16.875	0.750
53	21086-4034	11.000	12.125	0.625	53	21086-4155	15.000	17.000	0.750
53	21086-4037	11.000	13.250	1.000	53	21086-4157	15.250	17.250	1.000
53	21086-4038	11.024	12.197	0.625	53	21086-4160	15.375	17.375	1.000
53	21086-4046	11.250	12.750	0.750	53	21086-4177	16.000	17.500	0.687
53	21086-4048	11.250	13.500	1.000	53	21086-4178	16.000	17.500	0.750
53	21086-4050	11.375	12.875	0.750	53	21086-4181	16.250	17.750	0.687
53	21086-4051	11.375	13.000	0.750	53	21086-4182	16.250	17.750	0.750
53	21086-4057	11.500	13.000	0.687	53	21086-4184	16.250	18.000	0.750
53	21086-4058	11.500	13.000	0.750	53	21086-4185	16.500	18.000	0.750
53	21086-4060	11.500	13.250	0.750	53	21086-4192	17.250	19.250	0.937
53	21086-4061	11.500	13.375	0.750	53	21086-4194	17.500	19.000	0.687
					53	21086-4195	17.500	19.000	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-4196	17.500	19.250	0.750	53	21086-5357	8.661	9.842	0.590
53	21086-4201	17.750	19.750	1.000	53	21086-5359	9.448	10.629	0.590
53	21086-4202	17.750	20.089	1.000	53	21086-5535	3.437	4.921	0.625
53	21086-4206	18.000	19.500	0.687	53	21086-5582	3.625	5.000	0.562
53	21086-4238	20.000	22.125	1.000	53	21086-5677	6.625	7.875	0.500
53	21086-4249	20.750	22.750	1.000	53	21086-5906	10.000	12.000	0.687
53	21086-4264	21.625	23.625	1.000	53	21086-5987	14.562	16.000	0.625
53	21086-4281	22.750	24.750	0.875	53	21086-6381	8.000	9.625	0.750
53	21086-4289	23.500	25.500	1.000	53	21086-6386	8.750	10.000	0.625
53	21086-4318	25.500	27.500	0.875	53	21086-6435	3.000	4.331	0.500
53	21086-4438	37.500	39.500	0.875	53	21086-6501	6.500	8.125	0.625
53	21086-4469	40.500	42.500	1.000	53	21086-6602	6.125	7.625	0.625
53	21086-4477	6.937	8.125	0.625	53	21086-6628	3.312	4.724	0.500
53	21086-4478	6.937	8.375	0.625	53	21086-6649	3.000	4.922	0.625
53	21086-4479	6.937	8.500	0.625	53	21086-6697	16.500	18.500	0.750
53	21086-4490	6.062	7.500	0.500	53	21086-6817	6.500	7.750	0.500
53	21086-4492	7.312	8.375	0.625	53	21086-6829	12.250	14.250	0.750
53	21086-4501	8.437	10.000	0.625	53	21086-6888	7.312	8.437	0.562
53	21086-4502	8.500	10.000	0.625	53	21086-6903	3.312	4.331	0.500
53	21086-4503	9.000	10.000	0.625	53	21086-7101	8.500	10.500	0.750
53	21086-4504	9.000	10.125	0.625	53	21086-7253	3.500	5.000	0.500
53	21086-4505	9.000	10.250	0.625	53	21086-7267	5.511	6.693	0.591
53	21086-4506	9.000	10.375	0.625	53	21086-7268	6.693	7.874	0.591
53	21086-4507	9.000	10.500	0.625	53	21086-7271	4.528	5.512	0.472
53	21086-4508	9.000	10.625	0.625	53	21086-7276	6.299	7.480	0.591
53	21086-4509	9.250	10.250	0.625	53	21086-7277	4.724	5.906	0.591
53	21086-4511	9.250	10.500	0.625	53	21086-7376	4.724	5.906	0.472
53	21086-4512	9.625	10.875	0.750	53	21086-7383	5.512	6.693	0.551
53	21086-4513	9.750	10.750	0.625	53	21086-7388	7.874	9.055	0.591
53	21086-4514	9.750	10.875	0.625	53	21086-7394	3.346	4.724	0.472
53	21086-4515	9.750	11.000	0.625	53	21086-7396	4.331	5.512	0.472
53	21086-4516	9.750	11.125	0.625	53	21086-7399	3.346	4.921	0.472
53	21086-4517	9.750	11.250	0.625	53	21086-7426	3.150	4.331	0.472
53	21086-4519	10.750	11.875	0.625	53	21086-7447	9.437	10.625	0.625
53	21086-4520	10.750	12.000	0.625	53	21086-7473	4.375	5.563	0.500
53	21086-4522	10.750	12.250	0.625	53	21086-7495	6.889	8.465	0.629
53	21086-4524	10.750	12.500	0.625	53	21086-7664	18.000	20.250	1.000
53	21086-4527	11.250	12.750	0.687	53	21086-7807	7.087	8.267	0.591
53	21086-4529	13.750	15.250	0.687	53	21086-7836	4.724	6.299	0.472
53	21086-4530	13.750	15.250	0.750	53	21086-7839	3.543	4.724	0.472
53	21086-4531	13.750	15.500	0.750	53	21086-7840	8.661	10.236	0.511
53	21086-4532	13.750	15.750	0.750	53	21086-7842	3.937	5.118	0.472
53	21086-4534	28.500	31.000	0.875	53	21086-7848	11.024	12.598	0.630
53	21086-4546	3.000	4.500	0.562	53	21086-7849	14.173	15.748	0.630
53	21086-4561	7.125	8.125	0.500	53	21086-7868	3.375	4.724	0.500
53	21086-4587	8.500	10.625	0.750	53	21086-7879	3.000	4.922	0.500
53	21086-4609	22.125	23.875	0.750	53	21086-7887	8.267	9.842	0.551
53	21086-4729	6.125	7.625	0.750	53	21086-7891	9.448	11.023	0.629
53	21086-4817	3.937	4.937	0.500	53	21086-7892	10.236	11.811	0.511
53	21086-4834	7.874	9.055	0.500	53	21086-7893	11.811	13.386	0.630
53	21086-5115	7.500	8.464	0.625	53	21086-7896	13.386	14.961	0.630
53	21086-5277	15.000	17.250	0.875	53	21086-7906	3.312	4.725	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53	21086-7942	3.000	4.724	0.500	53F1	22987-5234	7.500	9.250	0.937
53	21086-7944	3.062	4.331	0.500	53F1	22987-5260	8.000	9.500	0.969
53	21086-7945	3.062	4.724	0.500	53F1	22987-5319	3.437	4.500	0.719
53	21086-7947	3.125	4.331	0.500	53F1	22987-5332	3.375	4.750	0.750
53	21086-7948	3.125	4.724	0.500	53F1	22987-5492	4.000	5.750	0.781
53	21086-7950	3.187	4.331	0.500	53F1	22987-5512	3.250	4.249	0.937
53	21086-7952	3.250	4.331	0.500	53F1	22987-5646	3.625	5.000	0.719
53	21086-7953	3.250	4.724	0.500	53F1	22987-5681	8.500	10.000	1.250
53	21086-7955	3.250	5.118	0.500	53F1	22987-5831	13.750	15.750	0.969
53	21086-7957	3.312	5.118	0.500	53F1	22987-5884	6.125	7.500	0.969
53	21086-7959	3.375	5.118	0.500	53F1	22987-5892	4.500	5.500	0.719
53	21086-7960	3.437	4.724	0.500	53F1	22987-6051	6.625	8.000	0.844
53	21086-7962	3.437	5.118	0.500	53F1	22987-6137	5.000	6.375	0.719
53	21086-7963	3.500	4.724	0.500	53F1	22987-6159	3.437	4.875	0.719
53	21086-7965	3.500	5.118	0.500	53F1	22987-6433	7.000	8.000	0.844
53	21086-7967	3.562	5.118	0.500	53F1	22987-6437	7.000	8.500	0.969
53	21086-7968	3.625	4.724	0.500	53F1	22987-6447	10.625	12.500	0.969
53	21086-7970	3.625	5.118	0.500	53F1	22987-6481	10.000	11.250	1.000
53	21086-7972	3.687	5.118	0.500	53F1	22987-6520	8.625	10.500	1.000
53	21086-7974	3.750	5.118	0.500	53F1	22987-6584	3.250	4.249	0.719
53	21086-7976	3.812	5.118	0.500	53F1	22987-6590	3.625	4.625	0.719
53	21086-7978	3.875	5.118	0.500	53F1	22987-6603	5.000	6.000	0.719
53	21086-7979	3.937	5.118	0.500	53F1	22987-6661	8.000	9.250	0.844
53	21086-7980	4.000	5.118	0.500	53F1	22987-6726	9.125	11.125	1.250
53	21086-8049	7.480	8.661	0.591	53F1	22987-6741	5.500	6.500	0.719
53	21086-8121	3.187	4.724	0.500	53F1	22987-6760	8.500	10.000	1.000
53	21086-8126	3.562	4.724	0.500	53F1	22987-6846	14.875	16.875	1.219
53	21086-8313	9.625	10.875	0.625	53F1	22987-6893	5.000	6.000	0.969
53	21086-8429	3.543	4.724	0.500	53F1	22987-6902	4.937	6.500	0.719
53	21086-8619	6.299	7.677	0.709	53F1	22987-6917	4.437	5.750	0.719
53	21086-8877	3.500	4.921	0.562	53F1	22987-6920	6.500	7.500	0.844
53	21086-9558	4.812	5.905	0.562	53F1	22987-6950	3.625	4.625	0.719
53	21086-9724	3.000	4.250	0.625	53F1	22987-6990	4.000	4.999	0.718
53	21086-9780	6.500	7.500	0.562	53F1	22987-7002	5.625	7.500	0.719
53	21086-9964	13.500	15.500	0.875	53F1	22987-7115	3.500	4.500	0.719
53F1	22987-0238	3.312	4.500	0.719	53F1	22987-7181	3.125	4.875	0.969
53F1	22987-1874	4.331	5.500	0.719	53F1	22987-7232	4.312	6.375	0.781
53F1	22987-3677	10.250	12.250	1.000	53F1	22987-7233	7.500	9.000	0.844
53F1	22987-3709	12.000	14.000	1.000	53F1	22987-7241	7.750	9.250	0.844
53F1	22987-3890	13.000	14.500	1.000	53F1	22987-7252	5.312	6.625	0.719
53F1	22987-4782	8.375	10.375	1.250	53F1	22987-7289	3.375	4.500	0.719
53F1	22987-4853	6.875	7.875	0.969	53F1	22987-7313	3.250	4.500	0.718
53F1	22987-4978	7.938	9.125	0.969	53F1	22987-7332	3.500	4.999	0.719
53F1	22987-4995	11.375	13.500	1.250	53F1	22987-7392	12.000	14.000	1.250
53F1	22987-5027	5.437	6.875	0.969	53F1	22987-7402	3.000	4.500	0.719
53F1	22987-5059	3.000	4.125	0.719	53F1	22987-7433	6.000	7.500	0.906
53F1	22987-5162	3.125	4.249	0.719	53F1	22987-7436	6.750	8.000	0.719
53F1	22987-5171	5.250	6.500	0.719	53F1	22987-7448	4.000	5.500	0.719
53F1	22987-5201	3.875	4.875	0.719	53F1	22987-7572	6.750	8.250	0.781
53F1	22987-5205	9.750	11.250	1.000	53F1	22987-7585	10.625	12.500	1.000
53F1	22987-5211	6.500	8.000	0.844	53F1	22987-7670	3.250	4.249	0.750
53F1	22987-5212	6.250	7.750	0.719	53F1	22987-7880	4.250	5.250	0.719

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53F1	22987-7909	9.500	11.500	1.250	53R1	22537-6770	8.500	10.500	1.312
53F1	22987-8149	6.500	7.500	0.781	53R1	22537-6945	6.750	8.250	1.032
53F1	22987-8182	8.750	10.000	1.000	53R1	22537-7255	3.000	4.125	0.906
53F1	22987-8216	6.750	8.000	0.844	53R1	22537-7269	3.500	4.750	0.843
53F1	22987-8278	4.500	5.625	0.719	53R1	22537-7330	6.250	7.250	0.906
53F1	22987-8306	5.500	6.750	0.719	53R1	22537-7433	6.000	7.500	0.906
53F1	22987-8471	5.625	6.875	0.719	53R1	22537-7439	4.437	5.500	0.906
53F1	22987-8531	3.687	5.250	0.781	53R1	22537-7560	4.500	6.000	0.906
53F1	22987-8683	4.125	5.125	0.719	53R1	22537-7611	3.500	4.875	0.969
53F1	22987-8703	15.000	17.000	1.187	53R1	22537-7774	10.500	12.500	1.375
53F1	22987-8717	9.500	10.500	1.000	53R1	22537-7796	6.875	8.375	1.156
53F1	22987-8729	8.250	9.500	0.844	53R1	22537-7905	3.562	5.250	0.906
53F1	22987-9209	3.375	4.375	0.687	53R1	22537-8384	7.500	8.500	1.094
53F1	22987-9304	6.000	7.500	0.719	53R1	22537-8396	3.625	4.750	0.906
53F1	22987-9347	4.625	6.000	0.719	53R1	22537-8454	4.331	5.500	0.875
53F1	22987-9429	5.125	7.000	0.719	53R1	22537-8480	5.875	7.250	0.906
53F1	22987-9584	7.500	9.000	0.718	53R1	22537-8570	3.937	5.375	0.906
53F1	22987-9708	4.375	5.375	0.718	53R1	22537-8662	10.000	12.000	1.812
53R1	22537-3694	11.000	13.000	1.000	53R1	22537-8687	8.750	10.750	1.375
53R1	22537-4711	5.625	6.750	0.906	53R1	22537-8708	5.937	7.500	0.906
53R1	22537-4825	5.500	6.500	0.906	53R1	22537-8751	8.000	9.000	1.156
53R1	22537-4836	4.750	6.000	0.906	53R1	22537-8756	10.000	12.000	1.250
53R1	22537-4837	4.250	5.375	0.906	53R1	22537-8818	5.750	7.250	1.344
53R1	22537-4888	14.000	16.000	1.375	53R1	22537-8829	9.875	11.875	1.312
53R1	22537-4925	9.500	11.500	1.312	53R1	22537-8868	10.000	11.000	1.375
53R1	22537-4991	6.250	7.500	1.344	53R1	22537-8870	6.000	7.000	1.156
53R1	22537-5008	3.500	4.750	0.906	53R1	22537-9039	13.500	15.500	1.437
53R1	22537-5021	9.250	10.750	1.375	53R1	22537-9087	7.250	8.250	1.156
53R1	22537-5049	3.937	4.999	0.906	53R1	22537-9299	8.500	9.500	1.094
53R1	22537-5183	3.437	4.500	0.906	53R1	22537-9401	3.625	4.875	0.844
53R1	22537-5300	3.500	4.500	0.812	53R1	22537-9485	8.000	9.500	1.094
53R1	22537-5420	5.750	7.250	0.906	53R1	22537-9618	8.375	9.750	1.156
53R1	22537-5949	9.000	11.000	1.375	53R1	22537-9664	6.750	8.250	1.156
53R1	22537-5950	12.000	13.500	1.312	53R1	22537-9713	9.750	11.000	1.375
53R1	22537-6089	7.125	8.625	1.094	53R2	22537-5260	8.000	9.500	0.969
53R1	22537-6140	8.500	9.500	1.312	53R2	22627-3694	11.000	13.000	1.000
53R1	22537-6146	6.125	7.500	0.906	53R2	22627-4491	20.750	22.750	1.750
53R1	22537-6154	13.500	15.500	1.375	53R2	22627-4650	16.250	17.750	1.281
53R1	22537-6354	15.000	17.000	1.375	53R2	22627-4668	5.000	6.500	0.906
53R1	22537-6432	5.125	6.125	0.843	53R2	22627-4751	12.375	13.875	1.437
53R1	22537-6433	7.000	8.000	0.844	53R2	22627-4752	4.125	5.500	0.969
53R1	22537-6434	4.000	5.250	0.906	53R2	22627-4784	6.000	7.500	1.344
53R1	22537-6461	3.187	4.249	0.906	53R2	22627-4825	5.500	6.500	0.906
53R1	22537-6521	9.000	10.500	1.375	53R2	22627-4828	5.000	6.250	0.906
53R1	22537-6534	3.500	4.500	0.906	53R2	22627-4836	4.750	6.000	0.906
53R1	22537-6545	3.562	4.625	0.906	53R2	22627-4884	12.000	13.875	1.312
53R1	22537-6564	7.500	9.000	1.343	53R2	22627-4888	14.000	16.000	1.375
53R1	22537-6663	9.250	11.000	1.375	53R2	22627-4894	15.000	17.000	1.312
53R1	22537-6685	4.500	5.500	0.969	53R2	22627-4904	4.250	5.250	0.906
53R1	22537-6708	3.250	4.249	0.906	53R2	22627-4942	7.500	9.250	1.344
53R1	22537-6711	5.000	6.000	0.906	53R2	22627-4943	9.000	10.750	1.375
53R1	22537-6760	8.500	10.000	1.000	53R2	22627-4982	5.125	6.500	0.906

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53R2	22627-5021	9.250	10.750	1.375	53R2	22627-7202	6.000	7.250	1.343
53R2	22627-5090	5.687	7.500	0.906	53R2	22627-7245	4.625	5.750	0.906
53R2	22627-5183	3.437	4.500	0.906	53R2	22627-7247	6.250	7.750	0.906
53R2	22627-5285	4.750	5.750	0.937	53R2	22627-7255	3.000	4.125	0.906
53R2	22627-5324	5.625	6.875	0.969	53R2	22627-7258	4.500	5.750	0.969
53R2	22627-5500	7.250	8.250	1.344	53R2	22627-7283	12.000	14.000	1.375
53R2	22627-5531	6.500	7.500	0.906	53R2	22627-7315	4.937	6.500	0.906
53R2	22627-5621	5.250	6.500	1.344	53R2	22627-7324	3.500	4.999	0.906
53R2	22627-5645	3.875	4.875	0.906	53R2	22627-7326	12.000	13.625	1.437
53R2	22627-5651	8.000	9.000	1.344	53R2	22627-7348	4.687	6.000	0.906
53R2	22627-5710	5.750	7.000	1.031	53R2	22627-7358	7.750	9.250	0.875
53R2	22627-5883	8.000	9.250	1.000	53R2	22627-7360	7.000	8.500	0.875
53R2	22627-5918	8.375	9.875	1.156	53R2	22627-7361	5.125	6.250	0.906
53R2	22627-5927	11.000	12.500	1.375	53R2	22627-7404	18.000	19.500	1.250
53R2	22627-5932	7.875	9.375	0.969	53R2	22627-7409	5.500	6.750	0.906
53R2	22627-5949	9.000	11.000	1.375	53R2	22627-7419	3.250	4.250	0.969
53R2	22627-6063	11.375	13.000	1.375	53R2	22627-7433	6.000	7.500	0.906
53R2	22627-6082	4.125	5.250	0.906	53R2	22627-7440	3.750	4.750	0.906
53R2	22627-6117	15.000	17.000	1.250	53R2	22627-7559	4.000	5.125	0.906
53R2	22627-6146	6.125	7.500	0.906	53R2	22627-7562	9.250	11.250	1.375
53R2	22627-6154	13.500	15.500	1.375	53R2	22627-7610	5.250	6.750	0.906
53R2	22627-6166	5.750	7.000	0.906	53R2	22627-7629	6.250	7.750	1.344
53R2	22627-6354	15.000	17.000	1.375	53R2	22627-7651	4.062	6.000	0.906
53R2	22627-6432	5.125	6.125	0.843	53R2	22627-7707	7.250	8.375	1.125
53R2	22627-6437	7.000	8.500	0.969	53R2	22627-7803	4.375	5.500	0.969
53R2	22627-6461	3.187	4.249	0.906	53R2	22627-7877	4.750	6.250	0.906
53R2	22627-6521	9.000	10.500	1.375	53R2	22627-8202	4.375	5.375	0.906
53R2	22627-6528	3.250	4.500	0.906	53R2	22627-8396	3.625	4.750	0.906
53R2	22627-6534	3.500	4.500	0.906	53R2	22627-8441	3.250	4.999	0.906
53R2	22627-6545	3.562	4.625	0.906	53R2	22627-8546	7.250	8.500	1.094
53R2	22627-6563	4.250	5.750	0.906	53R2	22627-8630	4.875	6.000	0.906
53R2	22627-6596	7.500	9.250	1.218	53R2	22627-8635	4.312	5.500	0.969
53R2	22627-6607	13.000	15.000	1.375	53R2	22627-8667	7.125	8.500	1.094
53R2	22627-6640	5.000	6.000	0.969	53R2	22627-8685	6.875	8.125	1.406
53R2	22627-6663	9.250	11.000	1.375	53R2	22627-8686	7.750	8.750	1.094
53R2	22627-6685	4.500	5.500	0.969	53R2	22627-8687	8.750	10.750	1.375
53R2	22627-6708	3.250	4.249	0.906	53R2	22627-8700	3.250	4.500	0.843
53R2	22627-6711	5.000	6.000	0.906	53R2	22627-8716	12.500	14.000	1.375
53R2	22627-6739	3.125	4.125	0.906	53R2	22627-8771	4.000	6.000	0.906
53R2	22627-6746	6.000	7.000	0.969	53R2	22627-8775	6.625	8.125	0.969
53R2	22627-6799	4.000	4.999	0.906	53R2	22627-8828	9.000	10.500	1.437
53R2	22627-6806	3.750	4.999	0.906	53R2	22627-8909	9.500	11.250	1.375
53R2	22627-6814	4.875	6.500	0.906	53R2	22627-9018	4.125	5.125	0.906
53R2	22627-6842	10.000	12.000	1.375	53R2	22627-9036	11.500	13.500	1.250
53R2	22627-6871	4.187	6.000	0.906	53R2	22627-9165	8.000	9.000	0.969
53R2	22627-6901	3.625	4.625	0.906	53R2	22627-9320	4.125	5.375	0.906
53R2	22627-6942	9.500	10.750	1.375	53R2	22627-9414	8.500	10.500	1.250
53R2	22627-6945	6.750	8.250	1.031	53R2	22627-9419	12.500	14.500	1.250
53R2	22627-6954	7.750	8.750	1.156	53R2	22627-9422	5.750	7.250	1.032
53R2	22627-6968	3.125	4.999	0.906	53R2	22627-9423	18.000	20.000	1.750
53R2	22627-6969	8.500	9.500	0.969	53R2	22627-9474	23.000	25.000	1.687
53R2	22627-7111	5.562	6.875	0.906	53R2	22627-9532	8.437	10.000	1.000

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
53R2	22627-9854	5.750	7.000	0.844	53T2	22897-7562	9.250	11.250	1.375
53R2	22627-9970	8.000	10.000	1.375	53T2	22897-7609	6.375	7.500	0.969
53R2	22627-9972	5.250	7.125	0.906	53T2	22897-7611	3.500	4.875	0.969
53T2	22627-7258	4.500	5.750	0.969	53T2	22897-7689	4.625	6.000	0.969
53T2	22897-4545	8.250	9.500	1.125	53T2	22897-7774	10.500	12.500	1.375
53T2	22897-4650	16.250	17.750	1.281	53T2	22897-7777	6.875	8.000	1.219
53T2	22897-4653	10.625	12.375	1.437	53T2	22897-7786	8.125	10.125	1.281
53T2	22897-4668	5.000	6.500	0.906	53T2	22897-7803	4.375	5.500	0.969
53T2	22897-4681	8.250	10.250	1.875	53T2	22897-7823	9.125	10.625	1.250
53T2	22897-4708	4.875	6.625	0.969	53T2	22897-7864	6.250	7.250	0.969
53T2	22897-4752	4.125	5.500	0.969	53T2	22897-7920	7.250	8.250	1.219
53T2	22897-4800	10.000	12.000	1.312	53T2	22897-8462	9.000	11.000	1.250
53T2	22897-4836	4.750	6.000	0.906	53T2	22897-8597	20.000	22.000	1.812
53T2	22897-4876	7.750	9.250	0.969	53T2	22897-8608	3.187	4.999	0.969
53T2	22897-4894	15.000	17.000	1.312	53T2	22897-8630	4.875	6.000	0.906
53T2	22897-5043	4.687	5.750	0.906	53T2	22897-8680	10.500	12.500	1.812
53T2	22897-5179	8.250	10.250	1.218	53T2	22897-8685	6.875	8.125	1.406
53T2	22897-5286	6.500	7.500	1.218	53T2	22897-8697	4.500	6.250	0.969
53T2	22897-5304	13.750	15.750	1.437	53T2	22897-8811	4.187	5.250	0.969
53T2	22897-5531	6.500	7.500	0.906	53T2	22897-8829	9.875	11.875	1.312
53T2	22897-5584	11.500	13.000	1.250	53T2	22897-9045	4.687	6.250	0.969
53T2	22897-5758	3.000	4.500	0.937	53T2	22897-9103	9.250	10.625	1.437
53T2	22897-5883	8.000	9.250	1.000	53T2	22897-9168	6.750	8.500	1.219
53T2	22897-5923	5.500	7.000	0.969	53T2	22897-9472	7.875	9.375	1.141
53T2	22897-5932	7.875	9.375	0.969	53T2	22897-9611	10.750	11.875	1.375
53T2	22897-5941	3.187	4.249	0.969	53TB	22807-7230	3.500	4.750	0.969
53T2	22897-6463	4.875	6.625	0.906	53TB	22807-8731	4.000	5.125	0.969
53T2	22897-6505	3.625	5.500	0.969	53TF	22994-5008	3.500	4.750	0.906
53T2	22897-6511	3.000	4.500	0.906	53TF	22994-5884	6.125	7.500	0.969
53T2	22897-6526	6.875	8.250	1.406	53TF	22994-6893	5.000	6.250	0.969
53T2	22897-6527	12.500	14.500	1.312	53TF	22994-7784	3.250	4.375	0.906
53T2	22897-6534	3.500	4.500	0.906	54	21140-6003	2.375	5.125	0.625
53T2	22897-6640	5.000	6.000	0.969	54	21140-6005	2.750	6.000	0.625
53T2	22897-6691	7.125	8.250	0.969	54	21140-6008	3.562	7.250	0.562
53T2	22897-6739	3.125	4.125	0.906	54	21140-6009	3.750	8.000	0.625
53T2	22897-6746	6.000	7.000	0.969	54	21140-6010	4.000	8.000	0.625
53T2	22897-6750	5.250	6.500	0.969	54	21140-6014	4.375	9.125	0.625
53T2	22897-6793	18.000	20.000	1.812	54	21140-6018	5.000	9.750	0.625
53T2	22897-6893	5.000	6.250	0.969	54	21140-6020	5.250	10.750	0.687
53T2	22897-6942	9.500	10.750	1.375	54	21140-6021	5.625	11.375	1.000
53T2	22897-6969	8.500	9.500	0.969	54	21140-6023	6.625	12.500	0.625
53T2	22897-7110	4.500	5.500	0.906	54	21140-6024	7.000	13.500	0.750
53T2	22897-7128	5.750	7.000	0.969	54	21140-7351	4.250	8.250	0.625
53T2	22897-7174	6.500	7.500	1.031	54	21140-9733	3.375	6.500	0.625
53T2	22897-7181	3.125	4.875	0.969	54	21140-9750	8.000	14.750	0.625
53T2	22897-7347	5.125	6.125	0.906	54	21140-9986	4.750	9.250	0.625
53T2	22897-7357	3.375	4.375	0.906	58	21003-0584	6.496	7.480	0.512
53T2	22897-7365	5.125	6.125	0.969	58	21003-1490	2.362	2.953	0.315
53T2	22897-7370	8.000	9.750	1.406	58	21003-1797	1.772	2.441	0.394
53T2	22897-7419	3.250	4.250	0.969	58	21003-1921	2.953	3.937	0.512
53T2	22897-7433	6.000	7.500	0.906	58	21003-2033	5.866	6.875	0.562
53T2	22897-7551	3.000	4.500	0.969	58	21003-2225	3.125	4.125	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
58	21003-2255	3.187	4.500	0.500	59	24700-0036	9.055	11.024	0.625
58	21003-2262	4.409	5.709	0.551	59	24700-0037	9.125	10.625	0.625
58	21003-2295	1.375	2.562	0.500	59	24700-0038	9.125	10.750	0.625
58	21003-2462	3.750	4.750	0.500	59	24700-0039	9.125	11.125	0.625
58	21003-2488	2.362	4.331	0.512	59	24700-0040	9.187	10.375	0.750
58	21003-2490	8.540	9.750	0.625	59	24700-0041	9.250	10.500	0.625
58	21003-2887	4.921	5.906	0.472	59	24700-0042	9.250	10.750	0.625
58	21003-2989	5.118	6.299	0.551	59	24700-0043	9.250	11.000	0.625
58	21003-3059	5.250	6.250	0.500	59	24700-0044	9.250	11.250	0.750
58	21003-3327	5.906	7.087	0.591	59	24700-0045	9.250	11.375	0.875
58	21003-3474	6.875	7.875	0.625	59	24700-0046	9.250	11.500	0.875
58	21003-3499	7.000	8.375	0.750	59	24700-0047	9.375	10.375	1.000
58	21003-3515	7.125	8.625	0.750	59	24700-0048	9.375	10.625	0.625
58	21003-3967	9.250	11.250	0.750	59	24700-0049	9.375	10.875	0.750
58	21003-4263	3.937	4.724	0.433	59	24700-0050	9.375	11.375	0.625
58	21003-4264	4.331	5.512	0.551	59	24700-0051	9.438	10.625	0.750
58	21003-7388	7.874	9.055	0.591	59	24700-0052	9.438	11.500	0.875
59	24700-0001	7.283	8.850	0.625	59	24700-0053	9.449	10.630	0.630
59	24700-0002	8.000	10.000	0.625	59	24700-0054	9.449	11.811	0.984
59	24700-0003	8.063	10.062	1.000	59	24700-0055	9.500	11.000	0.625
59	24700-0004	8.125	10.125	0.625	59	24700-0056	9.500	11.125	0.625
59	24700-0005	8.250	10.250	0.625	59	24700-0057	9.500	11.500	0.625
59	24700-0006	8.250	10.500	0.875	59	24700-0058	9.620	10.875	0.625
59	24700-0007	8.250	11.500	0.750	59	24700-0059	9.625	10.875	0.750
59	24700-0008	8.375	9.750	0.625	59	24700-0060	9.719	11.625	0.700
59	24700-0009	8.375	9.875	0.625	59	24700-0061	9.750	11.125	0.625
59	24700-0010	8.375	10.375	0.750	59	24700-0062	9.750	11.250	0.625
59	24700-0011	8.375	10.500	0.875	59	24700-0063	9.750	11.500	0.750
59	24700-0012	8.500	10.000	0.625	59	24700-0064	9.750	11.750	0.625
59	24700-0013	8.500	10.500	0.625	59	24700-0065	9.750	12.000	0.875
59	24700-0014	8.625	10.000	0.750	59	24700-0066	9.844	11.409	0.625
59	24700-0015	8.625	10.125	0.625	59	24700-0067	9.875	11.375	0.750
59	24700-0016	8.625	10.250	0.625	59	24700-0068	9.875	12.000	0.875
59	24700-0017	8.625	10.625	0.625	59	24700-0069	9.938	12.000	0.750
59	24700-0018	8.625	10.750	0.875	59	24700-0070	9.938	12.125	1.000
59	24700-0019	8.661	10.236	0.625	59	24700-0071	10.000	11.375	0.750
59	24700-0020	8.661	10.228	0.625	59	24700-0072	10.000	11.625	0.750
59	24700-0021	8.661	10.819	0.950	59	24700-0073	10.000	11.750	0.625
59	24700-0022	8.750	10.250	0.625	59	24700-0074	10.000	12.000	0.625
59	24700-0023	8.750	10.500	0.750	59	24700-0075	10.000	12.250	0.875
59	24700-0024	8.750	10.625	0.750	59	24700-0076	10.125	11.625	0.688
59	24700-0025	8.858	11.016	0.906	59	24700-0077	10.125	11.750	0.688
59	24700-0026	8.875	11.000	0.875	59	24700-0078	10.188	12.250	1.000
59	24700-0027	9.000	10.125	0.750	59	24700-0079	10.236	12.590	0.984
59	24700-0028	9.000	10.187	0.625	59	24700-0080	10.250	11.500	0.625
59	24700-0029	9.000	10.375	0.625	59	24700-0081	10.250	11.750	0.625
59	24700-0030	9.000	10.500	0.625	59	24700-0082	10.250	12.000	0.625
59	24700-0031	9.000	10.625	0.625	59	24700-0083	12.250	12.500	0.750
59	24700-0032	9.000	11.000	0.625	59	24700-0084	10.375	11.625	0.625
59	24700-0033	9.000	11.054	0.750	59	24700-0085	10.375	11.875	0.750
59	24700-0034	9.000	11.250	0.875	59	24700-0086	10.375	12.197	1.000
59	24700-0035	9.055	10.621	0.629	59	24700-0087	10.375	12.500	0.875

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
59	24700-0088	10.438	12.438	0.875	59	24700-0140	12.000	13.500	0.625
59	24700-0089	10.438	12.500	1.000	59	24700-0141	12.000	13.625	0.625
59	24700-0090	10.500	12.000	0.625	59	24700-0142	12.000	14.188	1.000
59	24700-0091	10.500	12.125	0.625	59	24700-0143	12.000	14.750	0.875
59	24700-0092	10.500	12.250	0.750	59	24700-0144	12.050	13.313	0.750
59	24700-0093	10.500	12.625	1.000	59	24700-0145	12.063	13.313	0.750
59	24700-0094	10.625	11.812	0.625	59	24700-0146	12.125	13.875	0.750
59	24700-0095	10.625	12.125	0.750	59	24700-0147	12.125	14.000	0.875
59	24700-0096	10.625	12.375	0.750	59	24700-0148	12.188	13.438	0.625
59	24700-0097	10.625	12.500	0.750	59	24700-0149	12.188	13.688	0.625
59	24700-0098	10.625	13.000	0.750	59	24700-0150	12.250	13.813	0.719
59	24700-0099	10.630	13.189	0.708	59	24700-0151	12.250	14.000	0.625
59	24700-0100	10.750	12.000	0.625	59	24700-0152	12.250	14.250	0.625
59	24700-0101	10.750	12.250	0.625	59	24700-0153	12.375	13.875	0.688
59	24700-0102	10.750	12.500	0.625	59	24700-0154	12.375	14.000	0.750
59	24700-0103	10.750	13.000	0.875	59	24700-0155	12.375	14.375	1.000
59	24700-0104	10.875	12.375	0.750	59	24700-0156	12.375	14.500	0.875
59	24700-0105	10.875	12.500	1.000	59	24700-0157	12.500	13.750	0.625
59	24700-0106	11.000	12.250	0.625	59	24700-0158	12.500	14.750	1.000
59	24700-0107	11.000	13.000	0.625	59	24700-0159	12.500	15.000	0.813
59	24700-0108	11.024	12.197	0.629	59	24700-0160	12.565	14.063	0.750
59	24700-0109	11.024	13.386	0.984	59	24700-0161	12.590	14.125	1.000
59	24700-0110	11.063	12.250	0.750	59	24700-0162	12.598	13.780	0.625
59	24700-0111	11.063	12.500	0.750	59	24700-0163	12.598	13.976	0.630
59	24700-0112	11.063	13.000	0.750	59	24700-0164	12.625	14.500	0.875
59	24700-0113	11.125	12.750	1.000	59	24700-0165	12.625	14.625	0.875
59	24700-0114	11.125	13.000	1.000	59	24700-0166	12.688	14.250	0.750
59	24700-0115	11.125	13.250	0.875	59	24700-0167	12.688	14.750	1.000
59	24700-0116	11.250	12.500	0.625	59	24700-0168	12.750	14.250	0.625
59	24700-0117	11.250	13.250	0.625	59	24700-0169	12.750	14.750	0.750
59	24700-0118	11.250	13.500	0.875	59	24700-0170	12.750	15.000	0.875
59	24700-0119	11.375	12.875	0.750	59	24700-0171	12.750	15.250	0.875
59	24700-0120	11.375	13.000	0.625	59	24700-0172	12.750	15.500	0.875
59	24700-0121	11.375	13.375	0.813	59	24700-0173	12.875	15.500	0.875
59	24700-0122	11.375	13.500	1.000	59	24700-0174	12.992	14.566	0.708
59	24700-0123	11.417	13.142	0.750	59	24700-0175	13.000	14.812	0.625
59	24700-0124	11.438	13.000	0.688	59	24700-0176	13.000	14.875	0.875
59	24700-0125	11.500	12.875	0.688	59	24700-0177	13.220	14.407	0.625
59	24700-0126	11.500	13.000	0.625	59	24700-0178	13.250	14.750	0.625
59	24700-0127	11.500	13.250	0.750	59	24700-0179	13.250	14.875	0.750
59	24700-0128	11.500	13.375	0.750	59	24700-0180	13.250	15.000	0.750
59	24700-0129	11.500	13.500	0.625	59	24700-0181	13.250	15.125	0.875
59	24700-0130	11.625	13.191	0.750	59	24700-0182	13.250	15.250	0.750
59	24700-0131	11.750	13.250	0.625	59	24700-0183	13.250	15.375	1.000
59	24700-0132	11.750	13.750	0.625	59	24700-0184	13.250	16.000	0.875
59	24700-0133	11.750	14.000	1.000	59	24700-0185	13.375	14.875	0.750
59	24700-0134	11.811	13.386	0.709	59	24700-0186	13.375	15.000	0.750
59	24700-0135	11.813	13.780	1.000	59	24700-0187	13.375	15.375	0.875
59	24700-0136	11.813	13.812	0.625	59	24700-0188	13.386	14.645	0.630
59	24700-0137	11.813	14.000	0.750	59	24700-0189	13.386	14.960	0.688
59	24700-0138	11.938	13.938	0.625	59	24700-0190	13.500	15.000	0.625
59	24700-0139	12.000	13.250	0.625	59	24700-0191	13.500	15.250	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
59	24700-0192	13.500	15.312	0.625	59	24700-0245	14.875	17.500	0.875
59	24700-0193	13.500	15.750	0.875	59	24700-0246	14.906	17.000	0.875
59	24700-0194	13.500	15.752	1.000	59	24700-0247	14.961	16.535	0.787
59	24700-0195	13.500	17.300	1.000	59	24700-0248	15.000	16.500	0.688
59	24700-0196	13.625	15.500	1.000	59	24700-0249	15.000	16.750	0.750
59	24700-0197	13.625	16.125	1.250	59	24700-0250	15.000	17.500	0.875
59	24700-0198	13.750	15.000	0.750	59	24700-0251	15.000	17.750	0.875
59	24700-0199	13.750	15.250	0.625	59	24700-0252	15.125	16.750	0.750
59	24700-0200	13.750	15.500	0.750	59	24700-0253	15.250	16.750	0.688
59	24700-0201	13.750	15.508	0.750	59	24700-0254	15.250	17.250	0.750
59	24700-0202	13.750	15.750	0.625	59	24700-0255	15.313	17.313	0.688
59	24700-0203	13.750	16.000	0.875	59	24700-0256	15.359	17.709	0.906
59	24700-0204	13.779	15.354	0.709	59	24700-0257	15.375	17.250	0.750
59	24700-0205	13.813	16.000	1.000	59	24700-0258	15.375	17.375	0.688
59	24700-0206	13.875	16.000	1.000	59	24700-0259	15.472	17.502	0.708
59	24700-0207	13.938	15.438	0.625	59	24700-0260	15.500	16.875	0.625
59	24700-0208	13.938	15.500	0.750	59	24700-0261	15.500	17.500	0.750
59	24700-0210	13.938	15.744	1.000	59	24700-0262	15.500	17.750	1.000
59	24700-0211	13.938	16.000	0.875	59	24700-0263	15.500	18.000	1.000
59	24700-0212	14.000	15.500	0.625	59	24700-0264	15.604	16.974	0.625
59	24700-0213	14.000	15.562	0.750	59	24700-0265	15.625	17.125	0.750
59	24700-0214	14.000	15.625	0.625	59	24700-0266	15.625	17.625	0.875
59	24700-0215	14.000	15.750	0.688	59	24700-0267	15.740	17.250	0.688
59	24700-0216	14.000	15.752	0.813	59	24700-0268	15.748	17.716	0.689
59	24700-0217	14.000	16.000	0.750	59	24700-0269	15.750	17.000	0.625
59	24700-0218	14.000	16.500	0.813	59	24700-0270	15.750	17.250	0.688
59	24700-0219	14.000	16.625	0.625	59	24700-0271	15.750	17.500	0.688
59	24700-0220	14.125	16.745	0.875	59	24700-0273	15.750	17.750	0.875
59	24700-0221	14.172	16.734	0.844	59	24700-0274	15.750	18.000	0.875
59	24700-0222	14.188	15.500	0.688	59	24700-0275	15.875	17.875	0.750
59	24700-0223	14.188	15.750	0.750	59	24700-0276	15.938	17.313	0.625
59	24700-0224	14.188	16.000	0.875	59	24700-0277	16.000	17.500	0.688
59	24700-0225	14.188	16.188	0.813	59	24700-0278	16.000	17.625	0.750
59	24700-0226	14.188	16.750	0.875	59	24700-0279	16.000	18.000	0.750
59	24700-0227	14.250	15.750	0.750	59	24700-0281	16.000	18.500	0.813
59	24700-0228	14.250	16.000	0.875	59	24700-0282	16.250	17.750	0.625
59	24700-0229	14.250	16.250	0.813	59	24700-0283	16.250	18.000	0.625
59	24700-0230	14.250	16.500	0.875	59	24700-0284	16.250	18.250	1.000
59	24700-0231	14.370	15.938	0.709	59	24700-0285	16.250	18.500	1.250
59	24700-0232	14.375	15.875	0.750	59	24700-0286	16.375	17.875	0.750
59	24700-0233	14.375	16.000	0.688	59	24700-0287	16.375	18.375	1.000
59	24700-0234	14.500	16.500	0.750	59	24700-0289	16.500	18.000	0.750
59	24700-0235	14.625	16.125	0.750	59	24700-0290	16.500	18.250	0.750
59	24700-0236	14.625	16.250	0.750	59	24700-0291	16.500	18.500	0.750
59	24700-0237	14.625	16.750	1.000	59	24700-0293	16.500	19.000	0.875
59	24700-0238	14.688	16.188	0.625	59	24700-0294	16.535	18.102	0.787
59	24700-0239	14.750	16.250	0.625	59	24700-0295	16.535	18.110	0.787
59	24700-0240	14.750	16.500	0.688	59	24700-0296	16.750	18.250	0.687
59	24700-0241	14.875	16.500	0.750	59	24700-0297	16.750	18.500	0.875
59	24700-0242	14.875	16.750	0.875	59	24700-0298	16.750	19.000	0.875
59	24700-0243	14.875	16.875	1.000	59	24700-0299	16.929	18.903	0.969
59	24700-0244	14.875	17.000	0.875	59	24700-0300	17.000	18.500	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
59	24700-0301	17.000	19.000	0.750	59	24700-0358	19.750	22.250	0.875
59	24700-0302	17.000	19.250	1.000	59	24700-0359	19.875	22.000	0.875
59	24700-0304	17.000	19.500	0.875	59	24700-0360	19.938	21.500	0.750
59	24700-0305	17.250	18.750	0.750	59	24700-0362	20.000	21.500	0.625
59	24700-0306	17.250	19.250	0.938	59	24700-0363	20.000	21.750	0.750
59	24700-0307	17.500	19.000	0.625	59	24700-0364	20.000	22.125	1.000
59	24700-0309	17.500	19.500	0.688	59	24700-0365	20.000	22.500	0.875
59	24700-0310	17.500	19.750	0.750	59	24700-0366	20.250	21.750	0.750
59	24700-0311	17.500	20.522	1.500	59	24700-0367	20.250	22.250	0.875
59	24700-0312	17.625	19.125	0.750	59	24700-0368	20.250	22.375	1.000
59	24700-0313	17.625	19.250	0.688	59	24700-0369	20.250	22.500	0.875
59	24700-0314	17.625	19.375	0.750	59	24700-0370	20.438	22.500	0.750
59	24700-0315	17.625	19.625	0.688	59	24700-0371	20.500	22.000	0.750
59	24700-0316	17.750	19.750	0.750	59	24700-0372	20.500	22.500	0.625
59	24700-0317	17.750	20.089	1.000	59	24700-0373	20.750	22.750	0.750
59	24700-0318	17.818	19.750	0.750	59	24700-0374	20.750	23.000	0.875
59	24700-0319	17.818	20.500	1.000	59	24700-0375	20.866	22.836	0.787
59	24700-0320	17.875	19.500	0.625	59	24700-0377	20.875	22.875	0.750
59	24700-0321	17.875	19.875	0.750	59	24700-0380	21.000	22.500	0.750
59	24700-0322	18.000	19.500	0.688	59	24700-0381	21.000	22.750	0.750
59	24700-0323	18.000	19.750	0.750	59	24700-0382	21.000	23.000	0.625
59	24700-0324	18.000	19.875	0.750	59	24700-0384	21.000	23.250	0.875
59	24700-0325	18.000	20.000	0.750	59	24700-0385	21.000	23.500	0.875
59	24700-0326	18.000	20.500	1.250	59	24700-0386	21.250	23.000	0.750
59	24700-0327	18.000	21.000	0.688	59	24700-0387	21.250	23.250	0.625
59	24700-0328	18.120	20.500	1.000	59	24700-0390	21.500	23.250	0.750
59	24700-0329	18.125	20.500	1.000	59	24700-0391	21.500	23.500	0.750
59	24700-0330	18.250	19.750	0.750	59	24700-0392	21.500	24.000	0.875
59	24700-0331	18.250	19.867	1.000	59	24700-0394	21.625	23.375	0.750
59	24700-0332	18.250	19.875	1.000	59	24700-0395	21.625	23.625	0.875
59	24700-0333	18.375	19.875	0.688	59	24700-0397	21.750	23.750	0.750
59	24700-0334	18.375	19.938	0.625	59	24700-0398	21.750	24.000	0.875
59	24700-0335	18.375	20.000	0.750	59	24700-0399	21.750	24.250	0.875
59	24700-0336	18.375	20.375	0.875	59	24700-0400	21.750	24.750	1.000
59	24700-0337	18.375	20.500	0.875	59	24700-0401	22.000	24.000	0.750
59	24700-0338	18.500	20.000	0.750	59	24700-0402	22.000	24.250	1.000
59	24700-0339	18.500	20.250	0.750	59	24700-0403	22.000	24.500	0.875
59	24700-0340	18.750	20.250	0.750	59	24700-0404	22.250	24.250	0.875
59	24700-0341	18.750	20.500	0.750	59	24700-0405	22.375	24.250	0.750
59	24700-0343	18.750	20.750	0.750	59	24700-0406	22.375	24.368	0.875
59	24700-0344	18.897	20.464	0.787	59	24700-0407	22.375	24.375	0.875
59	24700-0345	19.000	20.500	0.750	59	24700-0408	22.438	24.250	0.750
59	24700-0346	19.000	21.000	0.875	59	24700-0409	22.438	24.438	0.875
59	24700-0347	19.000	21.500	0.750	59	24700-0411	22.500	24.250	0.750
59	24700-0348	19.250	20.750	0.750	59	24700-0412	22.500	24.495	0.875
59	24700-0349	19.250	21.000	0.750	59	24700-0413	22.500	24.500	0.750
59	24700-0350	19.250	21.250	0.750	59	24700-0414	22.500	24.750	0.875
59	24700-0352	19.375	21.000	0.813	59	24700-0415	22.750	24.500	0.750
59	24700-0354	19.500	21.000	0.750	59	24700-0416	22.750	24.750	0.875
59	24700-0355	19.500	21.500	0.750	59	24700-0417	22.750	25.000	0.875
59	24700-0356	19.500	21.688	0.750	59	24700-0418	23.000	24.500	0.750
59	24700-0357	19.750	21.750	0.875	59	24700-0419	23.000	24.750	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
59	24700-0420	23.000	25.000	0.875	59	24700-0473	27.250	29.250	0.813
59	24700-0421	23.000	25.375	0.875	59	24700-0474	27.500	29.000	0.750
59	24700-0422	23.000	25.500	0.875	59	24700-0475	27.500	29.500	0.875
59	24700-0423	23.250	25.000	0.750	59	24700-0476	27.625	29.125	0.750
59	24700-0424	23.250	25.250	0.750	59	24700-0477	27.625	29.625	0.750
59	24700-0425	23.375	25.375	1.000	59	24700-0478	27.875	29.812	0.875
59	24700-0426	23.500	25.250	0.750	59	24700-0479	27.875	29.815	0.875
59	24700-0427	23.500	25.500	0.875	59	24700-0480	28.000	29.500	0.750
59	24700-0428	23.562	25.250	0.750	59	24700-0481	28.000	29.625	0.750
59	24700-0429	23.563	25.375	0.750	59	24700-0482	28.000	29.813	0.750
59	24700-0430	23.625	25.750	0.875	59	24700-0483	28.000	30.000	0.875
59	24700-0431	23.625	26.000	0.875	59	24700-0484	28.000	30.250	1.250
59	24700-0432	23.750	26.750	1.500	59	24700-0485	28.000	30.500	0.875
59	24700-0433	23.875	26.000	0.875	59	24700-0486	28.000	30.535	0.875
59	24700-0434	24.000	25.500	0.750	59	24700-0487	28.000	31.000	0.875
59	24700-0435	24.000	26.000	0.750	59	24700-0488	28.000	32.000	0.875
59	24700-0436	24.000	26.250	1.000	59	24700-0490	28.500	30.500	0.625
59	24700-0437	24.000	26.500	1.000	59	24700-0491	28.500	31.000	0.875
59	24700-0438	24.250	26.250	0.875	59	24700-0492	28.750	30.750	0.875
59	24700-0439	24.375	26.375	0.750	59	24700-0493	29.000	30.500	0.750
59	24700-0440	24.438	26.000	0.750	59	24700-0494	29.000	31.000	0.875
59	24700-0441	24.438	26.438	0.750	59	24700-0495	29.000	32.000	0.875
59	24700-0442	24.500	26.500	0.875	59	24700-0496	29.125	32.000	1.500
59	24700-0443	25.000	26.500	0.750	59	24700-0498	29.500	31.500	0.750
59	24700-0444	25.000	27.000	0.875	59	24700-0499	29.500	32.000	0.875
59	24700-0445	25.000	27.375	0.875	59	24700-0500	29.500	32.250	1.000
59	24700-0446	25.000	27.500	0.875	59	24700-0501	29.500	32.500	0.938
59	24700-0447	25.125	26.750	0.750	59	24700-0502	30.000	31.616	0.750
59	24700-0448	25.188	26.875	0.750	59	24700-0503	30.000	31.625	0.625
59	24700-0450	25.250	27.250	0.875	59	24700-0504	30.000	32.000	0.750
59	24700-0451	25.250	28.000	0.875	59	24700-0505	30.000	32.250	1.156
59	24700-0452	25.375	28.500	1.500	59	24700-0506	30.000	32.500	0.875
59	24700-0453	25.500	27.000	0.750	59	24700-0507	30.250	32.500	0.875
59	24700-0454	25.500	27.500	0.750	59	24700-0508	30.500	32.500	0.750
59	24700-0455	25.625	27.750	1.000	59	24700-0509	30.500	33.000	0.750
59	24700-0456	25.750	27.250	0.750	59	24700-0510	30.500	33.500	0.875
59	24700-0457	25.750	28.755	1.500	59	24700-0511	31.000	32.500	1.000
59	24700-0458	25.875	28.000	0.875	59	24700-0512	31.000	33.000	0.875
59	24700-0459	25.988	27.625	0.750	59	24700-0513	31.000	34.000	0.875
59	24700-0460	26.000	27.625	0.750	59	24700-0514	31.250	33.250	0.750
59	24700-0461	26.000	28.000	0.750	59	24700-0515	31.750	33.750	0.875
59	24700-0462	26.000	28.500	0.875	59	24700-0516	32.000	34.000	0.875
59	24700-0463	26.125	28.125	0.813	59	24700-0517	32.000	34.500	0.875
59	24700-0464	26.375	28.188	0.750	59	24700-0518	32.125	34.125	0.875
59	24700-0465	26.375	28.250	0.875	59	24700-0519	32.312	34.500	0.875
59	24700-0466	26.375	28.375	1.000	59	24700-0520	32.500	34.500	0.875
59	24700-0467	26.500	28.000	0.750	59	24700-0521	31.750	35.750	1.500
59	24700-0468	26.500	28.500	0.875	59	24700-0522	33.000	34.500	0.750
59	24700-0469	26.500	29.500	1.500	59	24700-0523	33.000	34.609	0.750
59	24700-0470	27.000	29.000	0.750	59	24700-0524	33.000	34.613	0.750
59	24700-0471	27.000	29.500	1.000	59	24700-0525	33.000	34.625	0.750
59	24700-0472	27.000	30.000	0.875	59	24700-0526	33.000	34.630	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
59	24700-0527	33.000	34.688	0.750	59	24700-0589	42.250	44.250	1.000
59	24700-0528	33.000	35.000	0.750	59	24700-0590	43.000	45.000	0.875
59	24700-0529	33.000	35.250	0.875	59	24700-0591	43.500	45.500	0.750
59	24700-0530	33.000	35.500	0.750	59	24700-0592	43.750	45.750	0.875
59	24700-0531	33.500	35.500	0.875	59	24700-0593	44.000	46.000	0.875
59	24700-0532	33.500	36.000	0.875	59	24700-0594	44.000	46.500	0.875
59	24700-0533	33.500	36.002	0.938	59	24700-0595	44.000	47.000	1.250
59	24700-0534	33.500	36.250	0.875	59	24700-0596	44.500	46.000	0.875
59	24700-0535	33.625	35.625	0.875	59	24700-0597	45.000	46.750	0.875
59	24700-0536	34.000	36.000	0.875	59	24700-0598	45.000	47.000	0.875
59	24700-0537	34.000	36.250	1.250	59	24700-0599	45.750	47.768	0.875
59	24700-0538	34.000	36.500	0.875	59	24700-0600	46.000	48.000	0.875
59	24700-0539	34.000	37.000	1.000	59	24700-0601	46.500	48.500	0.875
59	24700-0540	34.250	36.250	0.875	59	24700-0602	47.000	49.000	0.875
59	24700-0541	34.250	36.750	0.875	59	24700-0603	47.750	50.500	1.125
59	24700-0542	34.500	36.000	0.750	59	24700-0604	48.250	50.250	0.875
59	24700-0543	34.750	36.625	0.750	59	24700-0605	49.000	50.750	1.000
59	24700-0544	34.750	36.750	0.875	59	24700-0606	49.500	52.250	1.000
59	24700-0545	35.000	37.000	0.813	59	24700-0607	50.000	52.000	0.875
59	24700-0546	35.000	37.500	0.875	59	24700-0608	52.500	55.000	0.875
59	24700-0547	35.250	38.250	0.750	59	24700-0610	53.000	54.875	0.813
59	24700-0548	35.375	37.375	1.000	59	24700-0611	54.000	56.000	1.000
59	24700-0549	35.500	37.500	0.875	59	24700-0612	54.750	56.375	0.875
59	24700-0550	36.000	37.998	0.875	59	24700-0613	55.500	57.500	0.750
59	24700-0551	36.000	38.000	0.875	59	24700-0614	57.875	60.000	0.938
59	24700-0552	36.000	38.500	0.875	59	24700-0615	59.000	61.000	0.875
59	24700-0553	36.000	39.500	1.500	59	24700-0616	61.250	63.250	1.000
59	24700-0554	36.500	38.500	0.875	59	24700-0617	62.500	64.000	0.875
59	24700-0557	36.750	38.750	1.000	59	24700-0618	62.500	64.500	0.875
59	24700-0558	36.750	39.250	0.875	59	24700-0782	17.000	19.000	1.000
59	24700-0559	37.000	39.000	0.875	59	24700-0820	28.000	30.500	1.000
59	24700-0560	37.250	39.250	0.875	59	24700-0821	25.000	27.500	1.000
59	24700-0561	37.438	39.500	0.875	59	24700-0824	21.438	23.188	0.750
59	24700-0562	37.500	39.000	0.875	59	24700-0844	6.750	8.250	0.562
59	24700-0563	37.500	39.500	0.750	59	24700-0982	11.024	12.205	0.630
59	24700-0564	37.500	40.250	1.000	59	24700-0986	23.375	25.375	0.812
59	24700-0568	38.000	40.000	0.875	59	24700-0992	14.173	15.354	0.709
59	24700-0569	38.250	40.250	0.875	59	24700-0999	12.204	13.780	0.787
59	24700-0570	38.250	40.750	0.750	59	24700-1000	12.992	15.354	0.984
59	24700-0571	38.258	40.750	0.875	59	24700-1006	30.000	32.000	0.875
59	24700-0577	38.500	41.000	1.000	59	24700-1013	20.000	21.500	0.750
59	24700-0578	38.750	40.750	0.875	59	24700-1020	16.250	17.750	0.687
59	24700-0579	39.000	41.000	0.750	59	24700-1024	6.000	7.500	0.625
59	24700-0580	39.000	41.500	0.875	59	24700-1043	33.858	35.433	0.787
59	24700-0581	39.750	42.250	0.875	59	24700-1044	25.590	27.165	0.787
59	24700-0582	39.979	41.500	1.000	59	24700-1050	12.500	14.500	0.906
59	24700-0583	40.000	42.000	0.875	59	24700-1068	8.250	10.250	0.750
59	24700-0584	40.500	42.500	0.875	59	24700-1070	24.803	26.750	0.875
59	24700-0585	40.500	43.000	0.875	59	24700-1134	5.512	6.693	0.630
59	24700-0586	41.500	43.500	0.875	59	24700-1135	22.000	24.000	0.875
59	24700-0587	41.812	45.000	1.000	59	24700-1246	19.685	21.654	0.866
59	24700-0588	41.938	43.750	0.875	59	24700-1247	18.898	20.866	0.787

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
59	24700-1331	16.531	18.504	0.866	59	24700-2936	12.500	14.000	0.687
59	24700-1332	15.748	17.480	0.787	59	24700-2980	12.000	14.000	0.937
59	24700-1343	9.375	11.000	0.625	59	24700-2981	20.000	22.000	1.000
59	24700-1741	8.625	10.500	0.750	59	24700-2991	37.795	40.157	0.875
59	24700-1867	17.000	19.000	0.812	59	24700-2992	7.625	8.750	0.625
59	24700-1868	12.250	14.250	0.812	59	24700-3003	14.125	15.625	0.750
59	24700-1869	12.250	14.000	0.875	59	24700-3042	16.250	18.500	0.812
59	24700-1875	11.625	13.000	0.750	59	24700-3080	39.370	41.338	0.875
59	24700-1892	14.173	15.748	0.787	59	24700-3091	13.780	15.748	0.984
59	24700-1895	7.750	8.750	0.625	59	24700-3100	11.417	13.780	0.984
59	24700-1902	13.780	16.142	0.787	59	24700-3132	29.921	31.890	0.984
59	24700-1904	11.250	12.750	0.750	59	24700-3133	19.291	20.866	0.787
59	24700-1931	22.750	25.500	0.875	59	24700-3134	23.228	24.803	0.787
59	24700-1933	30.709	33.228	0.984	59	24700-3140	9.875	11.875	0.969
59	24700-1959	43.500	45.500	0.875	59	24700-3150	9.000	10.500	0.687
59	24700-1971	27.000	29.000	1.000	59	24700-3171	42.500	45.000	0.750
59	24700-1977	20.000	22.000	0.750	59	24700-3172	48.000	50.000	1.000
59	24700-1989	19.938	21.688	0.750	59	24700-3212	13.780	14.961	0.630
59	24700-1990	20.500	22.500	0.750	59	24700-3220	19.938	21.688	0.625
59	24700-1991	21.000	23.000	0.750	59	24700-3250	32.750	34.500	0.875
59	24700-1992	21.250	23.250	0.750	59	24700-3256	22.000	23.750	0.875
59	24700-1993	21.500	22.688	0.750	59	24700-3279	26.500	28.000	0.875
59	24700-1994	21.750	23.250	0.750	59	24700-3281	5.750	7.000	0.500
59	24700-1995	22.500	23.688	0.750	59	24700-3352	6.102	7.087	0.591
59	24700-1996	28.125	29.250	0.750	59	24700-3355	6.000	7.000	0.500
59	24700-1997	28.500	30.500	0.750	59	24700-3367	6.000	7.500	0.500
59	24700-1998	29.134	30.709	0.750	59	24700-3369	22.375	25.250	0.875
59	24700-1999	30.000	31.625	0.750	59	24700-3424	6.437	7.687	0.625
59	24700-2000	36.500	39.000	0.750	59	24700-3426	6.500	7.500	0.625
59	24700-2018	13.625	14.875	0.687	59	24700-3427	10.500	11.500	0.625
59	24700-2022	15.938	18.000	0.750	59	24700-3428	23.750	25.250	0.875
59	24700-2043	7.480	8.661	0.591	59	24700-3454	12.366	14.500	0.750
59	24700-2044	9.469	10.625	0.625	59	24700-3461	22.047	24.016	0.787
59	24700-2049	15.354	17.717	0.984	59	24700-3464	6.750	8.250	0.625
59	24700-2126	20.000	21.500	0.875	59	24700-3470	44.000	47.000	0.875
59	24700-2183	7.677	9.055	0.591	59	24700-3489	27.165	28.740	0.787
59	24700-2189	9.725	11.750	0.625	59	24700-3490	13.779	15.748	0.669
59	24700-2229	20.000	21.500	0.687	59	24700-3492	7.000	8.000	0.625
59	24700-2493	15.875	17.500	0.750	59	24700-3500	7.000	8.500	0.625
59	24700-2521	41.625	44.000	0.875	59	24700-3512	7.125	8.500	0.625
59	24700-2543	28.740	31.260	0.984	59	24700-3527	7.250	8.750	0.750
59	24700-2565	16.500	18.500	0.812	59	24700-3535	20.866	23.228	0.984
59	24700-2569	11.500	13.000	0.687	59	24700-3539	20.000	21.250	0.625
59	24700-2620	10.688	12.500	0.625	59	24700-3544	7.500	8.500	0.625
59	24700-2654	19.625	21.625	0.812	59	24700-3548	7.500	8.750	0.625
59	24700-2691	18.000	19.500	0.750	59	24700-3552	7.500	9.000	0.625
59	24700-2703	4.331	5.512	0.551	59	24700-3573	70.000	72.000	0.875
59	24700-2724	21.654	23.622	0.866	59	24700-3578	7.750	9.250	0.625
59	24700-2726	15.748	17.716	0.748	59	24700-3588	7.875	9.375	0.625
59	24700-2873	39.370	41.339	0.906	59	24700-3596	8.000	9.250	0.625
59	24700-2906	11.500	13.000	0.750	59	24700-3606	8.250	9.500	0.625
59	24700-2914	9.750	10.750	0.625	59	24700-3613	11.250	13.250	0.812

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
59	24700-3631	8.375	9.750	0.750	59	24700-4041	12.250	13.750	0.625
59	24700-3640	9.500	10.750	0.625	59	24700-4047	19.685	21.260	0.787
59	24700-3644	9.500	11.250	0.625	59	24700-4049	10.250	11.250	0.500
59	24700-3660	10.000	11.000	0.562	59	24700-4051	11.375	13.000	0.750
59	24700-3665	10.500	11.750	0.625	59	24700-4056	11.811	13.543	0.787
59	24700-3667	20.866	22.835	0.866	59	24700-4058	12.795	14.370	0.630
59	24700-3682	10.750	11.750	0.562	59	24700-4066	22.047	23.780	0.787
59	24700-3685	10.750	12.250	0.562	59	24700-4072	12.000	14.000	0.812
59	24700-3691	11.000	12.000	0.625	59	24700-4082	12.500	14.500	0.750
59	24700-3693	11.000	12.500	0.625	59	24700-4086	12.625	14.125	0.750
59	24700-3695	11.024	12.598	0.787	59	24700-4093	13.000	14.500	0.687
59	24700-3699	37.500	39.500	0.875	59	24700-4095	13.000	14.625	0.750
59	24700-3710	12.000	14.250	1.000	59	24700-4097	26.375	28.188	0.875
59	24700-3718	12.875	14.750	1.000	59	24700-4098	13.000	15.000	0.750
59	24700-3726	14.000	16.250	1.000	59	24700-4100	38.976	40.945	0.866
59	24700-3740	16.929	18.898	0.866	59	24700-4127	13.500	15.500	0.750
59	24700-3741	17.000	18.750	0.750	59	24700-4137	41.432	43.307	0.787
59	24700-3768	8.000	9.500	0.687	59	24700-4142	14.500	16.000	0.688
59	24700-3769	22.441	24.016	0.787	59	24700-4147	14.750	16.250	0.688
59	24700-3773	20.750	22.750	0.875	59	24700-4155	15.000	17.000	0.750
59	24700-3793	17.000	18.250	0.625	59	24700-4162	15.500	17.000	0.750
59	24700-3816	8.125	10.135	0.750	59	24700-4180	16.000	18.000	0.812
59	24700-3817	8.250	9.250	0.625	59	24700-4188	17.000	18.500	0.687
59	24700-3819	8.250	10.000	0.750	59	24700-4198	17.500	19.500	0.687
59	24700-3832	8.875	10.125	0.625	59	24700-4216	18.500	20.500	0.875
59	24700-3837	29.921	32.008	0.866	59	24700-4231	20.000	22.000	0.625
59	24700-3853	12.000	14.000	0.625	59	24700-4241	22.441	24.409	0.984
59	24700-3866	14.500	16.250	0.625	59	24700-4243	22.047	24.409	0.984
59	24700-3868	16.500	17.750	0.750	59	24700-4244	25.590	27.756	0.787
59	24700-3876	30.500	32.500	0.875	59	24700-4245	22.441	24.409	0.866
59	24700-3880	14.567	16.299	0.787	59	24700-4246	20.500	22.500	0.875
59	24700-3882	13.386	14.961	0.709	59	24700-4251	13.500	15.000	0.687
59	24700-3903	64.000	65.375	0.875	59	24700-4252	16.929	18.504	0.787
59	24700-3919	6.693	7.874	0.630	59	24700-4254	21.250	23.250	0.875
59	24700-3935	8.500	9.500	0.625	59	24700-4255	18.504	20.866	0.984
59	24700-3943	17.716	19.291	0.787	59	24700-4256	22.835	25.197	0.984
59	24700-3945	26.378	27.953	0.787	59	24700-4269	22.000	23.500	0.750
59	24700-3949	42.520	45.039	0.984	59	24700-4294	24.000	26.000	0.875
59	24700-3950	15.354	17.323	0.787	59	24700-4360	25.437	27.187	0.750
59	24700-3951	8.750	10.750	0.750	59	24700-4376	30.500	33.000	1.000
59	24700-3955	9.055	10.236	0.591	59	24700-4393	17.323	18.898	0.787
59	24700-3961	63.780	65.551	0.787	59	24700-4394	14.173	15.748	0.709
59	24700-3992	10.000	11.500	0.687	59	24700-4396	15.748	17.322	0.787
59	24700-4002	16.339	18.307	0.787	59	24700-4397	12.598	14.173	0.787
59	24700-4003	10.125	12.000	0.750	59	24700-4405	34.500	36.500	0.875
59	24700-4006	10.500	12.500	0.625	59	24700-4423	14.764	16.535	0.787
59	24700-4008	10.250	12.250	0.625	59	24700-4454	28.500	30.500	0.875
59	24700-4009	11.811	13.071	0.630	59	24700-4481	9.250	11.250	0.562
59	24700-4019	22.047	24.016	0.866	59	24700-4486	18.110	20.078	0.866
59	24700-4028	11.024	12.598	0.709	59	24700-4487	28.740	31.259	1.007
59	24700-4035	9.055	10.629	0.551	59	24700-4494	24.250	26.000	1.000
59	24700-4038	6.299	7.874	0.551	59	24700-4496	12.500	14.000	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
59	24700-4501	8.438	10.000	0.625	59	24700-5280	23.622	25.197	0.787
59	24700-4503	9.000	10.000	0.625	59	24700-5281	15.354	17.087	0.787
59	24700-4505	9.000	10.250	0.625	59	24700-5287	6.750	7.750	0.750
59	24700-4508	18.110	19.685	0.787	59	24700-5299	15.236	16.417	0.591
59	24700-4512	16.142	17.717	0.787	59	24700-5317	7.874	9.055	0.630
59	24700-4514	21.654	24.016	0.984	59	24700-5324	7.468	8.468	0.688
59	24700-4515	9.750	11.000	0.625	59	24700-5335	5.906	7.087	0.551
59	24700-4516	28.740	31.102	0.984	59	24700-5339	9.843	11.024	0.591
59	24700-4517	25.590	27.953	0.984	59	24700-5357	8.661	9.842	0.594
59	24700-4518	23.622	25.984	0.984	59	24700-5359	9.449	10.630	0.594
59	24700-4519	23.622	25.590	0.866	59	24700-5377	22.375	25.250	1.125
59	24700-4525	20.472	22.205	0.866	59	24700-5421	15.500	17.500	0.812
59	24700-4534	16.750	18.500	0.687	59	24700-5429	10.236	11.812	0.787
59	24700-4555	14.625	16.000	0.625	59	24700-5438	20.866	22.441	0.787
59	24700-4573	11.437	13.750	0.625	59	24700-5440	20.945	22.520	0.787
59	24700-4578	30.615	33.268	1.094	59	24700-5441	13.976	15.551	0.787
59	24700-4583	34.000	37.000	0.875	59	24700-5442	28.938	30.512	0.787
59	24700-4584	38.000	40.000	0.625	59	24700-5447	47.500	49.500	0.875
59	24700-4598	21.260	23.228	0.866	59	24700-5452	21.063	22.638	0.787
59	24700-4599	49.213	51.732	0.984	59	24700-5464	17.717	20.079	0.984
59	24700-4600	17.874	19.874	0.843	59	24700-5465	10.750	12.750	0.625
59	24700-4612	12.000	13.500	0.688	59	24700-5466	14.961	17.323	0.984
59	24700-4621	12.500	14.008	0.906	59	24700-5477	13.780	16.142	0.984
59	24700-4626	27.250	29.250	0.875	59	24700-5525	12.992	14.724	0.787
59	24700-4646	19.500	21.750	0.875	59	24700-5559	23.622	25.591	0.984
59	24700-4671	31.890	34.409	0.984	59	24700-5560	31.496	34.015	0.984
59	24700-4672	26.378	28.898	0.984	59	24700-5581	12.125	13.875	0.687
59	24700-4673	17.323	19.291	0.866	59	24700-5595	35.500	38.000	1.000
59	24700-4674	14.961	16.693	0.787	59	24700-5609	29.134	31.102	0.984
59	24700-4755	13.780	14.961	0.787	59	24700-5987	14.563	16.000	0.625
59	24700-4763	9.055	10.630	0.630	59	24700-6386	8.750	10.000	0.625
59	24700-4764	20.472	22.205	0.787	59	24700-6508	19.000	21.000	0.812
59	24700-4767	10.039	11.417	0.630	59	24700-6646	8.875	10.875	0.750
59	24700-4803	9.125	10.375	0.625	59	24700-6808	10.000	11.250	0.625
59	24700-4824	37.402	39.921	0.984	59	24700-7059	18.500	20.500	0.750
59	24700-4858	10.992	12.402	0.787	59	24700-7263	11.500	12.750	0.625
59	24700-4875	30.315	33.268	1.063	59	24700-7268	6.693	7.875	0.590
59	24700-4879	19.125	21.125	0.812	59	24700-7388	7.874	9.055	0.591
59	24700-4891	10.236	12.402	0.945	59	24700-7805	13.000	14.500	0.625
59	24700-4917	29.921	31.496	0.787	59	24700-7832	11.250	12.750	0.625
59	24700-4936	15.354	17.323	0.984	59	24700-9477	20.000	22.000	0.875
59	24700-4950	10.000	11.500	0.625	61	24060-0005	0.312	0.750	0.250
59	24700-4999	10.236	12.598	0.984	61	24060-0013	0.375	0.750	0.250
59	24700-5054	17.500	19.250	0.688	61	24060-0015	0.375	0.875	0.250
59	24700-5064	15.748	17.323	0.630	61	24060-0017	0.375	1.000	0.312
59	24700-5079	19.375	21.000	0.750	61	24060-0049	0.500	1.000	0.312
59	24700-5102	13.780	15.512	0.787	61	24060-0087	0.625	1.125	0.312
59	24700-5107	13.780	15.512	0.748	61	24060-0089	0.625	1.250	0.312
59	24700-5111	10.236	11.418	0.630	61	24060-0091	0.625	1.375	0.312
59	24700-5162	25.500	27.500	0.875	61	24060-0093	0.625	1.500	0.312
59	24700-5170	13.386	14.961	0.787	61	24060-0132	1.575	2.441	0.315
59	24700-5172	15.354	16.929	0.709	61	24060-0139	0.750	1.250	0.312

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
61	24060-0141	0.750	1.375	0.312	61	24060-0844	1.688	2.750	0.375
61	24060-0143	0.750	1.500	0.312	61	24060-0853	1.688	2.875	0.375
61	24060-0147	0.750	1.625	0.312	61	24060-0859	1.688	3.000	0.375
61	24060-0149	0.750	1.750	0.375	61	24060-0882	2.165	2.835	0.315
61	24060-0213	0.875	1.375	0.312	61	24060-0904	1.750	2.500	0.375
61	24060-0215	0.875	1.500	0.312	61	24060-0907	1.750	2.625	0.375
61	24060-0287	1.000	1.500	0.312	61	24060-0913	1.750	2.750	0.375
61	24060-0288	1.000	1.500	0.375	61	24060-0917	2.938	4.000	0.500
61	24060-0291	1.000	1.625	0.312	61	24060-0924	1.750	2.875	0.500
61	24060-0292	1.000	1.625	0.375	61	24060-0928	1.750	3.000	0.375
61	24060-0293	1.000	1.750	0.375	61	24060-0976	1.813	2.625	0.375
61	24060-0297	1.000	1.875	0.375	61	24060-1033	3.150	3.937	0.394
61	24060-0312	1.181	1.575	0.276	61	24060-1042	1.875	2.625	0.375
61	24060-0325	1.063	1.750	0.375	61	24060-1048	1.875	2.750	0.375
61	24060-0352	1.125	1.625	0.375	61	24060-1057	1.875	2.875	0.375
61	24060-0353	1.125	1.750	0.375	61	24060-1059	1.875	2.875	0.500
61	24060-0357	1.125	1.875	0.375	61	24060-1092	1.625	2.250	0.375
61	24060-0359	1.125	2.000	0.375	61	24060-1117	1.937	2.686	0.375
61	24060-0387	1.188	2.000	0.375	61	24060-1120	1.938	2.750	0.375
61	24060-0427	1.250	2.000	0.375	61	24060-1129	1.938	2.875	0.375
61	24060-0436	1.250	2.125	0.375	61	24060-1153	1.969	2.750	0.375
61	24060-0439	1.250	2.250	0.375	61	24060-1156	1.969	2.756	0.375
61	24060-0442	1.250	2.375	0.375	61	24060-1189	2.000	2.750	0.375
61	24060-0541	1.375	2.125	0.375	61	24060-1190	2.000	2.750	0.437
61	24060-0544	1.375	2.250	0.375	61	24060-1198	2.000	2.875	0.375
61	24060-0556	1.375	2.500	0.375	61	24060-1204	2.000	3.000	0.375
61	24060-0571	1.406	2.375	0.375	61	24060-1205	2.000	3.000	0.437
61	24060-0574	2.165	2.756	0.315	61	24060-1247	0.750	1.750	0.312
61	24060-0592	1.438	2.125	0.375	61	24060-1251	0.625	1.625	0.312
61	24060-0595	1.438	2.500	0.375	61	24060-1257	0.750	1.875	0.312
61	24060-0598	1.438	2.375	0.375	61	24060-1268	0.875	1.750	0.312
61	24060-0643	1.500	2.250	0.375	61	24060-1271	0.875	1.875	0.312
61	24060-0646	1.500	2.375	0.375	61	24060-1272	1.000	2.000	0.312
61	24060-0653	2.360	3.150	0.375	61	24060-1274	1.000	2.125	0.375
61	24060-0655	1.500	2.500	0.375	61	24060-1281	1.063	1.625	0.250
61	24060-0658	1.500	2.625	0.375	61	24060-1319	1.188	1.750	0.312
61	24060-0664	1.500	2.750	0.375	61	24060-1320	2.125	2.875	0.437
61	24060-0667	1.500	2.756	0.375	61	24060-1321	2.125	2.875	0.375
61	24060-0703	1.563	2.375	0.375	61	24060-1325	1.188	1.875	0.312
61	24060-0706	1.563	2.438	0.375	61	24060-1328	2.125	3.000	0.437
61	24060-0710	2.559	3.346	0.394	61	24060-1334	2.125	3.125	0.437
61	24060-0712	1.563	2.500	0.375	61	24060-1337	1.250	1.875	0.312
61	24060-0729	2.559	3.543	0.394	61	24060-1338	1.250	2.063	0.312
61	24060-0738	5.438	6.500	0.500	61	24060-1343	1.250	2.125	0.312
61	24060-0758	1.625	2.187	0.375	61	24060-1344	1.250	2.250	0.312
61	24060-0760	1.625	2.375	0.375	61	24060-1354	1.375	2.000	0.312
61	24060-0772	1.625	2.625	0.375	61	24060-1355	1.375	2.438	0.250
61	24060-0788	1.625	2.875	0.437	61	24060-1356	1.375	2.750	0.375
61	24060-0809	2.953	3.937	0.394	61	24060-1358	1.438	2.000	0.312
61	24060-0813	1.750	2.375	0.375	61	24060-1361	1.438	2.063	0.312
61	24060-0829	1.688	2.438	0.375	61	24060-1362	1.438	2.188	0.375
61	24060-0835	1.688	2.500	0.375	61	24060-1364	1.500	2.125	0.312

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
61	24060-1367	1.500	2.313	0.312	61	24060-1553	2.750	3.375	0.312
61	24060-1368	1.500	2.875	0.375	61	24060-1554	2.750	3.375	0.437
61	24060-1370	1.563	2.563	0.500	61	24060-1556	2.875	3.500	0.312
61	24060-1371	1.625	2.250	0.312	61	24060-1559	2.750	5.000	0.500
61	24060-1372	1.625	2.375	0.312	61	24060-1560	2.875	4.000	0.500
61	24060-1373	1.625	2.500	0.312	61	24060-1562	2.938	3.625	0.312
61	24060-1378	2.156	3.189	0.375	61	24060-1564	3.000	3.625	0.312
61	24060-1386	1.750	2.438	0.312	61	24060-1565	3.125	3.750	0.312
61	24060-1399	2.188	2.875	0.375	61	24060-1566	3.125	3.750	0.500
61	24060-1409	1.750	2.563	0.500	61	24060-1568	3.125	3.875	0.500
61	24060-1412	1.875	2.500	0.312	61	24060-1569	3.125	4.000	0.375
61	24060-1418	1.875	2.500	0.375	61	24060-1571	3.188	4.250	0.375
61	24060-1419	1.875	2.500	0.500	61	24060-1572	3.250	3.875	0.312
61	24060-1421	2.000	2.500	0.375	61	24060-1574	3.250	4.000	0.437
61	24060-1429	2.000	2.625	0.375	61	24060-1577	3.250	4.000	0.500
61	24060-1431	2.000	2.750	0.312	61	24060-1580	3.375	4.000	0.312
61	24060-1440	3.437	4.500	0.437	61	24060-1583	3.438	4.125	0.437
61	24060-1446	2.000	3.250	0.437	61	24060-1591	3.500	4.125	0.312
61	24060-1458	2.000	3.500	0.375	61	24060-1595	3.500	4.125	0.500
61	24060-1464	2.063	2.625	0.375	61	24060-1599	3.500	4.250	0.500
61	24060-1466	2.063	2.875	0.375	61	24060-1601	3.563	4.500	0.437
61	24060-1467	2.125	2.750	0.312	61	24060-1604	3.563	4.500	0.500
61	24060-1469	3.000	3.625	0.437	61	24060-1605	3.625	4.250	0.312
61	24060-1470	0.866	1.575	0.315	61	24060-1606	3.750	4.375	0.500
61	24060-1474	2.250	3.000	0.375	61	24060-1607	3.875	4.500	0.312
61	24060-1475	2.250	3.000	0.437	61	24060-1611	3.875	4.500	0.500
61	24060-1478	0.984	1.378	0.315	61	24060-1613	3.875	4.625	0.500
61	24060-1484	1.496	2.165	0.394	61	24060-1614	3.875	4.750	0.500
61	24060-1488	4.000	4.750	0.500	61	24060-1640	3.938	6.250	0.500
61	24060-1490	2.362	2.953	0.315	61	24060-1642	2.375	3.125	0.375
61	24060-1493	2.250	3.250	0.437	61	24060-1643	4.000	4.750	0.375
61	24060-1502	4.331	5.512	0.512	61	24060-1646	4.250	4.875	0.500
61	24060-1503	2.250	2.875	0.312	61	24060-1649	4.250	5.000	0.437
61	24060-1505	2.250	3.500	0.437	61	24060-1652	4.250	5.125	0.500
61	24060-1507	2.250	2.875	0.375	61	24060-1655	2.375	3.250	0.437
61	24060-1508	2.250	3.125	0.437	61	24060-1666	2.375	3.500	0.375
61	24060-1509	2.250	3.375	0.437	61	24060-1667	4.750	5.500	0.500
61	24060-1511	2.250	3.625	0.437	61	24060-1670	5.000	5.625	0.375
61	24060-1512	2.375	2.875	0.312	61	24060-1674	5.250	6.000	0.500
61	24060-1514	2.375	3.000	0.312	61	24060-1676	5.375	6.125	0.500
61	24060-1523	2.375	3.000	0.437	61	24060-1679	5.500	6.250	0.437
61	24060-1529	2.375	3.375	0.437	61	24060-1682	5.500	6.375	0.500
61	24060-1537	2.438	3.375	0.375	61	24060-1683	5.500	6.500	0.250
61	24060-1539	2.438	3.500	0.437	61	24060-1684	5.750	6.375	0.500
61	24060-1541	2.500	3.125	0.312	61	24060-1685	5.750	6.500	0.500
61	24060-1542	2.500	3.125	0.500	61	24060-1686	6.500	7.250	0.500
61	24060-1544	2.500	3.375	0.437	61	24060-1687	6.500	7.500	0.250
61	24060-1545	2.500	3.500	0.312	61	24060-1724	7.125	8.000	0.375
61	24060-1547	2.500	4.500	0.437	61	24060-1731	7.125	8.500	0.500
61	24060-1549	2.625	3.250	0.312	61	24060-1734	7.188	8.438	0.500
61	24060-1550	2.625	3.250	0.375	61	24060-1739	7.250	9.000	0.500
61	24060-1551	2.625	3.375	0.437	61	24060-1747	2.438	3.500	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face. Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
61	24060-1754	0.669	1.102	0.315	61	24060-2234	3.125	4.500	0.500
61	24060-1760	0.787	1.378	0.315	61	24060-2241	0.984	1.500	0.375
61	24060-1761	0.984	1.653	0.315	61	24060-2273	3.250	4.375	0.500
61	24060-1763	1.181	1.654	0.315	61	24060-2276	3.250	4.500	0.500
61	24060-1784	1.299	1.772	0.315	61	24060-2280	0.630	1.181	0.315
61	24060-1789	1.378	1.969	0.394	61	24060-2282	3.250	4.750	0.500
61	24060-1792	1.654	2.362	0.394	61	24060-2296	5.625	6.875	0.219
61	24060-1793	1.654	2.441	0.394	61	24060-2297	3.313	4.375	0.500
61	24060-1796	1.772	2.362	0.315	61	24060-2321	3.375	4.375	0.500
61	24060-1797	1.772	2.441	0.394	61	24060-2324	3.375	4.500	0.500
61	24060-1808	2.500	3.250	0.437	61	24060-2334	1.188	1.750	0.375
61	24060-1814	1.969	2.559	0.394	61	24060-2335	1.438	1.938	0.375
61	24060-1820	2.500	3.500	0.437	61	24060-2345	3.438	4.500	0.500
61	24060-1828	2.500	3.750	0.375	61	24060-2366	3.500	4.500	0.500
61	24060-1835	2.165	2.835	0.394	61	24060-2372	3.500	4.750	0.500
61	24060-1839	2.362	3.150	0.394	61	24060-2404	7.125	8.375	0.500
61	24060-1842	2.625	3.625	0.437	61	24060-2410	1.500	2.375	0.312
61	24060-1847	2.559	3.150	0.394	61	24060-2411	3.150	4.134	0.394
61	24060-1848	2.953	3.740	0.512	61	24060-2417	3.625	4.625	0.500
61	24060-1856	3.543	4.331	0.394	61	24060-2420	3.625	4.750	0.500
61	24060-1859	3.740	4.724	0.394	61	24060-2451	2.675	3.350	0.375
61	24060-1880	4.724	5.906	0.512	61	24060-2460	1.399	2.292	0.315
61	24060-1884	5.315	6.496	0.315	61	24060-2461	5.512	7.087	0.591
61	24060-1931	1.575	2.165	0.394	61	24060-2462	3.750	4.750	0.500
61	24060-1939	2.625	3.500	0.375	61	24060-2478	1.938	2.500	0.375
61	24060-1966	5.000	5.750	0.500	61	24060-2503	1.000	2.047	0.312
61	24060-1993	2.688	3.500	0.375	61	24060-2508	2.874	3.543	0.393
61	24060-2035	2.750	3.500	0.375	61	24060-2514	1.922	2.875	0.438
61	24060-2037	2.750	3.500	0.500	61	24060-2525	3.938	5.250	0.500
61	24060-2038	2.756	3.543	0.394	61	24060-2526	2.813	3.751	0.438
61	24060-2049	2.750	3.875	0.500	61	24060-2532	1.693	2.756	0.315
61	24060-2057	2.750	3.750	0.375	61	24060-2540	4.000	5.125	0.500
61	24060-2059	2.880	3.625	0.375	61	24060-2543	4.000	5.250	0.500
61	24060-2073	2.125	2.625	0.375	61	24060-2562	3.320	4.132	0.450
61	24060-2074	4.187	4.999	0.468	61	24060-2574	1.552	2.500	0.500
61	24060-2082	1.969	3.250	0.437	61	24060-2584	2.362	4.331	0.438
61	24060-2119	1.378	1.969	0.276	61	24060-2587	0.750	1.312	0.250
61	24060-2123	2.875	3.875	0.500	61	24060-2589	2.000	2.750	0.250
61	24060-2148	2.938	3.750	0.500	61	24060-2600	4.125	5.125	0.500
61	24060-2149	2.938	3.875	0.375	61	24060-2603	4.125	5.250	0.500
61	24060-2150	2.938	3.875	0.437	61	24060-2606	4.125	5.375	0.500
61	24060-2151	2.938	3.875	0.500	61	24060-2657	4.250	5.250	0.500
61	24060-2168	3.000	3.750	0.375	61	24060-2663	4.250	5.500	0.500
61	24060-2169	3.000	3.750	0.438	61	24060-2753	4.375	5.250	0.500
61	24060-2170	3.000	3.750	0.500	61	24060-2756	4.500	5.250	0.500
61	24060-2173	3.000	3.875	0.500	61	24060-2759	4.500	5.500	0.500
61	24060-2177	3.063	4.125	0.500	61	24060-2759	4.500	5.750	0.500
61	24060-2212	1.260	2.047	0.354	61	24060-2765	4.500	5.625	0.500
61	24060-2218	1.142	1.575	0.250	61	24060-2765	4.500	6.000	0.500
61	24060-2224	1.260	1.772	0.315	61	24060-2837	4.750	5.750	0.500
61	24060-2225	3.125	4.125	0.500	61	24060-2843	4.750	6.000	0.500
61	24060-2231	3.125	4.375	0.500	61	24060-2915	5.000	6.000	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
61	24060-2921	5.000	6.250	0.500	61	24060-7807	7.087	8.268	0.591
61	24060-2927	5.000	6.500	0.500	61	24060-7979	3.937	5.118	0.512
61	24060-2966	2.953	3.937	0.375	61	24060-8020	0.594	1.182	0.312
61	24060-3059	5.250	6.250	0.500	61	24060-8049	7.480	8.661	0.591
61	24060-3065	5.250	6.500	0.500	61	24060-8373	2.441	3.150	0.394
61	24060-3071	5.250	6.750	0.500	61	24060-8610	1.575	2.441	0.375
61	24060-3077	5.250	7.000	0.500	61	24060-8887	1.250	1.750	0.375
61	24060-3122	5.375	6.375	0.500	61	24060-9223	1.772	2.559	0.394
61	24060-3176	5.500	6.500	0.500	61	24060-9342	1.181	1.850	0.375
61	24060-3182	5.500	6.750	0.500	61	24060-9490	1.000	1.625	0.250
61	24060-3188	5.500	7.000	0.500	61	24060-9509	0.625	1.250	0.250
61	24060-3355	6.000	7.000	0.500	61	24060-9515	0.875	1.375	0.250
61	24060-3596	8.000	9.250	0.625	61	24060-9612	1.375	2.875	0.375
61	24060-3600	8.800	9.500	0.625	61	24060-9721	11.750	13.750	0.625
61	24060-3606	8.250	9.500	0.625	61	24060-9722	1.500	2.250	0.250
61	24060-3853	12.000	14.000	0.625	61	24060-9822	1.750	2.375	0.312
61	24060-3863	0.250	0.750	0.250	61	24060-9879	4.000	4.625	0.312
61	24060-3892	2.000	3.375	0.500	61	24060-9879	4.000	4.625	0.500
61	24060-4557	3.000	4.000	0.500	61	24061-0093	0.625	1.500	0.312
61	24060-4582	2.000	2.625	0.312	61	24061-0139	0.750	1.250	0.312
61	24060-4651	4.000	5.000	0.500	61	24061-0141	0.750	1.375	0.312
61	24060-4798	1.500	2.125	0.375	61	24061-0143	0.750	1.500	0.312
61	24060-4804	3.000	4.250	0.500	61	24061-0292	1.000	1.625	0.375
61	24060-4873	4.500	5.500	0.437	61	24061-0293	1.000	1.750	0.375
61	24060-4892	2.125	2.750	0.375	61	24061-0357	1.125	1.875	0.375
61	24060-5023	3.000	4.000	0.375	61	24061-0383	1.188	1.875	0.375
61	24060-5079	3.750	5.000	0.500	61	24061-0541	1.375	2.125	0.375
61	24060-5239	1.250	1.750	0.250	61	24061-0643	1.500	2.250	0.375
61	24060-5562	1.102	1.850	0.394	61	24061-0655	1.500	2.500	0.375
61	24060-5704	1.250	1.875	0.375	61	24061-0760	1.625	2.375	0.375
61	24060-5872	3.938	4.875	0.500	61	24061-0913	1.750	2.750	0.375
61	24060-6077	0.500	1.125	0.250	61	24061-1092	1.625	2.250	0.375
61	24060-6285	3.500	4.375	0.500	61	24061-1189	2.000	2.750	0.375
61	24060-6363	4.375	5.000	0.375	61	24061-1205	2.000	3.000	0.437
61	24060-6374	7.000	8.000	0.500	61	24061-1334	2.125	3.125	0.437
61	24060-6378	7.500	8.500	0.500	61	24061-1369	1.500	3.500	0.437
61	24060-6450	6.250	7.250	0.437	61	24061-1412	1.875	2.500	0.312
61	24060-6471	2.750	3.750	0.500	61	24061-1418	1.875	2.500	0.375
61	24060-6656	1.969	2.835	0.375	61	24061-1429	2.000	2.625	0.375
61	24060-6859	0.984	1.850	0.375	61	24061-1475	2.250	3.000	0.437
61	24060-7016	0.500	1.250	0.250	61	24061-1488	4.000	4.750	0.500
61	24060-7086	2.000	2.375	0.250	61	24061-1529	2.375	3.375	0.437
61	24060-7097	3.750	4.375	0.312	61	24061-1542	2.500	3.125	0.500
61	24060-7159	2.813	3.750	0.375	61	24061-1550	2.625	3.250	0.375
61	24060-7246	1.125	2.250	0.375	61	24061-1572	3.250	3.875	0.312
61	24060-7374	3.250	4.250	0.500	61	24061-1642	2.375	3.125	0.375
61	24060-7383	5.512	6.693	0.551	61	24061-1763	1.181	1.654	0.315
61	24060-7386	1.375	2.000	0.375	61	24061-1794	1.496	2.126	0.394
61	24060-7388	7.874	9.055	0.591	61	24061-2037	2.750	3.500	0.500
61	24060-7396	4.331	5.512	0.472	61	24061-2059	2.880	3.625	0.375
61	24060-7415	1.969	3.150	0.375	61	24061-2119	1.378	1.969	0.276
61	24060-7727	0.188	0.750	0.250	61	24061-2223	1.750	2.812	0.312

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
61	24061-2258	1.969	2.688	0.375	61	24063-2235	3.750	4.500	0.375
61	24061-2316	5.625	6.875	0.281	61	24063-2239	2.500	3.000	0.375
61	24061-2422	1.969	2.953	0.315	61	24063-2242	3.937	4.724	0.472
61	24061-2434	1.750	2.812	0.375	61	24063-2281	6.100	6.875	0.625
61	24061-2915	5.000	6.000	0.500	61	24063-2403	4.188	4.999	0.438
61	24061-7055	1.000	1.750	0.250	61	24063-2462	3.750	4.750	0.500
61	24061-7415	1.969	3.150	0.375	61	24063-2915	5.000	6.000	0.500
61	24061-9223	1.772	2.559	0.394	61	24063-3937	8.500	10.000	0.750
61	24062-0050	0.500	1.000	0.375	61	24063-4557	3.000	4.000	0.500
61	24062-0288	1.000	1.500	0.375	61	24063-5306	1.000	1.500	0.250
61	24062-0292	1.000	1.625	0.375	61	24063-5713	1.500	2.125	0.437
61	24062-0357	1.125	1.875	0.375	61	24063-7374	3.250	4.250	0.500
61	24062-0645	1.500	2.250	0.500	61	24064-0292	1.000	1.625	0.375
61	24062-0760	1.625	2.375	0.375	61	24064-0427	1.250	2.000	0.375
61	24062-1058	1.875	2.875	0.437	61	24064-0882	2.165	2.835	0.315
61	24062-1065	1.875	3.000	0.500	61	24064-1033	3.150	3.937	0.394
61	24062-1190	2.000	2.750	0.437	61	24064-1470	0.866	1.575	0.315
61	24062-1191	2.000	2.750	0.500	61	24064-1502	4.331	5.512	0.512
61	24062-1265	0.875	1.625	0.500	61	24064-1667	4.750	5.500	0.500
61	24062-1307	1.125	1.625	0.437	61	24064-1788	1.387	1.850	0.394
61	24062-1345	2.125	3.250	0.375	61	24064-1799	1.772	2.559	0.315
61	24062-1346	2.125	3.250	0.438	61	24064-1854	3.346	4.331	0.394
61	24062-1377	1.750	2.375	0.500	61	24064-1856	3.543	4.331	0.394
61	24062-1419	1.875	2.500	0.500	61	24064-1880	4.724	5.906	0.512
61	24062-1476	2.250	3.000	0.500	61	24064-1931	1.575	2.165	0.394
61	24062-1494	2.250	3.250	0.500	61	24064-2242	3.937	4.724	0.472
61	24062-1502	4.331	5.512	0.512	61	24064-2366	3.500	4.500	0.500
61	24062-1538	2.438	3.375	0.500	61	24064-2837	4.750	5.750	0.500
61	24062-1563	2.312	3.125	0.500	61	24064-5562	1.102	1.850	0.394
61	24062-1664	4.500	5.750	0.437	61	24064-6374	7.000	8.000	0.500
61	24062-2136	1.575	2.283	0.394	61	24064-6383	8.500	9.500	0.500
61	24062-2280	0.630	1.181	0.315	61	24064-6656	1.969	2.835	0.375
61	24062-2318	3.250	3.875	0.375	61	24064-7386	1.375	2.000	0.375
61	24062-2366	3.500	4.500	0.500	61	24064-7388	7.874	9.055	0.591
61	24062-2377	2.953	3.543	0.394	61	24064-7396	4.331	5.512	0.472
61	24062-2915	5.000	6.000	0.500	61	24064-7807	7.087	8.268	0.591
61	24062-2918	5.000	6.125	0.500	61	24064-8373	2.441	3.150	0.394
61	24062-4557	3.000	4.000	0.500	62	21072-1882	2.562	3.481	0.375
61	24062-4651	4.000	5.000	0.500	62	21702-0025	0.406	0.875	0.312
61	24062-4958	2.312	3.250	0.687	62	21702-0031	0.406	1.250	0.312
61	24062-5713	1.500	2.125	0.437	62	21702-0035	0.437	0.875	0.312
61	24062-6363	4.500	5.500	0.375	62	21702-0037	0.437	1.000	0.312
61	24062-8887	1.250	1.750	0.375	62	21702-0038	0.437	1.000	0.375
61	24062-9223	1.772	2.559	0.394	62	21702-0039	0.437	1.125	0.312
61	24063-0645	1.500	2.250	0.500	62	21702-0047	0.469	1.250	0.312
61	24063-0857	1.375	2.000	0.500	62	21702-0049	0.500	1.000	0.312
61	24063-1114	1.938	2.625	0.375	62	21702-0050	0.500	1.000	0.375
61	24063-1191	2.000	2.750	0.500	62	21702-0051	0.500	1.125	0.312
61	24063-1230	2.688	3.625	0.500	62	21702-0052	0.500	1.125	0.375
61	24063-1493	2.250	3.250	0.437	62	21702-0053	0.500	1.250	0.312
61	24063-1856	3.543	4.331	0.394	62	21702-0055	0.500	1.375	0.312
61	24063-2055	1.575	2.165	0.315	62	21702-0057	0.500	1.500	0.312

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
62	21702-0062	0.531	1.250	0.375	62	21702-0323	1.062	1.625	0.312
62	21702-0067	0.562	1.125	0.312	62	21702-0325	1.062	1.750	0.375
62	21702-0077	0.594	1.125	0.312	62	21702-0338	1.093	1.625	0.375
62	21702-0080	0.594	1.250	0.375	62	21702-0351	1.125	1.625	0.312
62	21702-0085	0.594	1.575	0.312	62	21702-0353	1.125	1.750	0.375
62	21702-0087	0.625	1.125	0.312	62	21702-0355	1.125	1.828	0.375
62	21702-0089	0.625	1.250	0.312	62	21702-0357	1.125	1.875	0.375
62	21702-0090	0.625	1.250	0.375	62	21702-0359	1.125	2.000	0.375
62	21702-0091	0.625	1.375	0.312	62	21702-0362	1.125	2.062	0.437
62	21702-0096	0.625	1.575	0.375	62	21702-0383	1.187	1.875	0.375
62	21702-0097	0.656	1.125	0.312	62	21702-0385	1.187	1.984	0.375
62	21702-0110	0.687	1.125	0.375	62	21702-0387	1.187	2.000	0.375
62	21702-0111	0.687	1.250	0.312	62	21702-0388	1.187	2.000	0.437
62	21702-0113	0.687	1.375	0.312	62	21702-0390	1.187	2.062	0.437
62	21702-0123	0.719	1.375	0.312	62	21702-0424	1.250	1.984	0.375
62	21702-0133	0.719	1.828	0.375	62	21702-0425	1.250	1.984	0.437
62	21702-0139	0.750	1.250	0.312	62	21702-0427	1.250	2.000	0.375
62	21702-0141	0.750	1.375	0.312	62	21702-0430	1.250	2.062	0.375
62	21702-0142	0.750	1.375	0.375	62	21702-0439	1.250	2.250	0.375
62	21702-0143	0.750	1.500	0.312	62	21702-0441	1.250	2.250	0.500
62	21702-0144	0.750	1.500	0.375	62	21702-0484	1.312	2.062	0.375
62	21702-0147	0.750	1.625	0.312	62	21702-0490	1.312	2.125	0.375
62	21702-0148	0.750	1.625	0.375	62	21702-0496	1.312	2.375	0.375
62	21702-0149	0.750	1.750	0.375	62	21702-0505	1.312	2.500	0.375
62	21702-0157	0.781	1.250	0.312	62	21702-0507	1.312	2.500	0.500
62	21702-0159	0.781	1.375	0.312	62	21702-0517	1.344	2.250	0.375
62	21702-0160	0.781	1.375	0.375	62	21702-0529	1.344	2.500	0.375
62	21702-0175	0.812	1.250	0.312	62	21702-0535	1.375	2.062	0.375
62	21702-0183	0.812	1.625	0.312	62	21702-0541	1.375	2.125	0.375
62	21702-0213	0.875	1.375	0.312	62	21702-0542	1.375	2.125	0.437
62	21702-0215	0.875	1.500	0.312	62	21702-0543	1.375	2.125	0.500
62	21702-0216	0.875	1.500	0.375	62	21702-0544	1.375	2.250	0.375
62	21702-0219	0.875	1.625	0.312	62	21702-0546	1.375	2.250	0.500
62	21702-0224	0.875	1.828	0.437	62	21702-0548	1.375	2.375	0.437
62	21702-0226	0.875	1.875	0.437	62	21702-0550	1.375	2.437	0.375
62	21702-0233	0.906	1.500	0.312	62	21702-0551	1.375	2.437	0.437
62	21702-0235	0.906	1.575	0.312	62	21702-0552	1.375	2.437	0.500
62	21702-0251	0.937	1.500	0.312	62	21702-0565	1.406	2.125	0.375
62	21702-0253	0.937	1.575	0.312	62	21702-0592	1.437	2.125	0.375
62	21702-0255	0.937	1.625	0.312	62	21702-0595	1.437	2.250	0.375
62	21702-0270	0.969	1.500	0.375	62	21702-0597	1.437	2.250	0.500
62	21702-0273	0.969	1.625	0.312	62	21702-0598	1.437	2.375	0.375
62	21702-0283	0.969	2.000	0.375	62	21702-0600	1.437	2.375	0.500
62	21702-0285	0.969	2.062	0.375	62	21702-0609	1.437	2.500	0.500
62	21702-0287	1.000	1.500	0.312	62	21702-0624	1.469	2.437	0.500
62	21702-0288	1.000	1.500	0.375	62	21702-0643	1.500	2.250	0.375
62	21702-0291	1.000	1.625	0.312	62	21702-0644	1.500	2.250	0.437
62	21702-0293	1.000	1.750	0.375	62	21702-0645	1.500	2.250	0.500
62	21702-0297	1.000	1.875	0.375	62	21702-0646	1.500	2.375	0.375
62	21702-0301	1.000	2.000	0.375	62	21702-0648	1.500	2.375	0.500
62	21702-0302	1.000	2.000	0.437	62	21702-0655	1.500	2.500	0.375
62	21702-0307	1.031	1.625	0.312	62	21702-0657	1.500	2.500	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
62	21702-0664	1.500	2.750	0.375	62	21702-1168	1.969	3.000	0.375
62	21702-0670	1.531	2.250	0.375	62	21702-1186	2.000	2.686	0.375
62	21702-0700	1.562	2.250	0.375	62	21702-1189	2.000	2.750	0.375
62	21702-0703	1.562	2.375	0.375	62	21702-1191	2.000	2.750	0.500
62	21702-0705	1.562	2.375	0.500	62	21702-1201	2.000	2.997	0.375
62	21702-0706	1.562	2.437	0.375	62	21702-1204	2.000	3.000	0.375
62	21702-0707	1.562	2.437	0.437	62	21702-1206	2.000	3.000	0.500
62	21702-0712	1.562	2.500	0.375	62	21702-1210	2.000	3.125	0.375
62	21702-0717	1.562	2.625	0.500	62	21702-1252	2.062	2.875	0.375
62	21702-0730	1.594	2.375	0.375	62	21702-1321	2.125	2.875	0.375
62	21702-0752	5.750	7.125	0.562	62	21702-1323	2.125	2.875	0.500
62	21702-0760	1.625	2.375	0.375	62	21702-1326	2.125	2.997	0.500
62	21702-0762	1.625	2.375	0.500	62	21702-1327	2.125	3.000	0.375
62	21702-0769	1.625	2.500	0.375	62	21702-1329	2.125	3.000	0.500
62	21702-0772	1.625	2.625	0.375	62	21702-1332	2.125	3.062	0.500
62	21702-0774	1.625	2.625	0.500	62	21702-1333	2.125	3.125	0.375
62	21702-0826	1.687	2.375	0.375	62	21702-1340	2.125	3.189	0.437
62	21702-0829	1.687	2.437	0.375	62	21702-1366	2.156	3.000	0.375
62	21702-0835	1.687	2.500	0.375	62	21702-1399	2.187	2.875	0.375
62	21702-0837	1.687	2.500	0.500	62	21702-1402	2.187	3.000	0.375
62	21702-0841	1.687	2.686	0.375	62	21702-1404	2.188	3.000	0.500
62	21702-0843	1.687	2.686	0.500	62	21702-1408	2.187	3.125	0.375
62	21702-0859	1.687	3.000	0.375	62	21702-1420	2.187	3.250	0.375
62	21702-0898	1.750	2.437	0.375	62	21702-1438	2.219	3.000	0.375
62	21702-0901	1.750	2.497	0.375	62	21702-1471	2.250	2.997	0.375
62	21702-0904	1.750	2.500	0.375	62	21702-1472	2.250	2.997	0.437
62	21702-0906	1.750	2.500	0.500	62	21702-1473	2.250	2.997	0.500
62	21702-0907	1.750	2.625	0.375	62	21702-1474	2.250	3.000	0.375
62	21702-0909	1.750	2.625	0.500	62	21702-1475	2.250	3.000	0.437
62	21702-0913	1.750	2.750	0.375	62	21702-1476	2.250	3.000	0.500
62	21702-0915	1.750	2.750	0.500	62	21702-1483	2.250	3.147	0.375
62	21702-0928	1.750	3.000	0.375	62	21702-1489	2.250	3.246	0.375
62	21702-0931	1.750	3.062	0.375	62	21702-1492	2.250	3.250	0.375
62	21702-0937	1.781	2.500	0.375	62	21702-1494	2.250	3.250	0.500
62	21702-0972	1.812	2.497	0.500	62	21702-1495	2.250	3.350	0.375
62	21702-1042	1.875	2.625	0.375	62	21702-1504	2.250	3.500	0.375
62	21702-1046	1.875	2.686	0.437	62	21702-1505	2.250	3.500	0.437
62	21702-1048	1.875	2.750	0.375	62	21702-1587	2.312	3.500	0.500
62	21702-1050	1.875	2.750	0.500	62	21702-1639	2.375	3.062	0.375
62	21702-1057	1.875	2.875	0.375	62	21702-1642	2.375	3.125	0.375
62	21702-1059	1.875	2.875	0.500	62	21702-1644	2.375	3.125	0.500
62	21702-1063	1.875	3.000	0.375	62	21702-1648	2.075	3.189	0.375
62	21702-1069	1.875	3.125	0.375	62	21702-1654	2.375	3.250	0.375
62	21702-1075	1.875	3.189	0.375	62	21702-1656	2.375	3.250	0.500
62	21702-1114	1.937	2.625	0.375	62	21702-1658	2.375	3.350	0.437
62	21702-1117	1.937	2.686	0.375	62	21702-1659	2.375	3.350	0.500
62	21702-1129	1.937	2.875	0.375	62	21702-1666	2.375	3.500	0.375
62	21702-1135	1.937	3.000	0.375	62	21702-1668	2.375	3.500	0.500
62	21702-1150	1.969	2.686	0.375	62	21702-1673	2.375	3.623	0.437
62	21702-1153	1.969	2.750	0.375	62	21702-1675	2.375	3.751	0.375
62	21702-1155	1.962	3.188	0.469	62	21702-1680	2.375	3.876	0.500
62	21702-1162	1.969	2.875	0.375	62	21702-1711	2.406	3.623	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
62	21702-1723	2.437	3.125	0.375	62	21702-2146	2.937	3.751	0.375
62	21702-1725	2.437	3.125	0.500	62	21702-2147	2.937	3.751	0.437
62	21702-1735	2.437	3.250	0.375	62	21702-2154	2.937	4.003	0.500
62	21702-1738	2.437	3.350	0.375	62	21702-2168	3.000	3.751	0.375
62	21702-1741	2.437	3.372	0.375	62	21702-2170	3.000	3.751	0.500
62	21702-1747	2.437	3.500	0.375	62	21702-2171	3.000	3.876	0.375
62	21702-1750	2.437	3.543	0.375	62	21702-2172	3.000	3.876	0.438
62	21702-1752	2.437	3.543	0.500	62	21702-2174	3.000	4.003	0.375
62	21702-1764	2.437	4.003	0.500	62	21702-2175	3.000	4.003	0.437
62	21702-1801	2.500	3.189	0.375	62	21702-2176	3.000	4.003	0.500
62	21702-1807	2.500	3.250	0.375	62	21702-2177	3.000	4.125	0.500
62	21702-1813	2.500	3.372	0.375	62	21702-2180	3.000	4.249	0.500
62	21702-1816	2.500	3.481	0.375	62	21702-2183	3.000	4.375	0.500
62	21702-1819	2.500	3.500	0.375	62	21702-2186	3.000	4.500	0.500
62	21702-1821	2.500	3.500	0.500	62	21702-2198	3.000	4.999	0.500
62	21702-1828	2.500	3.751	0.375	62	21702-2201	3.062	4.125	0.500
62	21702-1834	2.500	4.003	0.375	62	21702-2225	3.125	4.125	0.500
62	21702-1892	2.562	3.623	0.437	62	21702-2231	3.125	4.375	0.500
62	21702-1903	2.594	3.350	0.375	62	21702-2237	3.125	4.625	0.500
62	21702-1933	2.625	3.372	0.375	62	21702-2261	3.187	4.750	0.500
62	21702-1937	3.000	3.937	0.500	62	21702-2270	3.250	4.249	0.500
62	21702-1938	3.150	3.937	0.500	62	21702-2273	3.250	4.375	0.500
62	21702-1939	2.625	3.500	0.375	62	21702-2276	3.250	4.500	0.500
62	21702-1945	2.625	3.623	0.375	62	21702-2282	3.250	4.750	0.500
62	21702-1947	2.625	3.623	0.500	62	21702-2297	3.312	4.375	0.500
62	21702-1948	2.625	3.751	0.375	62	21702-2321	3.375	4.375	0.500
62	21702-1987	2.687	3.372	0.375	62	21702-2324	3.375	4.500	0.500
62	21702-1993	2.687	3.500	0.375	62	21702-2327	3.375	4.625	0.500
62	21702-2004	2.687	3.751	0.500	62	21702-2336	3.375	4.999	0.500
62	21702-2008	2.687	4.003	0.375	62	21702-2345	3.437	4.500	0.500
62	21702-2032	2.750	3.481	0.375	62	21702-2348	3.437	4.625	0.500
62	21702-2035	2.750	3.500	0.375	62	21702-2366	3.500	4.500	0.500
62	21702-2038	2.750	3.543	0.375	62	21702-2367	3.500	4.500	0.562
62	21702-2041	2.750	3.623	0.375	62	21702-2369	3.500	4.625	0.500
62	21702-2044	2.750	3.751	0.375	62	21702-2372	3.500	4.750	0.500
62	21702-2045	2.750	3.751	0.437	62	21702-2393	3.562	4.625	0.500
62	21702-2046	2.750	3.751	0.500	62	21702-2396	3.562	4.750	0.500
62	21702-2047	2.750	3.876	0.375	62	21702-2402	3.562	4.999	0.500
62	21702-2048	2.750	3.876	0.437	62	21702-2408	3.562	5.250	0.500
62	21702-2049	2.750	3.876	0.500	62	21702-2417	3.625	4.625	0.500
62	21702-2052	2.750	4.003	0.500	62	21702-2421	3.625	4.750	0.562
62	21702-2077	2.812	3.500	0.375	62	21702-2462	3.750	4.750	0.500
62	21702-2086	2.812	3.751	0.375	62	21702-2474	3.750	5.250	0.500
62	21702-2088	2.812	3.751	0.500	62	21702-2501	3.875	4.875	0.500
62	21702-2098	2.844	3.623	0.375	62	21702-2504	3.875	4.999	0.500
62	21702-2101	2.844	3.751	0.375	62	21702-2519	3.937	4.999	0.500
62	21702-2103	2.844	3.751	0.500	62	21702-2522	3.937	5.125	0.500
62	21702-2115	2.875	3.623	0.375	62	21702-2531	3.937	5.500	0.500
62	21702-2118	2.875	3.751	0.375	62	21702-2537	4.000	4.999	0.500
62	21702-2120	2.875	3.751	0.500	62	21702-2540	4.000	5.125	0.500
62	21702-2124	2.875	4.003	0.375	62	21702-2543	4.000	5.250	0.500
62	21702-2143	2.937	3.623	0.375	62	21702-2555	4.000	5.750	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
62	21702-2600	4.125	5.125	0.500	62	21702-3281	5.750	7.000	0.500
62	21702-2603	4.125	5.250	0.500	62	21702-3282	5.750	7.000	0.562
62	21702-2630	4.187	5.250	0.500	62	21702-3283	5.750	7.000	0.625
62	21702-2636	4.187	5.500	0.500	62	21702-3301	5.812	7.000	0.562
62	21702-2657	4.250	5.250	0.500	62	21702-3335	5.937	7.000	0.500
62	21702-2663	4.250	5.500	0.500	62	21702-3351	5.937	7.625	0.500
62	21702-2681	4.250	6.250	0.500	62	21702-3355	6.000	7.000	0.500
62	21702-2687	4.312	5.500	0.500	62	21702-3363	6.000	7.250	0.625
62	21702-2708	4.375	5.375	0.500	62	21702-3367	6.000	7.500	0.500
62	21702-2711	4.375	5.500	0.500	62	21702-3371	6.000	7.625	0.500
62	21702-2723	4.375	6.000	0.500	62	21702-3375	6.125	7.125	0.500
62	21702-2732	4.437	5.500	0.500	62	21702-3384	6.125	7.500	0.500
62	21702-2737	4.437	5.625	0.625	62	21702-3394	6.250	7.500	0.500
62	21702-2738	4.437	5.750	0.500	62	21702-3405	6.250	7.750	0.750
62	21702-2753	4.500	5.500	0.500	62	21702-3426	6.500	7.500	0.625
62	21702-2759	4.500	5.750	0.500	62	21702-3434	6.500	8.000	0.625
62	21702-2765	4.500	6.000	0.500	62	21702-3440	6.625	7.875	0.625
62	21702-2771	4.500	6.250	0.500	62	21702-3456	6.750	7.750	0.625
62	21702-2774	4.500	6.375	0.500	62	21702-3458	6.750	7.875	0.625
62	21702-2780	4.562	5.750	0.500	62	21702-3474	6.875	7.875	0.625
62	21702-2798	4.625	5.625	0.500	62	21702-3480	6.875	8.250	0.625
62	21702-2801	4.625	5.750	0.500	62	21702-3492	7.000	8.000	0.625
62	21702-2807	4.625	6.000	0.500	62	21702-3518	7.250	8.250	0.625
62	21702-2837	4.750	5.750	0.500	62	21702-3522	7.250	8.500	0.625
62	21702-2849	4.750	6.250	0.500	62	21702-3536	7.375	8.875	0.625
62	21702-2870	4.875	5.875	0.500	62	21702-3544	7.500	8.500	0.625
62	21702-2894	4.937	6.000	0.500	62	21702-3552	7.500	9.000	0.625
62	21702-2915	5.000	6.000	0.500	62	21702-3558	7.625	8.625	0.625
62	21702-2921	5.000	6.250	0.500	62	21702-3578	7.750	9.250	0.625
62	21702-2922	5.000	6.250	0.562	62	21702-3592	8.000	9.000	0.625
62	21702-2927	5.000	6.500	0.500	62	21702-3598	8.000	9.375	0.625
62	21702-2954	5.062	6.125	0.500	62	21702-3600	8.000	9.500	0.625
62	21702-2996	5.125	6.375	0.500	62	21702-3601	8.000	9.500	0.750
62	21702-3003	8.000	10.000	0.625	62	21702-3604	8.250	9.250	0.625
62	21702-3059	5.250	6.250	0.500	62	21702-3608	8.375	9.750	0.750
62	21702-3065	5.250	6.500	0.500	62	21702-3610	8.500	10.500	1.000
62	21702-3067	5.250	6.500	0.625	62	21702-3624	9.000	11.000	1.000
62	21702-3071	5.250	6.750	0.500	62	21702-3648	9.500	11.500	1.000
62	21702-3077	5.250	7.000	0.500	62	21702-3660	10.000	11.000	0.562
62	21702-3095	5.312	6.500	0.500	62	21702-3668	10.000	11.000	0.750
62	21702-3101	5.312	6.750	0.500	62	21702-3672	10.000	11.500	0.750
62	21702-3122	5.375	6.375	0.500	62	21702-3673	10.000	12.000	1.000
62	21702-3129	5.375	6.625	0.563	62	21702-3728	14.500	16.500	0.750
62	21702-3176	5.500	6.500	0.500	62	21702-3741	18.000	19.500	0.750
62	21702-3184	5.500	6.750	0.625	62	21702-3869	0.562	1.000	0.312
62	21702-3188	5.500	7.000	0.500	62	21702-3877	1.187	2.048	0.375
62	21702-3190	5.500	7.000	0.625	62	21702-3900	2.125	2.882	0.375
62	21702-3231	5.625	6.750	0.500	62	21702-3917	6.437	7.500	0.500
62	21702-3277	5.750	6.750	0.625	62	21702-3921	8.000	9.500	0.687
62	21702-3278	5.750	6.875	0.500	62	21702-3927	8.062	10.000	1.000
62	21702-3279	5.750	6.875	0.562	62	21702-3932	8.125	10.125	0.750
62	21702-3280	5.750	6.875	0.625	62	21702-3935	8.500	9.500	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
62	21702-3937	8.500	10.000	0.750	62	21702-6233	0.937	1.375	0.312
62	21702-3938	8.500	10.500	0.812	62	21702-6655	1.375	2.047	0.375
62	21702-3946	8.750	10.250	0.687	62	21702-7225	18.750	20.750	0.875
62	21702-3949	8.750	10.500	0.750	62	21702-7381	12.250	13.750	0.812
62	21702-3951	8.750	10.750	0.750	62	21702-7386	1.375	2.000	0.375
62	21702-3954	9.000	10.500	0.687	62	21702-7596	2.937	3.937	0.375
62	21702-3967	9.250	11.250	0.750	62	21702-8102	0.500	1.378	0.312
62	21702-3984	9.500	11.500	0.812	62	21702-8132	4.835	6.250	0.500
62	21702-4012	10.500	12.000	0.750	62	21702-8168	3.750	4.885	0.500
62	21702-4013	10.500	12.125	0.750	62	21702-8169	6.125	7.625	0.500
62	21702-4016	10.500	12.500	0.750	62	21702-8373	2.437	3.150	0.375
62	21702-4017	10.500	12.500	0.812	62	21702-8876	3.062	4.003	0.375
62	21702-4031	10.750	12.750	0.812	62	21702-9015	3.469	4.500	0.500
62	21702-4062	11.500	13.500	0.750	62	21702-9438	8.875	10.750	0.750
62	21702-4065	11.750	13.250	0.750	62	21702-9488	1.578	2.687	0.375
62	21702-4067	12.000	13.500	0.750	62	21702-9595	15.750	17.250	0.750
62	21702-4068	12.000	13.625	0.750	62	21702-9620	1.750	2.441	0.375
62	21702-4072	12.000	14.000	0.812	62	21702-9808	1.000	1.750	0.312
62	21702-4083	12.500	14.500	0.812	63	21158-0001	0.281	0.750	0.250
62	21702-4099	13.000	15.000	0.812	63	21158-0005	0.312	0.750	0.250
62	21702-4129	13.750	15.750	0.812	63	21158-0006	0.312	0.750	0.312
62	21702-4132	14.000	15.500	0.750	63	21158-0007	0.312	0.875	0.250
62	21702-4145	14.500	16.500	0.812	63	21158-0008	0.312	0.875	0.312
62	21702-4149	14.750	16.500	0.750	63	21158-0009	0.343	0.750	0.250
62	21702-4186	16.500	18.500	0.812	63	21158-0010	0.343	0.750	0.312
62	21702-4190	17.000	19.000	0.812	63	21158-0011	0.343	0.875	0.250
62	21702-4195	17.500	19.000	0.750	63	21158-0013	0.375	0.750	0.250
62	21702-4216	18.500	20.500	0.875	63	21158-0014	0.375	0.750	0.312
62	21702-4219	19.000	21.000	0.875	63	21158-0015	0.375	0.875	0.250
62	21702-4492	7.312	8.375	0.625	63	21158-0016	0.375	0.875	0.312
62	21702-4502	8.500	10.000	0.625	63	21158-0017	0.375	1.000	0.312
62	21702-4503	9.000	10.000	0.625	63	21158-0018	0.375	1.000	0.375
62	21702-4507	9.000	10.500	0.625	63	21158-0019	0.375	1.125	0.312
62	21702-4508	9.000	10.625	0.625	63	21158-0020	0.375	1.125	0.375
62	21702-4513	9.750	10.750	0.625	63	21158-0021	0.375	1.250	0.312
62	21702-4557	3.000	4.000	0.500	63	21158-0023	0.375	1.375	0.312
62	21702-4560	6.500	7.500	0.500	63	21158-0027	0.406	1.000	0.312
62	21702-4615	15.250	16.750	0.687	63	21158-0029	0.406	1.125	0.312
62	21702-4651	4.000	5.000	0.500	63	21158-0031	0.406	1.250	0.312
62	21702-4687	0.984	2.048	0.375	63	21158-0034	0.406	1.375	0.375
62	21702-4798	1.500	2.125	0.375	63	21158-0035	0.437	0.875	0.312
62	21702-4845	2.500	3.937	0.375	63	21158-0036	0.437	0.875	0.375
62	21702-5105	0.669	1.375	0.312	63	21158-0037	0.437	1.000	0.312
62	21702-5246	1.500	2.250	0.312	63	21158-0038	0.437	1.000	0.375
62	21702-5315	1.700	2.437	0.375	63	21158-0039	0.437	1.125	0.312
62	21702-5339	9.843	11.024	0.591	63	21158-0040	0.437	1.125	0.375
62	21702-5357	8.661	9.843	0.591	63	21158-0041	0.437	1.250	0.312
62	21702-5382	14.000	16.250	0.812	63	21158-0042	0.437	1.250	0.375
62	21702-5670	12.000	13.500	0.812	63	21158-0043	0.469	1.000	0.312
62	21702-5713	1.500	2.125	0.437	63	21158-0044	0.469	1.000	0.375
62	21702-5773	11.500	13.000	0.812	63	21158-0045	0.469	1.125	0.312
62	21702-5991	14.000	15.750	0.687	63	21158-0046	0.469	1.125	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-0047	0.469	1.250	0.312	63	21158-0105	0.656	1.575	0.312
63	21158-0049	0.500	1.000	0.312	63	21158-0106	0.656	1.575	0.375
63	21158-0050	0.500	1.000	0.375	63	21158-0107	0.656	1.625	0.312
63	21158-0051	0.500	1.125	0.312	63	21158-0108	0.656	1.625	0.375
63	21158-0052	0.500	1.125	0.375	63	21158-0109	0.687	1.125	0.312
63	21158-0053	0.500	1.250	0.312	63	21158-0110	0.687	1.125	0.375
63	21158-0054	0.500	1.250	0.375	63	21158-0111	0.687	1.250	0.312
63	21158-0055	0.500	1.375	0.312	63	21158-0112	0.687	1.250	0.375
63	21158-0056	0.500	1.375	0.375	63	21158-0113	0.687	1.375	0.312
63	21158-0057	0.500	1.500	0.312	63	21158-0114	0.687	1.375	0.375
63	21158-0058	0.500	1.500	0.375	63	21158-0115	0.687	1.500	0.312
63	21158-0059	0.531	1.125	0.312	63	21158-0116	0.687	1.500	0.375
63	21158-0060	0.531	1.125	0.375	63	21158-0121	0.719	1.250	0.312
63	21158-0061	0.531	1.250	0.312	63	21158-0123	0.719	1.375	0.312
63	21158-0062	0.531	1.250	0.375	63	21158-0124	0.719	1.375	0.375
63	21158-0063	0.531	1.375	0.312	63	21158-0125	0.719	1.500	0.312
63	21158-0065	0.531	1.500	0.312	63	21158-0126	0.719	1.500	0.375
63	21158-0067	0.562	1.125	0.312	63	21158-0127	0.719	1.575	0.312
63	21158-0068	0.562	1.125	0.375	63	21158-0129	0.719	1.625	0.312
63	21158-0069	0.562	1.250	0.312	63	21158-0131	0.719	1.750	0.375
63	21158-0070	0.562	1.250	0.375	63	21158-0133	0.719	1.828	0.375
63	21158-0071	0.562	1.375	0.312	63	21158-0135	0.719	1.875	0.375
63	21158-0072	0.562	1.375	0.375	63	21158-0137	0.719	1.984	0.375
63	21158-0073	0.562	1.500	0.312	63	21158-0139	0.750	1.250	0.312
63	21158-0075	0.562	1.575	0.312	63	21158-0140	0.750	1.250	0.375
63	21158-0077	0.594	1.125	0.312	63	21158-0141	0.750	1.375	0.312
63	21158-0078	0.594	1.125	0.375	63	21158-0142	0.750	1.375	0.375
63	21158-0079	0.594	1.250	0.312	63	21158-0143	0.750	1.500	0.312
63	21158-0080	0.594	1.250	0.375	63	21158-0144	0.750	1.500	0.375
63	21158-0081	0.594	1.375	0.312	63	21158-0145	0.750	1.575	0.312
63	21158-0082	0.594	1.375	0.375	63	21158-0146	0.750	1.575	0.375
63	21158-0083	0.594	1.500	0.312	63	21158-0147	0.750	1.625	0.312
63	21158-0084	0.594	1.500	0.375	63	21158-0148	0.750	1.625	0.375
63	21158-0085	0.594	1.575	0.312	63	21158-0149	0.750	1.750	0.375
63	21158-0087	0.625	1.125	0.312	63	21158-0150	0.750	1.750	0.437
63	21158-0088	0.625	1.125	0.375	63	21158-0151	0.750	1.828	0.375
63	21158-0089	0.625	1.250	0.312	63	21158-0152	0.750	1.828	0.437
63	21158-0090	0.625	1.250	0.375	63	21158-0153	0.750	1.875	0.375
63	21158-0091	0.625	1.375	0.312	63	21158-0155	0.750	1.984	0.375
63	21158-0092	0.625	1.375	0.375	63	21158-0156	0.750	1.984	0.437
63	21158-0093	0.625	1.500	0.312	63	21158-0157	0.781	1.250	0.312
63	21158-0094	0.625	1.500	0.375	63	21158-0158	0.781	1.250	0.375
63	21158-0095	0.625	1.575	0.312	63	21158-0159	0.781	1.375	0.312
63	21158-0096	0.625	1.575	0.375	63	21158-0160	0.781	1.375	0.375
63	21158-0097	0.656	1.125	0.312	63	21158-0161	0.781	1.500	0.312
63	21158-0098	0.656	1.125	0.375	63	21158-0162	0.781	1.500	0.375
63	21158-0099	0.656	1.250	0.312	63	21158-0163	0.781	1.575	0.312
63	21158-0100	0.656	1.250	0.375	63	21158-0165	0.781	1.625	0.312
63	21158-0101	0.656	1.375	0.312	63	21158-0166	0.781	1.625	0.375
63	21158-0102	0.656	1.375	0.375	63	21158-0167	0.781	1.750	0.375
63	21158-0103	0.656	1.500	0.312	63	21158-0169	0.781	1.828	0.375
63	21158-0104	0.656	1.500	0.375	63	21158-0170	0.781	1.828	0.437

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-0171	0.781	1.875	0.375	63	21158-0247	0.906	2.000	0.375
63	21158-0172	0.781	1.875	0.437	63	21158-0251	0.937	1.500	0.312
63	21158-0173	0.781	1.984	0.375	63	21158-0252	0.937	1.500	0.375
63	21158-0175	0.812	1.250	0.312	63	21158-0253	0.937	1.575	0.312
63	21158-0176	0.812	1.250	0.375	63	21158-0255	0.937	1.625	0.312
63	21158-0177	0.812	1.375	0.312	63	21158-0256	0.937	1.625	0.375
63	21158-0178	0.812	1.375	0.375	63	21158-0257	0.937	1.750	0.375
63	21158-0179	0.812	1.500	0.312	63	21158-0258	0.937	1.750	0.437
63	21158-0180	0.812	1.500	0.375	63	21158-0259	0.937	1.828	0.375
63	21158-0181	0.812	1.575	0.312	63	21158-0260	0.937	1.828	0.437
63	21158-0182	0.812	1.575	0.375	63	21158-0261	0.937	1.875	0.375
63	21158-0183	0.812	1.625	0.312	63	21158-0263	0.937	1.984	0.375
63	21158-0185	0.812	1.750	0.375	63	21158-0264	0.937	1.625	0.437
63	21158-0186	0.812	1.750	0.437	63	21158-0265	0.937	2.000	0.375
63	21158-0187	0.812	1.828	0.375	63	21158-0266	0.937	2.000	0.437
63	21158-0189	0.812	1.875	0.375	63	21158-0267	0.937	2.062	0.375
63	21158-0191	0.812	1.984	0.375	63	21158-0268	0.937	2.062	0.437
63	21158-0192	0.812	1.984	0.437	63	21158-0269	0.969	1.500	0.312
63	21158-0193	0.844	1.375	0.312	63	21158-0270	0.969	1.500	0.375
63	21158-0195	0.844	1.500	0.312	63	21158-0271	0.969	1.575	0.312
63	21158-0197	0.844	1.575	0.312	63	21158-0273	0.969	1.625	0.312
63	21158-0199	0.844	1.625	0.312	63	21158-0274	0.969	1.625	0.375
63	21158-0201	0.844	1.750	0.375	63	21158-0275	0.969	1.750	0.375
63	21158-0204	0.844	1.828	0.437	63	21158-0276	0.969	1.750	0.437
63	21158-0207	0.844	1.984	0.375	63	21158-0277	0.969	1.828	0.375
63	21158-0211	0.844	2.062	0.375	63	21158-0278	0.969	1.828	0.437
63	21158-0213	0.875	1.375	0.312	63	21158-0279	0.969	1.875	0.375
63	21158-0214	0.875	1.375	0.375	63	21158-0281	0.969	1.984	0.375
63	21158-0215	0.875	1.500	0.312	63	21158-0282	0.969	1.686	0.312
63	21158-0216	0.875	1.500	0.375	63	21158-0283	0.969	2.000	0.375
63	21158-0217	0.875	1.575	0.312	63	21158-0285	0.969	2.062	0.375
63	21158-0218	0.875	1.575	0.375	63	21158-0286	0.969	2.062	0.437
63	21158-0219	0.875	1.625	0.312	63	21158-0287	1.000	1.500	0.312
63	21158-0220	0.875	1.625	0.375	63	21158-0288	1.000	1.500	0.375
63	21158-0221	0.875	1.750	0.375	63	21158-0289	1.000	1.575	0.312
63	21158-0222	0.875	1.750	0.437	63	21158-0290	1.000	1.575	0.375
63	21158-0223	0.875	1.828	0.375	63	21158-0291	1.000	1.625	0.312
63	21158-0224	0.875	1.828	0.437	63	21158-0292	1.000	1.625	0.375
63	21158-0225	0.875	1.875	0.375	63	21158-0293	1.000	1.750	0.375
63	21158-0226	0.875	1.875	0.437	63	21158-0294	1.000	1.750	0.437
63	21158-0227	0.875	1.984	0.375	63	21158-0295	1.000	1.828	0.375
63	21158-0228	0.875	1.984	0.437	63	21158-0296	1.000	1.828	0.437
63	21158-0229	0.875	2.000	0.375	63	21158-0297	1.000	1.875	0.375
63	21158-0231	0.875	2.062	0.375	63	21158-0298	1.000	1.875	0.437
63	21158-0233	0.906	1.500	0.312	63	21158-0299	1.000	1.984	0.375
63	21158-0234	0.906	1.500	0.375	63	21158-0300	1.000	1.984	0.437
63	21158-0235	0.906	1.575	0.312	63	21158-0301	1.000	2.000	0.375
63	21158-0236	0.906	1.575	0.375	63	21158-0302	1.000	2.000	0.437
63	21158-0237	0.906	1.625	0.312	63	21158-0303	1.000	2.062	0.375
63	21158-0239	0.906	1.750	0.375	63	21158-0304	1.000	2.062	0.437
63	21158-0243	0.906	1.875	0.375	63	21158-0305	1.031	1.575	0.312
63	21158-0245	0.906	1.984	0.375	63	21158-0306	1.031	1.575	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-0307	1.031	1.625	0.312	63	21158-0380	1.156	2.375	0.375
63	21158-0308	1.031	1.625	0.375	63	21158-0383	1.187	1.875	0.375
63	21158-0309	1.031	1.750	0.375	63	21158-0384	1.187	1.875	0.437
63	21158-0310	1.000	1.686	0.312	63	21158-0385	1.187	1.984	0.375
63	21158-0311	1.062	1.686	0.312	63	21158-0386	1.187	1.984	0.437
63	21158-0313	1.031	1.875	0.375	63	21158-0387	1.187	2.000	0.375
63	21158-0314	1.062	1.499	0.312	63	21158-0388	1.187	2.000	0.437
63	21158-0315	1.031	1.984	0.375	63	21158-0389	1.187	2.062	0.375
63	21158-0317	1.031	2.000	0.375	63	21158-0390	1.187	2.062	0.437
63	21158-0319	1.031	2.062	0.375	63	21158-0394	1.187	2.125	0.375
63	21158-0321	1.062	1.575	0.312	63	21158-0395	1.187	2.125	0.437
63	21158-0322	1.062	1.575	0.375	63	21158-0397	1.187	2.250	0.375
63	21158-0323	1.062	1.625	0.312	63	21158-0398	1.187	2.250	0.437
63	21158-0324	1.062	1.625	0.375	63	21158-0399	1.187	2.250	0.500
63	21158-0325	1.062	1.750	0.375	63	21158-0400	1.187	2.375	0.375
63	21158-0326	1.062	1.750	0.437	63	21158-0401	1.187	2.375	0.437
63	21158-0327	1.062	1.828	0.375	63	21158-0402	1.187	2.375	0.500
63	21158-0328	1.062	1.828	0.437	63	21158-0403	1.219	1.984	0.375
63	21158-0329	1.062	1.875	0.375	63	21158-0405	1.219	2.000	0.375
63	21158-0330	1.062	1.875	0.437	63	21158-0413	1.219	2.125	0.437
63	21158-0331	1.062	1.984	0.375	63	21158-0415	1.219	2.250	0.375
63	21158-0333	1.062	2.000	0.375	63	21158-0421	1.219	2.437	0.375
63	21158-0334	1.062	2.000	0.437	63	21158-0424	1.250	1.984	0.375
63	21158-0335	1.062	2.062	0.375	63	21158-0425	1.250	1.984	0.437
63	21158-0336	1.062	2.062	0.437	63	21158-0426	1.250	1.984	0.500
63	21158-0337	1.093	1.625	0.312	63	21158-0427	1.250	2.000	0.375
63	21158-0339	1.093	1.750	0.375	63	21158-0428	1.250	2.000	0.437
63	21158-0341	1.093	1.828	0.375	63	21158-0430	1.250	2.062	0.375
63	21158-0344	1.093	1.875	0.437	63	21158-0431	1.250	2.062	0.437
63	21158-0346	1.093	1.984	0.437	63	21158-0433	1.250	2.106	0.375
63	21158-0347	1.093	2.000	0.375	63	21158-0436	1.250	2.125	0.375
63	21158-0349	1.093	2.062	0.375	63	21158-0437	1.250	2.125	0.437
63	21158-0351	1.125	1.625	0.312	63	21158-0438	1.250	2.125	0.500
63	21158-0352	1.125	1.625	0.375	63	21158-0439	1.250	2.250	0.375
63	21158-0353	1.125	1.750	0.375	63	21158-0440	1.250	2.250	0.437
63	21158-0354	1.125	1.750	0.437	63	21158-0441	1.250	2.250	0.500
63	21158-0355	1.125	1.828	0.375	63	21158-0442	1.250	2.375	0.375
63	21158-0356	1.125	1.828	0.437	63	21158-0443	1.250	2.375	0.437
63	21158-0357	1.125	1.875	0.375	63	21158-0444	1.250	2.375	0.500
63	21158-0358	1.125	1.875	0.437	63	21158-0445	1.250	2.437	0.375
63	21158-0359	1.125	2.000	0.375	63	21158-0446	1.250	2.437	0.437
63	21158-0360	1.125	2.000	0.437	63	21158-0447	1.250	2.437	0.500
63	21158-0361	1.125	2.062	0.375	63	21158-0448	1.281	1.984	0.375
63	21158-0362	1.125	2.062	0.437	63	21158-0451	1.281	2.000	0.375
63	21158-0363	1.156	1.875	0.375	63	21158-0454	1.281	2.062	0.375
63	21158-0365	1.156	1.984	0.375	63	21158-0457	1.281	2.106	0.375
63	21158-0367	1.156	2.000	0.375	63	21158-0462	1.281	2.125	0.500
63	21158-0369	1.156	2.062	0.375	63	21158-0463	1.281	2.250	0.375
63	21158-0370	1.156	2.062	0.437	63	21158-0465	1.281	2.250	0.500
63	21158-0372	1.156	2.106	0.437	63	21158-0471	1.281	2.437	0.500
63	21158-0374	1.156	2.125	0.375	63	21158-0474	1.281	2.497	0.500
63	21158-0377	1.156	2.250	0.375	63	21158-0475	1.281	2.500	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-0478	1.312	1.984	0.375	63	21158-0559	1.375	2.625	0.375
63	21158-0481	1.312	2.000	0.375	63	21158-0560	1.375	2.625	0.437
63	21158-0482	1.312	2.000	0.437	63	21158-0561	1.375	2.625	0.500
63	21158-0484	1.312	2.062	0.375	63	21158-0562	1.375	2.561	0.375
63	21158-0485	1.312	2.062	0.437	63	21158-0565	1.406	2.125	0.375
63	21158-0487	1.312	2.106	0.375	63	21158-0566	1.406	2.125	0.437
63	21158-0490	1.312	2.125	0.375	63	21158-0568	1.406	2.250	0.375
63	21158-0491	1.312	2.125	0.437	63	21158-0571	1.406	2.375	0.375
63	21158-0492	1.312	2.125	0.500	63	21158-0580	1.406	2.500	0.375
63	21158-0493	1.312	2.250	0.375	63	21158-0583	1.406	2.625	0.375
63	21158-0494	1.312	2.250	0.437	63	21158-0592	1.437	2.125	0.375
63	21158-0495	1.312	2.250	0.500	63	21158-0593	1.437	2.125	0.437
63	21158-0496	1.312	2.375	0.375	63	21158-0594	1.437	2.125	0.500
63	21158-0497	1.312	2.375	0.437	63	21158-0595	1.437	2.250	0.375
63	21158-0498	1.312	2.375	0.500	63	21158-0596	1.437	2.250	0.437
63	21158-0499	1.312	2.437	0.375	63	21158-0597	1.437	2.250	0.500
63	21158-0505	1.312	2.500	0.375	63	21158-0598	1.437	2.375	0.375
63	21158-0507	1.312	2.500	0.500	63	21158-0599	1.437	2.375	0.437
63	21158-0508	1.344	2.062	0.375	63	21158-0600	1.437	2.375	0.500
63	21158-0511	1.344	2.106	0.375	63	21158-0601	1.437	2.437	0.375
63	21158-0514	1.344	2.125	0.375	63	21158-0602	1.437	2.437	0.437
63	21158-0515	1.344	2.125	0.437	63	21158-0603	1.437	2.437	0.500
63	21158-0517	1.344	2.250	0.375	63	21158-0604	1.437	2.497	0.375
63	21158-0520	1.344	2.375	0.375	63	21158-0605	1.437	2.497	0.437
63	21158-0523	1.344	2.437	0.375	63	21158-0607	1.437	2.500	0.375
63	21158-0525	1.344	2.437	0.500	63	21158-0608	1.437	2.500	0.437
63	21158-0526	1.344	2.497	0.375	63	21158-0609	1.437	2.500	0.500
63	21158-0529	1.344	2.500	0.375	63	21158-0610	1.437	2.625	0.375
63	21158-0532	1.344	2.625	0.375	63	21158-0612	1.437	2.625	0.500
63	21158-0535	1.375	2.062	0.375	63	21158-0613	1.437	2.686	0.375
63	21158-0536	1.375	2.062	0.437	63	21158-0615	1.437	2.686	0.500
63	21158-0537	1.375	2.062	0.500	63	21158-0616	1.469	2.250	0.375
63	21158-0538	1.375	2.106	0.375	63	21158-0619	1.469	2.375	0.375
63	21158-0539	1.375	2.106	0.437	63	21158-0621	1.469	2.375	0.500
63	21158-0540	1.375	2.106	0.500	63	21158-0622	1.469	2.437	0.375
63	21158-0541	1.375	2.125	0.375	63	21158-0624	1.469	2.437	0.500
63	21158-0542	1.375	2.125	0.437	63	21158-0628	1.469	2.500	0.375
63	21158-0543	1.375	2.125	0.500	63	21158-0634	1.469	2.686	0.375
63	21158-0544	1.375	2.250	0.375	63	21158-0638	1.469	2.750	0.437
63	21158-0545	1.375	2.250	0.437	63	21158-0640	1.469	2.756	0.375
63	21158-0546	1.375	2.250	0.500	63	21158-0643	1.500	2.250	0.375
63	21158-0547	1.375	2.375	0.375	63	21158-0644	1.500	2.250	0.437
63	21158-0548	1.375	2.375	0.437	63	21158-0645	1.500	2.250	0.500
63	21158-0549	1.375	2.375	0.500	63	21158-0646	1.500	2.375	0.375
63	21158-0550	1.375	2.437	0.375	63	21158-0647	1.500	2.375	0.437
63	21158-0551	1.375	2.437	0.437	63	21158-0648	1.500	2.375	0.500
63	21158-0552	1.375	2.437	0.500	63	21158-0649	1.500	2.437	0.375
63	21158-0553	1.375	2.497	0.375	63	21158-0650	1.500	2.437	0.437
63	21158-0554	1.375	2.497	0.437	63	21158-0651	1.500	2.437	0.500
63	21158-0555	1.375	2.497	0.500	63	21158-0652	1.500	2.497	0.375
63	21158-0556	1.375	2.500	0.375	63	21158-0654	1.500	2.497	0.500
63	21158-0557	1.375	2.500	0.437	63	21158-0655	1.500	2.500	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-0656	1.500	2.500	0.437	63	21158-0761	1.625	2.375	0.437
63	21158-0657	1.500	2.500	0.500	63	21158-0762	1.625	2.375	0.500
63	21158-0658	1.500	2.625	0.375	63	21158-0763	1.625	2.437	0.375
63	21158-0659	1.500	2.625	0.437	63	21158-0764	1.625	2.437	0.437
63	21158-0660	1.500	2.625	0.500	63	21158-0765	1.625	2.437	0.500
63	21158-0661	1.500	2.686	0.375	63	21158-0766	1.625	2.497	0.375
63	21158-0664	1.500	2.750	0.375	63	21158-0767	1.625	2.497	0.437
63	21158-0665	1.500	2.750	0.437	63	21158-0768	1.625	2.497	0.500
63	21158-0666	1.500	2.750	0.500	63	21158-0769	1.625	2.500	0.375
63	21158-0667	1.500	2.756	0.375	63	21158-0771	1.625	2.500	0.500
63	21158-0668	1.500	2.756	0.437	63	21158-0772	1.625	2.625	0.375
63	21158-0669	1.500	2.756	0.500	63	21158-0773	1.625	2.625	0.437
63	21158-0670	1.531	2.250	0.375	63	21158-0774	1.625	2.625	0.500
63	21158-0673	1.531	2.375	0.375	63	21158-0775	1.625	2.686	0.375
63	21158-0679	1.531	2.497	0.375	63	21158-0777	1.625	2.686	0.500
63	21158-0682	1.531	2.500	0.375	63	21158-0778	1.625	2.750	0.375
63	21158-0685	1.531	2.625	0.375	63	21158-0780	1.625	2.750	0.500
63	21158-0693	1.531	2.750	0.500	63	21158-0781	1.625	2.756	0.375
63	21158-0694	1.531	2.756	0.375	63	21158-0782	1.625	2.756	0.437
63	21158-0700	1.562	2.250	0.375	63	21158-0784	1.625	2.783	0.375
63	21158-0701	1.562	2.250	0.437	63	21158-0787	1.625	2.875	0.375
63	21158-0702	1.562	2.250	0.500	63	21158-0788	1.625	2.875	0.437
63	21158-0703	1.562	2.375	0.375	63	21158-0789	1.625	2.875	0.500
63	21158-0704	1.562	2.375	0.437	63	21158-0790	1.656	2.375	0.375
63	21158-0706	1.562	2.437	0.375	63	21158-0799	1.656	2.500	0.375
63	21158-0707	1.562	2.437	0.437	63	21158-0804	1.656	2.625	0.500
63	21158-0708	1.562	2.437	0.500	63	21158-0805	1.656	2.686	0.375
63	21158-0709	1.562	2.497	0.375	63	21158-0807	1.656	2.686	0.500
63	21158-0712	1.562	2.500	0.375	63	21158-0808	1.656	2.750	0.375
63	21158-0713	1.562	2.500	0.437	63	21158-0810	1.656	2.750	0.500
63	21158-0714	1.562	2.500	0.500	63	21158-0817	1.656	2.875	0.375
63	21158-0715	1.562	2.625	0.375	63	21158-0820	1.656	2.997	0.375
63	21158-0717	1.562	2.625	0.500	63	21158-0826	1.687	2.375	0.375
63	21158-0718	1.562	2.686	0.375	63	21158-0827	1.687	2.375	0.437
63	21158-0721	1.562	2.750	0.375	63	21158-0828	1.687	2.375	0.500
63	21158-0722	1.562	2.750	0.437	63	21158-0829	1.687	2.437	0.375
63	21158-0723	1.562	2.750	0.500	63	21158-0830	1.687	2.437	0.437
63	21158-0724	1.562	2.756	0.375	63	21158-0832	1.687	2.497	0.375
63	21158-0725	1.562	2.756	0.437	63	21158-0835	1.687	2.500	0.375
63	21158-0727	1.562	2.783	0.375	63	21158-0836	1.687	2.500	0.437
63	21158-0728	1.562	2.783	0.437	63	21158-0837	1.687	2.500	0.500
63	21158-0730	1.594	2.375	0.375	63	21158-0838	1.687	2.625	0.375
63	21158-0734	1.594	2.437	0.437	63	21158-0840	1.687	2.625	0.500
63	21158-0739	1.594	2.500	0.375	63	21158-0841	1.687	2.686	0.375
63	21158-0742	1.594	2.625	0.375	63	21158-0842	1.687	2.686	0.437
63	21158-0744	1.594	2.625	0.500	63	21158-0843	1.687	2.686	0.500
63	21158-0747	1.594	2.686	0.500	63	21158-0844	1.687	2.750	0.375
63	21158-0748	1.594	2.750	0.375	63	21158-0845	1.687	2.750	0.437
63	21158-0750	1.594	2.750	0.500	63	21158-0846	1.687	2.750	0.500
63	21158-0751	1.594	2.756	0.375	63	21158-0847	1.687	2.756	0.375
63	21158-0757	1.594	2.875	0.375	63	21158-0848	1.687	2.756	0.437
63	21158-0760	1.625	2.375	0.375	63	21158-0849	1.687	2.756	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-0853	1.687	2.875	0.375	63	21158-0937	1.781	2.500	0.375
63	21158-0854	1.687	2.875	0.437	63	21158-0940	1.781	2.625	0.375
63	21158-0855	1.687	2.875	0.500	63	21158-0945	1.781	2.686	0.500
63	21158-0859	1.687	3.000	0.375	63	21158-0946	1.781	2.750	0.375
63	21158-0861	1.687	3.000	0.500	63	21158-0951	1.781	2.756	0.500
63	21158-0862	1.719	2.437	0.375	63	21158-0955	1.781	2.875	0.375
63	21158-0865	1.719	2.497	0.375	63	21158-0964	1.781	3.062	0.375
63	21158-0867	1.719	2.497	0.500	63	21158-0967	1.781	3.125	0.375
63	21158-0868	1.719	2.500	0.375	63	21158-0969	1.781	3.125	0.500
63	21158-0870	1.719	2.500	0.500	63	21158-0970	1.812	2.497	0.375
63	21158-0871	1.719	2.625	0.375	63	21158-0972	1.812	2.497	0.500
63	21158-0874	1.719	2.686	0.375	63	21158-0973	1.812	2.500	0.375
63	21158-0877	1.719	2.750	0.375	63	21158-0974	1.812	2.500	0.437
63	21158-0878	1.719	2.750	0.437	63	21158-0975	1.812	2.500	0.500
63	21158-0883	1.719	2.783	0.375	63	21158-0976	1.812	2.625	0.375
63	21158-0886	1.719	2.875	0.375	63	21158-0978	1.812	2.625	0.500
63	21158-0887	1.719	2.875	0.437	63	21158-0979	1.812	2.686	0.375
63	21158-0888	1.719	2.875	0.500	63	21158-0982	1.812	2.750	0.375
63	21158-0892	1.719	3.000	0.375	63	21158-0984	1.812	2.750	0.500
63	21158-0894	1.719	3.000	0.500	63	21158-0987	1.812	2.756	0.500
63	21158-0898	1.750	2.437	0.375	63	21158-0988	1.812	2.783	0.375
63	21158-0899	1.750	2.437	0.437	63	21158-0991	1.812	2.875	0.375
63	21158-0900	1.750	2.437	0.500	63	21158-0997	1.812	3.000	0.375
63	21158-0901	1.750	2.497	0.375	63	21158-1003	1.812	3.125	0.375
63	21158-0902	1.750	2.497	0.437	63	21158-1005	1.812	3.125	0.500
63	21158-0903	1.750	2.497	0.500	63	21158-1006	1.844	2.625	0.375
63	21158-0904	1.750	2.500	0.375	63	21158-1009	1.844	2.686	0.375
63	21158-0905	1.750	2.500	0.437	63	21158-1012	1.844	2.750	0.375
63	21158-0906	1.750	2.500	0.500	63	21158-1015	1.844	2.756	0.375
63	21158-0907	1.750	2.625	0.375	63	21158-1021	1.844	2.875	0.375
63	21158-0908	1.750	2.625	0.437	63	21158-1023	1.844	2.875	0.500
63	21158-0909	1.750	2.625	0.500	63	21158-1042	1.875	2.625	0.375
63	21158-0910	1.750	2.686	0.375	63	21158-1043	1.875	2.625	0.437
63	21158-0911	1.750	2.686	0.437	63	21158-1044	1.875	2.625	0.500
63	21158-0912	1.750	2.686	0.500	63	21158-1045	1.875	2.686	0.375
63	21158-0913	1.750	2.750	0.375	63	21158-1047	1.875	2.686	0.500
63	21158-0914	1.750	2.750	0.437	63	21158-1048	1.875	2.750	0.375
63	21158-0915	1.750	2.750	0.500	63	21158-1050	1.875	2.750	0.500
63	21158-0916	1.750	2.756	0.375	63	21158-1051	1.875	2.756	0.375
63	21158-0918	1.750	2.756	0.500	63	21158-1052	1.875	2.756	0.437
63	21158-0919	1.750	2.783	0.375	63	21158-1053	1.875	2.756	0.500
63	21158-0921	1.750	2.783	0.500	63	21158-1054	1.875	2.783	0.375
63	21158-0922	1.750	2.875	0.375	63	21158-1057	1.875	2.875	0.375
63	21158-0923	1.750	2.875	0.437	63	21158-1058	1.875	2.875	0.437
63	21158-0924	1.750	2.875	0.500	63	21158-1059	1.875	2.875	0.500
63	21158-0925	1.750	2.997	0.375	63	21158-1060	1.875	2.997	0.375
63	21158-0927	1.750	2.997	0.500	63	21158-1062	1.875	2.997	0.500
63	21158-0928	1.750	3.000	0.375	63	21158-1063	1.875	3.000	0.375
63	21158-0930	1.750	3.000	0.500	63	21158-1065	1.875	3.000	0.500
63	21158-0931	1.750	3.062	0.375	63	21158-1066	1.875	3.062	0.375
63	21158-0933	1.750	3.062	0.500	63	21158-1069	1.875	3.125	0.375
63	21158-0934	1.781	2.497	0.375	63	21158-1071	1.875	3.125	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-1075	1.875	3.189	0.375	63	21158-1190	2.000	2.750	0.437
63	21158-1076	1.875	3.189	0.437	63	21158-1191	2.000	2.750	0.500
63	21158-1078	1.906	2.625	0.375	63	21158-1192	2.000	2.756	0.375
63	21158-1084	1.906	2.750	0.375	63	21158-1193	2.000	2.756	0.437
63	21158-1093	1.906	2.875	0.375	63	21158-1194	2.000	2.756	0.500
63	21158-1094	1.906	2.875	0.437	63	21158-1195	2.000	2.783	0.375
63	21158-1105	1.906	3.125	0.375	63	21158-1196	2.000	2.783	0.437
63	21158-1114	1.937	2.625	0.375	63	21158-1197	2.000	2.716	0.375
63	21158-1116	1.937	2.625	0.500	63	21158-1198	2.000	2.875	0.375
63	21158-1117	1.937	2.686	0.375	63	21158-1199	2.000	2.875	0.437
63	21158-1119	1.937	2.686	0.500	63	21158-1200	2.000	2.875	0.500
63	21158-1120	1.937	2.750	0.375	63	21158-1201	2.000	2.997	0.375
63	21158-1122	1.937	2.750	0.500	63	21158-1203	2.000	2.997	0.500
63	21158-1123	1.937	2.756	0.375	63	21158-1204	2.000	3.000	0.375
63	21158-1128	1.937	2.783	0.500	63	21158-1205	2.000	3.000	0.437
63	21158-1129	1.937	2.875	0.375	63	21158-1206	2.000	3.000	0.500
63	21158-1130	1.937	2.875	0.437	63	21158-1207	2.000	3.062	0.375
63	21158-1131	1.937	2.875	0.500	63	21158-1209	2.000	3.062	0.500
63	21158-1132	1.937	2.997	0.375	63	21158-1210	2.000	3.125	0.375
63	21158-1134	1.937	2.997	0.500	63	21158-1211	2.000	2.745	0.375
63	21158-1135	1.937	3.000	0.375	63	21158-1212	2.000	3.125	0.500
63	21158-1136	1.937	3.000	0.437	63	21158-1213	2.000	3.147	0.375
63	21158-1137	1.937	3.000	0.500	63	21158-1215	2.000	3.147	0.500
63	21158-1138	1.937	3.062	0.375	63	21158-1216	2.000	3.189	0.375
63	21158-1139	1.937	3.062	0.437	63	21158-1217	2.000	3.189	0.437
63	21158-1140	1.937	3.062	0.500	63	21158-1218	2.000	3.189	0.500
63	21158-1141	1.937	3.125	0.375	63	21158-1219	2.000	3.246	0.375
63	21158-1142	1.937	3.125	0.437	63	21158-1221	2.000	3.246	0.500
63	21158-1143	1.937	3.125	0.500	63	21158-1225	2.031	2.997	0.375
63	21158-1144	1.937	3.147	0.375	63	21158-1228	2.031	3.000	0.375
63	21158-1147	1.937	3.189	0.375	63	21158-1231	2.031	3.062	0.375
63	21158-1148	1.937	3.189	0.437	63	21158-1234	2.031	3.125	0.375
63	21158-1149	1.937	3.189	0.500	63	21158-1240	2.031	3.189	0.375
63	21158-1150	1.969	2.686	0.375	63	21158-1249	2.031	3.350	0.375
63	21158-1153	1.969	2.750	0.375	63	21158-1252	2.062	2.875	0.375
63	21158-1154	1.969	2.750	0.437	63	21158-1253	2.062	2.875	0.437
63	21158-1156	1.969	2.756	0.375	63	21158-1254	2.062	2.875	0.500
63	21158-1162	1.969	2.875	0.375	63	21158-1255	2.062	2.997	0.375
63	21158-1164	1.969	2.875	0.500	63	21158-1258	2.062	3.000	0.375
63	21158-1166	1.969	2.997	0.437	63	21158-1260	2.062	3.000	0.500
63	21158-1167	1.969	2.997	0.500	63	21158-1261	2.062	3.062	0.375
63	21158-1168	1.969	3.000	0.375	63	21158-1263	2.062	3.062	0.500
63	21158-1170	1.969	3.000	0.500	63	21158-1264	2.062	3.125	0.375
63	21158-1174	1.969	3.125	0.375	63	21158-1266	2.062	3.125	0.500
63	21158-1177	1.969	3.147	0.375	63	21158-1267	2.062	3.147	0.375
63	21158-1180	1.969	3.189	0.375	63	21158-1270	2.062	3.189	0.375
63	21158-1183	1.969	3.246	0.375	63	21158-1276	2.062	3.250	0.375
63	21158-1185	1.969	3.246	0.500	63	21158-1278	2.062	3.250	0.500
63	21158-1186	2.000	2.686	0.375	63	21158-1279	2.062	3.350	0.375
63	21158-1187	2.000	2.686	0.437	63	21158-1282	2.094	2.875	0.375
63	21158-1188	2.000	2.686	0.500	63	21158-1285	2.094	2.997	0.375
63	21158-1189	2.000	2.750	0.375	63	21158-1291	2.094	3.062	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-1297	2.094	3.147	0.375	63	21158-1404	2.187	3.000	0.500
63	21158-1306	2.094	3.250	0.375	63	21158-1405	2.187	3.062	0.375
63	21158-1309	2.094	3.350	0.375	63	21158-1406	2.187	3.062	0.437
63	21158-1313	2.094	3.372	0.437	63	21158-1407	2.187	3.062	0.500
63	21158-1315	2.094	3.481	0.375	63	21158-1408	2.187	3.125	0.375
63	21158-1318	2.094	3.500	0.375	63	21158-1410	2.187	3.125	0.500
63	21158-1321	2.125	2.875	0.375	63	21158-1411	2.187	3.147	0.375
63	21158-1322	2.125	2.875	0.437	63	21158-1413	2.187	3.147	0.500
63	21158-1323	2.125	2.875	0.500	63	21158-1414	2.187	3.189	0.375
63	21158-1324	2.125	2.997	0.375	63	21158-1415	2.187	3.189	0.437
63	21158-1326	2.125	2.997	0.500	63	21158-1416	2.187	3.189	0.500
63	21158-1327	2.125	3.000	0.375	63	21158-1417	2.187	3.246	0.437
63	21158-1328	2.125	3.000	0.437	63	21158-1420	2.187	3.250	0.375
63	21158-1329	2.125	3.000	0.500	63	21158-1422	2.187	3.250	0.500
63	21158-1330	2.125	3.062	0.375	63	21158-1423	2.187	3.350	0.375
63	21158-1331	2.125	3.062	0.437	63	21158-1424	2.187	3.350	0.437
63	21158-1332	2.125	3.062	0.500	63	21158-1425	2.187	3.350	0.500
63	21158-1333	2.125	3.125	0.375	63	21158-1426	2.187	3.372	0.375
63	21158-1334	2.125	3.125	0.437	63	21158-1428	2.187	3.372	0.500
63	21158-1335	2.125	3.125	0.500	63	21158-1429	2.187	3.481	0.375
63	21158-1336	2.125	3.147	0.375	63	21158-1432	2.187	3.500	0.375
63	21158-1339	2.125	3.189	0.375	63	21158-1434	2.187	3.500	0.500
63	21158-1341	2.125	3.189	0.500	63	21158-1435	2.219	2.997	0.375
63	21158-1342	2.125	3.372	0.469	63	21158-1438	2.219	3.000	0.375
63	21158-1345	2.125	3.250	0.375	63	21158-1456	2.219	3.250	0.375
63	21158-1346	2.125	3.250	0.437	63	21158-1462	2.219	3.372	0.375
63	21158-1347	2.125	3.250	0.500	63	21158-1468	2.219	3.500	0.375
63	21158-1348	2.125	3.350	0.375	63	21158-1471	2.250	2.997	0.375
63	21158-1349	2.125	3.350	0.437	63	21158-1473	2.250	2.997	0.500
63	21158-1350	2.125	3.350	0.500	63	21158-1474	2.250	3.000	0.375
63	21158-1351	2.125	3.372	0.375	63	21158-1475	2.250	3.000	0.437
63	21158-1352	2.125	3.372	0.437	63	21158-1476	2.250	3.000	0.500
63	21158-1353	2.125	3.372	0.500	63	21158-1477	2.250	3.062	0.375
63	21158-1357	2.125	3.500	0.375	63	21158-1479	2.250	3.062	0.500
63	21158-1359	2.125	3.500	0.500	63	21158-1480	2.250	3.125	0.375
63	21158-1360	2.156	2.875	0.375	63	21158-1481	2.250	3.125	0.437
63	21158-1363	2.156	2.997	0.375	63	21158-1482	2.250	3.125	0.500
63	21158-1365	2.156	2.997	0.500	63	21158-1483	2.250	3.147	0.375
63	21158-1366	2.156	3.000	0.375	63	21158-1485	2.250	3.147	0.500
63	21158-1375	2.156	3.147	0.375	63	21158-1486	2.250	3.189	0.375
63	21158-1378	2.156	3.189	0.375	63	21158-1487	2.250	3.189	0.437
63	21158-1384	2.156	3.250	0.375	63	21158-1489	2.250	3.246	0.375
63	21158-1385	2.156	3.250	0.437	63	21158-1491	2.250	3.246	0.500
63	21158-1389	2.156	3.350	0.500	63	21158-1492	2.250	3.250	0.375
63	21158-1390	2.156	3.372	0.375	63	21158-1493	2.250	3.250	0.437
63	21158-1396	2.156	3.500	0.375	63	21158-1494	2.250	3.250	0.500
63	21158-1398	2.156	3.500	0.500	63	21158-1495	2.250	3.350	0.375
63	21158-1399	2.187	2.875	0.375	63	21158-1496	2.250	3.350	0.437
63	21158-1400	2.187	2.875	0.437	63	21158-1497	2.250	3.350	0.500
63	21158-1401	2.187	2.875	0.500	63	21158-1498	2.250	3.372	0.375
63	21158-1402	2.187	3.000	0.375	63	21158-1499	2.250	3.372	0.437
63	21158-1403	2.187	3.000	0.437	63	21158-1500	2.250	3.372	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-1501	2.250	3.481	0.375	63	21158-1644	2.375	3.125	0.500
63	21158-1504	2.250	3.500	0.375	63	21158-1645	2.375	3.147	0.375
63	21158-1505	2.250	3.500	0.437	63	21158-1647	2.375	3.147	0.500
63	21158-1506	2.250	3.500	0.500	63	21158-1648	2.375	3.189	0.375
63	21158-1510	2.281	3.000	0.375	63	21158-1650	2.375	3.189	0.500
63	21158-1513	2.281	3.062	0.375	63	21158-1651	2.375	3.246	0.375
63	21158-1520	2.281	3.147	0.437	63	21158-1653	2.375	3.246	0.500
63	21158-1540	2.281	3.500	0.375	63	21158-1654	2.375	3.250	0.375
63	21158-1543	2.281	3.543	0.375	63	21158-1655	2.375	3.250	0.437
63	21158-1546	2.281	3.623	0.375	63	21158-1656	2.375	3.250	0.500
63	21158-1548	2.281	3.623	0.500	63	21158-1657	2.375	3.350	0.375
63	21158-1552	2.312	2.997	0.375	63	21158-1658	2.375	3.350	0.437
63	21158-1555	2.312	3.000	0.375	63	21158-1659	2.375	3.350	0.500
63	21158-1557	2.312	3.000	0.500	63	21158-1660	2.375	3.372	0.375
63	21158-1558	2.312	3.062	0.375	63	21158-1661	2.375	3.372	0.437
63	21158-1561	2.312	3.125	0.375	63	21158-1662	2.375	3.372	0.500
63	21158-1563	2.312	3.125	0.500	63	21158-1663	2.375	3.481	0.375
63	21158-1567	2.312	3.189	0.375	63	21158-1666	2.375	3.500	0.375
63	21158-1570	2.312	3.246	0.375	63	21158-1668	2.375	3.500	0.500
63	21158-1573	2.312	3.250	0.375	63	21158-1669	2.375	3.543	0.375
63	21158-1575	2.312	3.250	0.500	63	21158-1671	2.375	3.543	0.500
63	21158-1576	2.312	3.350	0.375	63	21158-1672	2.375	3.623	0.375
63	21158-1578	2.312	3.350	0.500	63	21158-1673	2.375	3.623	0.437
63	21158-1579	2.312	3.372	0.375	63	21158-1675	2.375	3.751	0.375
63	21158-1581	2.312	3.372	0.500	63	21158-1677	2.375	3.751	0.500
63	21158-1582	2.312	3.481	0.375	63	21158-1678	2.375	3.876	0.375
63	21158-1584	2.312	3.481	0.500	63	21158-1680	2.375	3.876	0.500
63	21158-1585	2.312	3.500	0.375	63	21158-1681	2.406	3.125	0.375
63	21158-1587	2.312	3.500	0.500	63	21158-1693	2.406	3.250	0.375
63	21158-1588	2.312	3.543	0.375	63	21158-1696	2.406	3.350	0.375
63	21158-1594	2.312	3.751	0.375	63	21158-1708	2.406	3.543	0.375
63	21158-1596	2.312	3.751	0.500	63	21158-1711	2.406	3.623	0.375
63	21158-1597	2.344	3.062	0.375	63	21158-1714	2.406	3.751	0.375
63	21158-1600	2.344	3.125	0.375	63	21158-1720	2.406	4.003	0.375
63	21158-1602	2.344	3.125	0.500	63	21158-1723	2.437	3.125	0.375
63	21158-1603	2.344	3.147	0.375	63	21158-1725	2.437	3.125	0.500
63	21158-1612	2.344	3.250	0.375	63	21158-1726	2.437	3.147	0.375
63	21158-1615	2.344	3.350	0.375	63	21158-1729	2.437	3.189	0.375
63	21158-1618	2.344	3.372	0.375	63	21158-1732	2.437	3.246	0.375
63	21158-1620	2.344	3.372	0.500	63	21158-1735	2.437	3.250	0.375
63	21158-1621	2.344	3.481	0.375	63	21158-1737	2.437	3.250	0.500
63	21158-1624	2.344	3.500	0.375	63	21158-1738	2.437	3.350	0.375
63	21158-1626	2.344	3.500	0.500	63	21158-1740	2.437	3.350	0.500
63	21158-1627	2.344	3.543	0.375	63	21158-1741	2.437	3.372	0.375
63	21158-1629	2.344	3.543	0.500	63	21158-1742	2.437	3.372	0.437
63	21158-1630	2.344	3.623	0.375	63	21158-1743	2.437	3.372	0.500
63	21158-1633	2.344	3.751	0.375	63	21158-1744	2.437	3.481	0.375
63	21158-1636	2.344	3.876	0.375	63	21158-1745	2.437	3.481	0.437
63	21158-1638	2.344	3.876	0.500	63	21158-1746	2.437	3.481	0.500
63	21158-1639	2.375	3.062	0.375	63	21158-1747	2.437	3.500	0.375
63	21158-1641	2.375	3.062	0.500	63	21158-1749	2.437	3.500	0.500
63	21158-1642	2.375	3.125	0.375	63	21158-1750	2.437	3.543	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-1751	2.437	3.543	0.437	63	21158-1855	2.531	3.543	0.375
63	21158-1752	2.437	3.543	0.500	63	21158-1857	2.531	3.543	0.500
63	21158-1753	2.437	3.623	0.375	63	21158-1858	2.531	3.623	0.375
63	21158-1756	2.437	3.751	0.375	63	21158-1861	2.560	3.544	0.315
63	21158-1758	2.437	3.751	0.500	63	21158-1863	2.531	3.751	0.500
63	21158-1759	2.437	3.876	0.375	63	21158-1864	2.531	3.876	0.375
63	21158-1762	2.437	4.003	0.375	63	21158-1867	2.531	4.003	0.375
63	21158-1764	2.437	4.003	0.500	63	21158-1870	2.562	3.246	0.375
63	21158-1765	2.469	3.189	0.375	63	21158-1873	2.562	3.250	0.375
63	21158-1771	2.469	3.250	0.375	63	21158-1879	2.562	3.372	0.375
63	21158-1774	2.469	3.350	0.375	63	21158-1882	2.562	3.481	0.375
63	21158-1775	2.469	3.350	0.437	63	21158-1885	2.562	3.500	0.375
63	21158-1783	2.469	3.500	0.375	63	21158-1886	2.562	3.500	0.437
63	21158-1786	2.469	3.543	0.375	63	21158-1887	2.562	3.500	0.500
63	21158-1801	2.500	3.189	0.375	63	21158-1888	2.562	3.543	0.375
63	21158-1802	2.500	3.189	0.437	63	21158-1890	2.562	3.543	0.500
63	21158-1803	2.500	3.189	0.500	63	21158-1891	2.562	3.623	0.375
63	21158-1804	2.500	3.246	0.375	63	21158-1892	2.562	3.623	0.437
63	21158-1805	2.500	3.246	0.437	63	21158-1893	2.562	3.623	0.500
63	21158-1806	2.500	3.246	0.500	63	21158-1894	2.562	3.751	0.375
63	21158-1807	2.500	3.250	0.375	63	21158-1896	2.562	3.751	0.500
63	21158-1808	2.500	3.250	0.437	63	21158-1897	2.562	3.876	0.375
63	21158-1809	2.500	3.250	0.500	63	21158-1899	2.562	3.876	0.500
63	21158-1810	2.500	3.350	0.375	63	21158-1900	2.562	4.003	0.375
63	21158-1811	2.500	3.350	0.469	63	21158-1902	2.562	4.003	0.500
63	21158-1812	2.500	3.350	0.500	63	21158-1930	2.625	3.350	0.375
63	21158-1813	2.500	3.372	0.375	63	21158-1932	2.625	3.350	0.500
63	21158-1815	2.500	3.372	0.500	63	21158-1933	2.625	3.372	0.375
63	21158-1816	2.500	3.481	0.375	63	21158-1935	2.625	3.372	0.500
63	21158-1817	2.500	3.481	0.437	63	21158-1936	2.625	3.481	0.375
63	21158-1818	2.500	3.481	0.500	63	21158-1939	2.625	3.500	0.375
63	21158-1819	2.500	3.500	0.375	63	21158-1941	2.625	3.500	0.500
63	21158-1820	2.500	3.500	0.437	63	21158-1942	2.625	3.543	0.375
63	21158-1821	2.500	3.500	0.500	63	21158-1944	2.625	3.543	0.500
63	21158-1822	2.500	3.543	0.375	63	21158-1945	2.625	3.623	0.375
63	21158-1823	2.500	3.543	0.437	63	21158-1946	2.625	3.623	0.437
63	21158-1824	2.500	3.543	0.500	63	21158-1947	2.625	3.623	0.500
63	21158-1825	2.500	3.623	0.375	63	21158-1948	2.625	3.751	0.375
63	21158-1826	2.500	3.623	0.437	63	21158-1950	2.625	3.751	0.500
63	21158-1827	2.500	3.623	0.500	63	21158-1951	2.625	3.876	0.375
63	21158-1828	2.500	3.751	0.375	63	21158-1952	2.625	3.876	0.437
63	21158-1829	2.500	3.751	0.437	63	21158-1954	2.625	4.003	0.375
63	21158-1830	2.500	3.751	0.500	63	21158-1955	2.625	4.003	0.437
63	21158-1831	2.500	3.876	0.375	63	21158-1956	2.625	4.003	0.500
63	21158-1834	2.500	4.003	0.375	63	21158-1969	2.656	3.543	0.375
63	21158-1836	2.500	4.003	0.500	63	21158-1972	2.656	3.623	0.375
63	21158-1837	2.531	3.246	0.375	63	21158-1975	2.656	3.751	0.375
63	21158-1840	2.531	3.250	0.375	63	21158-1981	2.656	4.003	0.375
63	21158-1841	2.531	3.250	0.437	63	21158-1987	2.687	3.372	0.375
63	21158-1846	2.531	3.372	0.375	63	21158-1990	2.687	3.481	0.375
63	21158-1849	2.531	3.481	0.375	63	21158-1993	2.687	3.500	0.375
63	21158-1852	2.531	3.500	0.375	63	21158-1994	2.687	3.500	0.437

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-1996	2.687	3.543	0.375	63	21158-2100	2.844	3.623	0.500
63	21158-1999	2.687	3.623	0.375	63	21158-2101	2.844	3.751	0.375
63	21158-2001	2.687	3.623	0.500	63	21158-2103	2.844	3.751	0.500
63	21158-2002	2.687	3.751	0.375	63	21158-2107	2.844	4.003	0.375
63	21158-2003	2.687	3.751	0.437	63	21158-2115	2.875	3.623	0.375
63	21158-2004	2.687	3.751	0.500	63	21158-2116	2.875	3.623	0.437
63	21158-2005	2.687	3.876	0.375	63	21158-2117	2.875	3.623	0.500
63	21158-2006	2.687	3.876	0.437	63	21158-2118	2.875	3.751	0.375
63	21158-2007	2.687	3.876	0.500	63	21158-2120	2.875	3.751	0.500
63	21158-2008	2.687	4.003	0.375	63	21158-2121	2.875	3.876	0.375
63	21158-2010	2.687	4.003	0.500	63	21158-2122	2.875	3.876	0.437
63	21158-2011	2.719	3.481	0.375	63	21158-2123	2.875	3.876	0.500
63	21158-2014	2.719	3.500	0.375	63	21158-2124	2.875	4.003	0.375
63	21158-2017	2.719	3.543	0.375	63	21158-2125	2.875	4.003	0.437
63	21158-2020	2.719	3.623	0.375	63	21158-2126	2.875	4.003	0.500
63	21158-2023	2.719	3.751	0.375	63	21158-2127	2.875	4.125	0.406
63	21158-2025	2.719	3.751	0.500	63	21158-2128	2.875	4.125	0.469
63	21158-2028	2.719	3.876	0.500	63	21158-2129	2.906	3.623	0.375
63	21158-2029	2.719	4.003	0.375	63	21158-2133	2.906	3.751	0.437
63	21158-2031	2.719	4.003	0.500	63	21158-2135	2.906	3.876	0.375
63	21158-2032	2.750	3.481	0.375	63	21158-2138	2.906	4.003	0.375
63	21158-2034	2.750	3.481	0.500	63	21158-2141	2.906	4.125	0.406
63	21158-2035	2.750	3.500	0.375	63	21158-2142	2.906	4.125	0.469
63	21158-2036	2.750	3.500	0.437	63	21158-2143	2.937	3.623	0.375
63	21158-2037	2.750	3.500	0.500	63	21158-2145	2.937	3.623	0.500
63	21158-2038	2.750	3.543	0.375	63	21158-2146	2.937	3.751	0.375
63	21158-2039	2.750	3.543	0.437	63	21158-2147	2.937	3.751	0.437
63	21158-2040	2.750	3.543	0.500	63	21158-2148	2.937	3.751	0.500
63	21158-2041	2.750	3.623	0.375	63	21158-2149	2.937	3.876	0.375
63	21158-2042	2.750	3.623	0.437	63	21158-2150	2.937	3.876	0.437
63	21158-2043	2.750	3.623	0.500	63	21158-2151	2.937	3.876	0.500
63	21158-2044	2.750	3.751	0.375	63	21158-2152	2.937	4.003	0.375
63	21158-2045	2.750	3.751	0.437	63	21158-2153	2.937	4.003	0.437
63	21158-2046	2.750	3.751	0.500	63	21158-2154	2.937	4.003	0.500
63	21158-2047	2.750	3.876	0.375	63	21158-2155	2.937	4.125	0.406
63	21158-2048	2.750	3.876	0.437	63	21158-2157	2.969	3.751	0.375
63	21158-2049	2.750	3.876	0.500	63	21158-2160	2.969	3.876	0.375
63	21158-2050	2.750	4.003	0.375	63	21158-2163	2.969	4.003	0.375
63	21158-2052	2.750	4.003	0.500	63	21158-2166	2.969	4.125	0.406
63	21158-2077	2.812	3.500	0.375	63	21158-2168	3.000	3.751	0.375
63	21158-2080	2.812	3.543	0.375	63	21158-2169	3.000	3.751	0.438
63	21158-2083	2.812	3.623	0.375	63	21158-2170	3.000	3.751	0.500
63	21158-2085	2.812	3.623	0.500	63	21158-2171	3.000	3.876	0.375
63	21158-2086	2.812	3.751	0.375	63	21158-2172	3.000	3.876	0.438
63	21158-2088	2.812	3.751	0.500	63	21158-2173	3.000	3.876	0.500
63	21158-2089	2.812	3.876	0.375	63	21158-2174	3.000	4.003	0.375
63	21158-2090	2.812	3.876	0.437	63	21158-2175	3.000	4.003	0.438
63	21158-2091	2.812	3.876	0.500	63	21158-2176	3.000	4.003	0.500
63	21158-2092	2.812	4.003	0.375	63	21158-3863	0.250	0.750	0.250
63	21158-2093	2.812	4.003	0.437	63	21158-3864	0.250	0.875	0.250
63	21158-2094	2.812	4.003	0.500	63	21158-3865	0.437	1.375	0.312
63	21158-2098	2.844	3.623	0.375	63	21158-3867	0.469	1.375	0.312

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-3869	0.562	1.000	0.312	63	21158-5407	2.625	3.375	0.375
63	21158-3870	0.750	1.260	0.406	63	21158-5434	0.906	1.625	0.437
63	21158-3871	1.062	1.984	0.500	63	21158-5491	1.156	1.828	0.437
63	21158-3872	1.125	1.984	0.375	63	21158-5496	1.469	2.437	0.469
63	21158-3873	1.125	1.984	0.437	63	21158-5501	1.500	2.875	0.406
63	21158-3874	1.125	1.984	0.500	63	21158-5502	0.875	1.375	0.406
63	21158-3875	1.156	2.441	0.375	63	21158-5560	2.250	3.350	0.469
63	21158-3876	1.187	1.828	0.375	63	21158-5562	1.108	1.850	0.375
63	21158-3877	1.187	2.048	0.375	63	21158-5581	2.625	3.623	0.469
63	21158-3879	1.312	2.875	0.500	63	21158-5656	1.187	1.984	0.500
63	21158-3880	1.500	2.441	0.375	63	21158-5688	2.125	2.875	0.469
63	21158-3881	1.500	2.882	0.375	63	21158-5704	1.250	1.875	0.375
63	21158-3883	1.562	2.875	0.375	63	21158-5713	1.500	2.125	0.437
63	21158-3884	1.625	2.656	0.375	63	21158-5891	1.125	1.851	0.437
63	21158-3885	1.750	3.189	0.500	63	21158-5937	0.969	2.048	0.375
63	21158-3887	1.844	2.500	0.375	63	21158-5963	1.719	2.835	0.375
63	21158-3888	1.875	3.149	0.375	63	21158-6011	1.187	2.500	0.500
63	21158-3889	1.937	3.350	0.500	63	21158-6120	0.750	1.851	0.375
63	21158-3892	2.000	3.375	0.500	63	21158-6300	2.562	3.937	0.375
63	21158-3893	2.031	2.783	0.375	63	21158-6470	1.000	1.750	0.500
63	21158-3896	2.031	3.150	0.344	63	21158-6623	0.469	1.260	0.312
63	21158-3897	2.062	2.783	0.375	63	21158-6627	2.863	4.724	0.500
63	21158-3900	2.125	2.882	0.375	63	21158-6643	0.562	1.260	0.312
63	21158-3902	2.125	3.623	0.437	63	21158-6654	1.000	2.047	0.375
63	21158-3903	2.187	2.882	0.375	63	21158-6655	1.375	2.047	0.375
63	21158-3904	2.187	2.997	0.375	63	21158-6656	1.969	2.835	0.375
63	21158-4584	1.375	2.835	0.375	63	21158-6658	1.375	2.441	0.375
63	21158-4597	1.187	2.835	0.375	63	21158-6659	1.187	1.850	0.375
63	21158-4600	1.187	2.441	0.375	63	21158-6724	1.750	3.125	0.375
63	21158-4605	0.750	1.375	0.406	63	21158-6725	1.750	2.835	0.375
63	21158-4645	1.562	2.561	0.500	63	21158-6859	0.984	1.850	0.375
63	21158-4646	2.375	3.350	0.469	63	21158-6906	1.000	1.851	0.375
63	21158-4680	0.625	1.260	0.312	63	21158-7126	1.687	2.835	0.375
63	21158-4687	0.984	2.048	0.375	63	21158-7143	2.812	3.875	0.469
63	21158-4748	0.875	1.851	0.375	63	21158-7164	1.875	2.835	0.375
63	21158-4793	0.656	1.378	0.312	63	21158-7173	1.093	1.850	0.375
63	21158-4802	0.969	1.850	0.375	63	21158-7198	0.781	1.850	0.375
63	21158-4813	1.125	1.850	0.375	63	21158-7218	2.156	3.544	0.375
63	21158-4821	1.312	2.047	0.375	63	21158-7316	1.266	2.048	0.375
63	21158-4845	2.500	3.937	0.375	63	21158-7345	0.500	1.182	0.312
63	21158-4849	0.875	2.047	0.375	63	21158-7386	1.375	2.000	0.375
63	21158-4930	1.937	2.835	0.375	63	21158-7415	1.969	3.150	0.375
63	21158-4935	0.750	1.850	0.312	63	21158-7456	1.687	2.441	0.375
63	21158-4965	0.781	1.378	0.312	63	21158-7459	1.750	2.718	0.359
63	21158-4975	2.062	3.347	0.375	63	21158-7596	2.937	3.937	0.375
63	21158-5046	0.937	2.047	0.375	63	21158-7599	1.093	1.654	0.312
63	21158-5080	2.500	3.671	0.375	63	21158-7650	1.125	1.850	0.312
63	21158-5238	0.687	1.375	0.406	63	21158-7667	2.156	2.835	0.375
63	21158-5295	1.000	1.983	0.500	63	21158-7702	2.232	3.543	0.375
63	21158-5393	1.625	2.437	0.469	63	21158-7715	1.281	2.047	0.375
63	21158-5396	0.562	1.375	0.406	63	21158-7727	0.187	0.750	0.250
63	21158-5398	2.625	3.350	0.469	63	21158-7748	1.417	2.047	0.374

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-7753	0.719	1.260	0.312	63	21158-8048	0.875	1.654	0.312
63	21158-7761	1.781	2.441	0.375	63	21158-8050	0.906	1.654	0.312
63	21158-7763	0.719	1.378	0.312	63	21158-8051	0.906	1.850	0.375
63	21158-7767	1.625	2.441	0.375	63	21158-8052	0.906	2.047	0.375
63	21158-7800	2.625	3.937	0.375	63	21158-8054	0.937	1.654	0.312
63	21158-7846	0.781	1.851	0.312	63	21158-8055	0.937	1.850	0.375
63	21158-7852	1.250	2.047	0.375	63	21158-8056	0.969	1.654	0.312
63	21158-7865	1.732	2.835	0.375	63	21158-8057	1.000	1.654	0.312
63	21158-7884	1.575	2.441	0.394	63	21158-8059	1.031	1.654	0.312
63	21158-7914	1.156	2.047	0.375	63	21158-8060	1.031	1.850	0.375
63	21158-7926	2.406	3.937	0.375	63	21158-8061	1.031	2.047	0.375
63	21158-7927	2.437	3.937	0.375	63	21158-8062	1.062	1.654	0.312
63	21158-7928	2.469	3.937	0.375	63	21158-8063	1.062	1.850	0.375
63	21158-7929	2.531	3.937	0.375	63	21158-8064	1.062	2.047	0.375
63	21158-7931	2.656	3.937	0.375	63	21158-8065	1.093	2.047	0.375
63	21158-7932	2.687	3.937	0.375	63	21158-8066	1.125	1.654	0.312
63	21158-7933	2.719	3.937	0.375	63	21158-8067	1.125	2.047	0.375
63	21158-7934	2.750	3.937	0.375	63	21158-8068	1.219	2.047	0.375
63	21158-7936	2.812	3.937	0.375	63	21158-8070	1.281	2.441	0.375
63	21158-7937	2.844	3.937	0.375	63	21158-8071	1.312	2.441	0.375
63	21158-7938	2.875	3.937	0.375	63	21158-8072	1.344	2.441	0.375
63	21158-7939	2.906	3.937	0.375	63	21158-8073	1.406	2.441	0.375
63	21158-7940	2.969	3.937	0.375	63	21158-8075	1.469	2.441	0.375
63	21158-7941	3.000	3.937	0.375	63	21158-8076	1.531	2.441	0.375
63	21158-8007	0.375	1.260	0.312	63	21158-8077	1.562	2.441	0.375
63	21158-8008	0.375	1.182	0.312	63	21158-8078	1.562	2.835	0.375
63	21158-8009	0.406	1.182	0.312	63	21158-8079	1.594	2.441	0.375
63	21158-8010	0.406	1.260	0.312	63	21158-8080	1.594	2.835	0.375
63	21158-8011	0.437	1.260	0.312	63	21158-8081	1.625	2.835	0.375
63	21158-8012	0.469	1.182	0.312	63	21158-8082	1.656	2.441	0.375
63	21158-8013	0.500	1.260	0.312	63	21158-8083	1.656	2.835	0.375
63	21158-8015	0.531	1.182	0.312	63	21158-8084	1.719	2.441	0.375
63	21158-8016	0.531	1.260	0.312	63	21158-8085	1.750	3.150	0.375
63	21158-8018	0.562	1.182	0.312	63	21158-8086	1.781	2.835	0.375
63	21158-8020	0.594	1.182	0.312	63	21158-8088	1.812	2.835	0.375
63	21158-8021	0.594	1.260	0.312	63	21158-8089	1.812	3.150	0.375
63	21158-8023	0.625	1.182	0.312	63	21158-8090	1.844	2.835	0.375
63	21158-8025	0.656	1.182	0.312	63	21158-8091	1.844	3.150	0.375
63	21158-8026	0.656	1.260	0.312	63	21158-8092	1.906	2.835	0.375
63	21158-8028	0.687	1.182	0.312	63	21158-8093	1.906	3.150	0.375
63	21158-8029	0.687	1.260	0.312	63	21158-8094	1.937	3.150	0.375
63	21158-8032	0.719	1.654	0.312	63	21158-8097	2.000	3.150	0.375
63	21158-8033	0.750	1.260	0.312	63	21158-8098	2.000	3.347	0.375
63	21158-8035	0.750	1.654	0.312	63	21158-8099	2.031	2.835	0.375
63	21158-8036	0.781	1.260	0.312	63	21158-8100	2.062	2.835	0.375
63	21158-8038	0.781	1.654	0.312	63	21158-8101	0.437	1.182	0.312
63	21158-8039	0.812	1.260	0.312	63	21158-8102	0.500	1.378	0.312
63	21158-8041	0.812	1.654	0.312	63	21158-8109	0.594	1.378	0.312
63	21158-8042	0.812	1.850	0.375	63	21158-8110	0.719	1.850	0.375
63	21158-8044	0.844	1.654	0.312	63	21158-8111	2.000	2.835	0.375
63	21158-8045	0.844	1.850	0.375	63	21158-8112	2.125	2.835	0.375
63	21158-8046	0.844	2.047	0.312	63	21158-8117	2.156	3.347	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63	21158-8258	1.875	3.000	0.562	63	21158-9294	1.437	2.441	0.375
63	21158-8326	1.562	2.441	0.437	63	21158-9342	1.181	1.850	0.375
63	21158-8335	0.375	1.378	0.312	63	21158-9345	1.000	1.875	0.312
63	21158-8336	0.406	1.378	0.312	63	21158-9407	2.156	2.882	0.375
63	21158-8337	0.437	1.378	0.312	63	21158-9481	2.937	4.125	0.562
63	21158-8338	0.469	1.378	0.312	63	21158-9564	1.125	1.781	0.437
63	21158-8340	0.531	1.378	0.312	63	21158-9571	2.062	3.500	0.375
63	21158-8341	0.562	1.378	0.312	63	21158-9612	1.375	2.875	0.375
63	21158-8342	0.625	1.378	0.312	63	21158-9620	1.750	2.441	0.375
63	21158-8343	0.687	1.378	0.312	63	21158-9633	1.812	2.758	0.500
63	21158-8344	0.750	1.378	0.312	63	21158-9822	1.750	2.375	0.312
63	21158-8345	0.812	1.378	0.312	63F1	23078-0018	0.375	1.000	0.375
63	21158-8346	0.844	1.378	0.312	63F1	23078-0222	0.875	1.750	0.437
63	21158-8347	0.875	1.378	0.312	63F1	23078-1437	2.219	2.997	0.594
63	21158-8348	2.031	3.150	0.375	63F1	23078-2967	1.875	3.000	0.594
63	21158-8349	2.031	3.347	0.375	63F1	23078-4592	2.125	2.875	0.687
63	21158-8350	2.062	3.150	0.375	63F1	23078-4735	2.250	3.500	0.594
63	21158-8351	2.094	3.150	0.375	63F1	23078-4746	2.375	3.246	0.594
63	21158-8352	2.094	3.347	0.375	63F1	23078-4838	2.125	3.350	0.594
63	21158-8353	2.125	3.150	0.375	63F1	23078-4908	0.687	1.125	0.437
63	21158-8354	2.125	3.347	0.375	63F1	23078-4916	2.125	2.875	0.594
63	21158-8355	2.156	3.150	0.375	63F1	23078-4938	2.250	3.372	0.594
63	21158-8357	2.187	3.150	0.375	63F1	23078-4945	2.062	3.189	0.594
63	21158-8358	2.187	3.347	0.375	63F1	23078-5004	1.500	2.625	0.594
63	21158-8359	2.219	3.150	0.375	63F1	23078-5005	1.750	2.750	0.594
63	21158-8360	2.219	3.347	0.375	63F1	23078-5041	0.687	1.250	0.437
63	21158-8361	2.250	3.150	0.375	63F1	23078-5208	2.250	2.997	0.594
63	21158-8362	2.250	3.347	0.375	63F1	23078-5215	1.969	2.875	0.687
63	21158-8363	2.281	3.150	0.375	63F1	23078-5256	1.750	2.750	0.750
63	21158-8364	2.281	3.347	0.375	63F1	23078-5268	1.500	2.750	0.594
63	21158-8365	2.312	3.150	0.375	63F1	23078-5283	2.000	2.750	0.625
63	21158-8366	2.312	3.347	0.375	63F1	23078-5311	0.625	1.250	0.531
63	21158-8367	2.344	3.150	0.375	63F1	23078-5362	1.656	2.500	0.594
63	21158-8368	2.344	3.347	0.375	63F1	23078-5387	2.500	3.500	0.750
63	21158-8369	2.375	3.150	0.375	63F1	23078-5391	0.500	1.125	0.531
63	21158-8370	2.375	3.347	0.375	63F1	23078-5544	1.969	2.686	0.594
63	21158-8371	2.406	3.150	0.375	63F1	23078-5657	0.625	1.125	0.500
63	21158-8372	2.406	3.347	0.375	63F1	23078-5686	2.625	3.374	0.719
63	21158-8373	2.437	3.150	0.375	63F1	23078-5687	2.125	3.062	0.750
63	21158-8374	2.437	3.347	0.375	63F1	23078-5693	2.719	4.003	0.594
63	21158-8375	2.469	3.347	0.375	63F1	23078-5703	1.000	2.000	0.625
63	21158-8376	2.500	3.347	0.375	63F1	23078-5791	1.062	1.828	0.453
63	21158-8377	2.531	3.347	0.375	63F1	23078-6028	1.750	2.625	0.594
63	21158-8378	2.562	3.347	0.375	63F1	23078-6141	2.187	2.875	0.594
63	21158-8405	1.781	2.437	0.375	63F1	23078-6244	2.687	3.500	0.594
63	21158-8456	1.750	3.625	0.437	63F1	23078-6270	2.437	3.372	0.594
63	21158-8484	1.718	2.561	0.500	63F1	23078-6271	1.562	2.500	0.594
63	21158-8610	1.575	2.441	0.375	63F1	23078-6459	2.375	3.125	0.594
63	21158-8615	1.625	2.562	0.500	63F1	23078-6470	1.000	1.750	0.500
63	21158-8644	1.062	1.979	0.375	63F1	23078-6478	2.250	3.000	0.687
63	21158-8904	2.281	3.154	0.375	63F1	23078-6506	2.500	3.250	0.594
63	21158-9223	1.766	2.559	0.375	63F1	23078-6523	0.875	1.375	0.437

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63F1	23078-6524	1.000	1.625	0.437	63F1	23078-8318	0.594	1.125	0.437
63F1	23078-6585	2.937	4.003	0.594	63F1	23078-8432	1.469	2.250	0.594
63F1	23078-6592	1.812	2.875	0.594	63F1	23078-8498	2.250	2.997	0.750
63F1	23078-6593	2.125	3.000	0.687	63F1	23078-8573	2.500	3.543	0.594
63F1	23078-6605	2.125	3.250	0.594	63F1	23078-8650	1.875	2.625	0.594
63F1	23078-6612	0.750	1.250	0.437	63F1	23078-8679	2.687	3.751	0.594
63F1	23078-6680	2.875	4.003	0.594	63F1	23078-8763	0.562	1.125	0.437
63F1	23078-6700	2.562	3.500	0.594	63F1	23078-9070	2.812	4.003	0.594
63F1	23078-6701	1.375	2.250	0.594	63F1	23078-9093	2.500	3.372	0.594
63F1	23078-6744	1.687	3.000	0.594	63F1	23078-9234	1.687	2.437	0.625
63F1	23078-6755	1.000	1.500	0.437	63F1	23078-9666	2.000	3.062	0.594
63F1	23078-6762	2.875	4.125	0.719	63F1	23078-9667	1.687	2.875	0.594
63F1	23078-6794	2.125	3.061	0.687	63F1	23078-9694	2.687	3.876	0.594
63F1	23078-6795	2.250	2.997	0.687	63F1	23078-9739	1.625	2.750	0.594
63F1	23078-6866	2.625	3.350	0.594	63F1	23078-9833	1.375	2.125	0.625
63F1	23078-6904	2.000	3.000	0.594	63F1	23078-9943	1.625	2.441	0.594
63F1	23078-6927	0.750	1.375	0.437	63R1	23547-4592	2.125	2.875	0.687
63F1	23078-6961	1.437	2.437	0.594	63R1	23547-4700	0.875	1.500	0.562
63F1	23078-6985	0.750	1.500	0.437	63R1	23547-4754	0.750	1.375	0.562
63F1	23078-6986	0.500	1.125	0.562	63R1	23547-4766	1.625	2.625	0.687
63F1	23078-6993	1.187	2.000	0.594	63R1	23547-4819	0.937	1.500	0.562
63F1	23078-7099	2.000	2.875	0.594	63R1	23547-4891	1.437	2.686	0.687
63F1	23078-7116	1.562	2.250	0.594	63R1	23547-4905	2.250	3.147	0.687
63F1	23078-7122	0.437	0.875	0.437	63R1	23547-4914	2.375	3.500	0.687
63F1	23078-7142	2.250	3.147	0.594	63R1	23547-5387	2.500	3.500	0.750
63F1	23078-7145	2.062	3.000	0.594	63R1	23547-5476	2.062	3.062	0.687
63F1	23078-7152	1.625	2.437	0.594	63R1	23547-5483	2.625	3.625	0.687
63F1	23078-7186	1.000	2.000	0.687	63R1	23547-5528	2.250	3.500	0.703
63F1	23078-7201	0.562	1.250	0.562	63R1	23547-5568	2.000	2.997	0.687
63F1	23078-7254	1.687	2.500	0.594	63R1	23547-5702	2.062	3.187	0.703
63F1	23078-7285	2.437	3.500	0.594	63R1	23547-5893	0.437	0.875	0.594
63F1	23078-7307	1.750	2.500	0.594	63R1	23547-6043	2.312	3.751	0.687
63F1	23078-7328	3.000	4.003	0.594	63R1	23547-6438	2.000	3.000	0.687
63F1	23078-7339	2.750	3.751	0.750	63R1	23547-6442	0.500	1.000	0.594
63F1	23078-7341	1.187	1.875	0.594	63R1	23547-6465	2.500	3.500	0.687
63F1	23078-7372	1.250	2.375	0.594	63R1	23547-6467	2.750	3.751	0.687
63F1	23078-7390	1.250	2.000	0.594	63R1	23547-6469	1.937	3.000	0.687
63F1	23078-7406	2.375	3.500	0.750	63R1	23547-6476	0.875	1.625	0.562
63F1	23078-7484	2.125	3.125	0.594	63R1	23547-6477	1.000	1.625	0.562
63F1	23078-7542	3.000	3.751	0.594	63R1	23547-6479	1.375	2.125	0.687
63F1	23078-7555	1.750	3.000	0.594	63R1	23547-6522	1.750	3.000	0.687
63F1	23078-7563	2.000	2.750	0.687	63R1	23547-6551	1.500	2.500	0.687
63F1	23078-7567	1.375	2.125	0.594	63R1	23547-6576	1.375	2.062	0.687
63F1	23078-7568	1.500	2.250	0.594	63R1	23547-6588	2.937	4.003	0.687
63F1	23078-7633	2.437	3.125	0.594	63R1	23547-6667	1.500	2.375	0.687
63F1	23078-7662	0.625	1.250	0.437	63R1	23547-6674	1.250	2.125	0.687
63F1	23078-7722	2.937	4.125	0.719	63R1	23547-6675	1.250	2.250	0.687
63F1	23078-7776	2.625	3.623	0.594	63R1	23547-6730	2.875	3.751	0.687
63F1	23078-7787	2.125	3.189	0.750	63R1	23547-6745	1.250	2.000	0.687
63F1	23078-7829	2.750	3.500	0.594	63R1	23547-6751	1.687	3.000	0.687
63F1	23078-8105	2.469	3.500	0.594	63R1	23547-6757	2.250	3.500	0.687
63F1	23078-8312	1.250	1.984	0.594	63R1	23547-6774	1.375	2.250	0.687

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63R1	23547-6832	1.750	2.750	0.687	63R2	23548-4976	1.375	2.625	0.687
63R1	23547-6857	1.125	1.750	0.687	63R2	23548-5401	0.875	1.828	0.687
63R1	23547-6860	1.625	2.500	0.687	63R2	23548-5483	2.625	3.625	0.687
63R1	23547-6898	2.375	3.125	0.687	63R2	23548-5653	0.937	1.875	0.625
63R1	23547-6937	1.500	2.250	0.687	63R2	23548-5968	2.375	3.062	0.687
63R1	23547-6941	2.344	3.350	0.687	63R2	23548-5980	2.375	3.350	0.687
63R1	23547-6986	0.500	1.125	0.562	63R2	23548-6438	2.000	3.000	0.687
63R1	23547-7146	0.250	0.750	0.469	63R2	23548-6442	0.500	1.000	0.594
63R1	23547-7150	0.625	1.250	0.562	63R2	23548-6452	1.125	1.625	0.562
63R1	23547-7184	0.750	1.500	0.562	63R2	23548-6465	2.500	3.500	0.687
63R1	23547-7187	2.625	3.500	0.687	63R2	23548-6467	2.750	3.751	0.687
63R1	23547-7197	3.000	4.003	0.687	63R2	23548-6468	2.375	3.751	0.687
63R1	23547-7208	1.125	1.750	0.562	63R2	23548-6477	1.000	1.625	0.562
63R1	23547-7210	2.687	3.751	0.687	63R2	23548-6478	2.250	3.000	0.687
63R1	23547-7215	1.000	1.750	0.687	63R2	23548-6479	1.375	2.125	0.687
63R1	23547-7280	1.562	2.437	0.687	63R2	23548-6516	1.625	2.375	0.687
63R1	23547-7346	2.062	2.875	0.687	63R2	23548-6517	1.250	2.375	0.687
63R1	23547-7382	2.250	3.350	0.687	63R2	23548-6522	1.750	3.000	0.687
63R1	23547-7563	2.000	2.750	0.687	63R2	23548-6536	2.000	3.375	0.687
63R1	23547-7569	1.687	2.375	0.687	63R2	23548-6543	3.000	3.751	0.687
63R1	23547-7691	2.250	3.246	0.687	63R2	23548-6546	1.875	2.625	0.687
63R1	23547-8104	1.562	2.375	0.687	63R2	23548-6551	1.500	2.500	0.687
63R1	23547-8187	1.187	1.875	0.687	63R2	23548-6554	1.687	2.750	0.687
63R1	23547-8266	1.625	2.875	0.687	63R2	23548-6566	2.500	3.751	0.687
63R1	23547-8272	0.500	1.250	0.562	63R2	23548-6567	0.562	1.125	0.562
63R1	23547-8470	2.937	3.876	0.687	63R2	23548-6569	1.437	2.250	0.687
63R1	23547-8514	1.156	2.250	0.687	63R2	23548-6580	1.000	1.828	0.687
63R1	23547-8569	1.250	2.437	0.687	63R2	23548-6593	2.125	3.000	0.687
63R1	23547-8704	1.500	2.250	0.531	63R2	23548-6599	2.875	4.003	0.687
63R1	23547-9029	2.406	3.372	0.687	63R2	23548-6608	2.000	2.686	0.687
63R1	23547-9417	1.000	1.750	0.625	63R2	23548-6637	0.625	1.125	0.562
63R1	23547-9430	1.937	2.997	0.687	63R2	23548-6641	2.562	3.250	0.687
63R1	23547-9551	1.281	2.497	0.687	63R2	23548-6651	2.625	3.751	0.687
63R1	23547-9585	1.187	2.062	0.687	63R2	23548-6667	1.500	2.375	0.687
63R2	23548-1171	2.875	3.876	0.687	63R2	23548-6675	1.250	2.250	0.687
63R2	23548-4592	2.125	2.875	0.687	63R2	23548-6694	1.000	1.500	0.562
63R2	23548-4665	2.250	3.250	0.687	63R2	23548-6706	2.000	3.189	0.687
63R2	23548-4670	2.000	2.875	0.687	63R2	23548-6716	2.750	3.500	0.687
63R2	23548-4671	1.750	2.437	0.687	63R2	23548-6720	0.750	1.250	0.562
63R2	23548-4693	1.937	2.875	0.687	63R2	23548-6730	2.875	3.751	0.687
63R2	23548-4700	0.875	1.500	0.562	63R2	23548-6733	0.375	0.750	0.469
63R2	23548-4721	0.937	1.625	0.562	63R2	23548-6745	1.250	2.000	0.687
63R2	23548-4734	2.500	3.876	0.687	63R2	23548-6753	1.687	2.686	0.687
63R2	23548-4754	0.750	1.375	0.562	63R2	23548-6792	1.937	3.350	0.687
63R2	23548-4818	1.469	2.750	0.687	63R2	23548-6795	2.250	2.997	0.687
63R2	23548-4844	2.500	3.543	0.687	63R2	23548-6800	2.625	4.003	0.687
63R2	23548-4848	2.187	3.500	0.687	63R2	23548-6832	1.750	2.750	0.687
63R2	23548-4852	0.562	1.000	0.594	63R2	23548-6856	0.625	1.375	0.562
63R2	23548-4861	1.437	2.500	0.687	63R2	23548-6899	1.562	2.500	0.687
63R2	23548-4866	2.000	3.246	0.687	63R2	23548-6966	2.500	4.003	0.687
63R2	23548-4887	1.000	1.875	0.687	63R2	23548-6971	0.594	1.375	0.562
63R2	23548-4958	2.312	3.250	0.687	63R2	23548-7100	0.969	2.062	0.687

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63R2	23548-7136	2.437	3.189	0.687	63T2	23550-5053	2.000	3.125	0.687
63R2	23548-7146	0.250	0.750	0.469	63T2	23550-5214	0.750	1.575	0.562
63R2	23548-7159	2.812	3.751	0.687	63T2	23550-5248	0.750	1.875	0.687
63R2	23548-7160	2.125	3.125	0.687	63T2	23550-5257	2.625	3.500	0.750
63R2	23548-7177	2.750	4.003	0.687	63T2	23550-5652	1.875	2.686	0.687
63R2	23548-7187	2.625	3.500	0.687	63T2	23550-5778	2.000	2.882	0.687
63R2	23548-7197	3.000	4.003	0.687	63T2	23550-5886	2.687	3.876	0.687
63R2	23548-7215	1.000	1.750	0.687	63T2	23550-5893	0.437	0.875	0.594
63R2	23548-7223	1.937	2.625	0.687	63T2	23550-5980	2.375	3.350	0.687
63R2	23548-7228	1.750	2.625	0.687	63T2	23550-6438	2.000	3.000	0.687
63R2	23548-7238	2.437	3.481	0.687	63T2	23550-6448	1.500	2.625	0.687
63R2	23548-7248	1.937	2.686	0.687	63T2	23550-6452	1.125	1.625	0.562
63R2	23548-7299	0.687	1.125	0.562	63T2	23550-6465	2.500	3.500	0.687
63R2	23548-7333	1.187	2.375	0.687	63T2	23550-6466	1.125	2.000	0.687
63R2	23548-7563	2.000	2.750	0.687	63T2	23550-6467	2.750	3.751	0.687
63R2	23548-7564	2.500	3.250	0.687	63T2	23550-6469	1.937	3.000	0.687
63R2	23548-8104	1.562	2.375	0.687	63T2	23550-6475	1.375	2.500	0.687
63R2	23548-8187	1.187	1.875	0.687	63T2	23550-6477	1.000	1.625	0.562
63R2	23548-8293	1.875	2.875	0.687	63T2	23550-6478	2.250	3.000	0.687
63R2	23548-8339	0.625	1.500	0.562	63T2	23550-6479	1.375	2.125	0.687
63R2	23548-8404	2.125	3.350	0.687	63T2	23550-6487	2.437	3.125	0.687
63R2	23548-8496	0.375	0.875	0.469	63T2	23550-6500	0.875	1.375	0.562
63R2	23548-8521	2.437	3.250	0.687	63T2	23550-6517	1.250	2.375	0.687
63R2	23548-8643	1.875	2.750	0.687	63T2	23550-6522	1.750	3.000	0.687
63R2	23548-8646	1.719	2.625	0.687	63T2	23550-6541	2.437	3.500	0.687
63R2	23548-8863	2.937	3.623	0.687	63T2	23550-6546	1.875	2.625	0.687
63R2	23548-8930	2.500	3.625	0.687	63T2	23550-6551	1.500	2.500	0.687
63R2	23548-9040	2.687	3.623	0.687	63T2	23550-6554	1.687	2.750	0.687
63R2	23548-9081	1.469	2.375	0.687	63T2	23550-6566	2.500	3.751	0.687
63R2	23548-9604	2.312	3.000	0.687	63T2	23550-6569	1.437	2.250	0.687
63R2	23548-9621	2.062	2.997	0.687	63T2	23550-6576	1.375	2.062	0.687
63R2	23548-9624	0.937	1.750	0.687	63T2	23550-6589	2.687	4.003	0.687
63T2	23550-1452	1.250	1.875	0.688	63T2	23550-6593	2.125	3.000	0.687
63T2	23550-2494	2.406	3.125	0.687	63T2	23550-6599	2.875	4.003	0.687
63T2	23550-2577	0.750	1.750	0.687	63T2	23550-6624	1.250	2.062	0.687
63T2	23550-4592	2.125	2.875	0.687	63T2	23550-6637	0.625	1.125	0.562
63T2	23550-4648	2.969	3.751	0.687	63T2	23550-6651	2.625	3.751	0.687
63T2	23550-4659	2.187	2.875	0.687	63T2	23550-6662	0.781	1.500	0.562
63T2	23550-4665	2.250	3.250	0.687	63T2	23550-6667	1.500	2.375	0.687
63T2	23550-4670	2.000	2.875	0.687	63T2	23550-6675	1.250	2.250	0.687
63T2	23550-4671	1.750	2.437	0.687	63T2	23550-6688	1.125	1.875	0.687
63T2	23550-4672	1.750	2.500	0.687	63T2	23550-6694	1.000	1.500	0.562
63T2	23550-4693	1.937	2.875	0.687	63T2	23550-6720	0.750	1.250	0.562
63T2	23550-4754	0.750	1.375	0.562	63T2	23550-6745	1.250	2.000	0.687
63T2	23550-4781	0.500	1.375	0.562	63T2	23550-6753	1.687	2.686	0.687
63T2	23550-4818	1.469	2.750	0.687	63T2	23550-6757	2.250	3.500	0.687
63T2	23550-4819	0.937	1.500	0.562	63T2	23550-6774	1.375	2.250	0.687
63T2	23550-4844	2.500	3.543	0.687	63T2	23550-6832	1.750	2.750	0.687
63T2	23550-4866	2.000	3.246	0.687	63T2	23550-6856	0.625	1.375	0.562
63T2	23550-4958	2.312	3.250	0.687	63T2	23550-6857	1.125	1.750	0.687
63T2	23550-4976	1.375	2.625	0.687	63T2	23550-6860	1.625	2.500	0.687
63T2	23550-5007	1.375	2.106	0.687	63T2	23550-6904	2.000	3.000	0.594

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
63T2	23550-6929	2.156	3.372	0.687	64	21238-1705	8.500	9.750	0.562
63T2	23550-6934	1.687	2.625	0.688	64	21238-1914	51.250	53.300	0.875
63T2	23550-6937	1.500	2.250	0.687	64	21238-1929	16.535	18.504	0.875
63T2	23550-6971	0.594	1.375	0.562	64	21238-1964	40.500	43.020	0.875
63T2	23550-6977	0.750	1.625	0.562	64	21238-2394	22.047	24.016	0.875
63T2	23550-6995	2.250	3.125	0.687	64	21238-2576	22.375	24.375	0.875
63T2	23550-7044	1.625	2.437	0.687	64	21238-2622	14.875	16.875	0.937
63T2	23550-7130	1.562	2.686	0.687	64	21238-2736	8.625	10.260	0.687
63T2	23550-7146	0.250	0.750	0.469	64	21238-3135	11.000	12.250	0.562
63T2	23550-7150	0.625	1.250	0.562	64	21238-3145	9.500	10.750	0.562
63T2	23550-7153	3.000	3.876	0.687	64	21238-3669	10.000	12.250	0.813
63T2	23550-7160	2.125	3.125	0.687	64	21238-3699	11.125	13.000	0.687
63T2	23550-7167	2.437	3.751	0.687	64	21238-3700	11.125	13.250	0.813
63T2	23550-7184	0.750	1.500	0.562	64	21238-3701	12.000	13.750	0.688
63T2	23550-7186	1.000	2.000	0.687	64	21238-3702	12.000	14.750	0.813
63T2	23550-7187	2.625	3.500	0.687	64	21238-3716	12.625	14.500	0.687
63T2	23550-7197	3.000	4.003	0.687	64	21238-3720	11.000	12.250	0.687
63T2	23550-7223	1.937	2.625	0.687	64	21238-3744	16.750	18.250	0.687
63T2	23550-7226	1.437	2.437	0.687	64	21238-3748	16.750	19.000	0.812
63T2	23550-7261	1.562	2.783	0.687	64	21238-3750	17.000	19.500	0.812
63T2	23550-7299	0.687	1.125	0.562	64	21238-3751	17.250	18.750	0.687
63T2	23550-7405	0.669	1.575	0.562	64	21238-3752	18.000	20.500	0.875
63T2	23550-7563	2.000	2.750	0.687	64	21238-3753	18.000	21.000	0.875
63T2	23550-7564	2.500	3.250	0.687	64	21238-3754	18.120	20.500	0.875
63T2	23550-7569	1.687	2.375	0.687	64	21238-3756	18.125	20.500	0.875
63T2	23550-7595	1.250	1.984	0.687	64	21238-3757	18.250	19.750	0.687
63T2	23550-7722	2.937	4.125	0.719	64	21238-3763	22.000	24.250	0.875
63T2	23550-8187	1.187	1.875	0.687	64	21238-3764	22.250	24.250	0.875
63T2	23550-8266	1.625	2.875	0.687	64	21238-3765	18.250	19.875	0.687
63T2	23550-8267	0.562	1.375	0.562	64	21238-3767	18.375	20.500	0.750
63T2	23550-8562	0.781	1.250	0.562	64	21238-3768	18.500	20.000	0.687
63T2	23550-8732	1.875	3.000	0.687	64	21238-3770	24.250	26.250	1.000
63T2	23550-9122	1.437	2.125	0.687	64	21238-3772	18.500	20.250	0.687
63T2	23550-9381	1.312	2.106	0.687	64	21238-3773	19.000	21.500	0.875
63T2	23550-9551	1.281	2.497	0.687	64	21238-3774	25.000	27.000	0.875
63T2	23550-9654	3.000	3.937	0.687	64	21238-3777	19.250	21.000	0.750
63T2	23550-9748	1.187	1.828	0.687	64	21238-3779	19.500	21.000	0.750
63T2	23550-9844	2.250	3.372	0.687	64	21238-3783	19.500	21.688	0.875
63TB	23549-6551	1.500	2.500	0.687	64	21238-3785	19.750	22.250	0.875
63TB	23549-6674	1.250	2.125	0.687	64	21238-3788	19.875	22.000	0.875
63TB	23549-6699	2.187	3.147	0.687	64	21238-3789	19.938	21.500	0.750
63TB	23549-7197	3.000	4.003	0.687	64	21238-3790	20.000	22.500	0.875
63TB	23549-8292	1.875	3.189	0.687	64	21238-3791	29.500	31.500	1.000
63TB	23549-9844	2.250	3.372	0.687	64	21238-3792	20.143	22.250	0.875
63TF	23735-4665	2.250	3.250	0.687	64	21238-3797	30.000	32.500	1.000
63TF	23735-6588	2.937	4.003	0.687	64	21238-3831	34.750	36.750	0.875
64	21238-0569	21.500	23.750	0.875	64	21238-3835	35.000	37.000	0.875
64	21238-0586	43.504	45.669	0.984	64	21238-3836	35.000	37.500	0.875
64	21238-1073	39.370	41.338	0.875	64	21238-3837	35.000	38.000	0.875
64	21238-1299	6.125	7.625	0.687	64	21238-3847	37.437	39.500	0.875
64	21238-1451	24.803	26.378	0.750	64	21238-3855	14.250	16.500	0.812
64	21238-1692	9.750	11.125	0.562	64	21238-3856	14.625	16.250	0.687

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
64	21238-3857	14.625	16.750	0.812	64	21238-4081	12.625	14.125	0.687
64	21238-3858	14.875	16.500	0.687	64	21238-4082	12.500	14.500	0.750
64	21238-3859	14.875	16.750	0.687	64	21238-4083	12.500	14.500	0.812
64	21238-3860	14.875	17.000	0.812	64	21238-4084	12.500	15.000	0.813
64	21238-3861	14.906	17.000	0.812	64	21238-4089	12.750	14.250	0.687
64	21238-3862	15.000	17.750	0.812	64	21238-4092	12.750	15.000	0.813
64	21238-3878	28.000	30.500	0.875	64	21238-4093	13.000	14.500	0.687
64	21238-3921	8.000	9.500	0.687	64	21238-4096	13.000	14.875	0.687
64	21238-3933	8.375	9.875	0.687	64	21238-4097	12.375	14.375	0.687
64	21238-3938	8.500	10.500	0.812	64	21238-4099	13.000	15.000	0.812
64	21238-3939	8.625	10.125	0.687	64	21238-4101	13.250	14.750	0.687
64	21238-3946	8.750	10.250	0.687	64	21238-4105	13.250	15.125	0.687
64	21238-3952	8.750	10.750	0.812	64	21238-4106	12.375	14.500	0.813
64	21238-3953	8.875	10.875	0.812	64	21238-4108	13.813	16.000	0.812
64	21238-3954	9.000	10.500	0.687	64	21238-4110	13.875	16.000	0.812
64	21238-3955	9.000	11.000	0.812	64	21238-4111	13.938	15.500	0.687
64	21238-3957	9.125	10.625	0.687	64	21238-4112	13.938	16.000	0.687
64	21238-3962	9.125	11.125	0.812	64	21238-4118	14.250	15.750	0.687
64	21238-3963	9.250	10.750	0.687	64	21238-4119	13.750	16.000	0.813
64	21238-3981	9.500	11.250	0.750	64	21238-4120	13.625	15.500	0.687
64	21238-3984	9.500	11.500	0.812	64	21238-4121	13.500	15.000	0.687
64	21238-3985	9.750	11.250	0.687	64	21238-4123	13.500	15.750	0.813
64	21238-3992	10.000	11.500	0.687	64	21238-4124	13.500	15.250	0.750
64	21238-3994	10.000	11.750	0.750	64	21238-4128	13.500	15.500	0.812
64	21238-3997	10.000	12.000	0.812	64	21238-4129	13.750	15.750	0.812
64	21238-3998	10.000	12.000	0.875	64	21238-4130	13.937	15.437	0.687
64	21238-3999	10.125	11.625	0.687	64	21238-4131	14.000	15.500	0.687
64	21238-4004	10.250	11.750	0.687	64	21238-4134	14.000	15.750	0.750
64	21238-4009	10.250	12.250	0.812	64	21238-4135	14.000	16.000	0.812
64	21238-4011	10.500	12.000	0.687	64	21238-4140	14.250	16.250	0.812
64	21238-4015	10.250	12.500	0.813	64	21238-4142	14.500	16.000	0.687
64	21238-4017	10.500	12.500	0.812	64	21238-4145	14.500	16.500	0.812
64	21238-4022	10.750	13.000	0.813	64	21238-4147	14.750	16.250	0.687
64	21238-4023	10.750	12.250	0.687	64	21238-4151	15.000	16.500	0.687
64	21238-4026	10.750	13.250	0.813	64	21238-4156	15.000	17.000	0.812
64	21238-4027	10.875	12.375	0.687	64	21238-4158	15.312	16.875	0.687
64	21238-4028	10.875	12.500	0.687	64	21238-4159	15.375	17.375	0.812
64	21238-4031	10.750	12.750	0.812	64	21238-4163	15.500	17.500	0.812
64	21238-4036	11.000	13.000	0.812	64	21238-4165	15.125	16.750	0.812
64	21238-4039	11.024	13.386	0.813	64	21238-4166	15.359	17.717	0.687
64	21238-4047	11.250	13.250	0.812	64	21238-4167	15.375	17.250	0.687
64	21238-4052	11.375	13.375	0.812	64	21238-4168	15.500	18.000	0.812
64	21238-4055	12.250	14.000	0.687	64	21238-4169	15.748	17.716	0.687
64	21238-4056	12.375	14.000	0.687	64	21238-4170	15.750	17.250	0.687
64	21238-4057	11.500	13.000	0.687	64	21238-4171	15.750	17.500	0.687
64	21238-4063	11.500	13.500	0.812	64	21238-4172	15.750	18.000	0.812
64	21238-4064	11.750	13.250	0.687	64	21238-4173	16.000	17.625	0.687
64	21238-4071	12.000	14.000	0.750	64	21238-4174	16.250	18.500	0.812
64	21238-4072	12.000	14.000	0.812	64	21238-4175	15.750	18.500	1.000
64	21238-4075	12.250	14.250	0.812	64	21238-4176	15.875	17.875	0.812
64	21238-4076	12.375	13.875	0.687	64	21238-4177	16.000	17.500	0.687
64	21238-4079	12.500	14.000	0.687	64	21238-4179	16.375	17.875	0.687

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
64	21238-4180	16.000	18.000	0.812	64	21238-4271	22.500	24.000	0.750
64	21238-4181	16.250	17.750	0.687	64	21238-4272	22.500	24.250	0.750
64	21238-4183	16.500	19.000	0.812	64	21238-4273	22.500	24.750	0.875
64	21238-4184	16.250	18.000	0.750	64	21238-4274	22.500	25.000	0.875
64	21238-4186	16.500	18.500	0.812	64	21238-4277	23.000	25.375	0.875
64	21238-4188	17.000	18.500	0.687	64	21238-4279	22.500	24.500	0.875
64	21238-4190	17.000	19.000	0.812	64	21238-4281	22.750	24.750	0.875
64	21238-4191	17.000	19.250	0.812	64	21238-4283	23.000	24.500	0.750
64	21238-4194	17.500	19.000	0.687	64	21238-4284	23.000	25.000	0.875
64	21238-4197	17.500	19.750	0.812	64	21238-4285	23.000	25.500	0.875
64	21238-4198	17.500	19.500	0.687	64	21238-4287	23.375	25.375	0.875
64	21238-4199	17.625	19.250	0.687	64	21238-4288	23.500	25.500	0.875
64	21238-4200	17.750	19.750	0.812	64	21238-4290	23.562	25.250	0.750
64	21238-4203	18.000	19.875	0.687	64	21238-4291	23.562	25.375	0.750
64	21238-4204	17.875	19.875	0.812	64	21238-4292	23.625	26.000	0.875
64	21238-4206	18.000	19.500	0.687	64	21238-4293	23.875	26.000	0.875
64	21238-4209	18.000	20.000	0.750	64	21238-4294	24.000	26.000	0.875
64	21238-4210	18.000	20.000	0.875	64	21238-4297	24.000	26.500	0.875
64	21238-4213	18.375	19.875	0.687	64	21238-4299	25.250	27.250	0.750
64	21238-4215	18.375	20.000	0.750	64	21238-4300	25.500	27.000	0.875
64	21238-4216	18.500	20.500	0.875	64	21238-4301	24.250	26.250	0.875
64	21238-4218	19.000	20.500	0.750	64	21238-4302	24.437	26.000	0.750
64	21238-4219	19.000	21.000	0.875	64	21238-4303	25.875	28.000	0.875
64	21238-4221	19.500	21.500	0.875	64	21238-4304	24.437	26.437	0.750
64	21238-4228	19.750	21.750	0.875	64	21238-4305	24.500	26.500	0.875
64	21238-4233	19.937	21.687	0.625	64	21238-4306	25.988	27.625	0.750
64	21238-4235	20.000	21.500	0.750	64	21238-4307	26.375	28.188	0.875
64	21238-4236	20.000	21.750	0.750	64	21238-4308	25.000	26.500	0.750
64	21238-4237	20.000	22.000	0.875	64	21238-4309	25.000	27.000	1.000
64	21238-4239	20.250	21.750	0.750	64	21238-4311	25.187	26.875	0.750
64	21238-4240	20.250	22.250	0.875	64	21238-4312	26.375	28.250	0.875
64	21238-4241	20.250	22.375	0.750	64	21238-4313	26.500	28.500	0.875
64	21238-4242	20.438	22.500	0.812	64	21238-4315	27.500	29.000	0.750
64	21238-4243	20.750	23.000	0.812	64	21238-4316	28.000	29.813	0.750
64	21238-4244	20.866	22.836	0.812	64	21238-4318	25.500	27.500	0.875
64	21238-4245	20.500	22.250	0.812	64	21238-4320	28.000	30.250	0.812
64	21238-4246	20.500	22.500	0.875	64	21238-4322	29.500	32.250	0.875
64	21238-4248	20.750	22.750	0.875	64	21238-4323	30.000	32.250	0.875
64	21238-4250	20.875	22.875	0.875	64	21238-4325	26.000	28.000	0.875
64	21238-4251	21.000	23.250	0.812	64	21238-4326	33.000	35.250	0.875
64	21238-4253	21.000	23.000	0.875	64	21238-4327	33.500	36.250	0.875
64	21238-4254	21.250	23.250	0.875	64	21238-4328	33.625	35.625	0.875
64	21238-4257	21.500	23.250	0.750	64	21238-4330	26.125	28.125	0.875
64	21238-4259	21.500	23.500	0.875	64	21238-4333	27.000	29.000	0.875
64	21238-4260	21.750	24.500	0.875	64	21238-4335	34.250	36.750	0.875
64	21238-4261	21.625	23.375	0.750	64	21238-4338	34.500	37.500	0.875
64	21238-4262	21.750	24.750	0.875	64	21238-4339	27.500	29.500	0.875
64	21238-4263	21.625	23.625	0.875	64	21238-4340	38.000	41.000	0.875
64	21238-4265	21.750	23.750	0.875	64	21238-4341	27.875	29.812	0.875
64	21238-4268	22.375	24.250	0.750	64	21238-4342	38.358	40.750	0.875
64	21238-4269	22.000	23.500	0.750	64	21238-4343	28.000	29.500	0.750
64	21238-4270	22.000	24.000	0.875	64	21238-4344	28.000	30.000	0.875

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
64	21238-4346	28.500	30.500	0.875	64	21238-4540	31.000	33.500	0.875
64	21238-4347	29.000	30.500	0.750	64	21238-4541	31.000	34.000	0.875
64	21238-4348	29.000	31.000	0.875	64	21238-4542	32.750	34.250	0.750
64	21238-4349	38.500	41.000	0.875	64	21238-4544	33.000	35.500	0.875
64	21238-4350	39.000	41.500	0.875	64	21238-4548	33.500	35.625	0.875
64	21238-4352	29.500	31.500	0.875	64	21238-4549	33.500	35.750	0.875
64	21238-4356	30.000	31.500	0.750	64	21238-4550	33.500	36.000	0.875
64	21238-4357	30.000	32.000	0.875	64	21238-4552	33.500	36.417	0.875
64	21238-4358	30.000	32.500	0.875	64	21238-4553	35.500	37.500	0.875
64	21238-4359	30.000	32.750	0.875	64	21238-4563	44.500	46.000	0.750
64	21238-4360	30.000	33.000	0.875	64	21238-4567	38.250	40.750	0.875
64	21238-4361	30.312	32.375	0.875	64	21238-4569	38.250	41.250	0.875
64	21238-4365	30.500	32.500	0.875	64	21238-4570	38.750	41.000	0.875
64	21238-4367	31.000	33.000	0.875	64	21238-4577	39.000	42.250	0.875
64	21238-4371	32.125	34.125	0.875	64	21238-4578	46.500	48.500	0.875
64	21238-4373	32.312	34.500	0.875	64	21238-4610	9.375	11.375	0.812
64	21238-4377	32.500	34.500	0.875	64	21238-4611	11.000	12.500	0.687
64	21238-4381	33.000	34.500	0.750	64	21238-4612	12.000	13.500	0.687
64	21238-4382	33.000	35.000	0.875	64	21238-4613	12.250	13.750	0.687
64	21238-4389	33.500	35.500	0.875	64	21238-4615	15.250	16.750	0.687
64	21238-4399	34.000	36.000	0.875	64	21238-4617	19.250	20.750	0.750
64	21238-4401	34.250	36.250	0.875	64	21238-4619	20.500	22.000	0.750
64	21238-4405	34.500	36.500	0.875	64	21238-4621	21.750	23.250	0.750
64	21238-4416	35.250	37.250	0.875	64	21238-4623	24.000	25.500	0.750
64	21238-4417	35.375	37.375	0.875	64	21238-4626	27.250	29.250	0.875
64	21238-4421	36.000	38.000	0.875	64	21238-4628	28.750	30.750	0.875
64	21238-4429	36.500	38.000	0.750	64	21238-4631	31.250	32.750	0.750
64	21238-4430	36.500	38.500	0.875	64	21238-4632	32.000	34.000	0.875
64	21238-4432	36.750	38.750	0.875	64	21238-4635	41.500	43.500	0.875
64	21238-4434	37.000	39.000	0.875	64	21238-4637	43.500	45.500	0.875
64	21238-4436	37.250	39.250	0.875	64	21238-4638	43.750	45.750	0.875
64	21238-4438	37.500	39.500	0.875	64	21238-4639	48.250	50.250	0.875
64	21238-4448	38.000	40.000	0.875	64	21238-4647	35.250	38.250	0.812
64	21238-4454	38.250	40.250	0.875	64	21238-4779	13.250	15.250	0.812
64	21238-4456	38.750	40.750	0.875	64	21238-4794	26.000	28.500	0.875
64	21238-4462	38.937	41.000	0.875	64	21238-4906	30.250	32.500	0.875
64	21238-4465	39.000	41.000	0.875	64	21238-4979	64.409	66.929	0.866
64	21238-4467	40.000	42.000	0.875	64	21238-5000	30.000	31.616	0.750
64	21238-4468	40.500	42.500	0.875	64	21238-5001	27.625	29.625	0.750
64	21238-4473	42.500	45.000	0.875	64	21238-5016	31.750	33.750	0.875
64	21238-4475	44.000	46.500	0.875	64	21238-5033	31.250	33.250	0.750
64	21238-4476	15.250	17.250	0.812	64	21238-5054	17.500	19.250	0.687
64	21238-4499	8.250	10.250	0.812	64	21238-5077	16.000	18.000	0.875
64	21238-4500	8.375	10.375	0.812	64	21238-5259	21.000	22.500	0.750
64	21238-4527	11.250	12.750	0.687	64	21238-5276	21.750	24.000	0.875
64	21238-4529	13.750	15.250	0.687	64	21238-5312	21.000	22.750	0.750
64	21238-4531	13.750	15.500	0.750	64	21238-5382	14.000	16.250	0.812
64	21238-4533	26.500	28.000	0.750	64	21238-5404	12.875	15.000	0.812
64	21238-4534	28.500	31.000	0.875	64	21238-5421	23.000	24.750	0.750
64	21238-4537	29.000	32.000	0.875	64	21238-5481	14.375	16.000	0.687
64	21238-4538	29.500	32.000	0.875	64	21238-5482	59.000	61.000	0.875
64	21238-4539	29.500	32.500	0.875	64	21238-5485	19.250	21.250	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
64	21238-5547	23.500	25.250	0.750	64	21238-7407	21.500	23.500	0.812
64	21238-5555	42.500	44.250	0.875	64	21238-7428	36.750	39.250	0.875
64	21238-5644	24.000	27.000	0.875	64	21238-7535	14.000	16.500	0.812
64	21238-5728	18.000	19.750	0.687	64	21238-7537	32.125	34.625	0.875
64	21238-5739	31.000	32.500	0.750	64	21238-7538	39.750	42.250	0.875
64	21238-5838	12.000	14.000	0.687	64	21238-7652	12.750	14.750	0.687
64	21238-5921	26.000	27.625	0.750	64	21238-7718	8.625	10.750	0.812
64	21238-5989	10.125	11.750	0.687	64	21238-7734	13.250	14.875	0.687
64	21238-5990	14.750	16.500	0.687	64	21238-7769	10.630	12.126	0.687
64	21238-5991	14.000	15.750	0.687	64	21238-7770	36.220	37.717	0.750
64	21238-5992	15.312	17.312	0.687	64	21238-7828	28.000	29.625	0.750
64	21238-5994	25.187	26.937	0.750	64	21238-7870	30.000	31.625	0.750
64	21238-5995	16.000	18.500	0.812	64	21238-8031	27.000	29.500	0.875
64	21238-5997	25.000	27.500	0.875	64	21238-8198	50.000	52.000	0.875
64	21238-5998	28.000	31.000	0.875	64	21238-8217	16.250	18.000	0.687
64	21238-6034	11.000	13.000	0.687	64	21238-8230	30.500	33.500	0.875
64	21238-6152	33.000	34.687	0.750	64	21238-8231	20.250	22.245	0.875
64	21238-6239	23.750	25.250	1.000	64	21238-8289	32.750	35.000	0.875
64	21238-6269	42.500	45.500	0.875	64	21238-8317	46.850	48.819	0.875
64	21238-6287	20.500	22.750	0.875	64	21238-8407	32.000	34.500	0.875
64	21238-6293	24.000	26.250	0.875	64	21238-8453	8.500	10.000	0.687
64	21238-6294	13.250	15.250	0.687	64	21238-8508	15.000	17.250	0.812
64	21238-6295	22.000	24.500	0.875	64	21238-8523	12.000	13.625	0.687
64	21238-6384	8.500	9.750	0.652	64	21238-8557	63.327	65.748	0.787
64	21238-6417	20.875	23.228	0.875	64	21238-8577	30.500	33.000	0.875
64	21238-6421	25.000	27.250	0.875	64	21238-8579	48.000	50.000	0.875
64	21238-6493	21.500	23.625	0.875	64	21238-8594	54.331	56.693	0.984
64	21238-6535	21.000	23.000	0.812	64	21238-8599	40.000	42.500	1.000
64	21238-6740	18.375	20.375	0.812	64	21238-8622	61.024	63.386	0.984
64	21238-6747	51.250	53.250	0.875	64	21238-8624	23.622	25.197	0.787
64	21238-6771	15.500	17.750	0.812	64	21238-8628	41.875	43.500	1.000
64	21238-6779	21.500	24.000	0.875	64	21238-8675	21.750	24.250	0.875
64	21238-6787	33.000	34.625	0.750	64	21238-8765	9.134	10.625	0.687
64	21238-6843	22.750	25.000	0.875	64	21238-8770	20.250	22.500	0.875
64	21238-6850	17.625	19.625	0.687	64	21238-8778	11.250	13.250	0.687
64	21238-6874	15.750	17.750	0.687	64	21238-8791	40.000	42.500	0.875
64	21238-6908	34.500	36.000	0.750	64	21238-8793	29.000	31.500	1.000
64	21238-6910	23.250	25.250	0.812	64	21238-8903	45.000	46.625	1.000
64	21238-6967	17.250	18.750	0.750	64	21238-9010	74.409	76.929	0.984
64	21238-6998	25.750	27.250	0.750	64	21238-9079	35.437	38.583	0.875
64	21238-7065	53.150	55.669	0.866	64	21238-9082	22.000	24.250	0.812
64	21238-7087	44.000	46.000	0.875	64	21238-9084	17.750	20.078	0.875
64	21238-7103	18.375	19.937	0.687	64	21238-9176	7.875	9.375	0.687
64	21238-7169	13.250	15.000	0.687	64	21238-9271	15.750	17.312	0.687
64	21238-7189	43.000	45.500	0.875	64	21238-9280	14.187	16.732	0.812
64	21238-7266	22.047	24.016	0.787	64	21238-9402	26.000	28.125	0.875
64	21238-7281	18.897	20.472	0.787	64	21238-9411	37.500	39.000	0.750
64	21238-7300	40.500	43.000	0.875	64	21238-9425	9.750	11.750	0.687
64	21238-7328	36.750	39.250	0.875	64	21238-9504	33.500	35.000	0.875
64	21238-7391	11.024	12.598	0.787	64	21238-9637	15.000	17.500	0.812
64	21238-7393	21.260	23.228	0.984	64	21238-9695	16.937	19.291	0.812
64	21238-7400	19.750	22.125	0.875	64	21238-9706	9.250	11.250	0.687

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
64	21238-9712	8.125	10.125	0.687	66	21527-0385	1.187	1.984	0.375
64	21238-9766	12.687	14.750	0.812	66	21527-0387	1.187	2.000	0.375
64	21238-9772	21.000	23.500	0.875	66	21527-0389	1.187	2.062	0.375
64	21238-9863	16.500	18.000	0.687	66	21527-0394	1.187	2.125	0.375
64	21238-9892	16.250	18.250	0.687	66	21527-0397	1.187	2.250	0.375
64	21238-9893	20.625	22.625	0.812	66	21527-0424	1.250	1.984	0.375
64	21238-9911	8.750	10.500	0.687	66	21527-0427	1.250	2.000	0.375
64	21238-9984	27.000	30.000	0.875	66	21527-0430	1.250	2.062	0.375
66	21525-0213	0.875	1.375	0.312	66	21527-0436	1.250	2.125	0.375
66	21527-0015	0.375	0.875	0.250	66	21527-0439	1.250	2.250	0.375
66	21527-0035	0.437	0.875	0.312	66	21527-0442	1.250	2.375	0.375
66	21527-0139	0.750	1.250	0.312	66	21527-0445	1.250	2.437	0.375
66	21527-0141	0.750	1.375	0.312	66	21527-0448	1.281	1.984	0.375
66	21527-0143	0.750	1.500	0.312	66	21527-0451	1.281	2.000	0.375
66	21527-0145	0.750	1.575	0.312	66	21527-0535	1.375	2.062	0.375
66	21527-0147	0.750	1.625	0.312	66	21527-0541	1.375	2.125	0.375
66	21527-0149	0.750	1.750	0.375	66	21527-0544	1.375	2.250	0.375
66	21527-0151	0.750	1.828	0.375	66	21527-0547	1.375	2.375	0.375
66	21527-0153	0.750	1.875	0.375	66	21527-0550	1.375	2.437	0.375
66	21527-0155	0.750	1.984	0.375	66	21527-0553	1.375	2.497	0.375
66	21527-0215	0.875	1.500	0.312	66	21527-0556	1.375	2.500	0.375
66	21527-0217	0.875	1.575	0.312	66	21527-0559	1.375	2.625	0.375
66	21527-0219	0.875	1.625	0.312	66	21527-0592	1.437	2.125	0.375
66	21527-0221	0.875	1.750	0.375	66	21527-0595	1.437	2.250	0.375
66	21527-0223	0.875	1.828	0.375	66	21527-0598	1.437	2.375	0.375
66	21527-0225	0.875	1.875	0.375	66	21527-0601	1.437	2.437	0.375
66	21527-0227	0.875	1.984	0.375	66	21527-0604	1.437	2.497	0.375
66	21527-0229	0.875	2.000	0.375	66	21527-0643	1.500	2.250	0.375
66	21527-0231	0.875	2.062	0.375	66	21527-0646	1.500	2.375	0.375
66	21527-0251	0.938	1.500	0.312	66	21527-0649	1.500	2.437	0.375
66	21527-0321	1.062	1.575	0.312	66	21527-0652	1.500	2.497	0.375
66	21527-0323	1.062	1.625	0.312	66	21527-0655	1.500	2.500	0.375
66	21527-0325	1.062	1.750	0.375	66	21527-0700	1.562	2.250	0.375
66	21527-0327	1.062	1.828	0.375	66	21527-0703	1.562	2.375	0.375
66	21527-0329	1.062	1.875	0.375	66	21527-0706	1.562	2.437	0.375
66	21527-0331	1.062	1.984	0.375	66	21527-0709	1.562	2.497	0.375
66	21527-0333	1.062	2.000	0.375	66	21527-0712	1.562	2.500	0.375
66	21527-0335	1.062	2.062	0.375	66	21527-0715	1.562	2.625	0.375
66	21527-0336	1.062	2.062	0.437	66	21527-0718	1.562	2.686	0.375
66	21527-0337	1.093	1.625	0.312	66	21527-0721	1.562	2.750	0.375
66	21527-0339	1.093	1.750	0.375	66	21527-0724	1.562	2.756	0.375
66	21527-0341	1.093	1.828	0.375	66	21527-0727	1.562	2.783	0.375
66	21527-0347	1.093	2.000	0.375	66	21527-0739	1.594	2.500	0.375
66	21527-0349	1.093	2.062	0.375	66	21527-0760	1.625	2.375	0.375
66	21527-0351	1.125	1.625	0.312	66	21527-0763	1.625	2.437	0.375
66	21527-0352	1.125	1.625	0.375	66	21527-0766	1.625	2.497	0.375
66	21527-0353	1.125	1.750	0.375	66	21527-0769	1.625	2.500	0.375
66	21527-0355	1.125	1.828	0.375	66	21527-0772	1.625	2.625	0.375
66	21527-0357	1.125	1.875	0.375	66	21527-0775	1.625	2.686	0.375
66	21527-0359	1.125	2.000	0.375	66	21527-0778	1.625	2.750	0.375
66	21527-0361	1.125	2.062	0.375	66	21527-0781	1.625	2.756	0.375
66	21527-0383	1.187	1.875	0.375	66	21527-0784	1.625	2.783	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
66	21527-0787	1.625	2.875	0.375	66	21527-1150	1.969	2.686	0.375
66	21527-0826	1.687	2.375	0.375	66	21527-1153	1.969	2.750	0.375
66	21527-0829	1.687	2.437	0.375	66	21527-1156	1.969	2.756	0.375
66	21527-0832	1.687	2.497	0.375	66	21527-1162	1.969	2.875	0.375
66	21527-0835	1.687	2.500	0.375	66	21527-1168	1.969	3.000	0.375
66	21527-0838	1.687	2.625	0.375	66	21527-1174	1.969	3.125	0.375
66	21527-0841	1.687	2.686	0.375	66	21527-1177	1.969	3.147	0.375
66	21527-0844	1.687	2.750	0.375	66	21527-1180	1.969	3.189	0.375
66	21527-0847	1.687	2.756	0.375	66	21527-1183	1.969	3.246	0.375
66	21527-0853	1.687	2.875	0.375	66	21527-1186	2.000	2.686	0.375
66	21527-0859	1.687	3.000	0.375	66	21527-1189	2.000	2.750	0.375
66	21527-0898	1.750	2.437	0.375	66	21527-1192	2.000	2.756	0.375
66	21527-0901	1.750	2.497	0.375	66	21527-1195	2.000	2.783	0.375
66	21527-0904	1.750	2.500	0.375	66	21527-1198	2.000	2.875	0.375
66	21527-0907	1.750	2.625	0.375	66	21527-1201	2.000	2.997	0.375
66	21527-0910	1.750	2.686	0.375	66	21527-1204	2.000	3.000	0.375
66	21527-0913	1.750	2.750	0.375	66	21527-1207	2.000	3.062	0.375
66	21527-0916	1.750	2.756	0.375	66	21527-1210	2.000	3.125	0.375
66	21527-0919	1.750	2.783	0.375	66	21527-1213	2.000	3.147	0.375
66	21527-0922	1.750	2.875	0.375	66	21527-1216	2.000	3.189	0.375
66	21527-0925	1.750	2.997	0.375	66	21527-1219	2.000	3.246	0.375
66	21527-0928	1.750	3.000	0.375	66	21527-1252	2.062	2.875	0.375
66	21527-0931	1.750	3.062	0.375	66	21527-1255	2.062	2.997	0.375
66	21527-0934	1.781	2.497	0.375	66	21527-1258	2.062	3.000	0.375
66	21527-0937	1.781	2.500	0.375	66	21527-1261	2.062	3.062	0.375
66	21527-0940	1.781	2.625	0.375	66	21527-1264	2.062	3.125	0.375
66	21527-0946	1.781	2.750	0.375	66	21527-1267	2.062	3.147	0.375
66	21527-0955	1.781	2.875	0.375	66	21527-1270	2.062	3.189	0.375
66	21527-0964	1.781	3.062	0.375	66	21527-1276	2.062	3.250	0.375
66	21527-0967	1.781	3.125	0.375	66	21527-1279	2.062	3.350	0.375
66	21527-1042	1.875	2.625	0.375	66	21527-1321	2.125	2.875	0.375
66	21527-1045	1.875	2.686	0.375	66	21527-1324	2.125	2.997	0.375
66	21527-1048	1.875	2.750	0.375	66	21527-1327	2.125	3.000	0.375
66	21527-1051	1.875	2.756	0.375	66	21527-1330	2.125	3.062	0.375
66	21527-1054	1.875	2.783	0.375	66	21527-1333	2.125	3.125	0.375
66	21527-1057	1.875	2.875	0.375	66	21527-1336	2.125	3.147	0.375
66	21527-1060	1.875	2.997	0.375	66	21527-1339	2.125	3.189	0.375
66	21527-1063	1.875	3.000	0.375	66	21527-1345	2.125	3.250	0.375
66	21527-1066	1.875	3.062	0.375	66	21527-1348	2.125	3.350	0.375
66	21527-1069	1.875	3.125	0.375	66	21527-1351	2.125	3.372	0.375
66	21527-1075	1.875	3.189	0.375	66	21527-1357	2.125	3.500	0.375
66	21527-1114	1.937	2.625	0.375	66	21527-1402	2.187	3.000	0.375
66	21527-1117	1.937	2.686	0.375	66	21527-1405	2.187	3.062	0.375
66	21527-1120	1.937	2.750	0.375	66	21527-1408	2.187	3.125	0.375
66	21527-1123	1.937	2.756	0.375	66	21527-1411	2.187	3.147	0.375
66	21527-1129	1.937	2.875	0.375	66	21527-1414	2.187	3.189	0.375
66	21527-1132	1.937	2.997	0.375	66	21527-1417	2.187	3.246	0.437
66	21527-1135	1.937	3.000	0.375	66	21527-1420	2.187	3.250	0.375
66	21527-1138	1.937	3.062	0.375	66	21527-1423	2.187	3.350	0.375
66	21527-1141	1.937	3.125	0.375	66	21527-1426	2.187	3.372	0.375
66	21527-1144	1.937	3.147	0.375	66	21527-1429	2.187	3.481	0.375
66	21527-1147	1.937	3.189	0.375	66	21527-1432	2.187	3.500	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
66	21527-1471	2.250	2.997	0.375	66	21527-2023	2.719	3.751	0.375
66	21527-1474	2.250	3.000	0.375	66	21527-2029	2.719	4.003	0.375
66	21527-1477	2.250	3.062	0.375	66	21527-2032	2.750	3.481	0.375
66	21527-1480	2.250	3.125	0.375	66	21527-2035	2.750	3.500	0.375
66	21527-1483	2.250	3.147	0.375	66	21527-2037	2.750	3.500	0.500
66	21527-1486	2.250	3.189	0.375	66	21527-2038	2.750	3.543	0.375
66	21527-1489	2.250	3.246	0.375	66	21527-2041	2.750	3.623	0.375
66	21527-1492	2.250	3.250	0.375	66	21527-2044	2.750	3.751	0.375
66	21527-1495	2.250	3.350	0.375	66	21527-2047	2.750	3.876	0.375
66	21527-1498	2.250	3.372	0.375	66	21527-2050	2.750	4.003	0.375
66	21527-1501	2.250	3.481	0.375	66	21527-2120	3.000	3.751	0.500
66	21527-1504	2.250	3.500	0.375	66	21527-2168	3.000	3.751	0.375
66	21527-1597	2.344	3.062	0.375	66	21527-2170	3.000	3.751	0.500
66	21527-1639	2.375	3.062	0.375	66	21527-2171	3.000	3.876	0.375
66	21527-1642	2.375	3.125	0.375	66	21527-2173	3.000	3.876	0.500
66	21527-1645	2.375	3.147	0.375	66	21527-2174	3.000	4.003	0.375
66	21527-1648	2.375	3.189	0.375	66	21527-2249	3.187	4.249	0.500
66	21527-1651	2.375	3.246	0.375	66	21527-2252	3.187	4.375	0.500
66	21527-1654	2.375	3.250	0.375	66	21527-2255	3.187	4.500	0.500
66	21527-1656	2.375	3.250	0.500	66	21527-2261	3.187	4.750	0.500
66	21527-1657	2.375	3.350	0.375	66	21527-2264	3.187	4.875	0.500
66	21527-1660	2.375	3.372	0.375	66	21527-2267	3.187	4.999	0.500
66	21527-1663	2.375	3.481	0.375	66	21527-2366	3.500	4.500	0.500
66	21527-1666	2.375	3.500	0.375	66	21527-2369	3.500	4.625	0.500
66	21527-1669	2.375	3.543	0.375	66	21527-2372	3.500	4.750	0.500
66	21527-1672	2.375	3.623	0.375	66	21527-2375	3.500	4.875	0.500
66	21527-1675	2.375	3.751	0.375	66	21527-2378	3.500	4.999	0.500
66	21527-1678	2.375	3.876	0.375	66	21527-2381	3.500	5.125	0.500
66	21527-1801	2.500	3.189	0.375	66	21527-2384	3.500	5.250	0.500
66	21527-1804	2.500	3.246	0.375	66	21527-2387	3.500	5.375	0.500
66	21527-1807	2.500	3.250	0.375	66	21527-2390	3.500	5.500	0.500
66	21527-1810	2.500	3.350	0.375	66	21527-2462	3.750	4.750	0.500
66	21527-1813	2.500	3.372	0.375	66	21527-2465	3.750	4.875	0.500
66	21527-1816	2.500	3.481	0.375	66	21527-2468	3.750	4.999	0.500
66	21527-1819	2.500	3.500	0.375	66	21527-2471	3.750	5.125	0.500
66	21527-1822	2.500	3.543	0.375	66	21527-2474	3.750	5.250	0.500
66	21527-1825	2.500	3.623	0.375	66	21527-2480	3.750	5.500	0.500
66	21527-1828	2.500	3.751	0.375	66	21527-2537	4.000	4.999	0.500
66	21527-1831	2.500	3.876	0.375	66	21527-2540	4.000	5.125	0.500
66	21527-1834	2.500	4.003	0.375	66	21527-2543	4.000	5.250	0.500
66	21527-1930	2.625	3.350	0.375	66	21527-2546	4.000	5.375	0.500
66	21527-1933	2.625	3.372	0.375	66	21527-2549	4.000	5.500	0.500
66	21527-1936	2.625	3.481	0.375	66	21527-2555	4.000	5.750	0.500
66	21527-1939	2.625	3.500	0.375	66	21527-2561	4.000	6.000	0.500
66	21527-1942	2.625	3.543	0.375	66	21527-2564	4.000	6.125	0.500
66	21527-1945	2.625	3.623	0.375	66	21527-2567	4.000	6.250	0.500
66	21527-1948	2.625	3.751	0.375	66	21527-2657	4.250	5.250	0.500
66	21527-1951	2.625	3.876	0.375	66	21527-2660	4.250	5.375	0.500
66	21527-1954	2.625	4.003	0.375	66	21527-2663	4.250	5.500	0.500
66	21527-2011	2.719	3.481	0.375	66	21527-2729	4.375	6.250	0.500
66	21527-2014	2.719	3.500	0.375	66	21527-2753	4.500	5.500	0.500
66	21527-2020	2.719	3.623	0.375	66	21527-2756	4.500	5.625	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
66	21527-2762	4.500	5.875	0.500	66R1	23722-8728	2.500	3.372	0.687
66	21527-2771	4.500	6.250	0.500	66R2	23702-6599	2.875	4.003	0.687
66	21527-2879	4.875	6.250	0.500	66R2	23702-6651	2.625	3.751	0.687
66	21527-3125	5.375	6.500	0.500	66R2	23702-7197	3.000	4.003	0.687
66	21527-3128	5.375	6.625	0.500	66R2	23702-7563	2.000	2.750	0.687
66	21527-3134	5.375	6.875	0.500	66T2	23728-4819	0.937	1.500	0.562
66	21527-3275	5.750	6.750	0.500	66T2	23728-7128	5.750	7.000	0.969
66	21527-3278	5.750	6.875	0.500	66TF	23763-6914	5.875	7.125	0.828
66	21527-3281	5.750	7.000	0.500	67	21528-0050	0.500	1.000	0.375
66	21527-3293	5.750	7.500	0.500	67	21528-0051	0.500	1.125	0.312
66	21527-3319	5.875	7.000	0.500	67	21528-0053	0.500	1.250	0.312
66	21527-3580	7.875	8.875	0.625	67	21528-0055	0.500	1.375	0.312
66	21527-3582	7.875	9.000	0.625	67	21528-0057	0.500	1.500	0.312
66	21527-3584	7.875	9.125	0.625	67	21528-0067	0.562	1.125	0.312
66	21527-3586	7.875	9.250	0.625	67	21528-0069	0.562	1.250	0.312
66	21527-3588	7.875	9.375	0.625	67	21528-0071	0.562	1.375	0.312
66	21527-3865	0.437	1.375	0.312	67	21528-0073	0.562	1.500	0.312
66	21527-3872	1.125	1.984	0.375	67	21528-0075	0.562	1.575	0.312
66	21527-3876	1.187	1.828	0.375	67	21528-0087	0.625	1.125	0.312
66	21527-3877	1.187	2.048	0.375	67	21528-0089	0.625	1.250	0.312
66	21527-3880	1.500	2.441	0.375	67	21528-0091	0.625	1.375	0.312
66	21527-3883	1.562	2.875	0.375	67	21528-0093	0.625	1.500	0.312
66	21527-3888	1.875	3.149	0.375	67	21528-0109	0.687	1.125	0.312
66	21527-3897	2.062	2.783	0.375	67	21528-0111	0.687	1.250	0.312
66	21527-3900	2.125	2.882	0.375	67	21528-0113	0.687	1.375	0.312
66	21527-3904	2.187	2.997	0.375	67	21528-0115	0.687	1.500	0.312
66	21527-4605	0.750	1.375	0.406	67	21528-0117	0.687	1.575	0.312
66	21527-4606	1.750	3.625	0.500	67	21528-0119	0.687	1.625	0.312
66	21527-4640	3.500	4.500	0.469	67	21528-0139	0.750	1.250	0.312
66	21527-4645	1.562	2.561	0.500	67	21528-0140	0.750	1.250	0.375
66	21527-4899	1.750	3.543	0.437	67	21528-0141	0.750	1.375	0.312
66	21527-5502	0.875	1.375	0.406	67	21528-0143	0.750	1.500	0.312
66	21527-6471	2.750	3.750	0.500	67	21528-0147	0.750	1.625	0.312
66	21527-6486	1.562	3.544	0.375	67	21528-0149	0.750	1.750	0.375
66	21527-6656	1.969	2.835	0.375	67	21528-0151	0.750	1.828	0.375
66	21527-6658	1.375	2.441	0.375	67	21528-0153	0.750	1.875	0.375
66	21527-6686	1.562	3.150	0.375	67	21528-0157	0.781	1.250	0.312
66	21527-6724	1.750	3.125	0.375	67	21528-0158	0.781	1.250	0.375
66	21527-7242	1.125	2.125	0.375	67	21528-0159	0.781	1.375	0.312
66	21527-7246	1.125	2.250	0.375	67	21528-0160	0.781	1.375	0.375
66	21527-7249	3.750	5.375	0.500	67	21528-0161	0.781	1.500	0.312
66	21527-7282	1.750	3.189	0.375	67	21528-0165	0.781	1.625	0.312
66	21527-7852	1.250	2.047	0.375	67	21528-0167	0.781	1.750	0.375
66	21527-8033	0.750	1.260	0.312	67	21528-0213	0.875	1.375	0.312
66	21527-8066	1.125	1.654	0.312	67	21528-0215	0.875	1.500	0.312
66	21527-8097	2.000	3.150	0.375	67	21528-0217	0.875	1.575	0.312
66	21527-8258	1.875	3.000	0.562	67	21528-0219	0.875	1.625	0.312
66	21527-8347	0.875	1.378	0.312	67	21528-0221	0.875	1.750	0.375
66	21527-8369	2.375	3.150	0.375	67	21528-0223	0.875	1.828	0.375
66	21527-9620	1.750	2.441	0.375	67	21528-0225	0.875	1.875	0.375
66F1	23692-8498	2.250	2.997	0.750	67	21528-0229	0.875	2.000	0.375
66R1	23722-6795	2.250	2.997	0.687	67	21528-0231	0.875	2.062	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
67	21528-0269	0.969	1.500	0.312	67	21528-1492	2.250	3.250	0.375
67	21528-0273	0.969	1.625	0.312	67	21528-1504	2.250	3.500	0.375
67	21528-0275	0.969	1.750	0.375	67	21528-1639	2.375	3.062	0.375
67	21528-0287	1.000	1.500	0.312	67	21528-1654	2.375	3.250	0.375
67	21528-0291	1.000	1.625	0.312	67	21528-1666	2.375	3.500	0.375
67	21528-0293	1.000	1.750	0.375	67	21528-1669	2.375	3.543	0.375
67	21528-0295	1.000	1.828	0.375	67	21528-1801	2.500	3.189	0.375
67	21528-0297	1.000	1.875	0.375	67	21528-1807	2.500	3.250	0.375
67	21528-0300	1.000	1.984	0.437	67	21528-1819	2.500	3.500	0.375
67	21528-0301	1.000	2.000	0.375	67	21528-1822	2.500	3.543	0.375
67	21528-0303	1.000	2.062	0.375	67	21528-1828	2.500	3.751	0.375
67	21528-0351	1.125	1.625	0.312	67	21528-1834	2.500	4.003	0.375
67	21528-0353	1.125	1.750	0.375	67	21528-2032	2.750	3.481	0.375
67	21528-0355	1.125	1.828	0.375	67	21528-2035	2.750	3.500	0.375
67	21528-0357	1.125	1.875	0.375	67	21528-2038	2.750	3.543	0.375
67	21528-0359	1.125	2.000	0.375	67	21528-2041	2.750	3.623	0.375
67	21528-0360	1.125	2.000	0.437	67	21528-2044	2.750	3.751	0.375
67	21528-0361	1.125	2.062	0.375	67	21528-2050	2.750	4.003	0.375
67	21528-0363	1.156	1.875	0.375	67	21528-2168	3.000	3.751	0.375
67	21528-0427	1.250	2.000	0.375	67	21528-2174	3.000	4.003	0.375
67	21528-0535	1.375	2.062	0.375	67	21528-3888	1.875	3.149	0.375
67	21528-0541	1.375	2.125	0.375	67	21528-4584	1.375	2.835	0.375
67	21528-0544	1.375	2.250	0.375	67	21528-5071	0.562	1.378	0.375
67	21528-0547	1.375	2.375	0.375	67	21528-5551	3.250	4.000	0.375
67	21528-0556	1.375	2.500	0.375	67R2	23683-6566	2.500	3.751	0.687
67	21528-0643	1.500	2.250	0.375	67R2	23683-6593	2.125	3.000	0.687
67	21528-0646	1.500	2.375	0.375	67R2	23683-6720	0.750	1.250	0.562
67	21528-0648	1.500	2.375	0.500	67T2	23621-6662	0.781	1.500	0.562
67	21528-0655	1.500	2.500	0.375	67T2	23621-8562	0.781	1.250	0.562
67	21528-0658	1.500	2.625	0.375	68	21823-0051	0.500	1.125	0.312
67	21528-0664	1.500	2.750	0.375	68	21823-0053	0.500	1.250	0.312
67	21528-0700	1.562	2.250	0.375	68	21823-0055	0.500	1.375	0.312
67	21528-0898	1.750	2.437	0.375	68	21823-0057	0.500	1.500	0.312
67	21528-0904	1.750	2.500	0.375	68	21823-0067	0.562	1.125	0.312
67	21528-0913	1.750	2.750	0.375	68	21823-0069	0.562	1.250	0.312
67	21528-0922	1.750	2.875	0.375	68	21823-0071	0.562	1.375	0.312
67	21528-0925	1.750	2.997	0.375	68	21823-0073	0.562	1.500	0.312
67	21528-0928	1.750	3.000	0.375	68	21823-0075	0.562	1.575	0.312
67	21528-1048	1.875	2.750	0.375	68	21823-0087	0.625	1.125	0.312
67	21528-1051	1.875	2.756	0.375	68	21823-0089	0.625	1.250	0.312
67	21528-1057	1.875	2.875	0.375	68	21823-0091	0.625	1.375	0.312
67	21528-1063	1.875	3.000	0.375	68	21823-0093	0.625	1.500	0.312
67	21528-1068	1.875	3.062	0.500	68	21823-0109	0.687	1.125	0.312
67	21528-1186	2.000	2.686	0.375	68	21823-0111	0.687	1.250	0.312
67	21528-1189	2.000	2.750	0.375	68	21823-0113	0.687	1.375	0.312
67	21528-1198	2.000	2.875	0.375	68	21823-0115	0.687	1.500	0.312
67	21528-1204	2.000	3.000	0.375	68	21823-0117	0.687	1.575	0.312
67	21528-1321	2.125	2.875	0.375	68	21823-0119	0.687	1.625	0.312
67	21528-1324	2.125	2.997	0.375	68	21823-0139	0.750	1.250	0.312
67	21528-1327	2.125	3.000	0.375	68	21823-0140	0.750	1.250	0.375
67	21528-1471	2.250	2.997	0.375	68	21823-0141	0.750	1.375	0.312
67	21528-1474	2.250	3.000	0.375	68	21823-0143	0.750	1.500	0.312

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
68	21823-0147	0.750	1.625	0.312	68	21823-0922	1.750	2.875	0.375
68	21823-0149	0.750	1.750	0.375	68	21823-0928	1.750	3.000	0.375
68	21823-0151	0.750	1.828	0.375	68	21823-1048	1.875	2.750	0.375
68	21823-0153	0.750	1.875	0.375	68	21823-1051	1.875	2.756	0.375
68	21823-0157	0.781	1.250	0.312	68	21823-1057	1.875	2.875	0.375
68	21823-0158	0.781	1.250	0.375	68	21823-1063	1.875	3.000	0.375
68	21823-0159	0.781	1.375	0.312	68	21823-1186	2.000	2.686	0.375
68	21823-0160	0.781	1.375	0.375	68	21823-1189	2.000	2.750	0.375
68	21823-0161	0.781	1.500	0.312	68	21823-1198	2.000	2.875	0.375
68	21823-0165	0.781	1.625	0.312	68	21823-1204	2.000	3.000	0.375
68	21823-0167	0.781	1.750	0.375	68	21823-1321	2.125	2.875	0.375
68	21823-0213	0.875	1.375	0.312	68	21823-1324	2.125	2.997	0.375
68	21823-0215	0.875	1.500	0.312	68	21823-1327	2.125	3.000	0.375
68	21823-0217	0.875	1.575	0.312	68	21823-1471	2.250	2.997	0.375
68	21823-0219	0.875	1.625	0.312	68	21823-1474	2.250	3.000	0.375
68	21823-0221	0.875	1.750	0.375	68	21823-1492	2.250	3.250	0.375
68	21823-0223	0.875	1.828	0.375	68	21823-1504	2.250	3.500	0.375
68	21823-0225	0.875	1.875	0.375	68	21823-1639	2.375	3.062	0.375
68	21823-0229	0.875	2.000	0.375	68	21823-1654	2.375	3.250	0.375
68	21823-0231	0.875	2.062	0.375	68	21823-1666	2.375	3.500	0.375
68	21823-0269	0.969	1.500	0.312	68	21823-1669	2.375	3.543	0.375
68	21823-0273	0.969	1.625	0.312	68	21823-1801	2.500	3.189	0.375
68	21823-0275	0.969	1.750	0.375	68	21823-1804	2.500	3.246	0.375
68	21823-0287	1.000	1.500	0.312	68	21823-1807	2.500	3.250	0.375
68	21823-0291	1.000	1.625	0.312	68	21823-1819	2.500	3.500	0.375
68	21823-0293	1.000	1.750	0.375	68	21823-1822	2.500	3.543	0.375
68	21823-0295	1.000	1.828	0.375	68	21823-1828	2.500	3.751	0.375
68	21823-0297	1.000	1.875	0.375	68	21823-1834	2.500	4.003	0.375
68	21823-0301	1.000	2.000	0.375	68	21823-2032	2.750	3.481	0.375
68	21823-0303	1.000	2.062	0.375	68	21823-2035	2.750	3.500	0.375
68	21823-0351	1.125	1.625	0.312	68	21823-2038	2.750	3.543	0.375
68	21823-0353	1.125	1.750	0.375	68	21823-2041	2.750	3.623	0.375
68	21823-0355	1.125	1.828	0.375	68	21823-2044	2.750	3.751	0.375
68	21823-0357	1.125	1.875	0.375	68	21823-2050	2.750	4.003	0.375
68	21823-0359	1.125	2.000	0.375	68	21823-2168	3.000	3.751	0.375
68	21823-0360	1.125	2.000	0.437	68	21823-2174	3.000	4.003	0.375
68	21823-0361	1.125	2.062	0.375	68	21823-3888	1.875	3.149	0.375
68	21823-0363	1.156	1.875	0.375	68	21823-4584	1.375	2.835	0.375
68	21823-0535	1.375	2.062	0.375	68	21823-5071	0.562	1.378	0.375
68	21823-0541	1.375	2.125	0.375	68R2	23727-6608	2.000	2.686	0.687
68	21823-0544	1.375	2.250	0.375	71	26001-0005	0.312	0.750	0.250
68	21823-0547	1.375	2.375	0.375	71	26001-0013	0.375	0.750	0.250
68	21823-0556	1.375	2.500	0.375	71	26001-5064	2.125	2.500	0.250
68	21823-0643	1.500	2.250	0.375	71	26001-5239	1.250	1.750	0.250
68	21823-0646	1.500	2.375	0.375	71	26001-6060	0.437	0.687	0.125
68	21823-0648	1.500	2.375	0.500	71	26001-6069	0.500	0.750	0.109
68	21823-0655	1.500	2.500	0.375	71	26001-6108	0.750	1.000	0.109
68	21823-0658	1.500	2.625	0.375	71	26001-6133	0.875	1.250	0.187
68	21823-0664	1.500	2.750	0.375	71	26001-6148	1.000	1.250	0.109
68	21823-0898	1.750	2.437	0.375	71	26001-6151	1.000	1.312	0.125
68	21823-0904	1.750	2.500	0.375	71	26001-6156	1.000	1.562	0.187
68	21823-0913	1.750	2.750	0.375	71	26001-6162	1.125	1.375	0.109

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
71	26001-6169	1.125	1.625	0.250	71	26001-7047	0.937	1.187	0.125
71	26001-6183	1.250	1.625	0.187	71	26001-7049	1.000	1.250	0.125
71	26001-6193	1.312	1.562	0.125	71	26001-7052	1.000	1.500	0.125
71	26001-6221	1.500	1.750	0.109	71	26001-7055	1.000	1.750	0.250
71	26001-6222	1.500	1.875	0.125	71	26001-7056	1.062	1.562	0.125
71	26001-6223	1.500	1.875	0.187	71	26001-7057	1.125	1.375	0.125
71	26001-6226	1.625	1.875	0.109	71	26001-7060	1.187	2.441	0.250
71	26001-6227	1.625	2.000	0.109	71	26001-7061	1.187	1.437	0.125
71	26001-6230	1.625	2.375	0.250	71	26001-7062	1.250	1.500	0.125
71	26001-6240	1.750	2.000	0.109	71	26001-7068	1.375	1.625	0.125
71	26001-6241	1.750	2.125	0.125	71	26001-7070	1.437	1.750	0.156
71	26001-6242	1.750	2.125	0.187	71	26001-7071	1.437	2.062	0.250
71	26001-6267	2.000	2.250	0.109	71	26001-7080	1.750	2.250	0.250
71	26001-6284	2.250	2.625	0.109	71	26001-7081	1.750	2.375	0.250
71	26001-6292	2.500	2.875	0.109	71	26001-7083	1.812	2.375	0.187
71	26001-6304	2.750	3.125	0.187	71	26001-7084	1.875	2.375	0.250
71	26001-6308	3.000	3.500	0.250	71	26001-7085	1.937	2.375	0.187
71	26001-6325	4.000	4.562	0.109	71	26001-7086	2.000	2.375	0.250
71	26001-6553	3.125	3.625	0.109	71	26001-7088	2.437	2.937	0.187
71	26001-7000	0.250	0.500	0.125	71	26001-7089	2.500	3.125	0.250
71	26001-7004	0.375	0.562	0.094	71	26001-7090	2.500	3.250	0.250
71	26001-7005	0.375	0.625	0.125	71	26001-7092	2.625	3.250	0.187
71	26001-7007	0.437	0.875	0.187	71	26001-7093	2.750	3.125	0.109
71	26001-7008	0.437	1.024	0.250	71	26001-7095	3.500	3.876	0.187
71	26001-7009	0.469	0.703	0.125	71	26001-7096	3.500	4.003	0.250
71	26001-7011	0.500	0.687	0.094	71	26001-7097	3.750	4.375	0.312
71	26001-7012	0.500	0.687	0.125	71	26001-7530	2.000	2.375	0.187
71	26001-7013	0.500	0.750	0.125	71	26001-7546	4.250	4.812	0.109
71	26001-7014	0.500	0.875	0.125	71	26001-7619	0.781	1.625	0.125
71	26001-7016	0.500	1.250	0.250	71	26001-7705	0.781	1.250	0.187
71	26001-7017	0.562	0.750	0.094	71	26001-7826	0.750	0.937	0.125
71	26001-7020	0.625	0.812	0.094	71	26001-7992	4.125	4.686	0.109
71	26001-7021	0.625	1.000	0.250	71	26001-8000	0.875	1.255	0.125
71	26001-7022	0.625	1.062	0.187	71	26001-8361	2.250	3.150	0.375
71	26001-7023	0.625	1.125	0.187	71	26001-8379	0.667	1.187	0.125
71	26001-7024	0.625	1.000	0.125	71	26001-8715	1.375	1.687	0.109
71	26001-7025	0.687	0.875	0.094	71	26001-8801	0.312	0.506	0.125
71	26001-7027	0.750	1.000	0.125	71	26001-8810	3.250	3.812	0.109
71	26001-7028	0.750	1.062	0.187	71	26001-8873	1.000	1.500	0.188
71	26001-7029	0.750	1.064	0.109	71	26001-9016	4.000	4.500	0.250
71	26001-7030	0.750	1.125	0.125	71	26001-9413	0.812	1.377	0.156
71	26001-7031	0.750	1.187	0.156	71	26001-9428	0.625	1.125	0.125
71	26001-7032	0.750	1.250	0.125	71	26001-9565	7.250	8.000	0.312
71	26001-7033	0.750	1.250	0.250	71	26001-9643	1.114	1.375	0.125
71	26001-7034	0.750	1.375	0.250	71	26001-9668	3.500	4.062	0.109
71	26001-7035	0.750	1.437	0.250	71	26001-9758	0.687	1.375	0.125
71	26001-7037	0.812	1.062	0.125	71	26001-9961	1.375	1.625	0.109
71	26001-7038	0.812	1.066	0.125	71	26001-9981	3.750	4.312	0.109
71	26001-7041	0.875	1.125	0.125	76	26193-0013	0.375	0.750	0.250
71	26001-7042	0.875	1.187	0.156	76	26193-0088	0.625	1.125	0.375
71	26001-7045	0.875	1.375	0.125	76	26193-0261	0.937	1.875	0.375
71	26001-7046	0.875	1.437	0.250	76	26193-0541	1.375	2.125	0.375

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
76	26193-4582	2.000	2.625	0.312	76	26193-8952	0.875	1.575	0.187
76	26193-4701	1.125	2.835	0.375	76	26193-8961	37.375	38.625	0.500
76	26193-5085	0.656	1.250	0.250	76	26193-9038	1.156	1.575	0.312
76	26193-5325	1.937	2.412	0.469	76	26193-9370	0.562	1.378	0.250
76	26193-5546	0.812	1.237	0.155	76	26193-9490	1.000	1.625	0.250
76	26193-6035	0.250	0.562	0.187	76	26193-9518	1.000	1.375	0.187
76	26193-6036	1.469	2.000	0.312	76	26193-9578	8.000	8.875	0.437
76	26193-6071	0.500	0.801	0.187	76	26193-9675	1.750	2.250	0.312
76	26193-6099	0.656	1.575	0.250	76	26193-9768	1.937	2.437	0.312
76	26193-6113	0.750	1.125	0.187	76	26193-9855	0.866	1.259	0.275
76	26193-6125	0.812	1.125	0.187	76	26193-9856	0.669	1.102	0.275
76	26193-6133	0.875	1.250	0.187	76	26193-9879	4.000	4.625	0.312
76	26193-6156	1.000	1.562	0.187	76	26193-9962	1.687	2.250	0.250
76	26193-6183	1.250	1.625	0.187	76	26193-9971	1.625	2.125	0.250
76	26193-6186	1.250	1.750	0.266	76	26193-9975	2.125	3.000	0.312
76	26193-6194	1.312	1.605	0.156	76	26193-9991	0.781	1.375	0.250
76	26193-6195	1.312	1.625	0.156	87	26080-1040	12.250	14.250	1.250
76	26193-6223	1.500	1.875	0.187	87	26080-1083	22.750	25.500	0.875
76	26193-6233	0.937	1.375	0.312	87	26080-1202	14.173	15.906	0.788
76	26193-6242	1.750	2.125	0.187	87	26080-1382	22.047	23.780	0.709
76	26193-6262	1.875	2.250	0.187	87	26080-1383	19.685	21.654	0.787
76	26193-6591	3.250	3.940	0.250	87	26080-1387	17.126	19.094	0.787
76	26193-6627	2.863	4.724	0.500	87	26080-2027	30.500	33.000	1.000
76	26193-6642	1.087	1.686	0.250	87	26080-2134	14.488	16.496	0.811
76	26193-7192	3.750	4.750	0.250	87	26080-2207	25.000	27.000	0.906
76	26193-7472	6.187	7.500	0.625	87	26080-2268	8.250	10.260	0.687
76	26193-7501	0.500	0.875	0.312	87	26080-2388	20.866	22.441	0.787
76	26193-7503	0.562	0.875	0.187	87	26080-2454	12.205	13.937	0.787
76	26193-7504	0.562	1.000	0.187	87	26080-3326	15.000	16.500	0.625
76	26193-7505	0.687	1.062	0.187	87	26080-3831	34.750	36.750	0.875
76	26193-7510	1.000	1.437	0.250	87	26080-3832	8.875	10.125	0.625
76	26193-7512	1.125	1.500	0.187	87	26080-3891	14.250	16.250	0.625
76	26193-7513	1.203	2.048	0.187	87	26080-4030	10.750	12.750	0.750
76	26193-7514	1.219	2.048	0.187	87	26080-4170	15.750	17.250	0.687
76	26193-7516	1.250	1.687	0.187	87	26080-4218	19.000	20.500	0.750
76	26193-7517	1.500	2.000	0.250	87	26080-4231	20.000	22.000	0.625
76	26193-7518	1.250	2.000	0.250	87	26080-4281	22.750	24.750	0.875
76	26193-7519	1.312	1.750	0.187	87	26080-4285	23.000	25.500	0.875
76	26193-7520	1.375	1.750	0.187	87	26080-4421	36.000	38.000	0.875
76	26193-7527	1.687	2.125	0.187	87	26080-4498	40.000	42.000	1.000
76	26193-7530	2.000	2.375	0.187	87	26080-4629	15.748	17.480	0.787
76	26193-7531	2.250	2.750	0.250	87	26080-4635	41.500	43.500	0.875
76	26193-7532	2.500	3.062	0.250	87	26080-4805	10.236	11.969	0.787
76	26193-7534	5.500	6.250	0.312	87	26080-4950	10.000	11.500	0.625
76	26193-7694	2.000	3.544	0.375	87	26080-5077	16.000	18.000	0.875
76	26193-7802	0.812	1.236	0.187	87	26080-5168	17.000	19.000	0.750
76	26193-7995	2.125	2.762	0.250	87	26080-5334	9.055	10.236	0.591
76	26193-8186	2.000	3.750	0.500	87	26080-6787	33.000	34.625	0.750
76	26193-8356	0.667	1.187	0.187	87	26080-6980	19.500	21.500	0.750
76	26193-8461	1.181	1.683	0.250	87	26080-9927	14.000	15.750	0.875
76	26193-8479	1.375	1.750	0.219	88	26088-1924	14.375	16.537	0.590
76	26193-8876	3.062	4.003	0.375	88NS	26188-1924	14.375	16.537	0.590

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
88	26088-2676	14.500	16.000	0.562	88	26088-4308	25.000	26.500	0.750
88NS	26188-2676	14.500	16.000	0.562	88NS	26188-4308	25.000	26.500	0.750
88	26088-2982	13.500	15.500	0.688	88	26088-4318	25.500	27.500	0.875
88NS	26188-2982	13.500	15.500	0.688	88NS	26188-4318	25.500	27.500	0.875
88	26088-3067	5.250	6.500	0.625	88	26088-4330	26.125	28.125	0.875
88NS	26188-3067	5.250	6.500	0.625	88NS	26188-4330	26.125	28.125	0.875
88	26088-3522	7.250	8.500	0.625	88	26088-4333	27.000	29.000	0.875
88NS	26188-3522	7.250	8.500	0.625	88NS	26188-4333	27.000	29.000	0.875
88	26088-3764	22.250	24.250	0.875	88	26088-4346	28.500	30.500	0.875
88NS	26188-3764	22.250	24.250	0.875	88NS	26188-4346	28.500	30.500	0.875
88	26088-3784	27.500	29.500	1.000	88	26088-4348	29.000	31.000	0.875
88NS	26188-3784	27.500	29.500	1.000	88NS	26188-4348	29.000	31.000	0.875
88	26088-3878	28.000	30.500	0.875	88	26088-4365	30.500	32.500	0.875
88NS	26188-3878	28.000	30.500	0.875	88NS	26188-4365	30.500	32.500	0.875
88	26088-3934	8.375	9.875	0.750	88	26088-4377	32.500	34.500	0.875
88NS	26188-3934	8.375	9.875	0.750	88NS	26188-4377	32.500	34.500	0.875
88	26088-4071	12.000	14.000	0.750	88	26088-4382	33.000	35.000	0.875
88NS	26188-4071	12.000	14.000	0.750	88NS	26188-4382	33.000	35.000	0.875
88	26088-4079	12.500	14.000	0.687	88	26088-4389	33.500	35.500	0.875
88NS	26188-4079	12.500	14.000	0.687	88NS	26188-4389	33.500	35.500	0.875
88	26088-4121	13.500	15.000	0.688	88	26088-4550	33.500	36.000	0.875
88NS	26188-4121	13.500	15.000	0.688	88NS	26188-4550	33.500	36.000	0.875
88	26088-4145	14.500	16.500	0.812	88	26088-4567	38.250	40.750	0.875
88NS	26188-4145	14.500	16.500	0.812	88NS	26188-4567	38.250	40.750	0.875
88	26088-4163	15.500	17.500	0.812	88	26088-4637	43.500	45.500	0.875
88NS	26188-4163	15.500	17.500	0.812	88NS	26188-4637	43.500	45.500	0.875
88	26088-4170	15.750	17.250	0.687	88	26088-4651	4.000	5.000	0.500
88NS	26188-4170	15.750	17.250	0.687	88NS	26188-4651	4.000	5.000	0.500
88	26088-4177	16.000	17.500	0.687	88	26088-4685	37.812	40.945	0.875
88NS	26188-4177	16.000	17.500	0.687	88NS	26188-4685	37.812	40.945	0.875
88	26088-4181	16.250	17.750	0.687	88	26088-4704	17.559	19.135	0.630
88NS	26188-4181	16.250	17.750	0.687	88NS	26188-4704	17.559	19.135	0.630
88	26088-4186	16.500	18.500	0.812	88	26088-5116	16.000	18.000	0.750
88NS	26188-4186	16.500	18.500	0.812	88NS	26188-5116	16.000	18.000	0.750
88	26088-4188	17.000	18.500	0.687	88	26088-5619	21.000	23.000	0.750
88NS	26188-4188	17.000	18.500	0.687	88NS	26188-5619	21.000	23.000	0.750
88	26088-4210	18.000	20.000	0.875	88	26088-5921	26.000	27.625	0.750
88NS	26188-4210	18.000	20.000	0.875	88NS	26188-5921	26.000	27.625	0.750
88	26088-4218	19.000	20.500	0.750	88	26088-5997	25.000	27.500	0.875
88NS	26188-4218	19.000	20.500	0.750	88NS	26188-5997	25.000	27.500	0.875
88	26088-4239	20.250	21.750	0.750	88	26088-6185	7.750	8.750	0.438
88NS	26188-4239	20.250	21.750	0.750	88NS	26188-6185	7.750	8.750	0.438
88	26088-4246	20.500	22.500	0.875	88	26088-6264	13.250	15.250	0.750
88NS	26188-4246	20.500	22.500	0.875	88NS	26188-6264	13.250	15.250	0.750
88	26088-4248	20.750	22.750	0.875	88	26088-6383	8.500	9.500	0.500
88NS	26188-4248	20.750	22.750	0.875	88NS	26188-6383	8.500	9.500	0.500
88	26088-4254	21.250	23.250	0.875	88	26088-6386	8.750	10.000	0.625
88NS	26188-4254	21.250	23.250	0.875	88NS	26188-6386	8.750	10.000	0.625
88	26088-4265	21.750	23.750	0.875	88	26088-6618	15.250	17.250	0.625
88NS	26188-4265	21.750	23.750	0.875	88NS	26188-6618	15.250	17.250	0.625
88	26088-4270	22.000	24.000	0.875	88	26088-6829	12.250	14.250	0.750
88NS	26188-4270	22.000	24.000	0.875	88NS	26188-6829	12.250	14.250	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
88	26088-6980	19.500	21.500	0.750	92	27063-0074	0.709	1.181	0.276
88NS	26188-6980	19.500	21.500	0.750	92	27063-0087	0.625	1.125	0.312
88	26088-7172	5.750	6.750	0.438	92	27063-0118	0.748	1.260	0.276
88NS	26188-7172	5.750	6.750	0.438	92	27063-0120	0.787	1.181	0.276
88	26088-7539	15.250	17.250	0.750	92	27063-0154	0.787	1.260	0.276
88NS	26188-7539	15.250	17.250	0.750	92	27063-0164	0.787	1.378	0.276
88	26088-7788	29.500	32.000	0.750	92	27063-0176	0.812	1.250	0.375
88NS	26188-7788	29.500	32.000	0.750	92	27063-0184	0.787	1.575	0.276
88	26088-7790	33.000	35.500	0.750	92	27063-0188	0.787	1.654	0.276
88NS	26188-7790	33.000	35.500	0.750	92	27063-0194	0.787	1.850	0.276
88	26088-7810	37.500	39.500	0.750	92	27063-0196	0.787	2.047	0.394
88NS	26188-7810	37.500	39.500	0.750	92	27063-0198	0.866	1.575	0.276
88	26088-7828	28.000	29.625	0.750	92	27063-0206	0.866	1.850	0.276
88NS	26188-7828	28.000	29.625	0.750	92	27063-0209	0.945	1.378	0.276
88	26088-7870	30.000	31.625	0.750	92	27063-0210	0.945	1.575	0.276
88NS	26188-7870	30.000	31.625	0.750	92	27063-0212	0.984	1.378	0.276
88	26088-8487	30.000	31.600	0.770	92	27063-0213	0.875	1.375	0.312
88NS	26188-8487	30.000	31.600	0.770	92	27063-0230	0.984	1.457	0.276
88	26088-8525	11.811	13.543	0.807	92	27063-0232	0.984	1.654	0.276
88NS	26188-8525	11.811	13.543	0.807	92	27063-0250	0.984	1.850	0.276
88	26088-8664	14.344	16.000	0.687	92	27063-0254	0.984	2.047	0.276
88NS	26188-8664	14.344	16.000	0.687	92	27063-0262	1.024	1.654	0.276
88	26088-8794	14.750	16.500	0.875	92	27063-0272	1.024	1.850	0.276
88NS	26188-8794	14.750	16.500	0.875	92	27063-0280	1.102	1.496	0.276
88	26088-9126	7.375	8.375	0.637	92	27063-0284	1.102	1.575	0.276
88NS	26188-9126	7.375	8.375	0.637	92	27063-0312	1.181	1.575	0.276
91	27023-0982	1.812	2.750	0.375	92	27063-0316	1.181	1.654	0.276
91	27023-6053	0.312	0.562	0.156	92	27063-0318	1.181	1.772	0.315
91	27023-6113	0.750	1.125	0.187	92	27063-0320	1.181	1.850	0.276
91	27023-6279	1.187	1.625	0.250	92	27063-0332	1.181	1.890	0.315
91	27023-6635	0.437	0.621	0.125	92	27063-0340	1.181	2.047	0.276
91	27023-7001	0.281	0.686	0.125	92	27063-0342	1.181	2.441	0.276
91	27023-7020	0.625	0.812	0.094	92	27063-0348	1.181	2.835	0.315
91	27023-7027	0.750	1.000	0.125	92	27063-0350	1.260	1.850	0.276
91	27023-9014	2.500	3.000	0.250	92	27063-0364	1.260	2.047	0.276
91	27023-9508	0.625	1.125	0.250	92	27063-0366	1.378	1.850	0.276
91	27023-9574	3.000	3.406	0.203	92	27063-0368	1.378	1.969	0.276
91	27023-9660	0.469	0.718	0.125	92	27063-0371	1.378	2.165	0.315
91	27023-9822	1.750	2.375	0.312	92	27063-0376	1.378	2.441	0.276
92	27063-0004	0.394	0.748	0.276	92	27063-0378	1.417	1.850	0.276
92	27063-0012	0.394	0.984	0.276	92	27063-0379	1.417	2.126	0.276
92	27063-0020	0.472	0.866	0.276	92	27063-0381	1.496	2.165	0.276
92	27063-0022	0.472	0.984	0.276	92	27063-0382	1.496	2.441	0.276
92	27063-0024	0.472	1.102	0.276	92	27063-0391	1.575	2.047	0.276
92	27063-0026	0.551	0.945	0.276	92	27063-0392	1.575	2.165	0.276
92	27063-0028	0.591	0.945	0.276	92	27063-0393	1.575	2.205	0.276
92	27063-0030	0.591	1.024	0.276	92	27063-0406	1.575	2.283	0.315
92	27063-0032	0.591	1.260	0.276	92	27063-0423	1.575	2.441	0.276
92	27063-0033	0.591	1.378	0.276	92	27063-0435	1.575	2.835	0.276
92	27063-0048	0.630	1.181	0.276	92	27063-0449	1.575	3.150	0.394
92	27063-0064	0.669	1.181	0.276	92	27063-0452	1.654	2.362	0.276
92	27063-0066	0.669	1.575	0.276	92	27063-0488	1.772	2.362	0.276

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
92	27063-0512	1.772	2.835	0.315	92	27063-0866	4.134	5.512	0.472
92	27063-0516	1.772	3.150	0.394	92	27063-0869	4.528	5.709	0.472
92	27063-0520	1.772	3.346	0.394	92	27063-0873	4.921	6.299	0.472
92	27063-0522	1.850	2.559	0.394	92	27063-0875	5.906	7.087	0.472
92	27063-0533	1.890	2.441	0.315	92	27063-0876	6.299	7.283	0.394
92	27063-0534	1.890	2.559	0.394	92	27063-0904	1.750	2.500	0.375
92	27063-0535	1.375	2.062	0.375	92	27063-1010	3.740	4.921	0.472
92	27063-0558	1.890	2.835	0.315	92	27063-1718	5.512	6.693	0.472
92	27063-0563	1.969	2.559	0.315	92	27063-1871	0.745	1.357	0.318
92	27063-0567	1.969	2.677	0.315	92	27063-2887	4.921	5.906	0.472
92	27063-0571	1.969	2.835	0.315	92	27063-3863	0.250	0.750	0.250
92	27063-0572	2.047	2.677	0.315	92	27063-4656	5.118	6.299	0.472
92	27063-0573	2.047	2.835	0.315	92	27063-5249	1.625	2.623	0.250
92	27063-0574	2.165	2.756	0.315	92	27063-5306	1.000	1.500	0.250
92	27063-0575	2.165	2.953	0.394	92	27063-5774	2.250	3.125	0.250
92	27063-0576	2.165	3.150	0.315	92	27063-5965	0.781	1.250	0.250
92	27063-0585	2.165	3.346	0.315	92	27063-6050	0.625	1.375	0.250
92	27063-0588	2.205	2.756	0.315	92	27063-6055	0.312	0.687	0.250
92	27063-0606	2.205	2.835	0.315	92	27063-6077	0.500	1.125	0.250
92	27063-0629	2.205	3.150	0.315	92	27063-6100	1.000	2.000	0.250
92	27063-0633	2.205	3.346	0.315	92	27063-6113	0.750	1.125	0.187
92	27063-0635	2.283	3.150	0.315	92	27063-6167	1.125	1.437	0.266
92	27063-0642	2.283	3.346	0.394	92	27063-6169	1.125	1.625	0.250
92	27063-0653	2.362	3.150	0.315	92	27063-6197	1.312	1.750	0.250
92	27063-0672	2.362	3.346	0.315	92	27063-6218	1.453	2.047	0.312
92	27063-0683	2.362	3.543	0.315	92	27063-6289	0.750	1.575	0.250
92	27063-0684	2.441	3.543	0.394	92	27063-6308	3.000	3.500	0.250
92	27063-0698	2.520	3.150	0.315	92	27063-6313	3.250	4.263	0.437
92	27063-0710	2.559	3.346	0.394	92	27063-6983	0.812	1.250	0.250
92	27063-0729	2.559	3.543	0.394	92	27063-7021	0.625	1.000	0.250
92	27063-0733	2.559	3.740	0.394	92	27063-7034	0.750	1.375	0.250
92	27063-0735	2.677	3.543	0.394	92	27063-7082	1.750	2.500	0.250
92	27063-0745	2.283	2.835	0.315	92	27063-7376	4.724	5.906	0.472
92	27063-0749	2.677	3.937	0.394	92	27063-7518	1.250	2.000	0.250
92	27063-0759	2.756	3.937	0.394	92	27063-7521	1.375	1.875	0.187
92	27063-0770	2.835	3.543	0.394	92	27063-7527	1.687	2.125	0.187
92	27063-0776	2.835	3.740	0.394	92	27063-7839	3.543	4.724	0.472
92	27063-0791	2.835	3.937	0.394	92	27063-7842	3.937	5.118	0.472
92	27063-0793	2.441	3.346	0.394	92	27063-8768	4.134	5.118	0.472
92	27063-0797	2.953	3.740	0.394	92	27063-8833	0.594	1.125	0.250
92	27063-0809	2.953	3.937	0.394	92	27063-8978	0.984	1.375	0.187
92	27063-0819	2.953	4.331	0.472	92	27063-9009	0.969	1.750	0.312
92	27063-0824	2.953	4.724	0.472	92	27063-9013	2.000	2.500	0.250
92	27063-0825	3.150	4.134	0.472	92	27063-9014	2.500	3.000	0.250
92	27063-0831	3.150	4.331	0.394	92	27063-9016	4.000	4.500	0.250
92	27063-0833	3.346	4.528	0.512	92	27063-9190	3.740	4.724	0.472
92	27063-0834	3.465	4.331	0.472	92	27063-9489	0.875	1.500	0.250
92	27063-0835	1.687	2.500	0.375	92	27063-9500	0.312	0.687	0.219
92	27063-0850	3.740	4.528	0.472	92	27063-9501	0.375	0.750	0.187
92	27063-0851	3.740	5.118	0.472	92	27063-9505	0.500	1.000	0.250
92	27063-0852	3.937	4.724	0.394	92	27063-9507	0.562	1.000	0.250
92	27063-0860	3.937	4.921	0.472	92	27063-9508	0.625	1.125	0.250

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
92	27063-9509	0.625	1.250	0.250	94	27223-6215	1.437	3.150	0.375
92	27063-9515	0.875	1.375	0.250	94	27223-6256	1.750	3.347	0.375
92	27063-9517	0.984	2.062	0.375	94	27223-6266	1.937	3.544	0.375
92	27063-9518	1.000	1.375	0.187	94	27223-6281	2.187	4.331	0.375
92	27063-9524	1.250	1.625	0.250	94	27223-6282	2.187	5.118	0.375
92	27063-9525	1.250	1.984	0.250	94	27223-6300	2.562	3.937	0.375
92	27063-9527	1.312	1.875	0.219	94	27223-6301	2.562	4.725	0.375
92	27063-9537	2.062	2.661	0.187	94	27223-6302	2.562	5.512	0.375
92	27063-9722	1.500	2.250	0.250	94	27223-6314	3.346	5.118	0.500
92	27063-9856	0.669	1.102	0.276	94	27223-6323	3.937	5.905	0.500
92	27063-9965	1.453	1.968	0.312	94	27223-6329	5.062	7.875	0.500
94	27223-0081	0.594	1.375	0.312	94	27223-6486	1.562	3.544	0.375
94	27223-0089	0.625	1.250	0.312	94	27223-6537	0.937	2.048	0.312
94	27223-0096	0.625	1.575	0.375	94	27223-6557	1.375	3.150	0.375
94	27223-0139	0.750	1.250	0.312	94	27223-6639	1.375	2.835	0.312
94	27223-0141	0.750	1.375	0.312	94	27223-6738	1.156	2.835	0.375
94	27223-0181	0.812	1.575	0.312	94	27223-7021	0.625	1.000	0.250
94	27223-0215	0.875	1.500	0.312	94	27223-7033	0.750	1.250	0.250
94	27223-0287	1.000	1.500	0.312	94	27223-7198	0.781	1.850	0.375
94	27223-0359	1.125	2.000	0.375	94	27223-7209	2.165	3.937	0.375
94	27223-0592	1.437	2.125	0.375	94	27223-7217	2.687	4.000	0.375
94	27223-0760	1.625	2.375	0.375	94	27223-7465	0.875	1.570	0.312
94	27223-0940	1.781	2.625	0.375	94	27223-7636	1.625	3.750	0.375
94	27223-1135	1.937	3.000	0.375	94	27223-7779	0.969	2.441	0.375
94	27223-1261	2.062	3.062	0.375	94	27223-8003	1.562	3.150	0.312
94	27223-1678	2.375	3.876	0.375	94	27223-8004	1.766	2.953	0.312
94	27223-2261	3.187	4.750	0.500	94	27223-8005	1.969	4.331	0.375
94	27223-2516	3.875	5.500	0.500	94	27223-8006	2.165	3.544	0.375
94	27223-2545	0.984	1.654	0.276	94	27223-8762	1.761	3.937	0.375
94	27223-2753	4.500	5.500	0.500	94	27223-8958	2.165	3.250	0.375
94	27223-2756	4.500	5.625	0.500	94	27223-8959	2.531	4.725	0.375
94	27223-2959	5.062	6.250	0.625	94	27223-8960	5.500	8.268	0.500
94	27223-3409	6.375	7.500	0.500	94	27223-9047	6.937	9.000	0.500
94	27223-4488	4.331	6.693	0.500	94	27223-9086	1.937	3.250	0.375
94	27223-4597	1.187	2.835	0.375	94	27223-9274	1.125	2.441	0.281
94	27223-4598	1.781	3.937	0.375	94	27223-9307	7.937	10.125	0.500
94	27223-4600	1.187	2.441	0.375	94	27223-9372	4.969	6.375	0.500
94	27223-5074	2.953	4.528	0.375	94	27223-9543	4.500	7.000	0.531
94	27223-5091	1.375	2.441	0.312	94	27223-9622	3.062	4.062	0.375
94	27223-5314	1.000	1.501	0.312	94	27223-9670	2.125	3.623	0.375
94	27223-5331	4.250	5.687	0.500	94	27223-9967	1.000	1.851	0.250
94	27223-5572	2.750	3.500	0.562	94	27223-9977	2.156	4.725	0.375
94	27223-5672	5.750	8.858	0.750	111	21011-2542	4.000	5.125	0.625
94	27223-5937	0.969	2.048	0.375	111	21011-2545	4.000	5.250	0.625
94	27223-6062	0.437	0.875	0.234	111	21011-2568	4.000	6.250	0.563
94	27223-6074	0.500	0.875	0.234	111	21011-4498	40.000	42.000	1.000
94	27223-6114	0.750	1.125	0.234	111	21011-4559	5.375	6.687	0.562
94	27223-6120	0.750	1.851	0.375	113	21012-2464	3.750	4.750	0.625
94	27223-6176	1.125	2.441	0.375	113	21012-3355	6.000	7.000	0.500
94	27223-6192	1.250	2.835	0.375	113	21012-4347	29.000	30.500	0.750
94	27223-6208	1.375	1.875	0.312	113	21012-4495	10.500	12.000	0.625
94	27223-6211	1.437	1.937	0.250	113	21012-4496	12.500	14.000	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
113	21012-4557	3.000	4.000	0.500	142	21432-5588	31.000	33.000	1.250
113	21012-4558	3.250	4.812	0.500	142	21432-5648	55.750	57.750	1.250
113	21012-4560	6.500	7.500	0.500	142	21432-5762	39.000	41.000	1.250
113	21012-4561	7.125	8.125	0.500	142	21432-5870	24.000	25.125	1.250
113	21012-8800	3.432	4.624	0.484	142	21432-5871	29.250	30.750	1.000
113	21012-9553	9.062	10.562	0.750	142	21432-5924	47.500	49.500	1.375
123	21016-1210	2.000	3.125	0.375	142	21432-6430	15.750	16.875	1.250
123	21016-3835	35.000	37.000	0.875	142	21432-6458	24.250	25.750	1.000
123	21016-3885	1.750	3.189	0.500	142	21432-6514	41.000	43.000	1.500
123	21016-6880	24.250	25.750	0.750	142	21432-6617	44.000	46.000	1.500
123	21016-9736	31.500	33.000	0.750	142	21432-6722	36.000	38.000	1.250
142	21432-1715	12.375	13.500	1.250	142	21432-6737	18.500	19.625	1.250
142	21432-2015	17.687	19.187	1.000	142	21432-6796	22.000	23.500	1.000
142	21432-2512	15.250	16.375	1.250	142	21432-6931	10.250	11.250	0.750
142	21432-2591	26.750	27.750	0.750	142	21432-6996	37.125	39.125	1.250
142	21432-2592	27.000	28.000	0.750	142	21432-6997	41.500	43.500	1.250
142	21432-2593	26.437	27.437	0.750	142	21432-7222	36.535	38.535	1.375
142	21432-2594	26.500	27.500	0.750	142	21432-7265	30.000	32.000	1.250
142	21432-2986	12.000	13.125	1.312	142	21432-7422	24.213	25.213	0.750
142	21432-3099	14.000	15.125	1.375	142	21432-7445	12.000	13.125	1.375
142	21432-3545	7.500	8.500	0.750	142	21432-7479	41.500	43.500	1.500
142	21432-3615	9.000	10.000	0.750	142	21432-7552	44.000	46.000	1.375
142	21432-3628	9.250	10.250	0.750	142	21432-7579	34.804	35.804	0.750
142	21432-3668	10.000	11.000	0.750	142	21432-7584	34.812	35.812	0.750
142	21432-4453	38.000	40.000	1.250	142	21432-7605	40.500	42.500	1.500
142	21432-4463	7.937	8.937	0.750	142	21432-7607	18.750	20.250	1.000
142	21432-4483	8.250	9.250	0.750	142	21432-7615	18.000	19.500	1.000
142	21432-4543	24.250	25.250	0.750	142	21432-7681	25.125	26.250	1.250
142	21432-4547	32.500	34.500	1.500	142	21432-7685	26.299	27.795	1.000
142	21432-4696	29.250	30.250	0.750	142	21432-7706	20.000	21.125	1.250
142	21432-4716	17.500	18.625	1.250	142	21432-7724	23.812	24.937	1.250
142	21432-4753	15.375	16.500	1.250	142	21432-7729	13.000	14.125	1.250
142	21432-4829	36.000	38.000	1.500	142	21432-7819	35.500	37.500	1.500
142	21432-4859	21.750	23.250	1.000	142	21432-7885	22.750	23.875	1.375
142	21432-4896	37.875	39.875	1.250	142	21432-7886	16.750	17.875	1.312
142	21432-4918	29.500	31.000	1.000	142	21432-7918	35.795	37.795	1.500
142	21432-4928	29.950	30.950	0.750	142	21432-7993	47.750	49.750	1.500
142	21432-4964	40.125	42.125	1.500	142	21432-8106	13.750	14.750	0.750
142	21432-5113	45.500	47.500	1.500	142	21432-8107	12.000	13.000	0.750
142	21432-5147	18.000	19.125	1.250	142	21432-8113	32.000	34.000	1.250
142	21432-5218	32.500	34.500	1.250	142	21432-8214	28.000	30.000	1.500
142	21432-5243	49.000	50.500	1.000	142	21432-8277	27.000	28.125	1.375
142	21432-5272	28.250	29.750	1.000	142	21432-8296	13.000	14.000	0.750
142	21432-5275	30.750	32.750	1.250	142	21432-8297	11.250	12.250	0.750
142	21432-5422	67.750	69.750	1.250	142	21432-8390	25.125	26.250	1.375
142	21432-5440	24.000	25.500	1.000	142	21432-8395	43.500	45.500	1.500
142	21432-5471	55.750	56.750	0.750	142	21432-8406	34.500	36.500	1.250
142	21432-5515	37.000	39.000	1.250	142	21432-8414	9.410	10.410	0.750
142	21432-5521	47.625	49.625	1.500	142	21432-8440	18.250	19.375	1.250
142	21432-5529	75.750	77.750	1.250	142	21432-8547	25.500	27.000	1.000
142	21432-5566	31.750	33.250	1.000	142	21432-8553	9.843	10.843	0.750
142	21432-5583	37.000	38.500	1.000	142	21432-8556	16.250	17.250	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
142	21432-8561	28.000	29.125	1.375	142	21432-9909	23.500	24.625	1.375
142	21432-8566	25.000	26.125	1.375	142	21432-9922	10.500	11.500	0.750
142	21432-8568	48.000	50.000	1.250	142	21432-9923	55.000	57.000	1.250
142	21432-8621	9.375	10.375	0.750	142	21432-9946	42.000	43.500	1.000
142	21432-8648	24.610	26.110	1.000	EQ	24082-5461	3.500	4.875	0.625
142	21432-8651	31.750	33.750	1.500	EQ	24801-0625	0.875	1.875	0.500
142	21432-8659	54.000	56.000	1.250	EQ	24801-0627	1.000	2.000	0.500
142	21432-8672	51.500	53.500	1.500	EQ	24801-0639	1.750	2.750	0.500
142	21432-8754	32.205	34.205	1.250	EQ	24801-0648	1.500	2.375	0.500
142	21432-9183	26.000	27.500	1.000	EQ	24801-0682	6.500	7.500	0.500
142	21432-9220	31.750	33.750	1.250	EQ	24801-0706	1.875	3.000	0.625
142	21432-9229	49.000	51.000	1.250	EQ	24801-0716	2.375	3.126	0.500
142	21432-9233	52.000	54.000	1.500	EQ	24801-0717	1.625	2.500	0.500
142	21432-9235	51.500	53.500	1.250	EQ	24801-0720	1.750	3.000	0.500
142	21432-9291	71.000	73.000	1.250	EQ	24801-0738	2.375	3.250	0.500
142	21432-9292	63.500	65.500	1.250	EQ	24801-0741	1.437	2.250	0.500
142	21432-9318	26.000	27.125	1.375	EQ	24801-0748	1.875	2.625	0.500
142	21432-9319	27.250	28.375	1.375	EQ	24801-0754	1.375	2.500	0.625
142	21432-9332	59.500	61.500	1.250	EQ	24801-0756	0.875	1.750	0.500
142	21432-9336	24.000	25.000	0.750	EQ	24801-0765	1.125	2.001	0.500
142	21432-9337	36.000	36.125	1.250	EQ	24801-0770	1.625	2.750	0.625
142	21432-9343	47.500	49.500	1.500	EQ	24801-0773	0.984	2.047	0.500
142	21432-9393	24.875	26.375	1.000	EQ	24801-0787	1.250	2.375	0.625
142	21432-9498	24.250	25.375	1.250	EQ	24801-0790	1.687	2.500	0.500
142	21432-9513	88.100	89.600	1.000	EQ	24801-0792	1.875	2.875	0.625
142	21432-9514	93.600	95.100	1.000	EQ	24801-0798	1.250	2.000	0.500
142	21432-9550	31.500	33.500	1.250	EQ	24801-0804	1.500	2.250	0.500
142	21432-9552	22.875	24.000	1.312	EQ	24801-0811	4.250	5.500	0.625
142	21432-9561	18.750	20.750	0.750	EQ	24801-0815	1.125	2.250	0.625
142	21432-9570	30.000	31.000	0.750	EQ	24801-0832	1.125	2.125	0.625
142	21432-9579	47.500	49.500	1.250	EQ	24801-0836	1.750	3.968	0.500
142	21432-9605	58.550	60.550	1.250	EQ	24801-0848	1.875	2.622	0.500
142	21432-9627	63.650	65.650	1.250	EQ	24801-0850	0.875	2.000	0.500
142	21432-9638	39.500	41.500	1.250	EQ	24801-0856	1.500	2.625	0.500
142	21432-9650	41.500	43.000	1.000	EQ	24801-0857	1.000	2.125	0.500
142	21432-9683	37.250	38.375	1.250	EQ	24801-0879	1.750	2.875	0.500
142	21432-9685	23.750	24.875	1.250	EQ	24801-0901	2.750	3.875	0.500
142	21432-9698	21.500	22.625	1.250	EQ	24801-0909	1.750	2.625	0.500
142	21432-9699	25.000	26.500	1.000	EQ	24801-0913	1.378	3.465	0.500
142	21432-9707	12.000	13.125	1.250	EQ	24801-0930	4.000	5.248	0.500
142	21432-9730	28.000	29.500	1.000	EQ	24801-0932	4.125	5.500	0.500
142	21432-9745	41.000	43.000	1.250	EQ	24801-0951	5.125	6.250	0.500
142	21432-9794	47.000	49.000	1.500	EQ	24801-0988	1.125	2.000	0.625
142	21432-9813	33.875	35.000	1.250	EQ	24801-0989	1.875	2.625	0.625
142	21432-9814	29.875	31.000	1.250	EQ	24801-0998	1.750	2.875	0.625
142	21432-9816	16.142	17.142	0.750	EQ	24801-1008	1.375	2.250	0.500
142	21432-9832	28.000	29.125	1.250	EQ	24801-1009	1.000	1.875	0.500
142	21432-9850	48.865	50.865	1.500	EQ	24801-1017	1.375	2.836	0.500
142	21432-9865	44.000	46.000	1.250	EQ	24801-1019	1.334	2.363	0.500
142	21432-9872	22.000	23.125	1.250	EQ	24801-1026	1.750	2.500	0.625
142	21432-9873	21.500	23.000	1.000	EQ	24801-1028	3.250	4.000	0.625
142	21432-9886	46.500	48.500	1.250	EQ	24801-1041	2.750	3.543	0.500

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQ	24801-1048	1.250	2.125	0.500	EQ	24801-1406	2.000	2.875	0.625
EQ	24801-1051	5.000	5.750	0.500	EQ	24801-1411	1.334	2.363	0.625
EQ	24801-1056	4.000	5.250	0.438	EQ	24801-1420	1.250	2.250	0.625
EQ	24801-1059	1.875	2.875	0.500	EQ	24801-1473	2.250	2.995	0.625
EQ	24801-1062	1.750	2.625	0.625	EQ	24801-1476	2.250	3.000	0.500
EQ	24801-1072	1.875	2.812	0.500	EQ	24801-1479	2.250	3.000	0.625
EQ	24801-1075	1.875	2.750	0.625	EQ	24801-1482	2.250	3.125	0.500
EQ	24801-1078	2.953	3.937	0.500	EQ	24801-1483	2.250	3.125	0.625
EQ	24801-1081	2.875	3.750	0.625	EQ	24801-1493	2.250	3.250	0.625
EQ	24801-1082	4.331	5.511	0.625	EQ	24801-1494	2.250	3.250	0.500
EQ	24801-1083	1.000	2.000	0.625	EQ	24801-1552	2.312	3.250	0.500
EQ	24801-1084	1.181	2.875	0.500	EQ	24801-1557	2.327	3.250	0.500
EQ	24801-1090	0.875	1.750	0.625	EQ	24801-1581	2.375	3.250	0.625
EQ	24801-1092	1.375	2.125	0.625	EQ	24801-1641	2.438	3.438	0.625
EQ	24801-1099	1.500	2.378	0.500	EQ	24801-1644	2.375	3.125	0.500
EQ	24801-1116	1.438	2.250	0.625	EQ	24801-1654	2.375	3.375	0.625
EQ	24801-1121	1.375	2.250	0.625	EQ	24801-1744	1.750	2.750	0.625
EQ	24801-1122	1.181	2.362	0.500	EQ	24801-1747	2.598	3.386	0.500
EQ	24801-1127	1.968	2.952	0.500	EQ	24801-1748	1.625	2.437	0.500
EQ	24801-1129	2.562	3.437	0.500	EQ	24801-1751	3.625	4.499	0.468
EQ	24801-1136	2.313	3.355	0.625	EQ	24801-1754	1.000	1.875	0.625
EQ	24801-1138	1.375	2.835	0.625	EQ	24801-1759	3.187	4.499	0.468
EQ	24801-1144	3.938	4.938	0.625	EQ	24801-1763	1.500	2.250	0.625
EQ	24801-1147	2.750	3.755	0.500	EQ	24801-1765	0.875	2.000	0.625
EQ	24801-1156	2.500	3.550	0.625	EQ	24801-1784	1.771	2.521	0.500
EQ	24801-1166	1.500	2.625	0.625	EQ	24801-1788	2.500	3.375	0.500
EQ	24801-1177	5.625	6.624	0.625	EQ	24801-1809	2.500	3.250	0.500
EQ	24801-1205	2.875	4.003	0.625	EQ	24801-1818	2.500	3.500	0.625
EQ	24801-1206	2.000	3.000	0.625	EQ	24801-1823	2.500	3.540	0.500
EQ	24801-1211	2.375	3.500	0.625	EQ	24801-1841	2.625	3.625	0.625
EQ	24801-1212	2.500	3.375	0.625	EQ	24801-1854	2.125	3.250	0.625
EQ	24801-1214	1.500	2.375	0.625	EQ	24801-1862	1.937	2.750	0.625
EQ	24801-1215	1.250	2.000	0.625	EQ	24801-1864	5.375	6.375	0.750
EQ	24801-1220	3.000	4.000	0.625	EQ	24801-1870	2.362	3.543	0.500
EQ	24801-1245	2.250	3.375	0.625	EQ	24801-1884	2.165	3.165	0.625
EQ	24801-1251	2.562	3.562	0.625	EQ	24801-1887	2.562	3.502	0.625
EQ	24801-1252	2.500	3.623	0.625	EQ	24801-1893	2.625	3.500	0.625
EQ	24801-1265	3.000	3.750	0.625	EQ	24801-1901	2.250	3.189	0.625
EQ	24801-1268	2.875	3.875	0.625	EQ	24801-1908	2.938	3.688	0.625
EQ	24801-1270	1.625	2.437	0.625	EQ	24801-1911	3.347	4.500	0.625
EQ	24801-1322	2.125	2.875	0.625	EQ	24801-1915	1.625	2.375	0.625
EQ	24801-1323	2.125	3.000	0.625	EQ	24801-1920	1.125	2.062	0.625
EQ	24801-1335	2.125	3.125	0.500	EQ	24801-1932	1.250	2.125	0.625
EQ	24801-1341	1.688	2.750	0.625	EQ	24801-1941	2.625	3.500	0.500
EQ	24801-1346	3.937	5.118	0.625	EQ	24801-1950	2.625	3.750	0.500
EQ	24801-1349	5.905	7.087	0.625	EQ	24801-1951	2.500	3.625	0.625
EQ	24801-1350	2.000	3.000	0.625	EQ	24801-1962	2.625	3.375	0.625
EQ	24801-1351	2.313	3.313	0.625	EQ	24801-1974	1.570	3.188	0.625
EQ	24801-1357	1.000	2.125	0.625	EQ	24801-1978	0.984	1.968	0.709
EQ	24801-1374	1.772	2.638	0.500	EQ	24801-1984	2.677	3.543	0.500
EQ	24801-1403	0.875	1.937	0.625	EQ	24801-1985	2.283	3.150	0.500
EQ	24801-1404	2.188	3.000	0.500	EQ	24801-1988	3.307	4.331	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQ	24801-2001	2.000	3.125	0.625	EQ	24801-2611	1.654	2.559	0.625
EQ	24801-2014	2.625	3.628	0.625	EQ	24801-2625	4.134	5.118	0.625
EQ	24801-2037	2.750	3.500	0.500	EQ	24801-2631	1.575	3.150	0.625
EQ	24801-2038	1.932	2.750	0.625	EQ	24801-2659	4.250	5.250	0.625
EQ	24801-2042	4.313	5.313	0.625	EQ	24801-2672	4.250	5.875	0.625
EQ	24801-2062	2.750	3.875	0.625	EQ	24801-2676	2.813	3.751	0.625
EQ	24801-2067	2.756	3.543	0.500	EQ	24801-2694	1.375	2.437	0.625
EQ	24801-2078	2.756	3.622	0.500	EQ	24801-2698	1.235	2.000	0.625
EQ	24801-2086	2.875	3.625	0.625	EQ	24801-2720	1.437	2.437	0.625
EQ	24801-2087	2.756	3.937	0.500	EQ	24801-2723	1.688	2.688	0.625
EQ	24801-2127	1.654	2.598	0.625	EQ	24801-2753	4.500	5.500	0.500
EQ	24801-2141	4.563	5.751	0.625	EQ	24801-2755	4.500	5.500	0.625
EQ	24801-2145	2.937	3.688	0.500	EQ	24801-2759	4.500	5.750	0.500
EQ	24801-2159	2.938	3.938	0.500	EQ	24801-2761	4.500	5.750	0.625
EQ	24801-2166	2.953	3.937	0.625	EQ	24801-2766	5.188	6.188	0.625
EQ	24801-2167	2.937	4.000	0.500	EQ	24801-2780	4.528	5.512	0.625
EQ	24801-2172	3.000	3.875	0.625	EQ	24801-2808	4.625	5.625	0.625
EQ	24801-2173	3.000	3.875	0.500	EQ	24801-2851	4.750	6.250	0.625
EQ	24801-2175	3.000	4.000	0.750	EQ	24801-2874	4.250	5.375	0.625
EQ	24801-2177	3.000	4.125	0.500	EQ	24801-2875	4.875	6.000	0.625
EQ	24801-2222	3.125	4.000	0.625	EQ	24801-2885	4.437	5.500	0.625
EQ	24801-2230	3.937	4.921	0.625	EQ	24801-2894	4.937	6.000	0.500
EQ	24801-2239	3.150	4.528	0.500	EQ	24801-2902	3.543	4.724	0.625
EQ	24801-2240	3.150	3.937	0.625	EQ	24801-2918	1.654	2.441	0.625
EQ	24801-2250	2.756	3.937	0.625	EQ	24801-2919	2.756	3.543	0.625
EQ	24801-2260	1.378	2.165	0.625	EQ	24801-2923	5.000	6.250	0.625
EQ	24801-2264	2.750	3.625	0.625	EQ	24801-2930	4.921	6.890	0.625
EQ	24801-2272	3.150	4.134	0.625	EQ	24801-2931	4.750	5.750	0.625
EQ	24801-2280	3.250	4.250	0.625	EQ	24801-2948	4.560	6.125	0.625
EQ	24801-2291	4.500	6.250	0.625	EQ	24801-2962	3.937	5.000	0.625
EQ	24801-2311	3.346	4.528	0.630	EQ	24801-2969	1.969	3.189	0.625
EQ	24801-2321	3.375	4.375	0.500	EQ	24801-2987	1.625	2.500	0.625
EQ	24801-2322	3.375	4.375	0.625	EQ	24801-3021	3.740	4.724	0.625
EQ	24801-2326	3.375	4.500	0.625	EQ	24801-3061	2.500	3.725	0.625
EQ	24801-2335	3.438	4.625	0.625	EQ	24801-3063	5.250	6.256	0.625
EQ	24801-2348	3.438	4.625	0.500	EQ	24801-3071	1.719	2.625	0.625
EQ	24801-2366	3.500	4.500	0.500	EQ	24801-3143	1.838	2.750	0.625
EQ	24801-2368	3.500	4.500	0.625	EQ	24801-3161	3.346	4.331	0.625
EQ	24801-2374	3.500	4.750	0.625	EQ	24801-3164	4.810	6.000	0.625
EQ	24801-2419	3.625	4.625	0.625	EQ	24801-3165	4.788	6.000	0.625
EQ	24801-2438	4.125	5.131	0.625	EQ	24801-3184	5.500	6.750	0.625
EQ	24801-2462	3.750	4.750	0.500	EQ	24801-3223	2.160	3.250	0.625
EQ	24801-2474	2.188	3.250	0.625	EQ	24801-3225	1.969	2.756	0.625
EQ	24801-2488	2.362	3.543	0.625	EQ	24801-3239	2.312	3.062	0.625
EQ	24801-2489	2.186	3.186	0.625	EQ	24801-3241	1.573	3.250	0.625
EQ	24801-2506	3.875	5.000	0.625	EQ	24801-3247	2.187	3.062	0.625
EQ	24801-2510	4.750	5.756	0.625	EQ	24801-3263	0.945	1.732	0.625
EQ	24801-2533	3.938	4.875	0.500	EQ	24801-3267	2.312	3.750	0.625
EQ	24801-2549	4.000	5.500	0.500	EQ	24801-3270	1.750	3.750	0.625
EQ	24801-2577	3.438	4.438	0.625	EQ	24801-3357	6.000	7.000	0.625
EQ	24801-2593	4.000	5.000	0.625	EQ	24801-3366	2.250	3.625	0.625
EQ	24801-2604	4.125	5.125	0.625	EQ	24801-3398	1.000	1.750	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQ	24801-3430	6.500	7.750	0.625	EQ	24802-0748	1.875	2.625	0.500
EQ	24801-3455	2.438	3.431	0.625	EQ	24802-0754	1.375	2.500	0.625
EQ	24801-3464	6.750	8.250	0.625	EQ	24802-0765	1.125	2.001	0.500
EQ	24801-3474	3.937	5.250	0.625	EQ	24802-0770	1.625	2.750	0.625
EQ	24801-3491	2.438	3.500	0.625	EQ	24802-0787	1.250	2.375	0.625
EQ	24801-3506	1.875	2.758	0.625	EQ	24802-0792	1.875	2.875	0.625
EQ	24801-3518	7.250	8.250	0.625	EQ	24802-0811	4.250	5.500	0.625
EQ	24801-3584	3.346	4.528	0.551	EQ	24802-0815	1.125	2.250	0.625
EQ	24801-3593	3.150	4.331	0.625	EQ	24802-0819	1.875	3.125	0.500
EQ	24801-3628	1.575	2.500	0.625	EQ	24802-0832	1.125	2.125	0.625
EQ	24801-3632	0.937	1.837	0.625	EQ	24802-0879	1.750	2.875	0.500
EQ	24801-3642	3.000	3.937	0.625	EQ	24802-0988	1.125	2.001	0.625
EQ	24801-3679	10.500	11.750	0.875	EQ	24802-0989	1.875	2.625	0.625
EQ	24801-3785	5.000	6.375	0.625	EQ	24802-0990	1.750	2.625	0.562
EQ	24801-3790	4.935	6.000	0.625	EQ	24802-0991	2.500	3.251	0.625
EQ	24801-3796	1.063	1.938	0.625	EQ	24802-0997	2.937	4.003	0.625
EQ	24801-3830	3.937	4.875	0.625	EQ	24802-0998	1.750	2.875	0.625
EQ	24801-3913	6.299	7.480	0.625	EQ	24802-1010	2.125	3.189	0.625
EQ	24801-3915	1.575	3.425	0.625	EQ	24802-1012	0.875	1.625	0.625
EQ	24801-3964	0.750	1.575	0.625	EQ	24802-1024	6.000	7.500	0.625
EQ	24801-3971	1.500	3.045	0.625	EQ	24802-1026	1.750	2.500	0.625
EQ	24801-4195	2.520	4.250	0.625	EQ	24802-1028	3.250	4.000	0.625
EQ	24801-4444	2.158	3.150	0.625	EQ	24802-1062	1.750	2.625	0.625
EQ	24801-4461	3.250	4.999	0.625	EQ	24802-1075	1.875	2.750	0.625
EQ	24801-4563	0.984	1.850	0.625	EQ	24802-1080	3.625	4.375	0.625
EQ	24801-4568	0.512	1.606	0.625	EQ	24802-1081	2.875	3.750	0.625
EQ	24801-4631	2.500	4.250	0.625	EQ	24802-1082	4.331	5.512	0.625
EQ	24801-4639	1.375	2.828	0.625	EQ	24802-1083	1.000	2.000	0.625
EQ	24801-4651	4.000	5.000	0.500	EQ	24802-1086	2.625	3.677	0.625
EQ	24801-4682	4.705	5.750	0.625	EQ	24802-1087	2.625	3.688	0.625
EQ	24801-4741	2.850	3.650	0.625	EQ	24802-1089	1.625	2.625	0.625
EQ	24801-4947	1.969	2.835	0.625	EQ	24802-1090	0.875	1.750	0.625
EQ	24801-5047	3.188	4.249	0.625	EQ	24802-1091	1.125	3.150	0.625
EQ	24801-5048	4.375	5.500	0.625	EQ	24802-1092	1.375	2.125	0.625
EQ	24801-5088	5.315	6.496	0.625	EQ	24802-1095	3.750	5.250	0.625
EQ	24801-5089	4.921	6.102	0.625	EQ	24802-1098	2.562	3.437	0.625
EQ	24801-5140	5.512	6.496	0.625	EQ	24802-1100	1.427	2.500	0.625
EQ	24801-5164	4.591	5.508	0.625	EQ	24802-1101	1.375	2.375	0.625
EQ	24801-5223	0.748	1.496	0.625	EQ	24802-1105	1.375	3.125	0.625
EQ	24801-5269	3.150	5.118	0.625	EQ	24802-1110	1.062	1.812	0.625
EQ	24801-5309	4.133	5.511	0.625	EQ	24802-1115	0.937	1.687	0.625
EQ	24801-5325	0.787	1.654	0.625	EQ	24802-1116	1.437	2.250	0.625
EQ	24801-5416	0.669	1.575	0.625	EQ	24802-1118	1.500	2.125	0.625
EQ	24801-5431	2.362	3.150	0.625	EQ	24802-1119	2.188	3.000	0.625
EQ	24801-5446	1.181	2.030	0.625	EQ	24802-1121	1.375	2.250	0.625
EQ	24801-5488	2.441	3.346	0.625	EQ	24802-1123	1.938	3.000	0.625
EQ	24801-5521	3.346	4.724	0.625	EQ	24802-1138	1.375	2.835	0.625
EQ	24801-5593	0.984	1.969	0.625	EQ	24802-1139	1.465	2.343	0.625
EQ	24801-7682	3.125	4.250	0.625	EQ	24802-1141	1.938	2.812	0.625
EQ	24801-9724	3.000	4.250	0.625	EQ	24802-1142	2.938	3.812	0.625
EQ	24802-0706	1.875	3.000	0.625	EQ	24802-1144	3.938	4.937	0.625
EQ	24802-0709	2.125	2.875	0.500	EQ	24802-1152	1.125	1.876	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQ	24802-1162	2.625	3.750	0.625	EQ	24802-1411	1.334	2.363	0.625
EQ	24802-1166	1.500	2.625	0.625	EQ	24802-1420	1.250	2.250	0.625
EQ	24802-1174	3.562	4.751	0.625	EQ	24802-1479	2.250	3.000	0.625
EQ	24802-1176	2.062	2.996	0.625	EQ	24802-1483	2.250	3.125	0.625
EQ	24802-1180	2.250	3.187	0.625	EQ	24802-1493	2.250	3.250	0.625
EQ	24802-1183	9.750	11.250	1.000	EQ	24802-1494	2.250	3.250	0.500
EQ	24802-1185	6.500	8.000	1.000	EQ	24802-1498	2.250	3.350	0.625
EQ	24802-1186	1.562	2.625	0.625	EQ	24802-1499	1.181	2.211	0.625
EQ	24802-1194	1.500	2.499	0.625	EQ	24802-1552	2.313	3.250	0.625
EQ	24802-1197	1.968	2.953	0.625	EQ	24802-1581	2.375	3.250	0.625
EQ	24802-1199	1.181	2.358	0.625	EQ	24802-1641	2.437	3.437	0.625
EQ	24802-1203	2.625	3.489	0.625	EQ	24802-1645	2.375	3.125	0.625
EQ	24802-1205	2.875	4.003	0.625	EQ	24802-1654	2.375	3.375	0.625
EQ	24802-1207	3.125	4.130	0.625	EQ	24802-1739	3.149	3.942	0.625
EQ	24802-1209	3.313	4.130	0.625	EQ	24802-1740	2.628	3.750	0.625
EQ	24802-1211	2.375	3.500	0.625	EQ	24802-1743	1.938	2.875	0.625
EQ	24802-1212	2.500	3.375	0.625	EQ	24802-1744	1.750	2.750	0.625
EQ	24802-1214	1.500	2.375	0.625	EQ	24802-1752	1.378	2.362	0.625
EQ	24802-1215	1.250	2.000	0.625	EQ	24802-1754	1.000	1.875	0.625
EQ	24802-1216	3.000	3.881	0.625	EQ	24802-1755	2.250	3.500	0.625
EQ	24802-1220	3.000	4.000	0.625	EQ	24802-1760	1.968	2.875	0.625
EQ	24802-1225	2.062	3.000	0.625	EQ	24802-1761	2.125	3.125	0.625
EQ	24802-1237	3.250	4.003	0.625	EQ	24802-1763	1.500	2.250	0.625
EQ	24802-1238	2.750	3.500	0.625	EQ	24802-1764	6.250	7.125	0.625
EQ	24802-1239	7.250	8.750	0.625	EQ	24802-1765	0.875	2.000	0.625
EQ	24802-1242	2.750	3.543	0.625	EQ	24802-1766	2.313	3.250	0.625
EQ	24802-1245	2.250	3.375	0.625	EQ	24802-1768	4.188	5.004	0.625
EQ	24802-1248	2.125	3.520	0.625	EQ	24802-1776	2.375	3.350	0.625
EQ	24802-1249	2.000	2.750	0.625	EQ	24802-1779	1.560	2.590	0.625
EQ	24802-1250	2.750	3.750	0.625	EQ	24802-1803	1.574	2.575	0.625
EQ	24802-1251	2.562	3.562	0.625	EQ	24802-1804	1.771	2.996	0.625
EQ	24802-1265	3.000	3.750	0.625	EQ	24802-1805	2.165	3.189	0.625
EQ	24802-1267	1.570	2.338	0.625	EQ	24802-1806	2.362	3.362	0.625
EQ	24802-1268	2.875	3.875	0.625	EQ	24802-1807	2.559	3.500	0.625
EQ	24802-1270	1.625	2.438	0.625	EQ	24802-1810	2.755	3.750	0.625
EQ	24802-1322	2.125	2.875	0.625	EQ	24802-1811	2.952	4.000	0.625
EQ	24802-1323	2.125	3.000	0.625	EQ	24802-1813	3.149	4.500	0.625
EQ	24802-1328	0.624	1.374	0.625	EQ	24802-1814	3.346	4.375	0.625
EQ	24802-1340	2.165	3.000	0.625	EQ	24802-1815	3.543	4.500	0.625
EQ	24802-1341	1.688	2.750	0.625	EQ	24802-1816	3.740	4.750	0.625
EQ	24802-1346	3.937	5.118	0.625	EQ	24802-1817	4.330	5.250	0.625
EQ	24802-1347	3.937	4.724	0.625	EQ	24802-1818	2.500	3.500	0.625
EQ	24802-1348	2.362	3.150	0.625	EQ	24802-1834	2.500	4.375	0.625
EQ	24802-1349	5.906	7.087	0.625	EQ	24802-1840	4.443	5.500	0.625
EQ	24802-1350	2.000	3.000	0.625	EQ	24802-1841	2.625	3.625	0.625
EQ	24802-1351	2.313	3.313	0.625	EQ	24802-1849	2.125	3.050	0.625
EQ	24802-1353	2.187	3.189	0.625	EQ	24802-1850	1.187	2.441	0.625
EQ	24802-1357	1.000	2.125	0.625	EQ	24802-1854	2.125	3.250	0.625
EQ	24802-1398	1.873	2.812	0.625	EQ	24802-1858	2.559	3.465	0.625
EQ	24802-1403	0.875	1.937	0.625	EQ	24802-1862	1.937	2.750	0.625
EQ	24802-1405	0.750	1.499	0.625	EQ	24802-1872	1.500	2.460	0.625
EQ	24802-1406	2.000	2.875	0.625	EQ	24802-1874	1.500	2.410	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQ	24802-1876	2.362	3.228	0.625	EQ	24802-2195	1.250	2.875	0.625
EQ	24802-1878	2.875	4.380	0.625	EQ	24802-2201	3.062	4.062	0.625
EQ	24802-1882	3.500	4.625	0.625	EQ	24802-2209	3.122	4.000	0.625
EQ	24802-1883	2.559	3.543	0.625	EQ	24802-2210	3.750	4.500	0.625
EQ	24802-1884	2.165	3.165	0.625	EQ	24802-2223	3.125	4.125	0.625
EQ	24802-1887	2.563	3.512	0.625	EQ	24802-2224	3.125	4.375	0.625
EQ	24802-1891	1.875	2.997	0.625	EQ	24802-2230	3.937	4.921	0.625
EQ	24802-1893	2.625	3.500	0.625	EQ	24802-2240	3.150	3.937	0.625
EQ	24802-1898	1.781	3.125	0.625	EQ	24802-2250	2.756	3.937	0.625
EQ	24802-1901	2.250	3.189	0.625	EQ	24802-2260	1.378	2.165	0.625
EQ	24802-1906	2.165	3.543	0.625	EQ	24802-2261	3.526	4.526	0.625
EQ	24802-1915	1.625	2.375	0.625	EQ	24802-2264	2.750	3.625	0.625
EQ	24802-1929	1.375	2.439	0.625	EQ	24802-2270	5.250	6.250	0.625
EQ	24802-1932	1.250	2.125	0.625	EQ	24802-2280	3.250	4.250	0.625
EQ	24802-1935	1.890	2.756	0.625	EQ	24802-2286	3.250	4.375	0.625
EQ	24802-1942	2.438	3.250	0.625	EQ	24802-2288	1.475	2.335	0.625
EQ	24802-1943	2.356	3.625	0.625	EQ	24802-2292	1.766	2.750	0.625
EQ	24802-1951	2.500	3.625	0.625	EQ	24802-2296	3.313	4.125	0.625
EQ	24802-1958	1.438	2.375	0.625	EQ	24802-2304	3.313	4.500	0.625
EQ	24802-1960	4.187	5.875	0.625	EQ	24802-2312	2.280	3.280	0.625
EQ	24802-1961	3.875	5.500	0.625	EQ	24802-2316	3.375	4.250	0.625
EQ	24802-1962	2.625	3.375	0.625	EQ	24802-2322	3.375	4.375	0.625
EQ	24802-1975	1.969	3.150	0.625	EQ	24802-2326	3.375	4.500	0.625
EQ	24802-1980	2.937	3.750	0.625	EQ	24802-2332	3.408	4.500	0.625
EQ	24802-1981	2.244	3.268	0.625	EQ	24802-2335	3.438	4.626	0.625
EQ	24802-1982	2.812	3.580	0.625	EQ	24802-2368	3.500	4.500	0.625
EQ	24802-1988	3.307	4.331	0.625	EQ	24802-2374	3.500	4.750	0.625
EQ	24802-2001	2.000	3.125	0.625	EQ	24802-2378	3.500	4.375	0.625
EQ	24802-2003	2.687	3.500	0.625	EQ	24802-2419	3.625	4.625	0.625
EQ	24802-2005	2.165	3.150	0.625	EQ	24802-2464	3.750	4.750	0.625
EQ	24802-2010	2.717	3.752	0.625	EQ	24802-2474	3.188	3.250	0.625
EQ	24802-2016	2.500	3.189	0.625	EQ	24802-2476	1.181	2.350	0.625
EQ	24802-2028	0.807	2.165	0.625	EQ	24802-2480	1.968	2.935	0.625
EQ	24802-2038	1.932	2.750	0.625	EQ	24802-2483	3.750	5.000	0.625
EQ	24802-2046	3.938	5.501	0.625	EQ	24802-2489	2.186	3.186	0.625
EQ	24802-2048	4.875	5.875	0.625	EQ	24802-2492	3.000	4.617	0.625
EQ	24802-2050	4.375	5.375	0.625	EQ	24802-2503	3.875	4.875	0.625
EQ	24802-2051	4.563	5.563	0.625	EQ	24802-2506	3.875	5.000	0.625
EQ	24802-2059	2.756	3.543	0.625	EQ	24802-2520	2.625	3.371	0.625
EQ	24802-2062	2.750	3.875	0.625	EQ	24802-2523	3.346	4.134	0.625
EQ	24802-2083	2.938	3.938	0.625	EQ	24802-2527	3.360	5.000	0.625
EQ	24802-2086	2.875	3.625	0.625	EQ	24802-2539	4.938	5.938	0.625
EQ	24802-2091	3.000	4.500	0.625	EQ	24802-2542	4.000	5.125	0.625
EQ	24802-2106	4.187	5.500	0.625	EQ	24802-2577	3.438	4.438	0.625
EQ	24802-2107	1.437	2.500	0.625	EQ	24802-2593	4.000	5.000	0.625
EQ	24802-2108	1.937	3.125	0.625	EQ	24802-2604	4.125	5.125	0.625
EQ	24802-2115	2.062	3.125	0.625	EQ	24802-2605	4.125	5.250	0.625
EQ	24802-2160	1.000	2.441	0.625	EQ	24802-2616	4.125	5.750	0.625
EQ	24802-2166	2.953	3.937	0.625	EQ	24802-2618	2.350	3.350	0.625
EQ	24802-2171	3.000	4.008	0.625	EQ	24802-2622	1.375	2.875	0.625
EQ	24802-2172	3.000	3.875	0.625	EQ	24802-2623	4.188	5.256	0.625
EQ	24802-2179	3.000	4.125	0.625	EQ	24802-2625	4.134	5.118	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQ	24802-2629	4.134	5.134	0.625	EQ	24802-2998	5.125	6.375	0.625
EQ	24802-2632	2.312	3.500	0.625	EQ	24802-2999	2.125	3.312	0.625
EQ	24802-2634	2.750	4.125	0.625	EQ	24802-3002	1.437	2.310	0.625
EQ	24802-2635	2.656	4.003	0.625	EQ	24802-3004	2.500	3.433	0.625
EQ	24802-2643	3.075	4.325	0.625	EQ	24802-3005	3.187	4.312	0.625
EQ	24802-2651	2.362	3.346	0.625	EQ	24802-3006	2.375	3.437	0.625
EQ	24802-2659	4.250	5.250	0.625	EQ	24802-3007	2.500	3.562	0.625
EQ	24802-2662	2.500	3.543	0.625	EQ	24802-3009	3.250	4.313	0.625
EQ	24802-2689	4.313	5.750	0.625	EQ	24802-3012	2.755	3.755	0.625
EQ	24802-2694	1.375	2.437	0.625	EQ	24802-3015	2.174	3.174	0.625
EQ	24802-2698	1.235	2.000	0.625	EQ	24802-3016	2.569	3.569	0.625
EQ	24802-2700	4.313	5.500	0.625	EQ	24802-3017	3.201	4.201	0.625
EQ	24802-2711	0.875	1.875	0.625	EQ	24802-3018	3.948	4.948	0.625
EQ	24802-2730	1.938	2.938	0.625	EQ	24802-3021	3.740	4.724	0.625
EQ	24802-2733	4.437	5.500	0.562	EQ	24802-3022	5.118	6.299	0.625
EQ	24802-2735	2.063	3.063	0.625	EQ	24802-3023	2.688	3.543	0.625
EQ	24802-2736	2.687	3.687	0.625	EQ	24802-3024	3.071	3.937	0.625
EQ	24802-2740	4.450	5.325	0.625	EQ	24802-3025	2.283	3.543	0.625
EQ	24802-2744	3.688	4.688	0.625	EQ	24802-3029	1.562	2.500	0.625
EQ	24802-2747	4.188	5.188	0.625	EQ	24802-3038	4.255	5.255	0.625
EQ	24802-2755	4.500	5.500	0.625	EQ	24802-3039	3.786	4.786	0.625
EQ	24802-2780	4.527	5.512	0.625	EQ	24802-3045	3.346	4.321	0.625
EQ	24802-2808	4.625	5.625	0.625	EQ	24802-3048	1.500	2.563	0.625
EQ	24802-2816	2.559	3.346	0.625	EQ	24802-3052	2.160	3.160	0.625
EQ	24802-2843	2.875	4.000	0.625	EQ	24802-3054	2.153	3.153	0.625
EQ	24802-2857	1.185	2.442	0.625	EQ	24802-3055	2.436	3.436	0.625
EQ	24802-2859	1.125	2.441	0.625	EQ	24802-3056	2.222	3.222	0.625
EQ	24802-2874	4.250	5.375	0.625	EQ	24802-3057	5.250	6.000	0.625
EQ	24802-2875	4.875	6.000	0.625	EQ	24802-3058	2.125	3.500	0.625
EQ	24802-2885	4.437	5.500	0.625	EQ	24802-3062	4.680	6.000	0.625
EQ	24802-2891	3.937	4.900	0.625	EQ	24802-3064	2.380	3.380	0.625
EQ	24802-2896	4.937	6.000	0.625	EQ	24802-3067	5.250	6.500	0.625
EQ	24802-2897	2.264	3.250	0.625	EQ	24802-3072	3.735	4.735	0.625
EQ	24802-2902	3.543	4.724	0.625	EQ	24802-3073	5.250	6.750	0.625
EQ	24802-2904	5.438	6.688	0.625	EQ	24802-3083	2.060	3.060	0.625
EQ	24802-2917	5.000	6.000	0.625	EQ	24802-3086	2.933	3.750	0.625
EQ	24802-2920	1.908	2.875	0.625	EQ	24802-3087	1.378	3.150	0.625
EQ	24802-2923	5.000	6.250	0.625	EQ	24802-3088	0.866	1.969	0.625
EQ	24802-2924	5.000	6.256	0.625	EQ	24802-3093	2.875	4.625	0.625
EQ	24802-2931	4.750	5.750	0.625	EQ	24802-3094	4.335	5.335	0.625
EQ	24802-2942	3.937	4.883	0.625	EQ	24802-3095	5.115	6.115	0.625
EQ	24802-2944	3.450	4.500	0.625	EQ	24802-3096	3.015	4.015	0.625
EQ	24802-2949	4.599	5.599	0.625	EQ	24802-3099	2.505	3.505	0.625
EQ	24802-2950	3.006	4.006	0.625	EQ	24802-3101	3.385	4.385	0.625
EQ	24802-2951	2.357	3.357	0.625	EQ	24802-3104	3.900	4.900	0.625
EQ	24802-2957	2.750	4.000	0.625	EQ	24802-3105	4.540	6.150	0.625
EQ	24802-2963	4.438	5.750	0.625	EQ	24802-3107	2.755	3.741	0.625
EQ	24802-2971	1.571	2.571	0.625	EQ	24802-3108	2.402	3.290	0.625
EQ	24802-2972	3.740	5.118	0.625	EQ	24802-3109	3.228	4.448	0.625
EQ	24802-2974	4.331	5.331	0.625	EQ	24802-3137	2.900	3.900	0.625
EQ	24802-2986	5.088	6.088	0.625	EQ	24802-3138	3.010	4.010	0.625
EQ	24802-2987	1.625	2.500	0.625	EQ	24802-3139	3.335	4.335	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQ	24802-3153	2.230	3.230	0.625	EQ	24802-3513	2.932	3.932	0.625
EQ	24802-3154	2.440	3.440	0.625	EQ	24802-3514	2.650	3.630	0.625
EQ	24802-3161	3.346	4.330	0.625	EQ	24802-3519	2.950	3.960	0.625
EQ	24802-3162	5.315	6.693	0.625	EQ	24802-3524	1.980	2.875	0.625
EQ	24802-3168	4.565	5.565	0.625	EQ	24802-3540	2.360	4.090	0.625
EQ	24802-3169	2.150	3.150	0.625	EQ	24802-3541	2.000	2.884	0.625
EQ	24802-3170	2.560	3.560	0.625	EQ	24802-3552	7.500	9.000	0.625
EQ	24802-3174	2.750	4.375	0.625	EQ	24802-3560	2.000	2.855	0.625
EQ	24802-3179	4.725	5.905	0.625	EQ	24802-3568	2.480	3.543	0.625
EQ	24802-3180	6.693	7.874	0.625	EQ	24802-3570	3.000	4.003	0.625
EQ	24802-3184	5.500	6.750	0.625	EQ	24802-3576	1.625	2.800	0.625
EQ	24802-3185	3.815	4.815	0.625	EQ	24802-3577	2.307	4.331	0.625
EQ	24802-3210	4.230	5.230	0.625	EQ	24802-3582	2.312	3.438	0.625
EQ	24802-3221	2.998	3.998	0.625	EQ	24802-3593	3.150	4.331	0.625
EQ	24802-3224	4.245	5.245	0.625	EQ	24802-3600	1.969	3.543	0.625
EQ	24802-3234	2.550	3.550	0.625	EQ	24802-3646	3.375	5.290	0.625
EQ	24802-3236	5.625	6.875	0.625	EQ	24802-3650	2.625	3.683	0.625
EQ	24802-3240	3.562	4.500	0.625	EQ	24802-3727	5.181	6.118	0.625
EQ	24802-3244	2.562	4.125	0.625	EQ	24802-3728	5.512	6.512	0.625
EQ	24802-3251	4.425	5.626	0.625	EQ	24802-3735	2.559	3.620	0.625
EQ	24802-3257	1.750	2.716	0.625	EQ	24802-3736	2.950	4.250	0.625
EQ	24802-3263	0.945	1.732	0.625	EQ	24802-3745	1.889	2.889	0.625
EQ	24802-3264	1.886	2.886	0.625	EQ	24802-3753	3.437	5.125	0.625
EQ	24802-3265	3.543	4.331	0.625	EQ	24802-3772	1.161	2.000	0.625
EQ	24802-3266	1.967	2.967	0.625	EQ	24802-3777	3.188	5.000	0.625
EQ	24802-3268	1.562	2.437	0.625	EQ	24802-3785	5.000	6.375	0.625
EQ	24802-3277	5.750	6.750	0.625	EQ	24802-3962	3.185	4.185	0.625
EQ	24802-3282	4.245	5.626	0.625	EQ	24802-3966	3.312	4.375	0.625
EQ	24802-3284	1.493	2.493	0.625	EQ	24802-3975	1.750	3.125	0.625
EQ	24802-3290	1.932	2.932	0.625	EQ	24802-3983	3.934	4.934	0.625
EQ	24802-3294	2.438	3.350	0.625	EQ	24802-3986	2.428	3.428	0.625
EQ	24802-3299	3.345	4.304	0.625	EQ	24802-3989	2.756	4.331	0.625
EQ	24802-3309	2.362	3.346	0.625	EQ	24802-4057	2.062	3.625	0.625
EQ	24802-3316	2.953	3.740	0.625	EQ	24802-4084	1.428	2.375	0.625
EQ	24802-3318	4.331	5.118	0.625	EQ	24802-4085	2.375	3.875	0.625
EQ	24802-3321	1.625	2.374	0.625	EQ	24802-4091	3.938	5.315	0.625
EQ	24802-3334	3.402	4.375	0.625	EQ	24802-4096	1.378	2.545	0.625
EQ	24802-3344	3.438	4.313	0.625	EQ	24802-4102	1.496	2.496	0.625
EQ	24802-3349	2.000	3.000	0.750	EQ	24802-4103	2.065	3.065	0.625
EQ	24802-3357	6.000	7.000	0.625	EQ	24802-4201	2.205	3.150	0.625
EQ	24802-3366	2.250	3.625	0.625	EQ	24802-4202	1.562	2.750	0.625
EQ	24802-3380	2.437	4.509	0.625	EQ	24802-4341	1.772	2.441	0.625
EQ	24802-3381	2.750	4.533	0.625	EQ	24802-4342	1.177	2.500	0.625
EQ	24802-3388	1.181	2.181	0.625	EQ	24802-4346	1.500	2.545	0.625
EQ	24802-3398	1.000	1.750	0.625	EQ	24802-4358	2.437	3.481	0.625
EQ	24802-3424	6.437	7.687	0.625	EQ	24802-4390	4.250	5.625	0.625
EQ	24802-3474	3.938	5.251	0.625	EQ	24802-4392	2.312	3.625	0.625
EQ	24802-3480	2.312	3.371	0.625	EQ	24802-4415	1.125	2.188	0.625
EQ	24802-3491	2.438	3.500	0.625	EQ	24802-4442	2.244	3.250	0.625
EQ	24802-3493	2.932	3.806	0.625	EQ	24802-4447	2.166	3.937	0.625
EQ	24802-3498	1.574	3.937	0.625	EQ	24802-4456	1.437	2.125	0.625
EQ	24802-3506	1.875	2.758	0.625	EQ	24802-4469	2.726	3.726	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQ	24802-4482	2.187	5.125	0.625	EQ	24807-1903	1.781	2.500	0.690
EQ	24802-4521	1.932	2.806	0.625	EQ	24807-1905	0.787	1.260	0.690
EQ	24802-4563	0.984	1.850	0.625	EQ	24807-1912	2.438	3.125	0.690
EQ	24802-4568	0.512	1.606	0.625	EQ	24807-1923	1.772	2.441	0.690
EQ	24802-4596	0.787	1.575	0.625	EQ	24807-1955	0.875	1.500	0.690
EQ	24802-4597	2.433	4.049	0.625	EQ	24807-1970	1.375	2.000	0.690
EQ	24802-4607	6.750	8.750	0.875	EQ	24807-2025	2.500	3.189	0.690
EQ	24802-4653	1.188	2.358	0.625	EQ	24807-2045	3.000	3.500	0.690
EQ	24802-4660	2.047	2.953	0.625	EQ	24807-2124	0.375	0.875	0.690
EQ	24802-4685	1.469	2.375	0.625	EQ	24807-2138	2.937	3.623	0.690
EQ	24802-4696	3.777	4.732	0.625	EQ	24807-2153	2.937	3.625	0.690
EQ	24802-4697	3.934	5.120	0.625	EQ	24807-2155	1.969	2.638	0.690
EQ	24802-4743	4.438	5.890	0.625	EQ	24807-2164	1.625	2.250	0.690
EQ	24802-4896	2.435	4.094	0.625	EQ	24807-2165	2.998	3.515	0.690
EQ	24802-4943	1.890	2.835	0.625	EQ	24807-2200	1.750	2.375	0.690
EQ	24802-5047	3.188	4.249	0.625	EQ	24807-2287	4.125	4.750	0.690
EQ	24802-5069	2.875	4.375	0.625	EQ	24807-2329	1.062	1.656	0.690
EQ	24802-5095	2.756	3.622	0.625	EQ	24807-2336	2.000	2.500	0.690
EQ	24802-5096	2.000	3.500	0.625	EQ	24807-2485	2.165	2.874	0.690
EQ	24802-5110	3.346	5.118	0.625	EQ	24807-2495	1.932	2.625	0.690
EQ	24802-5309	4.133	5.511	0.625	EQ	24807-2512	1.375	1.874	0.690
EQ	24802-5360	1.625	2.125	0.625	EQ	24807-2522	1.688	2.125	0.690
EQ	24802-5368	2.125	3.875	0.625	EQ	24807-2524	1.313	2.000	0.690
EQ	24802-5369	2.125	4.000	0.625	EQ	24807-2537	2.147	2.875	0.690
EQ	24802-5371	1.125	2.043	0.625	EQ	24807-2563	0.937	1.500	0.690
EQ	24802-5382	3.544	4.565	0.625	EQ	24807-2567	2.250	2.625	0.690
EQ	24802-5434	1.187	2.437	0.625	EQ	24807-2578	1.500	2.000	0.690
EQ	24802-5434	1.187	2.437	0.625	EQ	24807-2667	2.250	2.875	0.690
EQ	24802-5448	1.654	4.193	0.625	EQ	24807-2675	2.165	2.756	0.690
EQ	24802-5448	1.654	4.193	0.625	EQ	24807-2681	1.890	2.559	0.690
EQ	24802-5449	3.562	4.625	0.625	EQ	24807-2688	1.000	1.500	0.690
EQ	24802-5449	3.562	4.625	0.625	EQ	24807-2692	1.375	2.062	0.690
EQ	24802-5461	3.500	4.875	0.625	EQ	24807-2693	1.750	2.500	0.690
EQ	24802-5494	1.725	2.625	0.625	EQ	24807-2695	1.000	1.750	0.690
EQ	24802-5510	4.646	5.906	0.625	EQ	24807-2806	1.181	1.625	0.690
EQ	24802-5573	1.125	2.437	0.625	EQ	24807-2828	0.625	1.250	0.690
EQ	24802-5593	0.984	1.969	0.625	EQ	24807-2829	1.125	1.625	0.690
EQ	24802-5604	3.937	5.512	0.625	EQ	24807-2830	2.750	3.560	0.690
EQ	24802-5606	2.165	3.744	0.625	EQ	24807-2831	2.375	3.125	0.690
EQ	24807-1025	1.156	1.875	0.690	EQ	24807-2839	1.496	2.165	0.690
EQ	24807-1352	1.125	1.624	0.690	EQ	24807-2842	1.103	1.850	0.690
EQ	24807-1359	1.575	2.047	0.690	EQ	24807-2846	3.312	4.125	0.690
EQ	24807-1361	2.000	2.710	0.690	EQ	24807-2852	1.125	1.562	0.690
EQ	24807-1363	0.969	1.499	0.690	EQ	24807-2855	3.250	4.000	0.690
EQ	24807-1780	1.750	2.437	0.690	EQ	24807-2858	1.375	2.125	0.690
EQ	24807-1782	1.250	1.750	0.690	EQ	24807-2861	0.875	1.625	0.690
EQ	24807-1783	1.438	1.938	0.690	EQ	24807-2866	2.155	2.875	0.690
EQ	24807-1786	0.750	1.379	0.690	EQ	24807-2874	2.359	2.734	0.690
EQ	24807-1802	2.250	2.750	0.690	EQ	24807-2882	1.938	2.438	0.690
EQ	24807-1846	1.969	2.677	0.690	EQ	24807-2968	1.125	1.875	0.690
EQ	24807-1876	2.360	3.228	0.690	EQ	24807-2973	3.380	4.000	0.690
EQ	24807-1888	1.438	2.125	0.690	EQ	24807-2993	0.875	1.375	0.690

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQ	24807-2994	1.125	1.750	0.690	EQ	24807-3912	1.875	2.375	0.690
EQ	24807-2996	1.250	1.875	0.690	EQ	24807-3952	1.750	2.250	0.690
EQ	24807-3000	3.937	4.937	0.690	EQ	24807-4078	1.375	1.750	0.690
EQ	24807-3084	1.610	2.000	0.690	EQ	24807-4079	1.625	2.125	0.690
EQ	24807-3110	1.438	2.062	0.690	EQ	24807-4132	2.530	3.287	0.690
EQ	24807-3144	1.468	2.343	0.690	EQ	24807-4200	2.205	2.837	0.690
EQ	24807-3149	1.772	2.362	0.690	EQ	24807-4471	4.003	4.500	0.690
EQ	24807-3159	1.687	2.375	0.690	EQ	24807-4523	3.750	4.375	0.690
EQ	24807-3196	0.875	1.250	0.690	EQ	24807-4579	1.562	2.375	0.690
EQ	24807-3198	2.375	3.062	0.690	EQ	24807-4652	4.938	5.500	0.690
EQ	24807-3229	1.969	2.756	0.690	EQ	24807-4677	2.000	2.716	0.690
EQ	24807-3237	2.312	3.062	0.690	EQ	24807-4713	2.047	2.750	0.690
EQ	24807-3238	2.125	2.763	0.690	EQ	24807-4851	2.000	2.670	0.690
EQ	24807-3242	0.438	1.124	0.690	EQ	24807-5104	3.346	3.937	0.690
EQ	24807-3249	2.188	3.062	0.690	EQ	24807-5379	0.984	1.750	0.690
EQ	24807-3271	3.937	4.562	0.690	EQ	24807-5590	2.188	2.837	0.690
EQ	24807-3297	2.000	2.690	0.690	EQSPB	24816-2564	2.438	3.187	1.125
EQ	24807-3298	2.250	3.000	0.690	EQSPB	24816-3982	1.438	2.063	0.875
EQ	24807-3312	2.953	3.740	0.690	EQSPB	24816-4446	1.750	2.776	0.750
EQ	24807-3315	4.331	5.118	0.690	EQSPB	24816-7004	2.438	3.192	1.062
EQ	24807-3319	1.875	2.562	0.690	EQSPB	24816-7005	3.062	3.810	1.062
EQ	24807-3343	1.875	2.625	0.690	EQSPB	24816-7006	4.187	5.243	1.375
EQ	24807-3410	1.500	2.125	0.690	EQSPB	24816-7007	4.875	5.983	1.375
EQ	24807-3413	1.938	2.500	0.690	EQSPB	24816-7010	3.000	3.825	1.062
EQ	24807-3431	1.969	2.559	0.690	EQSPB	24816-7014	6.062	7.349	1.375
EQ	24807-3495	1.687	2.062	0.690	EQSPB	24816-7015	7.000	8.375	1.375
EQ	24807-3504	2.932	3.806	0.690	EQSPB	24816-7017	2.938	3.956	1.375
EQ	24807-3505	2.165	2.952	0.690	EQSPB	24816-7018	3.938	4.986	1.375
EQ	24807-3533	1.250	2.250	0.690	EQSPB	24816-7019	1.937	2.567	0.876
EQ	24807-3557	3.937	4.687	0.690	EQSPB	24816-7020	2.188	2.825	1.125
EQ	24807-3565	1.875	2.500	0.690	EQSPB	24816-7021	2.688	3.574	1.062
EQ	24807-3622	1.250	1.687	0.690	EQSPB	24816-7022	2.937	3.817	1.062
EQ	24807-3638	1.181	1.850	0.690	EQSPB	24816-7023	3.000	3.818	1.375
EQ	24807-3639	2.362	3.150	0.690	EQSPB	24816-7024	4.125	5.025	1.375
EQ	24807-3645	2.312	3.187	0.690	EQSPB	24816-7025	3.438	4.458	1.312
EQ	24807-3657	2.283	3.835	0.690	EQSPB	24816-7026	3.938	4.957	1.375
EQ	24807-3674	3.150	3.937	0.690	EQSPB	24816-7027	4.187	5.230	1.375
EQ	24807-3700	1.500	2.250	0.690	EQSPB	24816-7028	4.437	5.548	1.375
EQ	24807-3739	1.750	2.625	0.690	EQSPB	24816-7029	4.937	5.982	1.375
EQ	24807-3748	2.438	2.938	0.690	EQSPB	24816-7030	5.000	5.982	1.375
EQ	24807-3752	3.876	4.313	0.690	EQSPB	24816-7031	3.937	5.328	1.375
EQ	24807-3767	3.375	4.125	0.690	EQSPB	24816-7032	2.812	3.569	1.375
EQ	24807-3778	2.250	3.190	0.690	EQSPB	24816-7033	3.438	4.338	1.375
EQ	24807-3779	2.750	3.500	0.690	EQSPB	24816-7035	2.500	3.192	1.062
EQ	24807-3781	3.750	4.750	0.690	EQSPB	24816-7036	3.500	4.458	1.312
EQ	24807-3782	4.500	5.500	0.690	EQSPB	24816-7039	6.625	8.390	1.375
EQ	24807-3784	1.720	2.250	0.690	EQSPB	24816-7040	6.000	7.340	1.375
EQ	24807-3831	2.622	3.046	0.690	EQSPB	24816-7041	1.937	2.563	0.875
EQ	24807-3835	2.622	3.346	0.690	EQSPB	24816-7042	2.750	3.772	1.000
EQ	24807-3877	1.125	1.801	0.690	EQSPB	24816-7043	6.437	7.780	1.375
EQ	24807-3878	2.145	2.865	0.690	EQSPB	24816-7044	3.812	4.773	1.375
EQ	24807-3907	1.063	1.624	0.690	EQSPB	24816-7047	3.938	5.643	1.125

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
EQSPB	24816-7048	3.937	4.955	1.252	IG	29500-4212	4.500	6.000	0.750
EQSPB	24816-7049	5.438	6.750	1.250	IG	29500-4214	3.500	4.375	0.750
EQSPB	24816-7050	3.250	4.335	1.312	IG	29500-4280	2.438	3.438	0.750
EQSPB	24816-7052	8.937	10.443	1.562	IG	29500-4292	3.937	4.937	0.750
EQSPB	24816-7054	6.625	7.718	1.250	IG	29500-4310	6.125	7.125	0.750
EQSPB	24816-7055	5.750	6.938	1.250	IG	29500-4312	6.250	7.250	0.750
EQSPB	24816-7056	3.875	5.085	1.375	IG	29500-4331	2.875	4.000	0.750
EQSPB	24816-7057	3.938	5.085	1.375	IG	29500-4361	3.000	4.125	0.750
EQSPB	24816-7058	2.362	3.366	0.750	IG	29500-4366	4.188	5.250	0.750
EQSPB	24816-7060	2.937	4.480	1.062	IG	29500-4374	2.500	3.750	0.750
EQSPB	24816-7061	1.378	2.146	0.748	IG	29500-4379	3.375	4.500	0.750
EQSPB	24816-7062	1.378	2.539	0.748	IG	29500-4391	4.500	5.750	0.750
EQSPB	24816-7063	1.772	2.539	0.748	IG	29500-4425	3.250	4.500	0.750
EQSPB	24816-7064	1.772	2.972	0.748	IG	29500-4464	4.284	5.284	0.750
EQSPB	24816-7065	2.165	2.972	0.748	IG	29500-4472	4.938	6.000	0.750
EQSPB	24816-7067	1.438	2.063	0.975	IG	29500-4476	2.441	3.948	0.750
EQSPB	24816-7068	6.000	7.343	1.375	IG	29500-4480	4.250	5.500	0.750
EQSPB	24816-7111	7.437	8.945	1.375	IG	29500-4485	2.188	5.125	0.750
EQSPB	24816-7118	5.875	6.938	1.523	IG	29500-4495	4.437	5.500	0.750
EQSPB	24816-7119	3.188	4.335	1.298	IG	29500-4497	4.166	5.500	0.750
EQSPB	24816-7120	7.437	8.945	1.540	IG	29500-4502	1.100	2.625	0.750
EQSPB	24816-7124	1.438	2.063	0.609	IG	29500-4504	5.438	6.875	0.750
EQSPB	24816-7131	3.188	4.335	1.312	IG	29500-4506	3.740	4.740	0.750
EQSPB	24816-7132	7.188	8.570	0.980	IG	29500-4507	3.000	4.375	0.750
EQSPB	24816-7147	3.437	4.523	1.312	IG	29500-4538	1.188	2.250	0.750
IG	29500-2175	3.000	4.000	0.750	IG	29500-4542	6.375	7.498	0.750
IG	29500-3349	2.000	3.000	0.750	IG	29500-4560	1.812	2.875	0.750
IG	29500-3370	6.000	7.500	0.750	IG	29500-4562	3.688	4.750	0.750
IG	29500-3465	6.750	8.250	0.750	IG	29500-4571	1.875	3.250	0.750
IG	29500-3467	6.750	8.000	0.750	IG	29500-4592	2.500	4.937	0.750
IG	29500-3501	7.000	8.500	0.750	IG	29500-4619	2.375	3.875	0.750
IG	29500-3553	7.500	9.000	0.750	IG	29500-4640	3.937	6.375	0.750
IG	29500-3585	1.875	2.875	0.750	IG	29500-4641	3.937	4.999	0.750
IG	29500-3589	7.875	9.375	0.750	IG	29500-4647	4.938	7.000	0.750
IG	29500-4115	4.313	5.500	0.750	IG	29500-4648	2.937	4.000	0.750
IG	29500-4140	1.250	2.250	0.750	IG	29500-4649	3.937	4.921	0.750
IG	29500-4141	1.375	2.375	0.750	IG	29500-4656	1.770	2.875	0.750
IG	29500-4143	1.500	2.500	0.750	IG	29500-4675	2.990	4.000	0.750
IG	29500-4144	1.625	2.625	0.750	IG	29500-4678	1.771	3.937	0.750
IG	29500-4145	1.750	2.750	0.750	IG	29500-4683	2.500	3.543	0.750
IG	29500-4146	2.125	3.125	0.750	IG	29500-4694	2.875	4.134	0.750
IG	29500-4148	2.250	3.250	0.750	IG	29500-4704	1.875	3.938	0.750
IG	29500-4149	2.375	3.375	0.750	IG	29500-4721	2.559	3.543	0.750
IG	29500-4150	2.500	3.500	0.750	IG	29500-4744	2.165	3.542	0.750
IG	29500-4152	2.750	3.750	0.750	IG	29500-4747	2.520	3.740	0.750
IG	29500-4154	3.250	4.250	0.750	IG	29500-4748	3.386	5.118	0.750
IG	29500-4156	3.500	4.500	0.750	IG	29500-4750	3.386	5.315	0.750
IG	29500-4160	4.000	5.000	0.750	IG	29500-4751	3.740	5.512	0.750
IG	29500-4163	4.250	5.250	0.750	IG	29500-4756	7.480	8.661	0.750
IG	29500-4174	5.750	6.750	0.750	IG	29500-4758	3.543	4.724	0.750
IG	29500-4181	1.125	2.441	0.750	IG	29500-4816	3.346	4.921	0.750
IG	29500-4193	3.346	4.331	0.750	IG	29500-4820	1.000	2.441	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
IG	29500-4822	2.953	3.740	0.750	IG	29502-4109	2.125	2.875	0.750
IG	29500-4830	5.625	6.875	0.750	IG	29502-4110	1.875	2.750	0.750
IG	29500-4831	5.906	6.906	0.750	IG	29502-4111	2.500	3.250	0.750
IG	29500-4834	2.812	4.002	0.750	IG	29502-4112	2.375	3.250	0.750
IG	29500-4835	4.213	5.827	0.750	IG	29502-4113	3.313	4.125	0.750
IG	29500-4841	4.449	6.378	0.750	IG	29502-4114	3.125	4.125	0.750
IG	29500-4842	4.429	6.297	0.750	IG	29502-4115	4.312	5.500	0.750
IG	29500-4844	3.543	4.960	0.750	IG	29502-4116	4.125	5.250	0.750
IG	29500-4845	3.938	5.188	0.750	IG	29502-4117	1.438	2.250	0.750
IG	29500-4861	2.312	3.812	0.750	IG	29502-4118	1.375	2.125	0.750
IG	29500-4865	6.250	7.500	0.750	IG	29502-4119	2.062	3.000	0.750
IG	29500-4872	2.437	4.725	0.725	IG	29502-4120	1.937	3.000	0.750
IG	29500-4874	2.250	3.625	0.750	IG	29502-4123	0.875	1.625	0.750
IG	29500-4883	2.360	3.360	0.750	IG	29502-4124	1.875	2.625	0.750
IG	29500-4895	1.575	2.575	0.750	IG	29502-4125	2.625	3.677	0.750
IG	29500-4979	3.740	4.921	0.750	IG	29502-4126	2.625	3.688	0.750
IG	29500-4984	4.331	5.512	0.750	IG	29502-4138	1.000	2.000	0.750
IG	29500-4994	5.512	6.693	0.750	IG	29502-4139	1.125	2.125	0.750
IG	29500-5066	3.125	4.250	0.750	IG	29502-4140	1.250	2.000	0.750
IG	29500-5087	3.335	4.335	0.750	IG	29502-4141	1.375	2.375	0.750
IG	29500-5119	4.875	7.000	0.750	IG	29502-4143	1.500	2.500	0.750
IG	29500-5158	7.874	8.874	0.750	IG	29502-4144	1.625	2.625	0.750
IG	29500-5159	4.724	5.724	0.750	IG	29502-4145	1.750	2.750	0.750
IG	29500-5293	3.150	4.724	0.750	IG	29502-4146	2.125	3.125	0.750
IG	29500-5328	1.810	2.875	0.750	IG	29502-4148	2.250	3.250	0.750
IG	29500-5367	2.559	4.331	0.750	IG	29502-4149	2.375	3.375	0.750
IG	29500-5383	4.331	5.331	0.750	IG	29502-4150	2.500	3.500	0.750
IG	29500-5479	3.543	4.543	0.750	IG	29502-4151	2.625	3.625	0.750
IG	29500-5481	6.000	7.375	0.750	IG	29502-4152	2.750	3.750	0.750
IG	29500-5487	3.149	4.724	0.750	IG	29502-4153	2.875	3.875	0.750
IG	29500-5512	2.362	3.362	0.750	IG	29502-4154	3.250	4.250	0.750
IG	29500-5522	6.625	7.625	0.750	IG	29502-4156	3.500	4.500	0.750
IG	29500-5567	1.890	2.890	0.750	IG	29502-4157	3.625	4.625	0.750
IG	29500-5569	2.480	3.480	0.750	IG	29502-4158	3.750	4.750	0.750
IG	29502-0774	3.375	4.375	0.750	IG	29502-4159	3.875	4.875	0.750
IG	29502-0815	1.125	2.250	0.625	IG	29502-4160	4.000	5.000	0.750
IG	29502-1864	5.375	6.375	0.750	IG	29502-4161	4.125	5.125	0.750
IG	29502-2051	4.563	5.563	0.750	IG	29502-4163	4.250	5.250	0.750
IG	29502-2141	2.438	3.313	0.750	IG	29502-4164	4.375	5.375	0.750
IG	29502-2175	3.000	4.000	0.750	IG	29502-4165	4.500	5.500	0.750
IG	29502-2573	5.250	6.750	0.750	IG	29502-4166	4.625	5.625	0.750
IG	29502-3349	2.000	3.000	0.750	IG	29502-4167	4.750	5.750	0.750
IG	29502-3362	6.000	7.000	0.750	IG	29502-4168	4.875	5.875	0.750
IG	29502-3370	6.000	7.500	0.750	IG	29502-4169	5.000	6.000	0.750
IG	29502-3405	6.250	7.750	0.750	IG	29502-4170	5.125	6.125	0.750
IG	29502-3453	7.000	8.000	0.750	IG	29502-4171	5.250	6.250	0.750
IG	29502-3553	7.500	9.000	0.750	IG	29502-4172	5.500	6.500	0.750
IG	29502-3585	1.875	2.875	0.750	IG	29502-4173	5.625	6.625	0.750
IG	29502-3601	8.000	9.500	0.750	IG	29502-4174	5.750	6.750	0.750
IG	29502-4104	1.375	2.835	0.750	IG	29502-4175	5.875	6.875	0.750
IG	29502-4107	1.750	2.875	0.750	IG	29502-4177	1.437	2.437	0.750
IG	29502-4108	1.125	2.000	0.750	IG	29502-4179	2.625	3.675	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
IG	29502-4181	1.125	2.441	0.750	IG	29502-4297	4.438	5.438	0.750
IG	29502-4182	1.000	1.750	0.750	IG	29502-4298	4.688	5.688	0.750
IG	29502-4185	1.250	2.000	0.750	IG	29502-4299	4.812	5.812	0.750
IG	29502-4186	3.250	4.000	0.750	IG	29502-4300	4.938	5.938	0.750
IG	29502-4187	2.750	3.500	0.750	IG	29502-4301	5.063	6.063	0.750
IG	29502-4189	1.890	2.756	0.750	IG	29502-4302	5.188	6.188	0.750
IG	29502-4190	2.165	3.150	0.750	IG	29502-4303	5.313	6.313	0.750
IG	29502-4191	2.362	3.346	0.750	IG	29502-4304	5.438	6.438	0.750
IG	29502-4192	2.756	3.740	0.750	IG	29502-4305	5.563	6.563	0.750
IG	29502-4193	3.346	4.331	0.750	IG	29502-4306	5.688	6.688	0.750
IG	29502-4203	5.000	6.250	0.750	IG	29502-4307	5.812	6.812	0.750
IG	29502-4204	2.187	3.000	0.750	IG	29502-4308	5.938	6.938	0.750
IG	29502-4205	2.125	3.000	0.750	IG	29502-4309	6.063	7.063	0.750
IG	29502-4208	5.250	6.500	0.750	IG	29502-4310	6.125	7.125	0.750
IG	29502-4209	4.000	5.375	0.750	IG	29502-4311	6.188	7.188	0.750
IG	29502-4211	5.875	7.125	0.750	IG	29502-4312	6.250	7.250	0.750
IG	29502-4212	4.500	6.000	0.750	IG	29502-4313	6.313	7.313	0.750
IG	29502-4213	4.500	5.250	0.750	IG	29502-4314	6.375	7.375	0.750
IG	29502-4214	3.500	4.375	0.750	IG	29502-4315	6.438	7.438	0.750
IG	29502-4215	2.875	4.125	0.750	IG	29502-4316	6.500	7.500	0.750
IG	29502-4217	2.000	3.125	0.750	IG	29502-4319	1.750	2.500	0.750
IG	29502-4218	4.750	6.000	0.750	IG	29502-4320	1.375	2.437	0.750
IG	29502-4235	1.500	2.250	0.750	IG	29502-4322	1.125	1.875	0.750
IG	29502-4257	2.313	3.313	0.750	IG	29502-4323	1.750	2.625	0.750
IG	29502-4266	0.625	1.625	0.750	IG	29502-4324	2.375	3.125	0.750
IG	29502-4267	0.875	1.875	0.750	IG	29502-4325	3.400	4.400	0.750
IG	29502-4270	0.938	1.938	0.750	IG	29502-4326	2.000	2.750	0.750
IG	29502-4271	1.063	2.063	0.750	IG	29502-4327	1.625	2.500	0.750
IG	29502-4272	1.188	2.188	0.750	IG	29502-4328	3.000	3.875	0.750
IG	29502-4273	1.313	2.313	0.750	IG	29502-4329	1.375	3.125	0.750
IG	29502-4274	1.563	2.563	0.750	IG	29502-4330	1.875	2.686	0.750
IG	29502-4275	1.688	2.688	0.750	IG	29502-4331	2.875	4.000	0.750
IG	29502-4276	1.812	2.812	0.750	IG	29502-4332	2.625	3.484	0.750
IG	29502-4277	1.938	2.938	0.750	IG	29502-4335	2.065	3.000	0.750
IG	29502-4278	2.063	3.063	0.750	IG	29502-4336	1.185	2.442	0.750
IG	29502-4279	2.187	3.187	0.750	IG	29502-4338	2.280	3.280	0.750
IG	29502-4280	2.437	3.437	0.750	IG	29502-4348	1.750	3.938	0.750
IG	29502-4281	2.562	3.562	0.750	IG	29502-4350	1.766	2.750	0.750
IG	29502-4282	2.688	3.688	0.750	IG	29502-4351	2.355	3.870	0.750
IG	29502-4283	2.812	3.812	0.750	IG	29502-4352	3.000	4.910	0.750
IG	29502-4284	2.938	3.938	0.750	IG	29502-4353	2.500	4.375	0.750
IG	29502-4285	3.063	4.063	0.750	IG	29502-4354	3.375	5.250	0.750
IG	29502-4286	3.188	4.188	0.750	IG	29502-4356	1.900	3.500	0.750
IG	29502-4287	3.313	4.313	0.750	IG	29502-4366	4.187	5.250	0.750
IG	29502-4288	3.438	4.438	0.750	IG	29502-4367	2.250	3.190	0.750
IG	29502-4289	3.563	4.563	0.750	IG	29502-4368	2.246	4.500	0.750
IG	29502-4290	3.688	4.688	0.750	IG	29502-4374	2.500	3.750	0.750
IG	29502-4291	3.812	4.812	0.750	IG	29502-4379	3.375	4.500	0.750
IG	29502-4292	3.938	4.938	0.750	IG	29502-4385	3.375	4.125	0.750
IG	29502-4293	4.063	5.063	0.750	IG	29502-4386	2.875	4.625	0.750
IG	29502-4295	4.188	5.188	0.750	IG	29502-4391	4.500	5.750	0.750
IG	29502-4296	4.313	5.313	0.750	IG	29502-4402	1.127	2.000	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
IG	29502-4403	2.159	3.000	0.750	IG	29502-4655	3.156	4.250	0.750
IG	29502-4408	2.250	2.997	0.750	IG	29502-4658	2.997	3.831	0.750
IG	29502-4422	1.180	2.835	0.750	IG	29502-4664	1.925	3.000	0.750
IG	29502-4425	3.250	4.500	0.750	IG	29502-4665	1.965	3.000	0.750
IG	29502-4438	2.625	3.500	0.750	IG	29502-4666	2.400	3.500	0.750
IG	29502-4439	1.654	2.625	0.750	IG	29502-4679	1.625	2.437	0.750
IG	29502-4440	1.457	2.500	0.750	IG	29502-4680	1.250	2.438	0.750
IG	29502-4441	1.575	3.071	0.750	IG	29502-4683	2.500	3.543	0.750
IG	29502-4448	0.787	1.575	0.750	IG	29502-4684	1.181	2.362	0.750
IG	29502-4457	2.990	3.750	0.750	IG	29502-4687	2.350	3.375	0.750
IG	29502-4462	2.250	3.000	0.750	IG	29502-4688	1.950	3.000	0.750
IG	29502-4470	1.562	2.502	0.750	IG	29502-4689	1.370	2.375	0.750
IG	29502-4477	3.313	4.375	0.750	IG	29502-4692	1.760	2.875	0.750
IG	29502-4478	2.312	3.250	0.750	IG	29502-4693	2.360	3.375	0.750
IG	29502-4479	2.875	3.750	0.750	IG	29502-4700	1.969	2.953	0.750
IG	29502-4483	2.530	3.287	0.750	IG	29502-4704	1.875	3.938	0.750
IG	29502-4489	2.053	3.000	0.750	IG	29502-4705	2.420	3.355	0.750
IG	29502-4490	1.772	2.756	0.750	IG	29502-4706	2.750	4.000	0.750
IG	29502-4491	3.535	4.500	0.750	IG	29502-4708	2.750	3.625	0.750
IG	29502-4492	2.165	2.953	0.750	IG	29502-4709	3.000	3.750	0.750
IG	29502-4529	1.378	2.165	0.750	IG	29502-4714	1.938	2.875	0.750
IG	29502-4532	2.559	3.346	0.750	IG	29502-4715	3.550	4.550	0.750
IG	29502-4541	2.685	3.998	0.750	IG	29502-4716	1.920	3.000	0.750
IG	29502-4542	6.375	7.498	0.750	IG	29502-4720	1.173	2.441	0.750
IG	29502-4544	2.938	4.125	0.750	IG	29502-4721	2.559	3.543	0.750
IG	29502-4546	1.755	3.358	0.750	IG	29502-4722	3.345	4.320	0.750
IG	29502-4548	2.875	3.625	0.750	IG	29502-4728	3.150	4.135	0.750
IG	29502-4550	3.188	4.250	0.750	IG	29502-4731	0.875	2.750	0.750
IG	29502-4553	1.969	3.543	0.750	IG	29502-4742	1.450	2.360	0.750
IG	29502-4559	1.188	2.000	0.750	IG	29502-4749	2.953	3.937	0.750
IG	29502-4560	1.812	2.875	0.750	IG	29502-4758	3.543	4.724	0.750
IG	29502-4572	4.062	5.125	0.750	IG	29502-4769	4.298	5.298	0.750
IG	29502-4574	3.150	4.250	0.750	IG	29502-4770	2.942	3.942	0.750
IG	29502-4581	1.772	2.953	0.750	IG	29502-4771	1.563	2.623	0.750
IG	29502-4589	2.746	3.746	0.750	IG	29502-4772	2.554	3.554	0.750
IG	29502-4590	2.158	3.158	0.750	IG	29502-4775	3.125	3.875	0.750
IG	29502-4591	1.962	2.962	0.750	IG	29502-4798	3.150	3.937	0.750
IG	29502-4594	2.938	4.000	0.750	IG	29502-4806	2.375	3.500	0.750
IG	29502-4595	1.500	2.254	0.750	IG	29502-4807	2.125	3.250	0.750
IG	29502-4601	2.352	3.375	0.750	IG	29502-4808	1.575	2.441	0.750
IG	29502-4602	3.825	4.875	0.750	IG	29502-4809	1.875	3.000	0.750
IG	29502-4603	3.420	4.500	0.750	IG	29502-4810	1.500	2.375	0.750
IG	29502-4604	4.520	5.500	0.750	IG	29502-4812	2.228	3.228	0.750
IG	29502-4609	2.350	3.350	0.750	IG	29502-4813	2.258	3.258	0.750
IG	29502-4615	1.625	2.375	0.750	IG	29502-4818	2.710	3.710	0.750
IG	29502-4617	2.125	3.187	0.750	IG	29502-4819	1.969	2.756	0.750
IG	29502-4622	3.850	4.875	0.750	IG	29502-4822	2.953	3.740	0.750
IG	29502-4623	2.400	3.375	0.750	IG	29502-4825	1.614	2.402	0.750
IG	29502-4630	2.558	3.558	0.750	IG	29502-4826	3.312	4.213	0.750
IG	29502-4638	2.160	3.195	0.750	IG	29502-4828	1.625	2.525	0.750
IG	29502-4649	3.937	4.921	0.750	IG	29502-4831	5.906	6.906	0.750
IG	29502-4650	3.438	4.500	0.750	IG	29502-4837	4.851	5.886	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
IG	29502-4838	2.938	4.295	0.750	IG	29502-5143	2.500	4.000	0.750
IG	29502-4843	1.562	2.500	0.750	IG	29502-5148	1.200	2.000	0.750
IG	29502-4846	2.441	3.441	0.750	IG	29502-5149	1.180	2.000	0.750
IG	29502-4847	2.432	3.432	0.750	IG	29502-5154	2.619	3.682	0.750
IG	29502-4850	2.938	3.750	0.750	IG	29502-5160	2.015	3.000	0.750
IG	29502-4859	3.937	5.118	0.750	IG	29502-5161	2.375	3.371	0.750
IG	29502-4860	1.260	2.165	0.750	IG	29502-5163	2.625	3.543	0.750
IG	29502-4874	2.250	3.625	0.750	IG	29502-5165	3.563	4.500	0.750
IG	29502-4877	1.562	2.441	0.750	IG	29502-5166	1.180	2.180	0.750
IG	29502-4880	1.968	2.718	0.750	IG	29502-5167	1.754	2.754	0.750
IG	29502-4883	2.360	3.360	0.750	IG	29502-5168	1.967	2.967	0.750
IG	29502-4884	4.125	5.375	0.750	IG	29502-5169	3.158	4.158	0.750
IG	29502-4887	2.450	3.450	0.750	IG	29502-5203	4.000	4.875	0.750
IG	29502-4888	3.140	4.140	0.750	IG	29502-5210	3.605	4.625	0.750
IG	29502-4969	2.756	3.543	0.750	IG	29502-5211	2.248	3.150	0.750
IG	29502-4980	3.938	4.724	0.750	IG	29502-5213	3.189	4.252	0.750
IG	29502-4981	4.134	5.118	0.750	IG	29502-5214	1.250	3.150	0.750
IG	29502-4982	4.134	5.512	0.750	IG	29502-5215	3.000	5.875	0.750
IG	29502-5001	2.540	3.540	0.750	IG	29502-5258	3.687	4.560	0.750
IG	29502-5003	2.125	3.375	0.750	IG	29502-5268	1.437	2.694	0.750
IG	29502-5005	2.750	3.720	0.750	IG	29502-5274	1.937	2.750	0.750
IG	29502-5007	1.187	2.437	0.750	IG	29502-5279	5.500	6.693	0.750
IG	29502-5024	1.375	2.625	0.750	IG	29502-5285	6.000	6.750	0.750
IG	29502-5042	2.500	3.623	0.750	IG	29502-5287	6.750	7.750	0.750
IG	29502-5043	2.380	3.375	0.750	IG	29502-5288	2.437	3.750	0.750
IG	29502-5044	3.188	4.312	0.750	IG	29502-5289	2.400	3.438	0.750
IG	29502-5045	2.500	3.875	0.750	IG	29502-5292	1.562	3.548	0.750
IG	29502-5049	0.983	1.983	0.750	IG	29502-5296	3.634	4.625	0.750
IG	29502-5051	1.573	2.572	0.750	IG	29502-5307	2.188	3.251	0.750
IG	29502-5053	2.161	3.161	0.750	IG	29502-5312	2.875	4.250	0.750
IG	29502-5055	3.142	4.142	0.750	IG	29502-5313	3.149	4.122	0.750
IG	29502-5056	2.240	3.240	0.750	IG	29502-5314	3.580	4.916	0.750
IG	29502-5057	3.731	4.731	0.750	IG	29502-5329	2.819	3.813	0.750
IG	29502-5058	3.375	4.625	0.750	IG	29502-5333	3.000	4.500	0.750
IG	29502-5059	2.317	3.375	0.750	IG	29502-5334	1.375	2.500	0.750
IG	29502-5065	2.625	4.003	0.750	IG	29502-5342	2.165	3.165	0.750
IG	29502-5066	3.125	4.250	0.750	IG	29502-5362	3.125	4.003	0.750
IG	29502-5071	1.125	2.050	0.750	IG	29502-5364	3.750	5.000	0.750
IG	29502-5072	3.937	4.960	0.750	IG	29502-5372	1.496	2.362	0.750
IG	29502-5073	2.625	4.000	0.750	IG	29502-5381	3.500	5.250	0.750
IG	29502-5076	2.354	3.354	0.750	IG	29502-5383	4.331	5.331	0.750
IG	29502-5080	2.625	3.670	0.750	IG	29502-5385	5.187	7.000	0.750
IG	29502-5081	2.375	3.255	0.750	IG	29502-5386	1.375	2.812	0.750
IG	29502-5090	3.464	4.500	0.750	IG	29502-5395	3.071	4.331	0.750
IG	29502-5101	1.250	2.875	0.750	IG	29502-5396	2.820	3.843	0.750
IG	29502-5123	4.313	5.687	0.750	IG	29502-5397	3.937	4.990	0.750
IG	29502-5127	2.938	4.003	0.750	IG	29502-5398	3.346	4.335	0.750
IG	29502-5128	3.938	5.250	0.750	IG	29502-5403	3.008	4.008	0.750
IG	29502-5132	4.450	5.437	0.750	IG	29502-5404	2.718	3.700	0.750
IG	29502-5133	3.420	4.375	0.750	IG	29502-5410	4.750	5.500	0.750
IG	29502-5135	1.772	2.622	0.750	IG	29502-5413	2.938	4.500	0.750
IG	29502-5141	3.150	4.150	0.750	IG	29502-5415	1.688	2.625	0.750

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
IG	29502-5419	2.250	3.125	0.750	IG	29502-5607	3.375	4.400	0.750
IG	29502-5420	2.726	3.500	0.750	IG	29502-5611	2.770	3.770	0.750
IG	29502-5423	3.000	5.000	0.750	IG	29502-6231	2.363	3.150	0.750
IG	29502-5424	5.250	6.000	0.750	IG	29502-6574	5.500	6.750	0.750
IG	29502-5436	1.438	2.500	0.750	IG	29507-0988	1.125	2.000	0.625
IG	29502-5443	2.345	3.375	0.750	IG	29507-0989	1.875	2.625	0.625
IG	29502-5455	3.016	4.016	0.750	IG	29507-0991	2.500	3.250	0.625
IG	29502-5463	2.225	3.225	0.750	IG	29507-0998	1.750	2.875	0.625
IG	29502-5469	2.925	3.925	0.750	IG	29507-1012	0.875	1.625	0.625
IG	29502-5470	1.125	2.062	0.750	IG	29507-1075	1.875	2.750	0.625
IG	29502-5471	1.750	2.700	0.750	IG	29507-1089	1.625	2.625	0.625
IG	29502-5472	2.625	4.050	0.750	IG	29507-1090	0.875	1.750	0.625
IG	29502-5473	2.356	3.780	0.750	IG	29507-1092	1.375	2.125	0.625
IG	29502-5476	3.812	4.875	0.750	IG	29507-1118	1.500	2.125	0.625
IG	29502-5480	4.000	5.250	0.750	IG	29507-1146	1.312	2.000	0.625
IG	29502-5481	6.000	7.375	0.750	IG	29507-1152	1.125	1.876	0.625
IG	29502-5489	1.438	2.375	0.750	IG	29507-1194	1.500	2.500	0.625
IG	29502-5498	3.250	4.030	0.750	IG	29507-1214	1.500	2.375	0.625
IG	29502-5511	1.168	2.437	0.750	IG	29507-1215	1.250	2.000	0.625
IG	29502-5513	4.120	5.000	0.750	IG	29507-1238	2.750	3.500	0.625
IG	29502-5517	1.145	2.000	0.750	IG	29507-1249	2.000	2.750	0.625
IG	29502-5520	1.375	2.250	0.750	IG	29507-1251	2.562	3.562	0.625
IG	29502-5524	6.218	8.062	0.750	IG	29507-1322	2.125	2.875	0.625
IG	29502-5526	1.171	2.250	0.750	IG	29507-1348	2.362	3.150	0.625
IG	29502-5533	2.047	3.150	0.750	IG	29507-1350	2.000	3.000	0.625
IG	29502-5534	0.984	1.890	0.750	IG	29507-1581	2.375	3.250	0.625
IG	29502-5535	2.362	3.111	0.750	IG	29507-1744	1.750	2.750	0.625
IG	29502-5538	2.160	3.160	0.750	IG	29507-1818	2.500	3.500	0.625
IG	29502-5539	1.575	2.362	0.750	IG	29507-1958	1.437	2.375	0.625
IG	29502-5540	1.654	2.441	0.750	IG	29507-1976	2.625	3.250	0.625
IG	29502-5541	1.772	2.559	0.750	IG	29507-1976	2.625	3.250	0.625
IG	29502-5542	2.165	3.071	0.750	IG	29507-2016	2.500	3.189	0.625
IG	29502-5543	2.362	3.150	0.750	IG	29507-2182	0.875	1.375	0.625
IG	29502-5545	2.205	3.150	0.750	IG	29507-2222	3.125	4.000	0.625
IG	29502-5548	4.331	5.562	0.750	IG	29507-2273	1.125	1.625	0.625
IG	29502-5549	5.591	6.378	0.750	IG	29507-2405	3.543	4.543	0.625
IG	29502-5550	4.724	5.512	0.750	IG	29507-2659	4.250	5.250	0.625
IG	29502-5555	6.000	7.059	0.750	IG	29507-2684	1.000	1.500	0.625
IG	29502-5558	2.500	4.724	0.750	IG	29507-2711	0.875	1.875	0.625
IG	29502-5565	6.875	7.875	0.750	IG	29507-2714	0.938	1.938	0.625
IG	29502-5570	1.938	3.149	0.750	IG	29507-2940	1.375	2.000	0.625
IG	29502-5578	1.500	2.864	0.750	IG	29507-2971	1.571	2.571	0.625
IG	29502-5579	2.500	5.118	0.750	IG	29507-3029	1.562	2.500	0.625
IG	29502-5583	6.125	7.625	0.750	IG	29507-3052	2.160	3.160	0.625
IG	29502-5584	1.181	2.441	0.750	IG	29507-3266	1.967	2.967	0.625
IG	29502-5585	2.375	3.130	0.750	IG	29507-3388	1.181	2.181	0.625
IG	29502-5589	2.953	4.175	0.750	IG	29507-3398	1.000	1.750	0.625
IG	29502-5592	3.438	5.000	0.750	IG	29507-3534	1.250	1.687	0.625
IG	29502-5594	1.772	2.750	0.750	IG	29507-4106	0.875	1.250	0.625
IG	29502-5596	1.468	2.375	0.750	IG	29507-4121	1.062	1.624	0.625
IG	29502-5599	1.181	1.969	0.750	IG	29507-4122	0.937	1.500	0.625
IG	29502-5602	2.437	3.250	0.750	IG	29507-4123	0.875	1.625	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Model Number

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
IG	29507-4130	1.500	2.000	0.625	IG	29507-5006	4.130	4.505	0.625
IG	29507-4176	1.375	1.875	0.625	IG	29507-5012	2.188	2.832	0.625
IG	29507-4183	1.750	2.375	0.625	IG	29507-5013	2.543	3.543	0.625
IG	29507-4184	1.125	1.750	0.625	IG	29507-5014	2.746	3.746	0.625
IG	29507-4206	1.063	1.643	0.625	IG	29507-5016	2.556	3.556	0.625
IG	29507-4317	0.625	1.250	0.625	IG	29507-5062	2.875	3.375	0.625
IG	29507-4318	1.370	2.060	0.625	IG	29507-5063	2.375	2.938	0.625
IG	29507-4333	1.060	1.625	0.625	IG	29507-5068	1.575	2.283	0.625
IG	29507-4334	1.125	1.562	0.625	IG	29507-5093	2.200	2.750	0.625
IG	29507-4337	2.155	2.875	0.625	IG	29507-5097	1.375	2.263	0.625
IG	29507-4339	0.875	1.500	0.625	IG	29507-5098	2.125	3.129	0.625
IG	29507-4340	1.250	1.750	0.625	IG	29507-5112	1.156	1.875	0.625
IG	29507-4398	2.950	3.460	0.625	IG	29507-5126	2.362	3.308	0.625
IG	29507-4414	1.812	2.312	0.625	IG	29507-5129	1.938	2.623	0.625
IG	29507-4456	1.438	2.125	0.625	IG	29507-5136	3.188	3.688	0.625
IG	29507-4458	2.362	2.953	0.625	IG	29507-5137	4.000	4.500	0.625
IG	29507-4484	2.676	3.362	0.625	IG	29507-5138	1.766	2.323	0.625
IG	29507-4522	2.938	3.623	0.625	IG	29507-5139	2.441	2.992	0.625
IG	29507-4533	0.938	2.048	0.625	IG	29507-5151	2.000	2.712	0.625
IG	29507-4539	2.000	2.625	0.625	IG	29507-5153	2.938	3.544	0.625
IG	29507-4545	1.570	2.250	0.625	IG	29507-5171	0.983	1.983	0.625
IG	29507-4547	2.375	3.062	0.625	IG	29507-5199	2.185	3.185	0.625
IG	29507-4551	0.750	1.875	0.625	IG	29507-5200	1.685	2.685	0.625
IG	29507-4554	1.772	2.165	0.625	IG	29507-5201	1.745	2.745	0.625
IG	29507-4563	0.984	1.850	0.625	IG	29507-5204	1.181	1.772	0.625
IG	29507-4564	2.875	3.500	0.625	IG	29507-5205	0.984	1.486	0.625
IG	29507-4586	1.750	2.250	0.625	IG	29507-5207	1.125	1.500	0.625
IG	29507-4637	0.625	1.300	0.625	IG	29507-5215	3.000	5.875	0.750
IG	29507-4659	0.500	1.500	0.625	IG	29507-5217	1.754	2.754	0.625
IG	29507-4667	2.149	2.875	0.625	IG	29507-5218	3.158	4.158	0.625
IG	29507-4711	1.063	1.875	0.625	IG	29507-5265	2.375	3.000	0.625
IG	29507-4718	1.575	2.047	0.625	IG	29507-5266	4.331	4.961	0.625
IG	29507-4724	0.687	1.125	0.625	IG	29507-5270	1.889	2.874	0.625
IG	29507-4793	2.750	3.250	0.625	IG	29507-5282	0.785	1.750	0.625
IG	29507-4815	1.375	2.103	0.625	IG	29507-5283	0.750	1.125	0.625
IG	29507-4839	2.145	2.871	0.625	IG	29507-5290	1.625	2.250	0.625
IG	29507-4840	1.125	1.855	0.625	IG	29507-5291	1.773	2.500	0.625
IG	29507-4864	1.732	2.250	0.625	IG	29507-5295	2.147	2.875	0.625
IG	29507-4868	0.787	1.378	0.625	IG	29507-5308	1.813	2.750	0.625
IG	29507-4889	1.936	2.367	0.625	IG	29507-5316	2.490	2.875	0.625
IG	29507-4890	2.437	2.930	0.625	IG	29507-5318	1.998	2.500	0.625
IG	29507-4893	3.500	4.125	0.625	IG	29507-5319	1.750	2.312	0.625
IG	29507-4920	1.181	1.654	0.625	IG	29507-5322	0.781	1.375	0.625
IG	29507-4922	1.260	1.850	0.625	IG	29507-5326	4.646	5.039	0.625
IG	29507-4924	1.378	1.850	0.625	IG	29507-5363	1.878	2.754	0.625
IG	29507-4925	1.378	1.969	0.625	IG	29507-5373	1.500	2.219	0.625
IG	29507-4926	1.378	2.047	0.625	IG	29507-5384	0.750	1.378	0.625
IG	29507-4934	1.496	2.165	0.625	IG	29507-5394	1.125	1.875	0.625
IG	29507-4938	1.654	2.165	0.625	IG	29507-5401	1.750	2.437	0.625
IG	29507-4945	1.969	2.677	0.625	IG	29507-5406	2.438	2.813	0.625
IG	29507-4952	2.165	2.835	0.625	IG	29507-5408	1.688	2.506	0.625
IG	29507-5004	2.955	3.500	0.625	IG	29507-5412	1.000	1.687	0.625

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Model Number

Garlock

MODEL NO	PART NO	SHAFT	BORE	WIDTH	MODEL NO	PART NO	SHAFT	BORE	WIDTH
IG	29507-5435	0.906	1.500	0.625	IGSPB	29516-7099	4.438	5.543	1.062
IG	29507-5478	2.148	2.875	0.625	IGSPB	29516-7100	4.938	5.980	1.062
IG	29507-5482	1.570	2.000	0.625	IGSPB	29516-7102	5.000	5.980	1.062
IG	29507-5502	2.000	2.500	0.625	IGSPB	29516-7103	5.438	6.750	1.062
IG	29507-5518	1.880	2.625	0.625	IGSPB	29516-7104	6.438	7.780	1.187
IG	29507-5519	1.685	3.185	0.625	IGSPB	29516-7105	2.188	2.938	1.007
IG	29507-5536	1.260	1.654	0.625	IGSPB	29516-7106	2.938	3.940	1.062
IG	29507-5544	2.559	3.228	0.625	IGSPB	29516-7107	6.938	8.383	1.249
IG	29507-5547	1.938	2.412	0.625	IGSPB	29516-7108	3.188	4.335	1.124
IG	29507-5552	1.417	2.125	0.625	IGSPB	29516-7109	6.938	8.383	1.312
IG	29507-5554	1.969	2.690	0.625	IGSPB	29516-7110	5.938	7.343	1.200
IG	29507-5563	4.938	5.500	0.625	IGSPB	29516-7112	3.438	4.460	1.124
IG	29507-5564	2.250	2.875	0.625	IGSPB	29516-7113	3.438	4.523	1.124
IG	29507-5586	0.984	1.929	0.625	IGSPB	29516-7114	3.500	5.807	0.828
IGSPB	29506-5131	3.188	4.335	1.000	IGSPB	29516-7121	5.188	6.375	1.116
IGSPB	29516-4832	2.938	3.817	1.000	IGSPB	29516-7122	4.437	6.201	0.828
IGSPB	29516-5113	3.938	5.807	0.828	IGSPB	29516-7123	4.938	6.988	0.827
IGSPB	29516-5124	3.375	4.335	0.770	IGSPB	29516-7125	5.875	6.938	1.116
IGSPB	29516-5125	4.125	5.085	0.770	IGSPB	29516-7126	5.750	6.938	1.116
IGSPB	29516-5271	4.125	5.085	1.051	IGSPB	29516-7127	6.625	7.718	1.116
IGSPB	29516-5272	3.375	4.335	0.990	IGSPB	29516-7128	1.500	2.063	0.820
IGSPB	29516-5411	2.559	3.760	0.788	IGSPB	29516-7129	1.688	2.313	0.820
IGSPB	29516-5432	1.438	2.063	0.820	IGSPB	29516-7130	1.772	3.228	0.710
IGSPB	29516-5504	6.000	7.343	0.983	IGSPB	29516-7133	3.938	5.085	1.050
IGSPB	29516-7069	2.438	3.188	0.945	IGSPB	29516-7134	4.938	7.382	0.918
IGSPB	29516-7070	3.000	3.813	1.007	IGSPB	29516-7135	4.500	5.543	1.050
IGSPB	29516-7071	3.625	4.333	1.102	IGSPB	29516-7136	2.362	3.366	0.788
IGSPB	29516-7072	5.313	6.375	1.187	IGSPB	29516-7139	2.438	3.876	0.700
IGSPB	29516-7073	6.250	7.343	1.187	IGSPB	29516-7142	3.346	4.370	0.694
IGSPB	29516-7074	6.063	7.343	1.187	IGSPB	29516-7146	7.437	8.945	1.115
IGSPB	29516-7075	7.000	8.383	1.062	IGSPB	29516-7148	4.500	6.988	0.807
IGSPB	29516-7078	2.063	2.823	0.974					
IGSPB	29516-7079	2.563	3.198	0.974					
IGSPB	29516-7080	1.875	2.563	0.974					
IGSPB	29516-7081	2.375	2.948	0.974					
IGSPB	29516-7082	2.438	3.188	1.102					
IGSPB	29516-7083	2.500	3.188	1.102					
IGSPB	29516-7084	3.063	3.813	1.007					
IGSPB	29516-7085	2.813	3.563	1.102					
IGSPB	29516-7086	3.438	4.333	1.102					
IGSPB	29516-7087	3.813	4.773	1.062					
IGSPB	29516-7088	4.188	5.230	1.062					
IGSPB	29516-7089	4.875	5.980	1.062					
IGSPB	29516-7090	4.563	5.543	1.062					
IGSPB	29516-7091	5.313	6.375	1.062					
IGSPB	29516-7092	1.938	2.563	0.974					
IGSPB	29516-7093	2.188	2.823	0.974					
IGSPB	29516-7094	2.688	3.563	1.102					
IGSPB	29516-7095	2.938	3.813	1.007					
IGSPB	29516-7096	3.250	4.335	1.124					
IGSPB	29516-7097	3.500	4.523	1.124					
IGSPB	29516-7098	3.938	4.960	1.062					

All dimensions are in inches. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
8	18	5.0	61	1748	19	40	8.0	63	0145
10	19	7.0	92	0004	19	40	8.0	66	0145
10	25	7.0	92	0012	19	40	10.0	63	0146
11	26	7.0	71	7008	19	40	15.0	63T2	5214
11	30	8.0	63	8101	19	42	8.0	63	8035
11	32	8.0	63	8011	19	47	8.0	63	4935
11	35	8.0	63	8337	19	47	10.0	63	6120
12	22	7.0	92	0020	19	47	10.0	94	6120
12	25	7.0	92	0022	20	30	7.0	92	0120
12	28	7.0	61	0024	20	32	7.0	92	0154
12	28	7.0	92	0024	20	32	17.5	EQ	1905
12	30	8.0	63	8012	20	35	7.0	92	0164
12	32	8.0	63	6623	20	35	8.0	61	1760
12	35	8.0	63	8338	20	35	16.0	IG	4868
14	24	7.0	92	0026	20	40	7.0	92	0184
15	24	7.0	92	0028	20	40	16.0	EQ	4596
15	26	7.0	92	0030	20	40	19.0	IG	4448
15	30	8.0	63	8020	20	42	7.0	92	0188
15	30	8.0	61	8020	20	42	16.0	EQ	5325
15	32	7.0	92	0032	20	47	7.0	61	0194
15	32	8.0	63	8021	20	47	7.0	92	0194
15	35	7.0	92	0033	20	52	10.0	92	0196
15	35	8.0	63	8109	22	32	7.0	76	9855
15	40	8.0	63	0085	22	35	7.0	61	1232
15	40	8.0	62	0085	22	35	7.0	26R1	0209
16	27	5.0	71	7022	22	40	7.0	92	0198
16	30	7.0	92	0048	22	40	8.0	61	1470
16	30	8.0	63	8023	22	47	7.0	92	0206
16	30	8.0	61	2280	22	50	16.0	EQ	3088
16	32	8.0	63	4680	23	40	8.0	63	0235
16	35	8.0	63	8342	23	40	8.0	62	0235
16	40	8.0	63	0095	23	40	10.0	63	0236
16	40	10.0	63	0096	23	42	8.0	63	8050
16	40	10.0	94	0096	23	47	10.0	63	8051
17	28	7.0	76	9856	23	52	10.0	63	8052
17	28	7.0	92	9856	24	35	7.0	92	0209
17	28	8.0	61	1754	24	40	7.0	92	0210
17	30	7.0	92	0064	24	44	16.0	EQ	3263
17	35	8.0	61	1755	24	49	12.0	26R1	3712
17	40	7.0	92	0066	25	35	7.0	61	0212
17	40	14.0	63T2	7405	25	35	7.0	92	0212
17	40	16.0	EQ	5416	25	35	8.0	61	1478
18	30	7.0	92	0074	25	37	7.0	92	0230
19	27	3.0	71	7029	25	38	7.0	26R1	0280
19	27	5.0	71	7028	25	42	7.0	92	0232
19	32	7.0	92	0118	25	42	8.0	61	1761
19	32	8.0	63	8033	25	47	7.0	92	0250
19	32	8.0	66	8033	25	47	10.0	63	6859
19	32	11.0	63	3870	25	47	10.0	61	6859
19	35	8.0	63	8344	25	47	16.0	EQ	4563
19	38	16.0	EQ	5223	25	47	16.0	IG	4563
19	40	7.0	92	6289	25	48	19.0	IG	5534

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.
 Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
25	50	16.0	EQ	5593	30	72	10.0	94	4697
25	50	18.0	EQ	1978	30	72	19.0	IG	4422
25	52	7.0	92	0254	31	52	5.0	76	7515
25	52	10.0	63	4687	31	52	10.0	63	8068
25	52	10.0	62	4687	31	54	11.0	63	0413
25	52	12.5	EQ	0773	32	43	10.0	26	0449
26	42	7.0	92	0262	32	45	8.0	61	2224
26	47	7.0	92	0272	32	47	7.0	92	0350
27	40	8.0	63	0321	32	47	8.0	61	1776
27	40	8.0	66	0321	32	47	16.0	IG	4922
27	40	10.0	63	0322	32	52	7.0	92	0364
27	42	8.0	63	8062	32	52	9.0	61	2212
27	47	10.0	63	8063	33	45	8.0	61	1784
27	52	10.0	63	8064	33	47	8.0	61	1785
28	38	7.0	92	0280	34	54	10.0	63	0514
28	40	7.0	92	0284	34	54	11.0	63	0515
28	47	10.0	63	5562	34	55	8.0	26R1	0574
28	47	10.0	61	1233	34	62	10.0	63	8072
28	47	10.0	61	5562	35	47	7.0	92	0366
28	47	17.5	EQ	2842	35	47	8.0	61	1787
30	40	7.0	61	0312	35	47	10.0	61	1788
30	40	7.0	92	0312	35	47	10.0	61	1788
30	42	7.0	92	0316	35	47	16.0	IG	4924
30	42	8.0	61	1763	35	50	7.0	61	2119
30	42	16.0	IG	4920	35	50	7.0	92	0368
30	45	8.0	92	0318	35	50	8.0	26R1	0572
30	45	16.0	IG	5204	35	50	10.0	61	1789
30	47	7.0	61	0320	35	50	16.0	IG	4925
30	47	7.0	92	0320	35	52	7.0	26	1139
30	47	10.0	63	9342	35	52	10.0	63	6655
30	47	10.0	61	9342	35	52	10.0	62	6655
30	47	17.5	EQ	3638	35	52	16.0	IG	4926
30	48	8.0	92	0332	35	54	10.0	66	0541
30	50	7.0	26	0378	35	54	10.0	67	0541
30	50	11.0	26R1	0379	35	54	10.0	62	0541
30	50	19.0	IG	5599	35	54	10.0	68	0541
30	50	19.0	IG	5599	35	54	10.0	26	1829
30	52	7.0	92	0341	35	54	10.0	76	0541
30	52	10.0	63	3877	35	54	11.0	63	0542
30	52	10.0	66	3877	35	54	11.0	62	0542
30	52	10.0	62	3877	35	54	13.0	63	0543
30	54	10.0	63	0394	35	54	13.0	62	0543
30	54	10.0	66	0394	35	54	15.0	63F1	7567
30	54	11.0	63	0395	35	54	16.0	63F1	9833
30	60	12.5	EQ	1122	35	54	17.0	63R1	6479
30	62	6.0	71	7060	35	54	17.0	63R2	6479
30	62	7.0	92	0342	35	54	17.0	63T2	6479
30	62	10.0	63	4600	35	55	8.0	92	0371
30	62	10.0	94	4600	35	55	11.0	26R1	0573
30	62	19.0	IG	5584	35	55	16.0	EQ	2260
30	72	8.0	92	0348	35	55	19.0	IG	4529
30	72	10.0	63	4597	35	57	10.0	26	0575

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
35	60	16.0	EQ	1752	40	72	7.0	92	0435
35	62	7.0	92	0376	40	78	19.0	IG	4441
35	62	8.0	94	5091	40	80	10.0	92	0449
35	62	10.0	63	6658	40	80	16.0	EQ	2631
35	62	10.0	66	6658	40	87	16.0	EQ	3915
35	62	13.0	26	0708	40	100	16.0	EQ	3498
35	72	8.0	94	6639	41	61	19.0	IG	4825
35	72	10.0	63	4584	42	55	9.0	26	0759
35	72	10.0	67	4584	42	55	10.0	26	0791
35	72	10.0	68	4584	42	55	16.0	IG	4938
35	73	10.0	63	9612	42	60	7.0	92	0452
35	80	10.0	94	6557	42	60	10.0	61	1792
35	80	16.0	EQ	3087	42	62	8.0	26	1096
35	88	12.5	EQ	0913	42	62	10.0	63	8082
35	88	13.0	26	0913	42	62	10.0	61	1793
36	47	7.0	92	0378	42	62	16.0	EQ	2918
36	52	10.0	63	7748	42	62	19.0	IG	5540
36	54	7.0	92	0379	42	65	16.0	EQ	2611
37	50	8.0	92	9965	42	66	16.0	EQ	2127
37	52	8.0	92	6218	42	72	10.0	63	8083
38	54	7.0	61	1791	42	73	10.0	63	0817
38	54	8.0	61	1790	43	54	5.0	76	7527
38	54	10.0	61	1794	43	54	5.0	92	7527
38	55	7.0	92	0381	43	62	10.0	63	7456
38	55	10.0	61	1484	43	70	8.0	61	2532
38	55	16.0	IG	4934	43	70	10.0	63	0847
38	55	17.5	EQ	2839	43	70	10.0	66	0847
38	62	7.0	92	0382	43	70	11.0	63	0848
39	62	10.0	63	8076	43	70	13.0	63	0849
39	70	10.0	63	0694	43	72	10.0	63	7126
40	52	7.0	92	0391	43	73	10.0	63	0853
40	52	16.0	IG	4718	43	73	10.0	66	0853
40	52	17.5	EQ	1359	43	73	11.0	63	0854
40	55	7.0	92	0392	43	73	13.0	63	0855
40	55	8.0	61	2055	43	73	15.0	63F1	9667
40	55	10.0	61	1931	44	60	9.0	26R1	0895
40	56	7.0	92	0393	44	72	10.0	63	7865
40	58	8.0	92	0406	45	55	16.0	IG	4554
40	58	10.0	61	2136	45	60	7.0	92	0488
40	58	16.0	IG	5068	45	60	8.0	61	1796
40	60	9.0	26	0733	45	60	17.5	EQ	3149
40	60	19.0	IG	5539	45	62	8.0	26R1	0935
40	62	7.0	92	0423	45	62	10.0	58	1797
40	62	8.0	61	0132	45	62	10.0	61	1797
40	62	9.5	61	8610	45	62	10.0	26	1097
40	62	10.0	63	7884	45	62	17.5	EQ	1923
40	62	10.0	63	8610	45	65	7.0	61	1798
40	62	11.0	26R1	0729	45	65	8.0	61	1799
40	62	19.0	IG	4808	45	65	10.0	63	9223
40	65	7.0	26	1228	45	65	10.0	61	9223
40	65	10.0	61	1912	45	65	10.0	26	4044
40	65	12.0	26R1	1030	45	65	19.0	IG	5541

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
45	67	12.5	EQ	1374	50	73	10.0	66	1162
45	70	19.0	IG	4490	50	73	10.0	62	1162
45	72	8.0	92	0512	50	73	13.0	63	1164
45	72	9.0	26	9538	50	73	17.0	63F1	5215
45	72	10.0	61	1800	50	75	8.0	61	2422
45	75	8.0	94	8004	50	75	12.5	EQ	1127
45	75	19.0	IG	4581	50	75	16.0	EQ	1197
45	80	10.0	92	0516	50	75	19.0	IG	4700
45	85	10.0	92	0520	50	80	8.0	26	1103
45	100	19.0	IG	4678	50	80	9.5	61	7415
46	70	13.0	63	0987	50	80	10.0	63	7415
46	72	10.0	63	8088	50	80	16.0	EQ	1975
46	73	10.0	63	0991	50	81	10.0	63	1180
46	73	15.0	63F1	6592	50	81	10.0	66	1180
46	80	10.0	63	8089	50	81	12.0	26	1155
46	90	13.0	26	1002	50	81	16.0	EQ	2969
47	65	10.0	92	0522	50	90	10.0	26R1	1953
48	62	8.0	92	0533	50	90	10.0	76	0373
48	65	10.0	61	0534	50	90	16.0	EQ	3600
48	65	10.0	92	0534	50	90	19.0	IG	4553
48	65	17.5	EQ	2681	50	110	9.0	26R1	2621
48	70	16.0	EQ	1935	50	110	9.5	26	2621
48	70	19.0	IG	4189	50	110	10.0	94	8005
48	72	8.0	92	0558	52	68	8.0	92	0572
48	72	16.0	EQ	4943	52	72	8.0	92	0573
48	73	16.0	IG	5270	52	75	16.0	EQ	4660
50	62	7.0	26R1	1106	52	80	19.0	IG	5533
50	65	8.0	61	0563	54	72	10.0	63	8112
50	65	8.0	92	0563	54	73	10.0	63	1321
50	65	9.0	26R1	7654	54	73	10.0	66	1321
50	65	10.0	61	1814	54	73	10.0	67	1321
50	65	17.5	EQ	3431	54	73	10.0	62	1321
50	67	17.5	EQ	2155	54	73	10.0	68	1321
50	68	8.0	92	0567	54	73	10.0	26	1321
50	68	9.0	26R1	1108	54	73	10.0	25	1321
50	68	16.0	IG	4945	54	73	11.0	63	1322
50	68	17.5	EQ	1846	54	73	11.0	26	1320
50	69	19.0	IG	4880	54	73	12.0	63	5688
50	70	10.0	63	1156	54	73	13.0	63	1323
50	70	10.0	66	1156	54	73	13.0	62	1323
50	70	10.0	61	1156	54	73	15.0	63F1	4916
50	70	10.0	26	1104	54	73	17.0	63F1	4592
50	70	16.0	EQ	3225	54	73	17.0	63R2	4592
50	70	17.5	EQ	3229	54	73	17.0	63T2	4592
50	70	19.0	IG	4819	54	80	10.0	63	8353
50	72	8.0	61	0571	54	81	10.0	63	1339
50	72	10.0	63	6656	54	81	10.0	66	1339
50	72	10.0	66	6656	54	81	11.0	62	1340
50	72	10.0	61	6656	54	81	13.0	63	1341
50	72	12.0	26R1	1107	54	81	19.0	63F1	7787
50	72	16.0	EQ	4947	54	85	10.0	63	8354
50	73	10.0	63	1162	54	90	11.0	26	1355

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
54	90	11.0	26R1	1355	60	75	8.0	61	1490
54	92	10.0	94	9670	60	75	8.0	26R1	1605
54	92	11.0	63	3902	60	75	16.0	IG	4458
55	60	8.0	61	1833	60	78	9.0	26	4258
55	70	8.0	61	0574	60	78	10.0	26	1565
55	70	8.0	92	0574	60	80	8.0	92	0653
55	70	17.5	EQ	2675	60	80	9.5	61	0653
55	72	8.0	61	0882	60	80	10.0	61	1839
55	72	8.0	26R1	1369	60	80	16.0	EQ	1348
55	72	9.0	26	4260	60	80	16.0	EQ	5431
55	72	10.0	61	1835	60	80	16.0	IG	1348
55	72	16.0	IG	4952	60	80	17.5	EQ	3639
55	73	17.5	EQ	2485	60	80	19.0	IG	5543
55	75	10.0	92	0575	60	80	19.0	IG	6231
55	75	17.5	EQ	3505	60	82	12.0	26R1	1606
55	75	19.0	IG	4492	60	84	16.0	IG	5126
55	78	9.0	26R1	1371	60	85	8.0	92	0672
55	78	12.0	26R1	1370	60	90	8.0	92	0683
55	78	19.0	IG	5542	60	90	14.0	26R1	1031
55	80	8.0	92	0576	60	90	16.0	EQ	2488
55	80	10.0	26	3587	60	110	11.1	61	2584
55	80	12.0	76	0345	60	110	13.0	58	2488
55	80	16.0	EQ	2005	61	80	10.0	63	8371
55	81	16.0	EQ	1805	61	85	10.0	63	8372
55	85	8.0	92	0585	61	90	10.0	63	1708
55	90	10.0	94	8006	61	92	10.0	63	1711
55	90	16.0	EQ	1906	61	92	10.0	62	1711
55	90	19.0	IG	4744	61	100	10.0	63	7926
55	95	16.0	EQ	5606	62	55	19.0	IG	4860
55	100	10.0	26	7209	62	76	16.0	IG	5139
55	100	10.0	94	7209	62	80	10.0	63	8373
55	100	16.0	EQ	4447	62	80	10.0	61	8373
56	70	8.0	92	0588	62	81	10.0	63	1729
56	72	8.0	92	0606	62	81	17.0	63R2	7136
56	80	8.0	92	0629	62	85	10.0	63	8374
56	80	16.0	EQ	4201	62	85	10.0	23	0793
56	80	19.0	IG	5545	62	85	10.0	92	0793
56	85	8.0	92	0633	62	85	16.0	EQ	5488
57	83	16.0	EQ	1981	62	90	10.0	63	1750
58	72	8.0	92	0745	62	90	10.0	62	1750
58	72	17.5	EQ	3657	62	90	10.0	92	0684
58	80	8.0	92	0635	62	90	11.0	63	1751
58	80	10.0	63	8363	62	90	13.0	63	1752
58	80	12.5	EQ	1985	62	90	13.0	62	1752
58	85	10.0	63	8364	62	92	10.0	63	1753
58	85	10.0	92	0642	62	100	10.0	63	7927
58	90	10.0	63	1543	63	85	10.0	61	1843
58	90	16.0	EQ	3025	63	85	12.0	61	1845
58	92	10.0	63	1546	63	90	16.0	EQ	3568
58	92	13.0	63	1548	64	80	8.0	92	0698
59	80	8.0	61	1838	64	88	12.0	26	0829
60	75	8.0	58	1490	64	95	19.0	IG	4747

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
65	80	10.0	61	1847	70	90	12.5	EQ	2067
65	82	16.0	IG	5544	70	90	13.0	63	2040
65	85	10.0	63	8378	70	90	16.0	EQ	2059
65	85	10.0	61	0710	70	90	16.0	EQ	2919
65	85	10.0	23	0710	70	90	19.0	IG	4969
65	85	10.0	92	0710	70	92	10.0	63	2041
65	85	16.0	EQ	2816	70	92	10.0	66	2041
65	85	19.0	IG	4532	70	92	10.0	67	2041
65	88	12.0	26R1	1859	70	92	10.0	68	2041
65	88	16.0	EQ	1858	70	92	11.0	63	2042
65	90	8.0	63	1861	70	92	12.0	26R1	2027
65	90	10.0	63	1888	70	92	12.5	EQ	2078
65	90	10.0	61	0729	70	92	13.0	63	2043
65	90	10.0	61	0729	70	92	16.0	EQ	5095
65	90	10.0	23	9162	70	95	16.0	EQ	3107
65	90	10.0	92	0729	70	95	19.0	IG	4192
65	90	13.0	63	1890	70	100	10.0	63	7934
65	90	16.0	EQ	1883	70	100	10.0	92	0759
65	90	19.0	IG	4721	70	100	12.5	EQ	2087
65	92	10.0	63	1891	70	100	16.0	EQ	2250
65	92	11.0	63	1892	70	102	12.7	26	5598
65	92	11.0	62	1892	70	110	16.0	EQ	3989
65	92	13.0	63	1893	71	88	12.0	26	2077
65	95	10.0	92	0733	72	90	10.0	92	0770
65	100	10.0	63	6300	72	95	10.0	23	1039
65	100	10.0	94	6300	72	95	10.0	92	0776
65	110	19.0	IG	5367	72	100	10.0	92	0791
65	120	10.0	94	6301	73	92	10.0	63	2115
65	140	10.0	94	6302	73	92	10.0	62	2115
66	86	12.5	EQ	1747	73	92	11.0	63	2116
68	87	9.5	23	1722	73	92	13.0	63	2117
68	90	10.0	92	0735	73	100	10.0	63	7938
68	90	12.5	EQ	1984	75	90	10.0	61	2377
68	90	16.0	EQ	3023	75	95	10.0	92	0797
68	100	10.0	92	0749	75	95	13.0	61	1848
69	90	10.0	63	2017	75	95	13.0	26	3663
69	92	10.0	63	2020	75	95	16.0	EQ	3316
69	92	10.0	66	2020	75	95	17.5	EQ	3312
69	100	10.0	63	7933	75	95	19.0	IG	4822
70	85	8.0	26R1	2026	75	100	9.5	61	2966
70	90	6.0	26	2071	75	100	9.5	23	2966
70	90	9.5	23	4765	75	100	10.0	61	0809
70	90	10.0	63	2038	75	100	10.0	92	0809
70	90	10.0	66	2038	75	100	12.5	EQ	1078
70	90	10.0	67	2038	75	100	13.0	58	1921
70	90	10.0	62	2038	75	100	13.0	26	0827
70	90	10.0	68	2038	75	100	16.0	EQ	2166
70	90	10.0	61	2038	75	100	19.0	IG	4749
70	90	10.0	26	2070	75	107	12.5	23	2105
70	90	11.0	63	2039	75	107	12.7	23	2331
70	90	11.0	26	2039	75	107	13.0	26	2105
70	90	12.0	26R1	1032	75	110	12.0	92	0819

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
75	115	10.0	94	5074	85	115	14.0	EQ	3584
75	115	12.0	26R1	2908	85	115	16.0	EQ	2311
75	120	12.0	92	0824	85	120	12.0	53	7394
78	100	11.0	23	4769	85	120	12.0	26R1	7394
78	100	16.0	EQ	3024	85	120	12.0	23	7394
80	100	10.0	61	1033	85	120	16.0	EQ	5521
80	100	10.0	26R1	1033	85	125	12.0	53	7399
80	100	10.0	23	1033	85	125	19.0	IG	4816
80	100	13.0	26	2238	85	130	13.0	94	6314
80	100	16.0	EQ	2240	85	130	16.0	EQ	5110
80	100	17.5	EQ	3674	86	130	19.0	IG	4748
80	100	19.0	IG	4798	86	135	19.0	IG	4750
80	105	10.0	61	2411	87	119	12.0	26	4224
80	105	13.0	26	2215	88	110	12.0	92	0834
80	105	13.0	26R1	2215	88	110	12.7	23	1772
80	105	16.0	EQ	2272	88	110	15.0	26R1	0846
80	105	19.0	IG	4728	89	120	13.0	53	7963
80	110	6.0	26	2243	89	125	14.0	53	8877
80	110	10.0	92	0831	89	127	13.0	53	2378
80	110	12.0	53	7426	89	127	13.0	53	7253
80	110	12.0	23	7426	89	127	13.0	66	2378
80	110	12.7	23	1998	89	127	16.0	53	2380
80	110	16.0	EQ	3593	89	127	18.0	53F1	7332
80	115	12.5	EQ	2239	89	127	23.0	53R2	7324
80	120	19.0	IG	5293	89	130	13.0	53	7965
80	130	16.0	EQ	5269	90	110	10.0	61	1856
81	110	13.0	53	7950	90	110	12.0	26R1	2437
81	120	13.0	53	8121	90	110	13.0	26	5002
81	127	13.0	53	2267	90	110	16.0	EQ	3265
81	127	13.0	66	2267	90	115	12.0	23	9963
81	127	25.0	53T2	8608	90	115	12.5	23	8803
82	101	10.0	26	2111	90	115	12.7	23	4846
82	113	16.0	EQ	3109	90	115	13.0	26	5344
82	114	13.0	23	1590	90	115	13.0	26R1	5344
84	110	10.0	61	1850	90	120	12.0	53	7839
84	110	14.0	26	2562	90	120	12.0	23	7839
84	110	16.0	EQ	1988	90	120	12.0	92	7839
85	100	10.0	61	1851	90	120	13.0	53	8429
85	100	17.5	EQ	5104	90	120	13.0	26	2457
85	105	10.0	61	1853	90	120	13.0	23	8429
85	105	13.0	26	2310	90	120	16.0	EQ	2902
85	105	16.0	EQ	2523	90	120	19.0	IG	4758
85	110	10.0	61	1854	90	126	19.0	IG	4844
85	110	12.0	26	2214	92	120	13.0	53	7968
85	110	12.0	23	2214	92	127	13.0	53	2426
85	110	12.0	57	2214	92	127	14.0	53	5582
85	110	12.5	23	2137	92	127	16.0	53	2428
85	110	12.7	23	5650	92	127	18.0	53F1	5646
85	110	13.0	26	5343	92	130	13.0	53	7970
85	110	16.0	EQ	3161	95	115	12.0	92	0850
85	110	19.0	IG	4193	95	120	10.0	61	1859
85	115	13.0	92	0833	95	120	12.0	26R1	9190

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
95	120	12.0	23	9190	105	130	12.7	23	2000
95	120	12.0	92	9190	105	130	13.0	23	6052
95	120	13.0	26R1	6061	105	130	16.0	EQ	2625
95	120	13.0	23	6061	105	130	19.0	IG	4981
95	120	13.0	57	6061	105	135	12.7	23	5763
95	120	16.0	EQ	3021	105	135	14.0	26	5353
95	125	12.0	23	1010	105	135	14.0	26R1	1034
95	125	12.0	92	1010	105	135	14.0	23	5353
95	125	19.0	IG	4979	105	140	12.0	23	0866
95	130	12.0	92	0851	105	140	12.0	92	0866
95	130	16.0	EQ	2972	105	140	16.0	EQ	5309
95	140	19.0	IG	4751	105	140	19.0	IG	4982
100	120	10.0	92	0852	107	148	19.0	IG	4835
100	120	11.0	58	4263	108	127	11.0	26	2653
100	120	12.0	61	2242	110	126	16.0	IG	5266
100	120	12.7	23	9284	110	130	9.0	26	3260
100	120	13.0	26R1	9030	110	130	12.0	26R1	2034
100	120	16.0	EQ	1347	110	130	13.0	26	2686
100	120	19.0	IG	4980	110	130	16.0	EQ	3318
100	125	6.5	26	1907	110	130	17.5	EQ	3315
100	125	10.0	23	0811	110	135	11.0	23	5364
100	125	11.0	23	5363	110	135	12.7	23	2626
100	125	12.0	92	0860	110	137	12.7	23	0587
100	125	12.5	23	1875	110	140	12.0	53	7396
100	125	12.7	23	3248	110	140	12.0	61	7396
100	125	13.0	26	5345	110	140	12.0	26R1	7396
100	125	13.0	26R1	5345	110	140	12.0	23	7396
100	125	16.0	EQ	2230	110	140	12.7	23	9567
100	125	19.0	IG	4649	110	140	13.0	61	1502
100	126	19.0	IG	5072	110	140	13.0	26	2731
100	127	12.0	23	6129	110	140	13.0	26R1	2731
100	127	13.0	53	2519	110	140	14.0	58	4264
100	127	13.0	62	2519	110	140	14.0	26R1	2703
100	127	13.0	26	5913	110	140	14.0	59	2703
100	127	14.0	53	2520	110	140	14.0	23	5346
100	127	16.0	53	2521	110	140	16.0	EQ	1082
100	127	23.0	53R1	5049	110	140	19.0	IG	4984
100	128	10.0	23	1000	110	150	16.0	23	6992
100	130	9.5	23	3229	110	170	13.0	94	4488
100	130	12.0	53	7842	112	145	14.0	58	2262
100	130	12.0	92	7842	113	162	19.0	IG	4841
100	130	12.7	23	7979	115	140	11.0	23	5365
100	130	13.0	53	7979	115	140	12.0	53	7271
100	130	13.0	61	7979	115	140	12.0	26R1	2279
100	130	16.0	EQ	1346	115	140	12.0	23	7271
100	130	19.0	IG	4859	115	140	12.0	57	2779
100	135	16.0	EQ	4091	115	140	16.0	EQ	2780
100	140	16.0	EQ	5604	115	145	12.0	92	0869
101	141	16.0	26	4225	115	145	14.0	26	0841
105	130	12.0	23	8768	115	145	14.0	23	5347
105	130	12.0	92	8768	115	145	20.0	26R1	3419
105	130	12.0	57	8768	118	128	16.0	IG	5326

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
118	142	16.0	EQ	5510	132	160	12.7	23	9275
120	140	13.0	61	1862	135	164	12.4	23	5378
120	140	13.0	26	1855	135	165	8.0	61	1884
120	140	19.0	IG	5550	135	165	14.0	23	5355
120	145	11.0	26	0994	135	165	16.0	EQ	5088
120	145	11.0	23	5366	135	168	18.0	26	2047
120	145	12.7	23	2634	135	170	12.0	23	9175
120	150	11.0	23	8242	135	170	13.0	26	9175
120	150	12.0	53	7376	135	170	15.0	26R1	3118
120	150	12.0	23	7376	135	170	15.0	23	3118
120	150	12.0	92	7376	135	170	16.0	EQ	3162
120	150	12.7	23	5118	138	178	16.0	26	4226
120	150	13.0	61	1880	138	181	13.0	53	3164
120	150	13.0	26R1	2863	140	160	13.0	26R1	3201
120	150	14.0	26	5348	140	165	10.0	61	1898
120	150	14.0	23	5348	140	165	12.5	23	2019
120	150	15.0	53	7277	140	165	12.7	23	0674
120	150	15.0	26R1	7277	140	165	16.0	EQ	5140
120	150	16.0	EQ	3179	140	170	8.0	26	3203
120	155	13.0	23	1303	140	170	12.0	23	1718
120	160	12.0	53	7836	140	170	12.0	92	1718
120	160	12.0	26	7836	140	170	13.0	23	9158
120	160	12.0	23	7836	140	170	14.0	53	7383
124	160	10.5	23	1707	140	170	14.0	61	7383
125	150	12.0	58	2887	140	170	14.0	26R1	7383
125	150	12.0	23	2887	140	170	15.0	53	7267
125	150	12.0	92	2887	140	170	15.0	26	7267
125	150	15.0	23	1259	140	170	15.0	23	7267
125	154	12.4	23	5377	140	170	15.0	57	7267
125	155	14.0	26R1	5354	140	170	16.0	59	1134
125	155	14.0	23	5354	140	170	16.0	23	5861
125	155	16.0	EQ	5089	140	173	14.0	23	5368
125	160	12.0	92	0873	140	175	18.0	26	3204
125	160	13.0	23	2293	140	175	18.0	23	3204
125	160	15.0	26	2889	140	180	15.0	61	2461
125	160	18.0	23	1397	140	180	16.0	26	2098
125	170	12.0	26R1	2890	140	180	16.0	23	3148
125	175	16.0	EQ	2930	142	162	19.0	IG	5549
127	152	27.0	IGSPB	7102	143	181	13.0	53	3240
127	159	19.0	IG	4203	143	181	19.0	23	6368
127	181	13.0	53	2942	145	175	14.0	26R1	5349
130	159	12.0	23	5367	145	175	14.0	23	5349
130	160	12.0	23	4656	145	175	15.0	57	0958
130	160	12.0	92	4656	145	180	15.0	23	4415
130	160	12.0	57	4656	145	180	16.0	23	3197
130	160	13.0	23	7221	146	180	15.0	23	0519
130	160	14.0	58	2989	146	181	13.0	53	3284
130	160	14.0	26R1	2989	150	180	12.0	92	0875
130	160	15.0	26	2988	150	180	13.0	23	1111
130	160	15.0	23	2988	150	180	14.0	26	5335
130	160	16.0	EQ	3022	150	180	14.0	26R1	5335
130	168	16.0	23	0956	150	180	14.0	59	5335

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
150	180	14.0	23	5335	170	200	15.0	57	7268
150	180	14.0	57	5335	170	200	16.0	26	3919
150	180	15.0	58	3327	170	200	16.0	59	3919
150	180	15.0	23	3327	170	200	16.0	EQ	3180
150	180	16.0	EQ	1349	170	203	14.0	23	5370
150	180	16.0	23	2341	170	210	16.0	26	3329
150	180	18.0	23	4862	175	200	12.0	23	1709
150	190	15.0	26	4395	175	200	12.7	23	3251
150	190	15.0	23	2233	175	200	15.0	23	4624
154	179	19.0	IG	4309	175	205	15.0	23	2457
155	174	12.0	26	3326	175	215	16.0	53	7495
155	180	13.0	23	1269	175	215	16.0	23	1388
155	180	15.0	26R1	3352	178	218	16.0	26	4227
155	180	15.0	59	3352	180	205	13.0	23	1616
160	184	14.0	23	1394	180	210	12.0	23	2828
160	185	10.0	92	0876	180	210	12.5	23	5336
160	190	8.0	26	3404	180	210	15.0	53	7807
160	190	12.7	23	4634	180	210	15.0	61	7807
160	190	13.0	23	7816	180	210	15.0	26R1	3920
160	190	13.0	57	7816	180	210	15.0	23	7807
160	190	14.0	53	7286	180	210	16.0	26	3920
160	190	15.0	53	7276	180	210	16.0	57	3920
160	190	15.0	26	7276	180	213	14.0	23	5371
160	190	15.0	26R1	7276	180	220	15.9	23	9994
160	190	15.0	23	7276	180	220	16.0	59	4039
160	190	15.0	57	7276	185	210	12.7	23	0801
160	190	16.0	26	3913	185	225	16.0	23	7006
160	190	16.0	EQ	3913	189	225	16.0	26R1	3923
160	190	16.0	23	3913	189	227	19.0	23	9792
160	195	18.0	26R1	1035	190	214	12.0	23	1290
160	200	12.0	23	1717	190	215	12.7	23	2581
160	200	14.0	59	4038	190	215	16.0	26	4997
160	200	16.0	21	4633	190	220	12.0	23	0504
162	200	13.0	53	3421	190	220	12.5	23	5333
162	200	16.0	53	3423	190	220	15.0	61	8049
162	200	16.0	26	3423	190	220	15.0	59	2043
162	200	19.0	53	3424	190	220	15.0	23	8049
162	200	19.0	23	3424	190	220	16.0	23	1379
165	190	13.0	58	0584	190	220	19.0	IG	4756
165	200	12.0	24	8171	190	225	16.0	26R1	1036
165	200	16.0	53	3432	190	225	16.0	23	3911
165	200	19.0	23	9217	190	225	16.0	57	3911
170	194	14.0	23	1395	190	230	16.0	23	1214
170	195	12.5	23	0637	190	235	16.0	26	3758
170	200	8.0	26	3451	195	230	15.0	59	2183
170	200	12.0	23	2826	195	230	15.0	23	7320
170	200	12.5	23	5356	196	220	12.0	23	0980
170	200	13.0	57	0783	200	224	12.7	23	4860
170	200	15.0	53	7268	200	225	15.0	23	1949
170	200	15.0	26R1	3919	200	230	13.0	53	4834
170	200	15.0	59	7268	200	230	14.0	26	3914
170	200	15.0	23	7268	200	230	14.0	26R1	3914

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
200	230	14.0	23	3914	220	260	16.0	23	8606
200	230	15.0	58	7388	220	260	19.0	23	0957
200	230	15.0	53	7388	220	260	20.0	23	1392
200	230	15.0	61	7388	220	260	22.0	26	3944
200	230	15.0	26R1	7388	220	260	22.0	26R1	3944
200	230	15.0	59	7388	225	250	12.5	23	8481
200	230	15.0	23	7388	225	265	16.0	23	2247
200	230	16.0	59	5317	230	255	12.7	23	5403
200	230	19.0	59	3301	230	260	15.0	26	3955
200	235	15.0	57	1727	230	260	15.0	59	3955
200	235	16.0	26	3908	230	260	15.0	23	5334
200	236	19.0	23	6926	230	260	15.0	87	5334
200	238	19.0	23	1014	230	268	19.0	23	5784
200	240	15.5	23	5372	230	269	22.0	26	3956
200	240	16.0	23	8420	230	269	22.0	26R1	3956
200	240	20.0	26	3916	230	270	14.0	53	7890
200	240	20.0	26R1	3916	230	270	14.0	59	4035
208	238	15.0	26	2147	230	270	16.0	59	4763
210	240	12.0	23	2833	230	270	16.0	23	4885
210	240	15.0	26	5338	230	276	17.5	23	5374
210	240	15.0	26R1	5338	230	280	16.0	59	0036
210	240	15.0	23	5338	230	280	16.0	23	4865
210	249	22.0	26	5231	235	275	0.0	61	1909
210	250	14.0	53	7887	240	270	15.0	53	5359
210	250	16.0	21	9521	240	270	15.0	26	5359
215	240	12.7	23	5402	240	270	15.0	26R1	5359
215	245	12.5	23	1953	240	270	15.0	59	5359
215	245	15.0	23	5358	240	270	15.0	23	5359
215	248	15.0	23	0961	240	270	16.0	59	0053
215	250	16.4	23	0746	240	275	16.0	26	3910
216	254	16.0	53	4602	240	275	16.0	57	3910
216	254	16.0	59	0012	240	275	18.0	23	1036
216	254	18.0	64	8453	240	280	13.0	23	1097
216	254	19.0	53	3937	240	280	15.0	26	2041
216	254	19.0	62	3937	240	280	16.0	53	7891
216	254	19.0	21	3937	240	280	16.0	23	7891
216	254	19.0	23	3937	240	280	19.0	26	3973
216	254	26.0	53F1	6760	240	280	19.0	26R1	3973
216	254	32.0	53F1	5681	240	280	19.0	23	3973
219	254	19.0	59	0014	240	280	20.0	23	9435
220	250	12.0	23	2829	240	286	17.5	23	5380
220	250	13.0	23	4757	240	290	16.0	23	3132
220	250	15.0	53	5357	240	290	19.0	26R1	3974
220	250	15.0	62	5357	240	300	25.0	59	0054
220	250	15.0	26R1	5357	240	320	25.0	26	0828
220	250	15.0	59	5357	242	272	15.0	26	2149
220	250	15.0	23	5357	245	283	20.6	23	2256
220	250	16.0	26	3942	245	305	25.0	26R1	1837
220	250	16.0	23	3942	250	280	12.7	23	9676
220	260	13.0	53	7840	250	280	15.0	53	5339
220	260	15.0	23	0891	250	280	15.0	62	5339
220	260	16.0	59	0019	250	280	15.0	26R1	5339

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
250	280	15.0	59	5339	280	320	20.0	59	3695
250	280	15.0	23	5339	280	320	20.0	23	7391
250	280	16.0	26	4345	280	320	20.0	88	7391
250	285	16.0	23	1099	280	330	15.5	23	0897
250	290	15.0	23	4497	280	340	21.0	64	4039
250	290	16.0	23	8607	280	340	25.0	59	0109
250	296	17.5	23	5375	284	330	15.8	23	0740
255	290	16.0	59	4767	285	315	20.0	23	1262
258	290	16.0	23	0695	285	329	20.0	23	5712
260	290	15.0	26	5351	289	327	19.0	53	4050
260	290	15.0	23	5351	289	327	19.0	59	0119
260	290	16.0	26	5111	289	327	19.0	23	4050
260	290	16.0	59	5111	290	330	16.0	59	4042
260	298	19.0	23	5665	290	330	18.0	23	0416
260	300	13.0	53	7892	290	330	20.0	26R1	3886
260	300	16.0	23	7010	290	330	20.0	23	1031
260	300	20.0	26	5429	290	350	25.0	59	3100
260	300	20.0	59	5429	292	327	18.0	59	0125
260	304	20.0	23	4805	300	330	15.0	23	5352
260	304	20.0	87	4805	300	330	16.0	23	0740
260	306	17.5	23	5381	300	332	16.0	59	4009
260	308	20.0	23	1292	300	335	18.0	23	5446
260	310	16.0	23	0872	300	338	19.0	23	9793
260	311	19.0	23	2314	300	340	16.0	53	7893
260	315	24.0	59	4891	300	340	18.0	59	0134
260	320	25.0	59	4999	300	340	20.0	23	4655
270	300	15.0	23	5350	300	340	20.6	23	0947
270	300	16.0	26	5445	300	344	20.0	59	4056
270	300	16.0	59	0094	300	344	20.0	23	4602
270	308	18.0	64	7769	300	344	20.5	23	8525
270	308	19.0	53	4018	300	344	21.0	88	8525
270	308	19.0	59	0095	300	345	22.0	26R1	1037
270	308	19.0	23	4018	300	350	19.0	23	4881
270	310	16.0	59	8655	300	350	26.0	59	0135
270	310	16.0	23	8655	310	335	12.7	23	5536
270	310	20.0	26R1	2965	310	340	15.0	23	5340
270	314	20.0	23	1027	310	350	20.0	59	0999
270	335	18.0	59	0099	310	354	20.0	23	2454
274	304	15.0	26	2148	310	354	20.0	87	2454
275	305	15.0	26	1040	315	360	20.0	23	1108
275	310	15.0	26	3722	320	350	16.0	59	0162
275	310	15.0	23	2350	320	355	16.0	59	0163
279	309	15.0	23	1246	320	358	19.0	23	5667
280	310	16.0	59	0982	320	360	18.0	23	1113
280	310	16.0	23	2582	320	360	19.0	23	1712
280	310	20.0	23	0890	320	360	20.0	26	4397
280	316	18.0	26	5233	320	360	20.0	59	4397
280	318	18.0	23	1962	320	360	20.0	23	1103
280	320	16.0	53	7848	320	362	20.7	23	1182
280	320	18.0	59	4028	320	364	20.0	26	3721
280	320	20.0	64	7391	320	364	20.0	23	2911
280	320	20.0	26	3695	324	362	16.0	59	0168

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
324	362	18.0	64	4089	355	395	20.0	59	5441
324	362	19.0	26	5942	355	420	15.0	88	1924
324	362	19.0	23	5942	356	381	18.0	26	8815
324	381	21.0	64	4092	356	394	19.0	23	9287
324	381	22.0	59	0170	360	390	18.0	26	0992
325	365	16.0	59	4058	360	390	18.0	59	0992
325	365	16.0	23	3209	360	390	18.0	23	2066
327	381	21.0	64	5404	360	396	16.0	23	0963
330	360	10.0	23	0590	360	400	16.0	53	7849
330	360	15.0	26	5341	360	400	18.0	26	4394
330	360	15.0	23	5341	360	400	18.0	59	4394
330	370	18.0	59	0174	360	400	20.0	59	1892
330	370	18.0	23	9996	360	400	20.0	23	9182
330	374	19.0	23	3170	360	404	20.0	87	1202
330	374	20.0	59	5525	360	425	22.0	59	0221
330	374	20.0	23	4630	365	403	19.0	23	3250
330	390	25.0	59	1000	368	419	20.6	87	2134
332	370	19.0	23	0994	370	395	12.7	23	5845
340	372	16.0	59	0188	370	410	20.0	26R1	8196
340	378	19.0	23	5664	370	411	16.0	23	9993
340	380	16.0	53	7896	370	414	20.0	59	3880
340	380	17.5	59	0189	370	420	20.0	23	1968
340	380	18.0	26	3882	375	415	16.0	23	6994
340	380	18.0	59	3882	375	420	20.0	59	4423
340	380	18.0	23	0893	380	420	15.9	23	2328
340	380	20.0	59	5170	380	420	20.0	59	0247
340	384	20.0	23	2245	380	420	20.0	23	0614
340	385	20.0	23	2286	380	424	20.0	59	4674
343	381	16.0	59	0190	380	424	20.0	23	4601
343	381	17.0	26	5456	380	440	25.0	26R1	5466
343	381	17.0	26R1	5456	380	440	25.0	59	5466
343	381	18.0	53	4121	381	426	29.0	26R1	5146
343	381	18.0	64	4121	385	425	20.0	23	8464
343	381	19.0	53	4122	387	417	15.0	59	5299
343	381	19.0	23	4122	390	420	14.0	23	1608
350	380	10.0	23	0591	390	428	19.0	23	9796
350	380	16.0	59	3212	390	430	18.0	59	5172
350	380	20.0	59	4755	390	430	19.0	23	5290
350	388	12.7	23	5477	390	430	20.0	26	4941
350	388	19.0	23	9316	390	434	20.0	59	5281
350	390	16.0	23	8656	390	434	20.0	23	1767
350	390	18.0	59	0204	390	440	20.0	59	3950
350	394	12.7	23	2109	390	440	25.0	59	4936
350	394	19.0	59	5107	390	450	17.0	64	4166
350	394	20.0	26	5102	390	450	25.0	59	2049
350	394	20.0	59	5102	394	420	12.7	23	2206
350	394	20.0	23	4603	395	439	19.0	26R1	0979
350	399	20.0	23	5874	395	439	23.0	26	3867
350	400	17.0	59	3490	397	435	19.0	59	0265
350	400	25.0	59	3091	397	435	19.0	23	6455
350	410	20.0	59	1902	400	438	19.0	23	5666
350	410	25.0	59	5477	400	440	16.0	59	5064

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Oil Seals by Shaft Size (Metric)

Garlock

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
400	440	20.0	26	4396	460	504	20.0	23	0518
400	440	20.0	59	4396	460	510	20.0	23	1237
400	444	17.0	23	8702	460	510	22.0	26	4486
400	444	20.0	59	1332	460	510	22.0	59	4486
400	444	20.0	23	4629	470	508	18.0	64	3768
400	444	20.0	87	4629	470	508	19.0	59	0338
400	450	18.0	64	4169	470	508	19.0	23	9881
400	450	18.0	59	0268	470	520	18.8	23	8695
400	450	18.0	23	2389	470	530	25.0	59	4255
400	450	19.0	59	2726	480	520	20.0	64	7281
400	450	20.0	23	2069	480	520	20.0	26	7281
400	450	20.6	23	2275	480	530	20.0	59	1247
400	460	25.0	26R1	5467	480	530	20.0	23	8299
410	450	20.0	59	4512	480	530	20.6	23	0639
410	460	22.0	26	4015	490	530	20.0	59	3133
414	464	20.6	23	1280	490	540	20.0	23	1298
415	465	20.0	59	4002	490	540	22.0	26	4856
416	454	18.0	64	4179	500	530	15.0	26	2504
416	454	19.0	59	0286	500	540	20.0	59	4047
416	454	19.0	23	5178	500	545	20.0	23	2484
420	458	19.0	23	5725	500	550	20.0	87	1383
420	460	20.0	64	8504	500	550	22.0	59	1246
420	460	20.0	59	0295	508	562	26.0	53	4238
420	460	20.0	23	8504	508	562	26.0	59	0364
420	470	18.0	64	8792	515	555	20.0	26	5493
420	470	18.8	23	8705	520	558	19.0	23	5654
420	470	19.0	23	4521	520	564	20.0	59	4764
420	470	22.0	64	1929	520	564	22.0	59	4525
420	470	22.0	26	1331	524	580	21.0	64	4244
420	470	22.0	59	1331	530	570	20.0	59	5438
420	480	25.0	26R1	5468	530	570	20.0	87	2388
420	480	28.0	26R1	1038	530	575	20.6	23	5761
425	475	20.0	23	9529	530	580	20.0	59	0375
430	470	20.0	59	4252	530	580	20.0	23	1911
430	470	20.0	23	4510	530	580	21.0	64	4244
430	480	20.0	23	5029	530	580	22.0	26	3667
430	480	22.0	59	3740	530	580	22.0	59	3667
430	480	25.0	59	4253	530	590	25.0	59	3535
430	490	20.0	64	9695	532	572	20.0	59	5440
435	485	20.0	87	1387	535	575	20.0	59	5452
440	480	20.0	26	4393	540	590	20.6	23	9639
440	480	20.0	59	4393	540	590	22.0	59	4598
440	480	20.0	23	4393	540	590	25.0	64	7393
440	490	22.0	59	4673	550	600	22.0	59	2724
446	486	16.0	88	4704	550	600	23.5	26	5492
450	480	12.7	23	0510	550	610	25.0	59	4514
450	490	20.0	59	3943	551	589	19.0	23	5428
450	493	20.0	23	9925	554	594	20.0	23	0429
450	500	20.6	21	3111	556	606	20.6	23	0606
450	500	20.6	23	1179	560	604	18.0	87	1382
450	510	25.0	59	5464	560	604	20.0	59	4066
460	500	20.0	59	4508	560	610	20.0	64	7266

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.

Garlock

Oil Seals by Shaft Size (Metric)

SHAFT	BORE	WIDTH	PART NO.		SHAFT	BORE	WIDTH	PART NO.	
560	610	20.0	26	3461	750	800	23.0	23	3169
560	610	20.0	59	3461	750	814	19.0	23	2079
560	610	22.0	64	2394	760	800	20.0	59	4917
560	610	22.0	26	4019	760	810	25.0	59	3132
560	610	22.0	59	4019	760	813	22.0	59	3837
560	620	25.0	59	4243	770	845	27.0	59	4875
570	610	20.0	59	3769	770	845	28.0	59	4578
570	616	19.0	64	4276	780	820	18.0	23	1959
570	616	19.0	59	0408	780	844	25.0	59	1933
570	620	22.0	59	4245	800	864	25.0	59	5560
570	620	25.0	59	4241	810	874	25.0	59	4671
574	604	15.0	26	2501	850	895	20.0	23	6894
576	614	19.0	23	5532	851	889	23.0	64	9504
578	635	23.0	64	6843	851	925	23.0	64	4552
578	635	23.0	59	0417	860	900	20.0	59	1043
580	640	25.0	59	4256	900	950	20.0	23	4872
590	630	20.0	59	3134	900	980	23.0	64	9079
590	640	20.0	23	2674	920	958	19.0	64	7770
600	640	20.0	64	8624	950	1014	25.0	59	4824
600	640	20.0	59	5280	960	1020	22.0	59	2991
600	650	22.0	59	4519	960	1040	23.0	59	0565
600	650	25.0	59	5559	970	1034	22.0	59	4455
600	660	25.0	59	4518	970	1040	25.0	59	4240
610	654	20.0	23	1112	990	1040	22.0	59	4100
610	660	20.6	23	7119	990	1040	25.0	59	4240
620	670	20.6	23	0864	1000	1050	22.0	64	1073
620	670	22.0	26	3678	1000	1050	22.0	59	3080
620	670	22.0	59	3678	1000	1050	23.0	59	2873
624	654	15.0	26	2505	1020	1050	19.0	23	4386
630	670	19.0	64	1451	1060	1100	20.0	59	4137
640	690	20.5	23	1719	1080	1144	25.0	59	3949
650	690	20.0	59	1044	1105	1160	25.0	64	0586
650	705	20.0	59	4244	1162	1207	20.0	23	6889
650	710	25.0	59	4517	1250	1314	25.0	59	4599
665	729	22.0	59	3163	1350	1414	22.0	64	7065
670	708	19.0	23	2248	1380	1430	25.0	23	9919
670	710	20.0	59	3945	1380	1440	25.0	64	8594
670	716	19.0	59	0464	1425	1482	19.0	23	9917
670	716	23.0	64	4307	1550	1610	25.0	64	8622
670	734	25.0	59	4672	1620	1665	20.0	59	3961
685	710	12.7	23	1169	1636	1700	22.0	64	4979
690	730	20.0	59	3489	1820	1870	20.6	23	4816
700	738	19.0	23	4481	1890	1954	25.0	64	9010
710	773	22.0	59	4239	2100	2150	20.6	23	8802
720	770	25.0	23	0786					
730	790	25.0	59	4516					
730	794	25.0	59	2543					
730	794	25.5	59	4487					
735	775	20.0	59	5442					
740	780	17.0	59	0497					
740	790	25.0	59	5609					
750	800	20.0	23	3165					

All dimensions are in mm. Preferred sizes are indicated with **bold** type face.

Sizes listed are for standard nitrile elements, except Models 25 and 62 which have PTFE elements. Other material available on inquiry only.